

LOOKING FOR **CRYSTAL CLEAR** PICTURE AND SOUND?



MAX[®] IN-WALL POWER-PRO

IN-WALL HOME THEATER POWER MANAGEMENT

- Provides safe and noise-free filtered power to remote plasma screens, LCD's and ceiling projectors.
- Voltage Monitoring Circuit protects equipment against prolonged over voltages by disconnecting the power and reconnecting it when safe power returns.
- May be used in conjunction with MIW-DUAL SIGNAL BAY and signal line modules (sold separately).
- Surge Suppression Rating of 330V.
- 3 Year Product Warranty.
- Limited Lifetime Connected Equipment Protection Policy when properly installed using MIW-Dual Signal Bay and appropriate MIW Module (both sold separately).



MAX® IN-WALL POWER-PRO FEATURES

1. Power Outlet Faceplate
Two recessed AC receptacles deliver power to remotely located devices. Enlarged faceplate (4.5" x 4.5") accommodates oversized wall cutouts.



2. Line Fault Indicator LED
When lit, this LED indicates there is an overvoltage condition with the power to the MIW Power-Pro.

3. Power On Indicator LED
Green light indicates power is being supplied to the MIW Power-Pro outlets.

MAX® IN-WALL POWER-PRO SPECIFICATIONS

General
Dimensions.....4.5 in. W x 2 in. D x 4.5 in H
Weight.....2 lbs.

AC Circuit
AC Outlets, Total:2
Line Voltage:120V, 50/60Hz
Total Current Capacity:15A
UL1449 Suppression Rating:330V
Protection Modes:L-N, L-G, N-G
Energy Dissipation:546 Joules
Peak Impulse Current:32,500 Amps
Catastrophic Surge Circuit:Yes
Thermal Fusing:Yes


Voltage Monitoring Circuit
Over-voltage shutoff.....142 VAC ± 5 VAC

Power Outlet Faceplate
AC Connectors:2 NEMA 5-15
Noise Filtration:Level 1
Signal Line Protection: Not Included / Modules Sold Separately



Design and specifications subject to change without notice due to product improvement.

May be used in conjunction with the MIW-DUAL SIGNAL BAY. (sold separately)

MIW-POWER-PRO
(sold separately)



INSTALLED BEHIND DISPLAY MONITOR



MIW-DUAL SIGNAL BAY
(sold separately)
(modules sold separately)

UPC'S, QUANTITIES, WEIGHTS & MEASUREMENTS FOR ORDERING & SHIPPING

MODEL MIW-POWER-PRO		UNIT CARTON			MASTER CARTON			
Dimensions	Weight	Dimensions	Weight	UPC	Qty	Dimensions	Weight	UPC
4.5" x 2" x 4.5"	2 Lbs	5" x 2.25" x 5"	2 Lbs	0 50616 00809 9	8	11" x 7" x 11"	12 Lbs	5 00 50616 00809 7



1690 Corporate Circle, Petaluma, CA. 94954 800-472-5555 or 707-283-5900 Fax 707-283-5901 www.panamax.com

© 2007 Panamax, Inc. Panamax, MAX, and the Panamax logo are registered US trademarks of Panamax

L583 REV B 5/07

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>