

ET5K series ET5M series ET5T series

Operating Instructions LED TV




VIEſA

Thank you for purchasing this Panasonic product. Please read these instructions carefully before operating this product and retain them for future reference. The images shown in this manual are for illustrative purposes only.







HDMI, the HDMI Logo, and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries.

Windows is a registered trademark of Microsoft Corporation in the United States and other countries.

VGA is a trademark of International Business Machines Corporation.

S-VGA is a registered trademark of the Video Electronics Standard Association.

➡ See page 90 for more information.

Transport only in upright position

Panasonic does not guarantee operation and performance of peripheral devices made by other manufacturers; and we disclaim any liability or damage arising from operation and/ or performance from usage of such other maker's peripheral devices.

This product is licensed under the AVC patent portfolio license for the personal and non-commercial use of a consumer to (i) encode video in compliance with the AVC Standard ("AVC Video") and/or (ii) decode AVC Video that was encoded by a consumer engaged in a personal and non-commercial activity and/or was obtained from a video provider licensed to provide AVC Video. No license is granted or shall be implied for any other use.

Additional information may be obtained from MPEG LA, LLC. See http://www.mpegla.com.

Contents

Be Sure to Read

Safety Precautions ------4

Quick Start Guide

Accessories / Options6
Identifying Controls 10
Basic Connection 12
Auto Tuning15

Enjoy your TV!

Basic

Using "VIERA Connect" ······	18
Watching TV	19
Viewing Teletext	23
Watching External Inputs	25
Viewing 3D images	27
How to Use VIERA TOOLS	31
How to Use Menu Functions	32

Advanced

Tuning and Editing Channels
Child Lock42
Shipping Condition43
Displaying PC Screen on TV44
Advanced Picture Settings45
Using Media Player46
Using Network Services (DLNA / VIERA Connect) ···· 56
Link Functions (VIERA Link)66
External Equipment73

Others

Technical Information	76
FAQs	85
Maintenance	87
Specifications	88
Licence ·····	90

Safety Precautions

Warning

Handling the mains plug and lead

Insert the mains plug fully into the socket outlet. (If the mains plug is loose, it could generate heat and cause fire.)

F


S

Ķ

E

E

- Ensure that the mains plug is easily accessible.
- Do not touch the mains plug with a wet hand. (This may cause electrical shock.)
- Do not use any mains lead other than that provided with this TV. (This may cause fire or electrical shock.)
- Do not damage the mains lead. (A damaged lead may cause fire or electrical shock.)
 - Do not move the TV with the lead plugged in the socket outlet.
 - Do not place a heavy object on the lead or place the lead near a high-temperature object.
 - Do not twist the lead, bend it excessively or stretch it.
 Do not pull on the lead. Hold onto the mains plug body when disconnecting the lead.
 - Do not use a damaged mains plug or socket outlet.



Caution

This appliance is intended for use in tropical climates

When cleaning the TV, remove the mains plug

Cleaning an energised TV may cause electric shock.

Remove the mains plug from the wall socket when the TV is not in use for a prolonged period of time

 This TV will still consume some power even in the Off mode, as long as the mains plug is still connected.

Do not expose your ears to excessive volume from the headphones

Irreversible damage can be caused.


Do not apply strong force or impact to the display panel

This may cause damage resulting in injury.

Do not block the rear air vents

- Adequate ventilation is essential to prevent failure of electronic components.
- Ventilation should not be impeded by covering the ventilation openings with items such as newspapers, table cloths and curtains.
- We recommend that a gap of at least 10 cm is left all around this TV even when placed inside a cabinet or between shelves.
- When using the pedestal, keep the space between the bottom of the TV and the surface where the TV is set.
- If pedestal is not used, ensure the vents in the bottom of the TV are not blocked.

Minimum distance



Built-in wireless LAN


Warning

- Radio waves
- Do not use the TV in any medical institutions or locations with medical equipment. Radio waves from the TV may
 interfere with the medical equipment and cause accidents due to the malfunction.
- Do not use the TV near any automatic control equipment such as automatic doors or fire alarms. Radio waves from the TV may interfere with the automatic control equipment and cause accidents due to the malfunction.
- Keep the distance at least 22 cm from the built-in wireless LAN part when you have a cardiac pacemaker. Radio
 waves from the part may interfere with the operation of the pacemaker.
- Do not disassemble or alter the built-in wireless LAN in any way

(Caution)

Built-in wireless LAN

- To use the built-in wireless LAN, an access point needs to be obtained.
- Do not use the built-in wireless LAN to connect to any wireless network (SSID*) for which you do not have usage rights. Such networks may be listed as a result of searches. However, using them may be regarded as illegal access.
 *SSID is a name for identifying a particular wireless network for transmission.
- Do not subject the built-in wireless LAN to high temperatures, direct sunlight or moisture.
- Data transmitted and received over radio waves may be intercepted and monitored.
- The built-in wireless LAN uses 2.4 GHz and 5 GHz frequency bands. To avoid malfunctions or slow response caused by radio wave interference, keep the TV away from the devices such as other wireless LAN devices, microwaves, mobile phones and the devices that use 2.4 GHz and 5 GHz signals when using the built-in wireless LAN.
- When noises occur due to the static electricity, etc., the TV might stop operating for the protection of the devices. In this case, turn the TV off with Mains power On / Off switch, then turn it on again.
- Additional information for built-in wireless LAN and access point may be on the following website. (English only) http://panasonic.jp/support/global/cs/tv/



3

C

C

.

(C

.

E

0

E

0

Е

.

Т

۷

р

- Accessories may not be placed all together. Take care not to throw them away unintentionally.
- This product contains possibly dangerous parts (such as plastic bags), that can be breathed in or swallowed by young children accidentally. Keep these parts out of reach of young children.

Optional accessories


Please contact your local Panasonic dealer to purchase the recommended optional accessories. For additional details, please read the manual of the optional accessories.


Wall-hanging bracket

Please contact your local Panasonic dealer to purchase the recommended wall-hanging bracket.

Holes for wall-hanging







Rear of the TV

Warning

- Failure to use a Panasonic bracket or choosing to mount the unit yourself will be done at the risk of the consumer. Always be sure to ask a qualified technician to carry out set up. Incorrect fitting may cause equipment to fall, resulting in injury and product damage. Any damage resulting from not having a professional installer mount your unit will void your warranty.
- When any optional accessories or wall hanging brackets are used, always ensure that the instructions provided are followed fully.
- Do not mount the unit directly below ceiling lights (such as spotlights or halogen lights) which typically give off high heat. Doing so may warp or damage plastic cabinet parts.
- Take care when fixing wall brackets to the wall. Wall mounted equipment shall not be grounded by metal within the wall. Always ensure that there are no electrical cables or pipes in the wall before hanging bracket.
- To prevent fall and injury, remove the TV from its fixed wall position when it is no longer in use.

3D Eyewear

- TY-EP3D10WB
- (1 pack includes 2 eyewears)




Communication Camera

 TY-CC20W 				
-	•	- @ -		
_				

- If you need 3D Eyewears additionally, please purchase this optional accessory.
- Use Panasonic 3D Eyewear for passive 3D. For more information (English only):
 - http://panasonic.net/avc/viera/3d/asia.html
- This camera can be used on VIERA Connect (p. 18, 65).
- Depending on the area, this optional accessory may not be available. For details, consult your local Panasonic dealer.

Installing / removing remote's batteries



Caution

- Incorrect installation may cause battery leakage and corrosion, resulting in damage to the remote control.
- Do not mix old and new batteries.
- Replace only with same or equivalent type. Do not mix different battery types (such as alkaline and manganese batteries).
- Do not use rechargeable (Ni-Cd) batteries.
- Do not burn or break up batteries.
- Do not expose batteries to excessive heat such as sunshine, fire or the like.
- Make sure you dispose of batteries correctly.
- Ensure batteries are replaced correctly, there is danger of explosion and fire if battery is reversed.
- Do not disassemble or modify the remote control.

Attaching / removing the pedestal

Warning

Do not disassemble or modify the pedestal.

• Otherwise the TV may fall over and become damaged, and personal injury may result.

Caution

1

Do not use any pedestal other than the one provided with this TV.

Otherwise the TV may fall over and become damaged, and personal injury may result.

- Do not use the pedestal if it becomes warped or physically damaged.
- . If you use the pedestal while it is physically damaged, personal injury may result. Contact your local Panasonic dealer immediately.

During set-up, make sure that all screws are securely tightened.


. If insufficient care is taken to ensure screws are properly tightened during assembly, the pedestal will not be strong enough to support the TV, and it might fall over and become damaged, and personal injury may result. Ensure that the TV does not fall over.

- If the TV is knocked or children climb onto the pedestal with the TV installed, the TV may fall over and personal injury may result.
- Two or more people are required to install and remove the TV.

If two or more people are not present, the TV may be dropped, and personal injury may result.

When removing the pedestal from the TV, do not remove the pedestal by the methods other than the specified procedure. \Rightarrow (p. 8)

Otherwise the TV and / or pedestal may fall over and become damaged, and personal injury may result.



ι


ir

e

Removing the pedestal from the TV

Be sure to remove the pedestal in the following way when using the wall-hanging bracket or repacking the TV.


- 1 Remove the assembly screws (B) from the TV.
- 2 Pull out the pedestal from the TV.
- 3 Remove the assembly screws (A) from the bracket.



Preventing the TV from falling over

Using the fall-prevent screw hole and a screw (commercially available), securely fix the body of the pedestal to the installation surface.


• The place where the pedestal is to be fixed should be thick enough and made of hard material.



Accessories / Options

Identifying Controls

Remote Control



- Standby On / Off switch
 Switches TV on or off standby.
- 2 Sound Selection
 Changes multiplex sound mode in TV mode (if available).
 (p. 77)
- 3 3D button ⇒ (p. 29)
 Switches the viewing mode between 2D and 3D.
- [Main Menu] → (p. 32)
 Press to access Picture, Sound, Network, Timer and Setup Menus.
- 5 Information ⇒ (p. 19)
- Displays channel and programme information.
 6 VIERA TOOLS
 (p. 31)
 - Displays some special feature icons and accesses easily.

- 7 INTERNET ([VIERA Connect]) → (p. 18, 65)
- Displays VIERA Connect home screen.
- 8 OK
 - Confirms selections and choices.
 Press after selecting channel positions to quickly change channel.
 - Displays the Channel List.
- 9 [Option Menu] ⇒ (p. 20)
- Easy optional setting for viewing, sound, etc.
- 10 Teletext*
 (p. 23)
- Switches to teletext mode.
- 11 Favourite Page* →(p. 23)
 Calls up the teletext page stored in blue button.
- 12 Numeric buttons
 - Changes channel and teletext pages.
 - Sets characters.
 - When in Standby mode, switches TV on.
- 13 Sound Mute
 - Switches sound mute on or off.
- 14 Volume Up / Down
- 15 Input mode selection
 - TV switches TV mode. → (p. 19)
 AV switches to AV input mode from Input Selection list. → (p. 25)
- 16 Aspect → (p. 21)

Changes aspect ratio.

- 17 [Surround] → (p. 35)
 Switches surround sound setting.
 18 Exit
 - Returns to the normal viewing screen.
- 19 [Media Player] → (p. 47)
 Switches to SD Card and USB device viewing / listening mode.

Ν

C

ti E

C

т

- 20 Cursor buttons
- Makes selections and adjustments.
- 21 Return
 - Returns to the previous menu / page.
- 22 Coloured buttons
 - Used for the selection, navigation and operation of various functions.
- 23 Hold
 - Freeze / unfreeze picture.

 (p. 20)
 - Holds the current teletext page (teletext mode).*
 (p. 23)
- 24 Index* ⇒ (p. 23)
- Returns to the teletext index page (teletext mode).
 Last view
 (p. 22)
- Switches to previously viewed channel or input mode.
- 26 Channel Up / Down
- 27 Operations for contents, connected equipment, etc. ⇒ (p. 26, 47, 62, 71)


*Some countries do not provide a teletext service.

Indicator / Control panel

- **1** Function select
 - [Volume] / [Backlight] / [Contrast] / [Brightness] / [Colour] / [Sharpness] / [Tint] (NTSC signal) / [Bass]* / [Treble]* / [Balance] / [Auto Tuning]
 *[Music] or [Speech] mode in the Sound Menu
- **2** Channel Up / Down, Value change (when using the F button), Switching the TV on
- 3 Changes the input mode
- 4 Mains power On / Off switch

 Use to switch the mains power.
 If you turned the TV off during Standby mode by the remote control last time, the TV will be in Standby mode when you turn the TV on with Mains power On / Off switch.

- When pressing the control panel button (1 4), the control panel guide appears on the right side of the screen for 3 seconds to highlight the pressed button.
 - 5 Remote control signal receiver
 - Do not place any objects between the TV remote control signal receiver and remote control.



- 6 C.A.T.S. (Contrast Automatic Tracking System) sensor
 - Senses brightness to adjust picture quality when [Eco Mode] in the Picture Menu is set to [On].
 (p. 33)
- 7 Power LED
 - Red: Standby
 - Green: On
 - The LED blinks when the TV receives a command from the remote control.


Using the On Screen Displays - Operation guide

Many features available on this TV can be accessed via the On Screen Display menu.

Operation guide

Operation guide will help you to operate by using the remote control.

Example: [Sound Menu]



How to use remote control MENU

Open the main menu

Move the cursor / select from a range of options / select the menu item (up and down only) / adjust levels (left and right only)

Access the menu / store settings after adjustments have been made or options have been set

Return to the previous menu

Exit the menu system and return to the normal viewing screen

Operation guide

Auto power standby function

The TV will automatically go into Standby mode in the following conditions:

- No signal is received and no operation is performed for 30 minutes in TV mode.
- [Off Timer] is active in the Timer Menu. (p. 20)
- No operation is performed for the period selected in [Auto Standby] (p. 36).

Identifying Controls

RETURN

5)

EXIT


X

Basic Connection

External equipment and cables shown are not supplied with this TV. Please ensure that the unit is disconnected from the mains socket before attaching or disconnecting any leads.

Terminals

Basic Connection




8 PC 🔿 (p. 74)

9 AV1 IN / AUDIO OUT ⇒ (p. 73) 10 AV2 IN ⇒ (p. 73, 74) Т

Connections

3 HDMI1 - 4 → (p. 13, 73)

4 Headphone jack → (p. 74)




7 DIGITAL AUDIO OUT → (p. 73)

12

Note

- Keep RF (antenna) cable away from the mains lead to avoid and minimise mains interference pickup.
- Do not place the RF cable under the TV.
- To obtain optimum quality picture and sound, an aerial, the correct cable (75 Ω coaxial), and the correct terminating plug are required.
- If a communal aerial system is used, you may require the correct connection cable and plug between the wall aerial socket and the TV.
- Your local Television Service Centre or dealer may be able to assist you in obtaining the correct aerial system for your particular area and the accessories required.
- Any matters regarding aerial installation, upgrading of existing systems or accessories required, and the costs incurred, are the responsibility of you, the Customer.



Note

- VIERA Link connection
 (p. 66, 67)
- Please also read the manual of the equipment being connected.

- When using a HDMI cable, use the fully wired one.
- Check the type of terminals and cable plugs are correct when connecting.

13

[•] Keep the TV away from electronic equipment (video equipment, etc.) or equipment with an infrared sensor. Otherwise, distortion of image / sound may occur or operation of other equipment may be interfered.

Network


To enable the network service functions (VIERA Connect, etc.), you need to connect the TV to a broadband network environment.

S

.

- If you do not have any broadband network services, please consult your retailer for assistance.
- Prepare the internet environment for wired connection or wireless connection.
- Setup of the network connection will start after the tuning (when first using the TV). (p. 15 17)

Wired connection



both side snaps

knob

the knob


together (could cause distorted image).


• Fix cables with clampers as necessary. • When using the optional accessory, follow the option's assembly manual to fix cables.

Auto Tuning

Search and store TV channels automatically.

- These steps are not necessary if the setup has been completed by your local dealer.
- Please complete connections (p. 12 14) and settings (if necessary) of the connected equipment before starting Auto Tuning. For details of settings for the connected equipment, read the manual of the equipment.





Auto Tuning

16

2. Connect the TV with the access p		light flashes
WPS(Push button) 1) Please press the 'WPS' button on the wireless access point until its light flashes.		
2) When the light is flashing select 'Connect' on TV. If you are unsure, please check the instruction manual of the wireless access point. Connect	WPS: Wi- If the coni	at your access point supports WPS for this setup. Fi Protected Setup™ nection has failed, check the settings and positions of ss point. And then, follow the on-screen instructions.
3. After the access point setting is fir	ished, perform th	ne connection test
Connection Test		✓ : succeeded
Check wireless network of Check acquired IP addree Check for devices using s Check gateway connection	ss. same IP address. on.	The test is successful and the TV is connected to the network.
Check server connection		Check the settings and connections. And then select
4. Go to the next step 6		[Retry].
(Danas kuiss)		
(Press twice)		
Select [Home]	use in vour hom	e environment.
	use in your hom	lect
Select [Home] elect [Home] viewing environment to Please select your viewing environment. Home Shop	nt (for shop d	lect t
Select [Home] elect [Home] viewing environment to Please select your viewing environment. Home Shop I [Shop] viewing environment is the o Select [Home] viewing environment	t (for shop d demonstration mo ent to use in yo	lect t isplay only) ode to explain main features of this TV.
Select [Home] elect [Home] viewing environment to Please select your viewing environment. Home Shop I [Shop] viewing environment is the o Select [Home] viewing environment	t (for shop d demonstration me ent to use in yo ment selection s t 2 Sel	lect t isplay only) ode to explain main features of this TV. ur home environment.
Select [Home] elect [Home] viewing environment to Please select your viewing environment. Home Shop Ishop] viewing environment is the o Select [Home] viewing environm You can return to viewing environ Return to viewing environment	t (for shop d demonstration me ent to use in yo ment selection s t 2 Sel	lect t isplay only) ode to explain main features of this TV. ur home environment. creen at the stage of Shop confirmation screen. ect [Home]
Select [Home] elect [Home] viewing environment to Please select your viewing environment. Home Shop I [Shop] viewing environment is the o Select [Home] viewing environm You can return to viewing environment Selection screen	ent to use in yo ment selection sit t 2 Sel Please	lect t isplay only) ode to explain main features of this TV. ur home environment. creen at the stage of Shop confirmation screen. ect [Home] e select your viewing environment.

If tuning has failed, check the connection of the RF cable, and then, follow the on-screen instructions.

Note

- To edit or hide (skip) channels → "Tuning and Editing Channels" (p. 39 41)
 To retune all channels → [Auto Tuning] in "Tuning and Editing Channels" (p. 40, 41)
 To initialise all settings → [Shipping Condition] (p. 43)

Using "VIERA Connect"

VIERA Connect is a gateway to the internet services unique to Panasonic.

VIERA Connect allows you to access some specific websites supported by Panasonic, and enjoy internet contents such as videos, games, communication tools, etc. from VIERA Connect home screen. Some features of the websites may not be available.

Turn power on POWER • Mains power On / Off switch should be on. ŇER (p. 11) (山) (U) • Every time you turn on the TV, VIERA Connect introduction banner appears. The banner is subject to change. (\times) injoy selected internet content with VIERA Con Simply press the OK / INTERNET button 2 Access VIERA Connect ок While the banner is displayed or Using "VIERA Connect" ■ To exit from • Depending on the usage conditions, it may take a while to read all the data. **VIERA** Connect Messages might be displayed before VIERA Connect home screen. EXIT Please read these instructions carefully and follow the on-screen instructions. X Example: VIERA Connect home screen To set the VIERA To go to the next level, select [MORE]. Connect introduction • To back to the previous level, banner display off [VIERA Connect] select [BACK]. Banner] (p. 37) screen

- Video communication requires an exclusive Communication Camera TY-CC20W. "Optional accessories" (p. 6)
- For details, read the manual of the Communication Camera.
- You can connect a keyboard and a gamepad via USB port for character input and playing games in VIERA Connect. You can also operate the TV with a keyboard or a gamepad other than VIERA Connect features. For more information

 "USB connection" (p. 83)

Note

- If you cannot access VIERA Connect, check the network connections (p. 14) and settings (p. 15 17).

18

To return to VIERA Connect home


E ١ľ


(

đ



Watching TV





Aspect

Change the aspect ratio (image size)



Enjoy viewing the image at its optimum size and aspect. (Press repeatedly until you reach the desired mode.)

■ To change the aspect ratio manually (if available)

1 Display Aspect Selection list



(1) select 2 store

2 While the list is displayed, select the mode



 You can also change the mode only using the ASPECT button.





Directly displays the image at 16:9 without distortion (anamorphic).



Displays the image at the standard 14:9 without distortion.

[Just]



Displays a 4:3 image full-screen. Stretching is only noticeable at the left and right edges.



Displays the image at the standard 4:3 without distortion.



[4:3 Full]

Displays a 4:3 image enlarged horizontally to fit the screen. For HD signal

without distortion.

Displays a 16:9 letterbox or 4:3 image

[Zoom2]



Displays a 16:9 letterbox (anamorphic) image full-screen without distortion.

[Zoom3]



Displays a 2.35:1 letterbox (anamorphic) image full-screen without

distortion. At 16:9, displays the image at its

maximum (with slight enlargement).

Note

- Only [16:9] and [4:3] are available in PC input mode.
- Aspect cannot be changed in teletext service and 3D mode.
- Aspect mode can be memorised separately for SD (Standard definition) and HD (High definition) signals.

Watching TV

Last view

Switch to previously viewed channel or input mode easily



• Press again to return to the current view.

Note (

• Watching less than 10 seconds is not regarded as the previously viewed channel or input mode.

Change OSD language

You can change language for on-screen displays.

1 Display the menu MENU





3 Select [OSD Language]



V

Т

Т ۷

lı.

ir ir

۷ lı.

С

Е

F Ň

S (ľ

Watching TV OSD Languag



4 Select the language and set

Download from Www.Somanuals.com. All Manuals Search And Download.

Viewing Teletext

Teletext services are the text information provided by the broadcasters. The features may vary depending on the broadcasters.


What is FASTEXT mode?

In FASTEXT mode, four differently coloured subjects are situated at the bottom of the screen. To access more information about one of these subjects, press the appropriate coloured button. This facility enables fast access to information on the subjects shown.

What is List mode?

In List mode, four differently coloured page numbers are situated at the bottom of the screen. Each of these numbers can be altered and stored in the TV's memory. ***** "Store frequently viewed pages" (p. 24)

■ To change mode → [Teletext] (p. 37)



Reveal hidden data



HOLD

Stop automatic updating

(If you wish to hold the current page without updating)

HOLD

Press again to resume.

INDEX


Return to the main index page

Call up a favourite page

View a favourite page stored


Call up the page stored on the blue button (List mode). F.P. • Factory setting is "P103".





Watching External Inputs

Connect the external equipment (VCRs, DVD equipment, etc.) and you can watch through the input. ■ To connect the equipment ⇒ (p. 12 - 14, 73 - 75) The remote control is capable of operating the contents or external equipment. ⇒ (p. 26)



• For details, read the manual of the equipment or ask your local dealer.

Operating contents or the equipment with the TV remote control

You can operate the contents in Media Player / media servers, recording functions or the connected equipment.

POWER	Standby Set to Standby mode / Turn on
	Play Playback videocassette / DVD
	Stop Stop the operations
HH V	Rewind / Skip / Search VCR: Rewind, view the picture rapidly in reverse DVD / video content: Skip to the previous track, title or chapter Press and hold to search backward
× >	Fast-forward / Skip / Search VCR: Fast-forward, view the picture rapidly forward DVD / video content: Skip to the next track, title or chapter Press and hold to search forward
	Pause Pause / Resume DVD: Press and hold to play at slow speed
	Programme Up / Down Select programme
REC	Record Start recording

How to change the code

Each type of the Panasonic equipment has its own remote control code. Change the code according to the equipment you want to operate.

1 2** 3**

4 - 5 - 6 ---

7:cn 81. 9...

0

POWER

Press and hold during the following operations

Enter the appropriate code, see table below



Type of the equipment, features	Code
DVD Recorder, DVD Player, Blu-ray Disc Player	70 (default)
Player theatre, Blu-ray Disc theatre	71
VCR	72
Using in Video mode of Media Player → (p. 47) Using in Video mode of DLNA → (p. 62) The equipment using in VIERA Link → (p. 71)	73

Note

• Confirm if the remote control works correctly after changing the code.

• The codes may be reset to default values if batteries are replaced.

• Some operations may not be possible on some equipment models.

Viewing 3D images

You can enjoy viewing 3D images with contents or programmes corresponding to the 3D effect by wearing the 3D Eyewear. Fyewear. **Standard accessories**" (p. 6)

This TV supports [Frame Sequential]^{*1}, [Side by Side]^{*2} and [Top and Bottom]^{*3} 3D formats.

*1: The 3D format that the images for the left and right eyes are recorded with the high definition quality and alternately played back.

*2, *3: Other available 3D formats

How to view the 3D images → (p. 28)

Warning

Do not disassemble or modify the 3D Eyewear. Doing so may result in injury, or may cause the user to feel unwell.

Caution

To use 3D Eyewear safely and comfortably, please read these instructions fully.

3D Eyewear

- Do not drop, exert pressure on, or step on the 3D Eyewear. Doing so may damage the glass section, which may
 result in injury.
- Be careful of the tips of the frame and the hinge section when putting on the 3D Eyewear. Failure to heed this
 warning may result in injury. Pay special attention when children are using this product.

Viewing 3D Content

- Do not use the 3D Eyewear if you have a history of over-sensitivity to light, heart problems, or have any other existing medical condition. Using the 3D Eyewear may cause the symptoms to worsen.
- Stop using the 3D Eyewear immediately if you feel tired, discomfort, or any other abnormality. Continuing to use the 3D Eyewear in such cases may cause you to feel unwell. Please take the necessary rest before continuing use. When you set the effect by using [3D Adjustment], take into account that the vision of 3D images varies among different individuals.
- When using the 3D Eyewear, be careful not to strike the TV screen or other people by mistake. As the images are
 in 3D, the distance between the user and screen may be mistaken, causing the user to strike the screen which may
 result in injury.
- When using the 3D Eyewear, make sure your eyes are on an approximately horizontal level, and keep a position where you do not see double images.
- If you suffer from myopia (short-sightedness), hyperopia (far-sightedness), astigmatism, or have eyesight differences between the left and right eyes, please use corrective glasses or other such methods to correct your eyesight before putting on the 3D Eyewear.
- Stop using the 3D Eyewear if you can clearly see double images when viewing 3D content. Prolonged use may cause eyesight fatigue.
- View the screen at a distance at least 3 times further than the effective height of the screen.
- Recommended distance:
- For a 42-inch television, 1.6 m or more.
- For a 47-inch television, 1.8 m or more.
- For a 55-inch television, 2.1 m or more.

Using the 3D Eyewear at a distance closer than the recommended distance may cause eyesight fatigue.

3D Eyewear Use

- Do not use the 3D Eyewear for any other purpose except viewing 3D images.
- As a guide, 3D Eyewear should not be used by children younger than 5 6 years old. As it is difficult to judge younger children's reactions to fatigue or discomfort, it may be difficult to prevent them from suddenly feeling unwell. When this product is being used by a child, the parent or guardian should check to ensure that the child's eyes are not becoming tired.
- Do not use if the 3D Eyewear is cracked or broken. Doing so may result in injury or eyesight fatigue.
- Stop using the 3D Eyewear immediately if your skin feels unusual. In rare cases, the paint or materials used in the 3D Eyewear may cause an allergic reaction.

Note

3D Eyewear can be worn over vision correction glasses.

Storing and cleaning the 3D Eyewear

- Clean using a soft, dry cloth.
- Wiping the 3D Eyewear with a soft cloth that is covered in dust or dirt may scratch the eyewear. Shake off any dust from the cloth before use.

[

V

Ľ

ſ

[

Ľ

т

If.

- Do not use benzene, thinner, or wax on the 3D Eyewear, as doing so may cause the paint to peel off.
- Do not dunk the 3D Eyewear in liquid such as water when cleaning.
- Avoid storing the 3D Eyewear in hot or highly humid locations.

To view the 3D images

You can enjoy the 3D images in a variety of ways.

(Frame Sequential, Side by Side and Top and Bottom are the supported 3D format.)

Playing back 3D-compatible Blu-ray disc (Frame Sequential format)

- Connect the 3D-compatible player via a fully wired HDMI compliant cable.
- If input mode is not switched automatically, select the input mode connected to the player. (p. 25)
- If you use the non 3D-compatible player, the images will be displayed on 2D mode.

■ 3D photos and 3D videos taken by 3D-compatible Panasonic products

• Available in Media Player (p. 46) and Network services (p. 62)

2D images converted to 3D

Set to [2D→3D] mode in [3D Mode Selection]. (p. 29)

Put on the 3D Eyewear

View the 3D images

 Safety precautions will be displayed when you first watch the 3D image. Select [Yes] or [No] to continue to view 3D images.

If you select [Yes], this message will be displayed again in the same condition after Mains power On / Off switch is next turned on. Select [No] if you do not want to display this message again.

Note

- The 3D image or 3D effect may not be available in the following conditions:
- VIERA Connect home screen (p. 18) is displayed.
- 3D content will not be correctly visible if the 3D Eyewear is worn upside down or back-to-front.
- Do not wear the 3D Eyewear when watching anything other than 3D images. Liquid crystal displays (such as computer screens, digital clocks or calculators, etc.) may be difficult to see while wearing the 3D Eyewear.
- Do not use the 3D Eyewear as sunglasses.
- 3D effects may be perceived differently depending on the person.

Viewing 3D images

1

2

Changing 2D - 3D mode

You can easily change the viewing mode between 2D and 3D using the 3D button. This function is not available in PC mode.

ED)



2D

→3D



 Items of [3D Mode Selection] vary depending on the condition.

[3D] / [2D] / [2D→3D]:

Displays the appropriate image that you desire without selecting 3D format.

 This mode may not work properly depending on the source image format. In this case, select the appropriate 3D format manually.


■ To change 3D format manually

When the image is not changed properly using [3D], [2D] or [2D→3D] mode, use this manual setting.

During the above operation







l 🗉

 select Øset

Viewing 3D images

[Original]:

Displays the source image as it is.

- Use to identify the format type of the source image.
- ➡ "Table of images that can be seen for each [3D Mode Selection (Manual)] and the source image format" (see below)

[Frame Sequential - 3D] / [Frame Sequential - 2D] / [Side by Side - 3D] / [Side by Side - 2D] / [Top and Bottom - 3D] / [Top and Bottom - 2D]:

 $2D \rightarrow 3D$

Displays the mode you select.

Not valid on TV and AV mode

[2D→3D]:

- Converts 2D images into 3D.
- Please note the 3D images appear slightly different from the originals.

 Using this function for profit-making purposes, or publically showing images converted from 2D to 3D in places such as shops or hotels etc. may infringe on the rights of the copyright holder protected under copyright law.

Table of images that can be seen for each [3D Mode Selection (Manual)] and the source image format If the picture appears to be abnormal, refer to the table below to choose the correct 3D mode.


[3D Mode Selection] Source image format	[Original]	[Frame Sequential - 3D]	[Side by Side - 3D]	[Top and Bottom - 3D]	[2D→3D]
Frame Sequential	Α	A Normal 3D*1	Α	Α	Α
Side by Side (Full)	Α	Α	A Normal 3D*1	Α	Α
Side by Side	A A	A A	A Normal 3D*1	ΑΑ	ā ā
Top and Bottom				A Normal 3D*1	
Normal format (2D)	Α	Α			A Normal 3D

*1: When selecting [Frame Sequential - 2D], [Side by Side - 2D] or [Top and Bottom - 2D], the images will be displayed without 3D effect.

Depending on the player or broadcasts, the image may be different from the above illustrations.

3D Settings

If the 3D images are not displayed correctly or seem unusual, adjust and setup the 3D settings.



ltem	Adjustments / Configurations (alternatives)
2D→3D Depth	Selects a level of 3D-image depth for viewing converted 2D images [Min] / [Mid] / [Max]
3D Adjustment	 Adjustment of the 3D effect (except in [2D→3D] mode) [Off] / [On] Set to [On] to enable [Effect] setting. When setting to [On], a safety precaution message will appear. Read it carefully and press the RETURN button to go to [Effect] setting. [Effect]: Adjusts the 3D depth according to the contents or to your preference.
Edge Smoother	Set to [On] if you feel the contoured parts of an image are not smooth enough (except in $[2D\rightarrow 3D]$ mode) [Off] / [On]
3D Detection	 Automatically detects the 3D format signals [Off] / [On] / [On (Advance)] [On (Advance)]: Detects all the 3D format signals and displays the 3D image automatically. [On]: Detects the particular 3D format signals (Frame Sequential, etc.) and displays the 3D image automatically. To view 3D images without any notifications and operations, set to [On (Advance)].
3D Signal Message	Selects whether to give a notification message when a signal of 3D format is found [Off] / [On] • For Component and HDMI input • This function is not available when [3D Detection] is set to [On (Advance)].
Safety Precautions	Displays the precautions for viewing 3D images


Note

• [3D Adjustment] will not be memorised when changing the input mode or channel.

Viewing 3D images

How to Use VIERA TOOLS

You can access some special features easily by using the VIERA TOOLS function.




*When two or more available devices are connected, a selection screen will be displayed. Please select the correct description and access.

Note

• If the selected feature is not available, the demonstration to explain how to use it can be displayed. Press the OK button to view the demonstration after selecting the unavailable feature.

How to Use Menu Functions

Various menus allow you to make settings for the picture, sound, and other functions.



→ [Shipping Condition] (p. 43)

Menu list

lenu	Item	Adjustments / Configurations (alternatives)
	Viewing Mode	Selects your favourite picture mode for each input [Dynamic] / [Normal] / [Cinema] / [True Cinema] / [Game] [Dynamic]: Improves contrast and sharpness for viewing in a bright room. [Normal]: Normal use for viewing in a normal lighting condition. [Cinema]: Improves the performance of contrast, black and colour reproduction for watching movies in a darkened room. [True Cinema]: Reproduces the original image quality precisely without any revision. [Game]: Provides suitable images for fast response signal when playing games. • Not valid on TV mode • To display a continuous record of time spent using Game mode [Playing Time Display] (p. 37)
		In each Viewing Mode, [Backlight], [Contrast], [Brightness], [Colour], [Sharpness], [Tint], [Colour Balance], [Vivid Colour], [Eco Mode], [P-NR] and [3D-COMB] can be adjusted and stored for each input. Additionally, you can adjust the detailed settings when [Advance] in the Setup Menu is set to [On].
	Backlight, Contrast, Brightness, Colour, Sharpness	Adjusts the levels of these options according to your personal preference
Dictura	Tint	Adjusts the picture hue to suit your taste • For NTSC signal, Component and HDMI input
5	Colour Balance	Sets the overall colour tone of the picture [Cool] / [Normal] / [Warm] • Not valid when [Viewing Mode] is set to [True Cinema]
	Channel Colour Set	Adjusts the suitable colour density from 3 levels for each channel • Select the channel to adjust and set this function.
	Vivid Colour	Automatically adjusts colours to vivid ones [Off] / [On] • Not valid on PC mode
	Eco Mode	Automatic Brightness Control function Adjusts picture settings automatically depending on ambient lighting conditions [Off] / [On]
	P-NR	Picture Noise Reduction Reduces unwanted picture noise and flicker noise in the contoured parts of a picture [Off] / [Min] / [Mid] / [Max] / [Auto] Not valid on PC mode or when [Viewing Mode] is set to [Game]
	3D-COMB	 Makes still or slow moving pictures more vivid [Off] / [On] Occasionally, while viewing still or slow moving pictures, colour patterning may be seen. Set to [On] to display sharper and more accurate colours. For PAL / NTSC signal reception in TV mode or from composite (except 3D mode)
	3D Settings	Adjusts and sets to view 3D images (p. 30)

Menu		Item	Adjustments / Configurations (alternatives)
	Screen Display		 Turns the screen off when you select [Off] [Off] / [On] The sound is active even if the screen turns off. Press any buttons (except Standby) to turn the screen on. This function is effective in reducing power consumption when listening to the sound without watching the TV screen.
		Motion Picture Pro	 Automatically compensates the picture frame rate and removes juddering movements to make the images smooth [Off] / [Min] / [Mid] / [Max] Depending on the contents, images may be noisy. To prevent the noise, change the setting. Not valid on PC mode or when [Viewing Mode] is set to [Game]
		24p Smooth Film	Automatically compensates the picture frame rate to make the 24p source movie images smooth [Off] / [Min] / [Mia] / [Max] • This is available only for 24p signal input and displayed instead of [Motion Picture Pro]. • Not valid on PC mode or when [Viewing Mode] is set to [Game]
		Film Cadence Detection	Improves vertical resolution for movie images [Off] / [On] • This function is available for the interlaced signal (except in the mode of PC, VIERA Connect or when [Viewing Mode] is set to [Game]).
Picture	Advanced Settings	16:9 Overscan	 Selects the screen area displaying the image [Off] / [On] [On]: Enlarges the image to hide the edge of the image. [Off]: Displays the image in the original size. Set to [On] if noise is generated on the edge of the screen. This function is available when aspect is set to [16:9]. This function can be memorised separately for SD (Standard definition) and HD (High definition) signals. Not valid on PC mode or VIERA Connect
	AV Colour System		Selects optional colour system based on video signals in AV mode [Auto] / [PAL] / [SECAM] / [M.NTSC] / [NTSC]
		Colour Matrix	Selects the suitable colour parameter for SD (Standard definition) or HD (High definition) signal [SD] / [HD] • This function is available with 480p or 576p input signal from COMPONENT or HDMI terminal.
		DVI Input Setting	Changes the black level of the image for HDMI input mode with DVI input signal manually [Normal] / [Full] When the DVI input signal from the external equipment (especially from PC) is displayed, the black level may not be suitable. In this case, select [Full]. The black level for HDMI input signal will be adjusted automatically. For HDMI input mode with DVI input signal
	Reset to Defaults		Press the OK button to reset the current Picture Viewing Mode of the selected input to the default settings

How to Use Menu Functions

34

Nenu	ltem	Adjustments / Configurations (alternatives)
Sound	Mode	 Selects your favourite sound mode for each input [Music] / [Speech] / [User] [Music]: Improves sound quality for watching music videos, etc. [Speech]: Improves sound quality for watching news, drama, etc. In Music and Speech modes, you can adjust [Bass] and [Treble] settings, and those settings will be stored for each mode. [User]: Adjusts the sounds manually by using the equaliser to suit your favourite sound quality. For the User mode, [Equaliser] will appear on the Sound Menu instead of [Bass] and [Treble]. Select [Equaliser] and adjust the frequency. → [Equaliser] (see below)
	Bass	Adjusts level to enhance or minimise lower, deeper sound output
	Treble	Adjusts level to enhance or minimise sharper, higher sound output
	Equaliser	 Adjusts the frequency level to suit your favourite sound quality This function is available when [Mode] is set to [User]. Select the frequency and change the frequency level by using the cursor button. To enhance the bass sound, raise the level of the lower frequency. To enhance the treble sound, raise the level of the higher frequency. To reset the levels of each frequency to the default settings, select [Reset to Defaults] by using the cursor button, and then press the OK button.
	Balance	Adjusts volume level of right and left speakers
	Headphone Volume	Adjusts the volume of the headphones
	Surround	Surround sound settings [Off] / [V-Audio] / [V-Audio Surround] / [V-Audio ProSurround] [V-Audio]: Provides a dynamic enhancer of width to simulate improved spatial effects. [V-Audio Surround]: Provides a dynamic enhancer of width and depth to simulate improved spatial effects. [V-Audio ProSurround]: Provides a more progressive enhancer and reverberation to simulate improved spatial effects.
	Volume Control (VAO)	Controls the volume level of the sound output from AUDIO OUT terminals with the TV remote control [TV] / [Audio Out (TV Off)] / [TV and Audio Out] [TV] : Only the volume level of TV speakers is adjustable. [Audio Out (TV Off)] : Only the volume level from AUDIO OUT terminals is adjustable. (The sound of TV speakers is mute.) [TV and Audio Out] : Controls both volume levels together.
	Auto Gain Control	Automatically regulates large sound level differences between channels and inputs [Off] / [On]
	Volume Correction	Adjusts the volume of individual channel or input mode

Menu	Item	Adjustments / Configurations (alternatives)
Sound	Speaker Distance to Wall	Compensates for the low frequency sound due to the distance between the speakers and the wall [Over 30cm] / [Up to 30cm] • If the back space between the TV and wall is over 30 cm, [Over 30cm] is recommended. • If the back space between the TV and wall is within 30 cm, [Up to 30cm] is recommended.
	МРХ	Selects multiplex sound mode (if available) [Stereo]: Use this normally. [Mono]: When stereo signal cannot be received. [M1] / [M2]: Available while mono signal is transmitted.
	HDMI1 / 2 / 3 / 4 Input	Selects to fit the input signal [Digital] / [Analogue] (p. 82) [Digital]: When sound is carried via the HDMI cable connection [Analogue]: When sound is not carried via the HDMI-DVI adaptor cable connection • For HDMI input
	Reset to Defaults	Press the OK button to reset the current Sound Mode, [Balance], [Headphone Volume] and [Surround] to the default settings
Network	Connection Test, Network Connection, Wireless Network Settings, IP/DNS Settings	Sets the network setting to use in your network environment (p. 59, 60)
	Network Link Settings	Sets to control the TV with the devices connected to the network (p. 58)
	Software Update	Checks for available software updates from the Panasonic website
	New Software Message	Selects whether to give a notification message when new software is found via network [Off] / [On]
	Network Status	Displays the network status (MAC Address, current network settings, etc.)
Timer	Off Timer	Sets the duration of time until the TV automatically goes into Standby mode [Off] / [15] / [30] / [45] / [60] / [75] / [90] (minutes) (p. 20)
	Auto Standby	 Sets the duration of time that the TV will remain on when no operation is performed [Off] / [2] / [4] (hours) Automatic input switching with the connected equipment affects this function and time-count will be reset. The notification message will appear 3 minutes before going into Standby mode.

Menu	u Item		Adjustments / Configurations (alternatives)	
	Ec	o Navigation	Automatically sets the TV to the most suitable energy-saving mode • If you press the OK button, the following items are set as below: [Eco Mode], [VIERA Link], [Power off Link], [Standby Power Save], [Power Save] ➡ [On] [Intelligent Auto Standby] ➡ [On (No reminder)] [Auto Standby] ➡ [2 hours]	
	Child Lock		Applies access control for channels or inputs to prevent unwanted access (p. 42)	
	Channel List Edit		Skips the unwanted channels or edits channels (p. 40)	
	Tuning Menu	Auto Tuning	Automatically searches for the receivable channels (p. 40)	
	enu	Manual Tuning	Searches for the channels manually (p. 41)	
	OSD Language		Changes language for on-screen displays	
Se	Display Settings	Teletext	Teletext display mode [FASTEXT] / [List] (p. 23)	
Setup		Teletext Character Set	Selects teletext language font [English] / [CIS] / [E.Europe] / [Persian]	How to
		Input Labels	Accesses the input labels list to select the label of each input mode or set to skip unconnected one for easier identification and selection in [Input Selection] (p. 25) or banner • To name each input mode freely, select [User input] and set characters (maximum 10 characters). • To skip the input mode, select [Skip].	to Use Menu Functions
		Banner Display Timeout	Sets how long the Information banner stays on screen [0 (No display)] / [1] / [2] / [3] / [4] / [5] / [6] / [7] / [8] / [9] / [10] (seconds)	ctions
		VIERA Connect Banner	Sets the VIERA Connect introduction banner display [Off] / [On] (p. 18, 19)	
		Playing Time Display	Set to [On] to display a continuous record of time spent using Game mode in the top right of the screen every 30 minutes [Off] / [On] ● This function is available when [Viewing Mode] is set to [Game]. ⇒ (p. 33)	

2.

37


Menu	nu Item		Adjustments / Configurations (alternatives)
	4	VIERA Link	Sets to use VIERA Link functions [Off] / [On] (p. 68)
		HDMI Content Type	 Automatically adjusts the picture settings according to the received HDMI content via HDMI cable [Off] / [Auto] This function is available if the connected equipment supports HDMI Content Type. The content type information will be displayed for several seconds when this function works.
	RA Li	Power on Link	Sets to use Power on Link functions [Off] / [On] (p. 68)
	VIERA Link Settings	Power off Link	Sets to use Power off Link functions [Off] / [On] (p. 68)
	ttings	Standby Power Save	Controls the connected equipment to reduce power consumption in Standby [Off] / [On] (p. 69) • This function is available when [VIERA Link] is set to [On] and [Power off Link] is set to [On].
Setup		Intelligent Auto Standby	Makes non-watched or non-used connected equipment go into Standby mode to reduce the power consumption [Off] / [On (With reminder)] / [On (No reminder)] (p. 69) • This function is available when [VIERA Link] is set to [On].
0	DivX® VOD		Displays DivX VOD registration code (p. 80)
	Advance		Enables the advanced picture settings [Off] / [On] • Set to [On] to display the advanced items in the Picture Menu. (p. 45)
	6	Shipping Condition	Resets all settings to the original condition (p. 43)
	Syster	Software Licence	Displays the software licence information
	System Menu	System Information	Displays the system information of this TV
	2	Device Information	Displays the device information of this TV
	Other Settings	Power Save	Reduces brightness of the picture to economise on power consumption [Off] / [On]

A different menu will be displayed when [Advance] in the Setup Menu is set to [On] or in the mode of PC input, Media Player or network service operations. (p. 44, 45, 47 - 55, 62 - 65)
Only available items can be selected.


How to Use Menu Functions

Tuning and Editing Channels

You can retune channels or make your favourite channel lists, skip unwanted channels, etc.



Tuning and Editing Channels



Set all channels automatically [Auto Tuning]

Automatically retune all channels received in the area.

1 Start Auto Tuning





I

ι

[

S

e

1

14

3

F

1

2

• All the previous tuning settings are erased.

• When the operation is completed, the channel at the lowest position will be displayed.

• Search begins in the order from the lower channels to the higher channels.

If tuning has not been done completely
 [Manual Tuning] (p. 41)

Set TV channel manually [Manual Tuning]


[Fine Tuning]:

Use to make small adjustments to the tuning of an individual channel (affected by weather conditions, etc.).

[Manual Tuning]:

Set TV channel manually after Auto Tuning.

Set [Sound System] and [Colour System], and then perform this function. Normally set [Colour System] to [Auto].
 If a VCR is connected only with the RF cable, select channel position [0].



1 Select the channel position



3 Search





2 Select the channel

Auto Tuning using the buttons on the TV

For Auto Tuning, using the buttons on the TV (p. 11)

1 Press the F button repeatedly until [Auto Tuning] appears

F

2 Access [Auto Tuning]

TV

3 Start [Auto Tuning]

TV





F

 Control panel OSD appears when pressing the control panel button.

Download from Www.Somanuals.com. All Manuals Search And Download.

Tuning and Editing Channels

Child Lock You can lock specific channels / AV input terminals and control who watches them. F When the locked channel / input is selected, a message appears. Enter the PIN number to watch. Α Display the menu and select [Setup] MENU (1) select Setup 2 access Select [Child Lock] 2 (1) select (OK 2 access Child Lock Control channel audience [Child Lock] 1 Enter the PIN number (4 digits) 1 2.0: 3.01 4.0 5.1 6... 7.0: 8... 9... • Enter the PIN number twice at first setting. • Make a note of the PIN number in case you forget it. Please enter new PIN PIN * * * 0 2 Select [Child Lock List] Child Lock (1) select OK Change PIN Child Lock List 2) access Access Child Lock 3 Select the channel / input to be locked Child Lock List - TV and AV select OK 2 lock 3 AV1 AV2 AV3 PC HDMI1 HDMI2 AV AV AV AV AV AV Appears when the channel / input is locked To cancel To cancel all locks To lock all Select the locked channel / input G To jump to the top of the next input В To change the PIN number 1. Select [Change PIN] 2. Enter a new PIN number twice 1 2ab 3ad ① select 4,, 5,, 6,,, 7...8..9... Change PIN Access 2 access


(Note

• Setting [Shipping Condition] (p. 43) erases the PIN number and all settings.


Shipping Condition

Resets the TV to its original condition, i.e. no channels tuned in. All settings are reset (channels, picture, sound settings, etc.). • To retune TV channels only, e.g. after moving house

➡ [Auto Tuning] in "Tuning and Editing Channels" (p. 40, 41)



Restore Settings [Shipping Condition]



2 Follow the on-screen instructions

Reset to Factory Shipping Condition Completed. TV will automatically restart. Do not turn off

 [Auto Tuning] will automatically start. (p. 15)

Displaying PC Screen on TV

The screen of the PC connected to the TV can be displayed on the TV. You can also listen to PC sound with the audio cable connected. ■ To connect PC → (p. 74)

Select the external input



AV

2 Select [PC]

ľ	nput Selection
Z	AV1
Į	AV2
Ī	PC
B	HDMI1
B	HDMI2
C	HDMI3
B	HDMI4
ľ	TV
\$	SD Card/USB



Corresponding signals (p. 84)
 If [H-freq.] or [V-freq.] is shown in red, the signals may not be supported.

PC menu setting

Displaying PC Screen on TV

• To make settings + "How to Use Menu Functions" (p. 32)

Menu	Item	Adjustments / Configurations (alternatives)	
	Input Resolution	Switches to a wide view: VGA (640 × 480 pixels) / WVGA (852 × 480 pixels) / XGA (1,024 × 768 pixels) / WXGA (1,280 × 768 pixels, 1,366 × 768 pixels) • Options change depending on signals	
	Clock	Set to the minimum level if noise occurs	
		Adjusts horizontal position	
	H-pos		
Setup	PC S	Adjusts vertical position	
dn	លុំ មី V-pos		
	Clock Phase	Eliminates flicker and distortion • Adjust after Clock adjustment • Set to the minimum level if noise occurs	
	Sync	Chooses another synchronous signal if the image is distorted [H & V] / [On Green] [H & V] : by the horizontal and vertical signals from your PC [On Green] : by the green signal from your PC (if available)	
	Reset to Defaults	Press the OK button to reset [PC Setup] to the default settings	


• Other items 🔿 (p. 33 - 38, 45)

Note

For HDMI-compatible PC, possible to connect to HDMI terminals (HDMI1 / HDMI2 / HDMI3 / HDMI4) by using HDMI cable (p. 82).

Advanced Picture Settings

You can adjust and setup the detailed picture settings for each Viewing Mode. • To use this function completely set [Advance] to [On] in the Setup Menu. (p. 38) • For PC input mode, some functions are available without setting [Advance].



Adjust the detailed picture settings [Advanced Settings]

Advanced Settings	
White Balance	Access
Colour Management	Access
Gamma	Access
:	



access / store

• [Colour Management] is available when [Viewing Mode] in the Picture Menu is set to [True Cinema].

Advanced Picture Settings

Menu	lu Item		Item	Adjustments / Configurations (alternatives)
		White	R-Gain, G-Gain, B-Gain	Adjusts the white balance of bright red / green / blue area
		te Balance	R-Cutoff, G-Cutoff, B-Cutoff	Adjusts the white balance of dark red / green / blue area
			Reset to Defaults	Press the OK button to reset to the default White Balance
	Ac		R-Hue, G-Hue, B-Hue	Adjusts the picture hue of red / green / blue area
Picture	Advanced S		R-Saturation, G-Saturation, B-Saturation	Adjusts the saturation of red / green / blue area
re	Settings		R-Luminance, G-Luminance, B-Luminance	Adjusts the luminance of red / green / blue area
			Reset to Defaults	Press the OK button to reset to the default Colour Management
		Gamma	Gamma	Switches the gamma curve [1.8] / [2.0] / [2.2] / [2.4] / [2.6] • Please note the numerical values are reference for the adjustment.
		ma	Reset to Defaults	Press the OK button to reset to the default Gamma

Using Media Player

Media Player allows you to enjoy photo, video or music recorded on an SD Card and a USB Flash Memory. VIERA IMAGE VIEWER is the function of the easy viewing for photos or videos recorded on an SD Card on the TV screen by simply inserting into the SD Card slot.

Photo mode:

Still pictures recorded by digital cameras will be displayed.

Video mode:


Moving pictures recorded by digital video cameras and digital video data will be played back.

Music mode:

Digital music data will be played back.

- During the operation, audio signal is output from AUDIO OUT, DIGITAL AUDIO OUT and HDMI2 (ARC function) terminals. To use HDMI2 with ARC function, connect an amplifier that has ARC function (p. 67) and set to use theatre speakers (p. 72).
- [Date] shows the date on which the recording was made by the recording equipment. The file without record of the date is shown "*****/**/**".
- The picture may not appear correctly on this TV depending on the recording equipment used.
- Display may take some time when there are many files and folders.
- Partly degraded files might be displayed at a reduced resolution.
- Picture setting may not work depending on the conditions.
- The folder and file names may be different depending on the digital camera or digital video camera used.






• For the information of the devices
 "Devices for playing back" (p. 81)

• For the supported file format + "Supported file format in Media Player and media servers" (p. 78, 79)

Υ 1

C

Starting Media Player



47

Change the contents

You can switch to the other mode of Media Player from the thumbnail view. • The mode can be switched in the current device.

1 While the thumbnail is displayed, display the contents selection





1

C

2


Т

1 0


Photo mode

Photo mode will read all ".jpg" extension files and supports ".mpo" extension files in the SD Card or USB Flash Memory.

The thumbnail of all the photos in the SD Card or USB Flash Memory will be displayed. Example: Thumbnail - [All photos]



• To change the back ground music + "Photo Settings" (p. 50)



- This function is available with photos recorded by digital cameras.
- Depending on the photos you select, the created 3D photo may not be suitable or the 3D photo creation may not be possible. It is recommended to take a photo (for L) and then move your camera to the right about 5 cm and take another photo (for R).
- To view the created 3D photo with 3D effect, you need the 3D Eyewear + "Standard accessories" (p. 6)

1 Display the option menu in the thumbnail view



2 Select [Multi Shot 3D]



3 Select two photos for L (left) and R (right)



• You can only select photos of the same recorded date and same

- pixels. You may not be able to view the created 3D photo properly if you
- select the photos for L and R oppositely.

4 Create the 3D photo

 If your selected photos are not suitable for the 3D photo, the error message will be displayed and will return to the photo selection screen (step 3).





①select [Yes]
 ②save

After finishing saving the photo, the photo selection screen will be displayed (step 3). Select photos again to create another 3D photo or exit from [Multi Shot 3D] mode.

Using Media Player

To enjoy the saved 3D photos

Saved 3D photos are displayed in the Thumbnail screen. Wear the 3D Eyewear and enjoy the 3D photos. Example: Thumbnail



Photo Settings

Setup the settings for Photo mode.

1 Display the option menu OPTION

2 Select [Slideshow Settings]



3 Select the items and set

select access / store

Slideshow Settings	
Frame	Off
Colour Effect	Off
Transition Effect	Fade
Screen Mode	Normal
Burst Playback	Off
Interval	5 seconds
Repeat	On
Back Ground Music	



• Picture quality may become lower depending on the slideshow settings.

• Picture setting may not work depending on the slideshow settings.

Menu	Item Adjustments / Configurations (alternatives)	
Slideshow Settings	Frame	Selects the frame type of the slideshow [Off] / [Multi] / [Collage] / [Drift (+ calendar)] / [Drift] / [Gallery (+ calendar)] / [Gallery] / [Cinema] [Multi]: 9 photos are displayed orderly at once. [Collage]: Each photo is displayed at a random position and random scale. [Drift (+ calendar)] / [Drift]: Photos are displayed like flow images. • You can select to display the calendar or not. The month of calendar is turned by pressing the left or right cursor button. [Gallery (+ calendar)] / [Gallery]: The various sizes of photos in the frame are displayed. • You can select to display the calendar or not. The month of calendar is turned by pressing the left or right cursor button. [Gallery (+ calendar)] / [Gallery]: The various gizes of photos in the frame are displayed. • You can select to display the calendar or not. The month of calendar is turned by pressing the left or right cursor button. [Cinema]: Photos are displayed like old films (sepia tone).
	Colour Effect	Selects the colour effect of photos on Single view and Slideshow [Off] / [Sepia] / [Gray scale] This function is not available when [Frame] is set to [Drift], [Gallery] or [Cinema].
	Transition Effect	 Selects the transition effect for switching the photo during the slideshow [Off] / [Fade] / [Slide] / [Dissolve] / [Motion] / [Random] [Fade]: The next photo fades in gradually. [Slide]: The next photo slides and appears from the left side. [Dissolve]: Each photo is dissolved when switching to the next photo. [Motion]: Each photo is displayed with an effect of enlarging, reducing, moving up or moving down. [Random]: Each transition is selected at random. This function is available when [Frame] is set to [Off].

Menu	Item	Adjustments / Configurations (alternatives)	
	Screen Mode	 Selects enlarged or normal viewing on Single view and Slideshow [Normal] / [Zoom] This function is not available when [Frame] is set to [Collage], [Drift], [Gallery] or [Cinema] or when [Transition Effect] is set to [Motion]. Depending on the photo size, it may not be fully enlarged to fill the screen, e.g. portrait style picture. 	
	Burst Playback	Selects whether to display burst photos in a fast-paced slideshow mode [Off] / [On] • This function is not available when [Frame] is set to [Drift], [Gallery] or [Cinema] or when [Transition Effect] is set to [Motion].	
	Interval	Selects slideshow interval [5] / [10] / [15] / [30] / [60] / [90] / [120] (seconds) • This function is not available when [Frame] is set to [Drift], [Gallery] or [Cinema] or when [Transition Effect] is set to [Motion].	
6	Repeat	Slideshow repeat [Off] / [On]	
Slideshow Settings	Back Ground Music	Selects the back ground music during Photo mode [Off] / [Type1] / [Type2] / [Type3] / [Type4] / [Type5] / [User] / [Auto] • [Type1 - 5] are the fixed music each installed in this TV. [User]: Music data in the device registered by yourself will be played back. To register the music 1. Select the music file Depending on the condition of the device, select folders until you reach the desired music file. Back Ground Music DCIM DOIDPhoto 002phot	

d

d

51

Video mode

Supported file format (p. 78, 79)

The thumbnail of video titles in the SD Card or USB Flash Memory will be displayed.





The preview will start when the title / scene is highlighted if it supports a preview.

S

1

0

- To turn off the preview "Video Setup" (p. 53)
- : Error display
- III : The file does not support thumbnail view.
- To play back the selected title

If you stopped the last playback on the way, the confirmation screen is displayed to select whether to start from where you stopped last time or from the beginning.

3 Start playback

Select the title



■ Playback from the selected scene in the title (SD-Video or AVCHD)

Playback of the selected scene will start to the end of the title.







2 Select the scene

Note

• The structure of titles and scenes may vary depending on the digital video camera used.

(i)

R

G

How to operate in the playback

Example: Playback



• To display / hide the operation guide and information banner INFO

• To the previous title / scene

• To the next title / scene

- To change aspect ASPECT \oplus
- To return to thumbnail RETURN 4

 To operate the playback Rewind



Operation guide

Pause (displays the time seek bar) / Playback

Fast forward

Stop

• To jump to the specified time point

While the time seek bar is displayed

Information banner



Press: Search about 10 seconds Press and hold: Search rapidly



■ Video Setup

Menu items and selectable options vary depending on the content.

1 Display the option menu	2 Select [Video Setup] Option Menu Video Setup	3 Select the items and set
Menu Item	Adjustments / Conf	igurations (alternatives)

monu	Adjustments / Computations (alternative		
	Video Preview	Sets to start the preview of the title or scene in the thumbnail view [Off] / [On] • Image may not be displayed for an instant in the thumbnail view. Set the preview [Off] to resolve this. • Only available in the thumbnail view	-
	Multi Audio, Dual Mono Audio	Selects between selectable sound tracks (if available) It may take several seconds to change the sound. Only available during playback	-
Video	Subtitle	Subtitles On / Off (if available) Only available during playback	
eo Setup	Subtitle Text	Selects the font type to display subtitles correctly (if available) Only available during playback 	
	Aspect Change	[Aspect1]: Displays the content enlarged without distortion. [Aspect2]: Displays the content full-screen. [Original]: Displays the content original size. • You can also change the aspect using the ASPECT button. • Aspect change may not work depending on the content. • Only available during playback	Using Medi
	Repeat	Playback repeat within the title or selected file (depending on the content) [Off] / [On]	a Playe
	Title	Selects from group of titles (if available)	yer

53

Audio output Settings

You can enjoy the multi-channel sound via an amplifier connected to DIGITAL AUDIO OUT or HDMI2 (ARC function) terminal.

T E

S


1

E

C

ร 1 0





 SPDIF Selection
 SPDIF: A standard audio transfer file format Selects the initial setting for digital audio output signal from DIGITAL AUDIO OUT and HDMI2 (ARC function) terminals [Auto] / [PCM] [Auto]: Dolby Digital Plus, Dolby Digital and HE-AAC multi-channel are output as Dolby Digital Bitstream. DTS is output as DTS. MPEG is output as PCM.


 [PCM]: Digital output signal is fixed to PCM.

Using Media Player

Music mode

Supported file format ⇒ (p. 79)

The thumbnail of music folders in the SD Card or USB Flash Memory will be displayed. Example: Thumbnail - [Folder view]



Music Setup

Setup the setting for Music mode (only available in the thumbnail view).

1 Display the option menu

2 Select [Music Setup]	
	Option Menu
	Music Setup



3 Set		
Music Setup Menu		
Repeat	One	
select	storo	
	store	

[Folder]: Playback repeat within the selected folder [One]: Playback repeat of the selected one file

Using Network Services (DLNA / VIERA Connect)

DLNA®

This TV is a DLNA Certified[™] product.

DLNA (Digital Living Network Alliance) is a standard that makes DLNA Certified digital electronics easier and more convenient to use on a home network. To learn more, visit www.dlna.org.

Т

Т

E

(

E

F

γ

It allows you to share photos, videos (including 3D images) and music stored in the DLNA Certified media server (for example, PC with Windows 7 installed, etc.) connected to your home network, and enjoy the contents on the TV screen.

It also allows you to control the TV with the DLNA Certified equipment connected to your home network. (DLNA Remote Control)

• For the supported file format (p. 78, 79)

• AVCHD and DivX files are not supported by DLNA functions of this TV, but can be played by Media Player (p. 46).

Media server

Store photos, videos or music into the DLNA Certified media server, and then you can enjoy them on the TV. To use a PC as a media server

Prepare the PC with Windows 7 or ensure the server software is installed on the PC.

"Windows 7" and "TwonkyMedia server 6 (installed on the PC with Windows 7, Windows Vista or Windows XP)" are the server software that has been tested for compatibility with this TV (as of January, 2011). Any other server software have not been tested with this TV, therefore compatibility and performance cannot be assured. • Windows 7

- The setup for homegroup settings of Windows 7 is required. For details, refer to the help functions of Windows 7. • TwonkyMedia server
- "TwonkyMedia server" is the product of PacketVideo Corporation.

To obtain the Installation Guides for installing and setting "TwonkyMedia server", visit the website of TwonkyMedia. Additional fees may be charged to obtain server software.

Note)

• For more information about the server software, please consult each software company.

 When server software for the media server is installed on the PC, the data may be at risk of being accessed by other people. Please take care of the settings and connections under the network circumstances at the office, hotel or even at home when not using a router.

DLNA Remote Control

You can control the TV with the DLNA Certified equipment.

- To use this function, set [Network Link Settings]. (p. 58)
- "Windows 7" is the OS that has been tested for compatibility of this TV (as of January, 2011). For the operations, refer to the help functions of Windows 7.

Network connections

"Example 1", "Example 2" (p. 57)

Network setup → (p. 58 - 61)

DLNA operations
(p. 62 - 65)

VIERA Connect

VIERA Connect is a gateway to the internet services unique to Panasonic.
VIERA Connect allows you to access some specific websites supported by Panasonic, and enjoy internet contents such as videos, games, communication tools, etc. from VIERA Connect home screen.
This TV does not support full web browser function and some features of the websites may not be available.

Network setup → (p. 58 - 61)

VIERA Connect operations + (p. 18, 65)


Network connections

To use only DLNA features, you can operate the features without broadband network environment.

- To use VIERA Connect features, you need a broadband network environment.
- If you do not have any broadband network services, please consult your retailer for assistance.
- Set up and connect any equipment required for the network environment. You cannot make settings for the
- equipment on this TV. Read the manual of the equipment.
- Required speed (effective): at least 1.5 Mbps for SD and 6 Mbps for HD picture quality, respectively. If the transfer speed is not enough, contents may not be played back properly.

Example 1

(For DLNA and VIERA Connect)



- If your modem has broadband router functions but there are no vacant ports, use a hub.
- Ensure that the broadband routers and hubs are compatible with 10BASE-T / 100BASE-TX.
- If you use the equipment compatible only with 100BASE-TX, category 5 LAN cables are required.

Example 2

(For DLNA)

You can connect the TV and the equipment directly to use DLNA features.




Ensure to use a LAN cross cable for this connection.

Example 3

(For VIERA Connect)

You can connect the TV and the telecommunication equipment directly to use VIERA Connect features.



Note

- Contact your Internet Service Provider (ISP) telecommunications company for further assistance regarding the network equipment.
- Confirm the terms and conditions of the contracts with your Internet Service Provider (ISP) or telecommunications company. Depending on the contracts, additional fees may be charged or multiple connections to the internet may be impossible.

Network Setup

• Ensure the connections are completed before starting Network Setup. "Network connections" (p. 57)

Display the menu and select [Network]



Network Link settings

Sets the link settings to control this TV from the network equipment via the network.

etwork Services	1 Select [Network Link Settings] Connection Test Network Connection Wired Wireless Network Settings IP/DNS Settings Network Link Settings Software Update Network Status On Select		2 Select the items and set Viework Link Settings VIERA Name VIERA DLNA Remote Control On DLNA Remote Volume On Network Remote Control On Select Select	
(DLNA / VIERA		-@access	access / store	
	Menu	Item	Adjustments / Configurations (alternatives)	
Connect)	Net	VIERA Name	Sets your favourite name for this TV • This name will be used as the name of this TV on the screen of the other network equipment.	
	Wor	DLNA Remote Control	Enables to control the TV using Windows 7 via the network [Off] / [On]	
	k Link	DLNA Remote Volume	Enables to control the volume of the TV using Windows 7 via the network [Off] / [On]	
	Network Link Settings	Network Remote Control	 Enables to control the TV from the network equipment (smartphone, etc.) [Off] / [On] Depending on the area, this function may not be available. For details, consult your local Panasonic dealer. For more information of this function (English only): http://panasonic.jp/support/global/cs/tv/ 	

Т

1

S S

3

S


1

S e 1

Wired connection settings

This setting is for the network connection by using the LAN cable.

1 Select [Network Connection] and set to [Wired]



Proxy Settings [Proxy]

Sets Proxy address.

Access

• This is the address of the relay server that is connected to the target server instead of the browser and sends data to the browser. Setting is required if specified by the provider.

1. Select [Proxy]	2. Enter the address	3. Store
Proxy Settings Proxy Proxy Port 0	Proxy Host	RETURN
① select ② access	① select ② set	
	 You can set characters by using numeric buttons. (English only)	
■ [Proxy Port]		
Sets Proxy port number.This number is also specified by the provide	er with the Proxy address.	

RETURN ⋺

1. Select [Proxy Port]

Proxy Settings		1 2.00 3.00 4.00 5.01 6.00
Proxy		7 8 9
Proxy Port 0		0

Using Network Services (DLNA / VIERA Connect)

2. Move the cursor and enter the number

4 Select [Connection Test] and access to test

Connection Test	Access
:	



 Performs automatic testing of the network connection for the TV. (It takes a while to test.)

6

Е

Y

Α

S

Using

Network Services (DLNA / VIERA Connect)

Y : succeeded

The test is successful and the TV is connected to the network.

🛛 : failed

Check the settings and connections. And then try again.

Wireless connection settings

This setting is for the wireless network connection.

Confirm the encryption key, settings and positions of your access point before starting setup. For details, read the
manual of the access point.

1 Select [Network Connection] and set to [Wireless]

1	1 Select [Network	Connectio	on] and s	et to [Wireless]			
Comission (DI NIA /	Connection Test Network Connection Wireless Network Settings IP/DNS Settings Network Link Settings Software Update New Software Message Network Status	Wireless On		select access / store	9		
2	2 Select [Wireless	Network S	Settinas				
	Connection Test Network Connection Wireless Network Settings IP/DNS Settings Software Update New Software Message Network Status	Wireless		① select ② access • When the access po displayed.		Current Settings] screen his screen and go to the	
	3 Select your desi	red acces	s point				
	Available Wireless Netwo No. Network Name(SSID) 1 Access Point A 2 Access Point B 3 Access Point C	Vireless type 11n(2.4GHz) 11n(5GHz) 11n(5GHz)	Status S out of the second se	① select ② access		 For the information of highlighted access poil INFO 	
	 To search access 	s points	• To se	t [WPS(Push button)]	• To set manually	To set [WPS(F)	PIN)]
	again		🔶 (p	. 17)	⇒ (p. 61)	🔿 (p. 61)	
	В		R		Ň	G	
	4 Access the encry	votion key	input m	ode			
	Encryption Key Setting Connection will be made wit Network Name(SSID) : Ac Authentication type : WPA	th the following cess Point A					
	Security type : TKIP			 If the selected access 	s point is not encry	pted, the confirmation s	creen will be


Please input the encryption key.

Encryption key

If the selected access point is not encrypted, the confirmation screen will be displayed. It is recommended to select the encrypted access point.

5 Enter the encryption key of the access point (English only)

Set characters







- Store RETURN 5
- After settings, return to the previous menu.



6 Select [Connection Test] and access to test

Connection Test	Access
:	

① select OK ②access

Performs automatic testing of the network connection for the TV. (It takes a while to test.)

Check wireless network connection.

- Check acquired IP address.
 Check for devices using same IP address.
 Check gateway connection.

Check server connection

Succeeded

The test is successful and the TV is connected to the network.

X : failed

Check the settings and connections. And then try again.

If you continue to have difficulty, please contact your internet service provider.

[WPS(PIN)]

Enter the PIN code to the access point, and then select [Connect]

WPS(PIN

Please register the following PIN codes on the wireless access point.

PIN code : 12345678


Select 'Connect' after entering and saving the settings on the wireless access point. Connect

[Manual]

You can setup SSID, security type, encryption type, and encryption key manually. Follow the on-screen instructions and set manually.

• When you use 11n (5 GHz) for the wireless system between the built-in wireless LAN and access point, select [AES] for the encryption type.





Update TV's software


Accesses the specific website to update TV's software and search if any software updates are available.

Select [Software Update]





Follow the on-screen instructions.




F

F.

If.

v

E






Operation guide

 To display / hide the operation guide INFO







To the previous track



To the next track



 To return to list RETURN

Option menu for each content

Setup the settings for Photo, Video and Music file operations.



2 Select [Slideshow Settings], [Vide or [Music Setup]	o Setup]
Ontion Manu	



3 Select the items and set

γ

te

.

1

Ň

γ

(




Me	nu Item	Adjustments / Configurations (alternatives)
Slideshow Settings	7 Transition Effect	 Selects the transition effect for switching the photo during the slideshow [Off] / [Fade] / [Slide] / [Dissolve] / [Motion] / [Random] [Fade]: The next photo fades in gradually. [Slide]: The next photo slides and appears from the left side. [Dissolve]: Each photo is dissolved when switching to the next photo. [Motion]: Each photo is displayed with an effect of enlarging, reducing, moving up or moving down. [Random]: Each transition is selected at random.
	Interval	Selects slideshow interval [5] / [10] / [15] / [30] / [60] / [90] / [120] (seconds) • This function is not available when [Transition Effect] is set to [Motion].
Ğ	Repeat	Slideshow repeat [Off] / [On]
	Back Ground Music	Selects the back ground music during Photo mode [Off] / [Type1] / [Type2] / [Type3] / [Type4] / [Type5]
l	Video Preview	Sets to start the preview of the title or scene in the thumbnail screen [Off] / [On] • Image may not be displayed for an instant in the thumbnail screen. Set the preview [Off] to resolve this.
	Multi Audio, Dual Audio, Dual Mono Audio	Selects between selectable sound tracks (if available) • It may take several seconds to change the sound. • Only available during playback
	Subtitle Subtitle Subtitle Text	Subtitles On / Off (if available) • Only available during playback
Jeruh	Subtitle Text	Selects the font type to display subtitles correctly (if available) • Only available during playback
	Aspect Change	 [Aspect1]: Displays the content enlarged without distortion. [Aspect2]: Displays the content full-screen. [Original]: Displays the content original size. You can also change the aspect using the ASPECT button. Aspect change may not work depending on the content. Only available during playback
	Repeat	Playback repeat within the selected file [Off] / [On]
	Repeat	Playback repeat [Off] / [Folder] / [One] [Folder]: Playback repeat within the selected folder. [One]: Playback repeat of the selected one file.

Using Network Services (DLNA / VIERA Connect)

Audio output settings (for video contents)

You can enjoy the multi-channel sound via an amplifier connected to DIGITAL AUDIO OUT or HDMI2 (ARC function) terminal.

• To confirm or change the current sound status (p. 53)



	@ac	cess access / store	Using		
Menu	Item	Adjustments / Configurations (alternatives)	Netw		
Sound	SPDIF Selection	 SPDIF: A standard audio transfer file format Selects the initial setting for digital audio output signal from DIGITAL AUDIO OUT and HDMI2 (ARC function) terminals [Auto] / [PCM] [Auto]: Dolby Digital Plus, Dolby Digital and HE-AAC multi-channel are output as Dolby Digital Bitstream. DTS is output as DTS. MPEG is output as PCM. [PCM]: Digital output signal is fixed to PCM. 	ork Services (DLN		
	A/<				
VIERA Connect					
You can access VIERA Connect and enjoy various network contents. You can access VIERA Connect and enjoy various network contents. • VIERA Connect requires a broadband internet connection. Dial-up internet connections cannot be used. • Ensure the network connections and network settings are completed. ● "Network connections" (p. 57), [Network Setup] (p. 58 - 61) • For details about VIERA Connect operation ⇒ (p. 18)					

VIERA Connect

Setup menu (Items in [Setup] may change without notice.)

Customize HomeScreen Changes the position of each services on VIERA Connect home screen	
My Account Confirms or removes the account information of the TV you entered on V Connect	
Lock Sets to restrict access to some services	
Веер	Sets beep sound On or Off when operating VIERA Connect
Notices Displays the information of VIERA Connect	

Note

• Be sure to update the software when a software update notice is displayed on the TV screen. If the software is not updated, you will not be able to use VIERA Connect.

You can update the software later manually. > [Software Update] in [Network] (p. 61)

• VIERA Connect home screen is subject to change without notice.

• The services through VIERA Connect are operated by their respective service providers, and service may be discontinued either temporarily or permanently without notice. Therefore, Panasonic will make no warranty for the content or the continuity of the services.

• Some content may be inappropriate for some viewers.

Some content may only be available for specific countries and may be presented in specific languages.

• Depending on the connection environment, the internet connection may be slow or may not be successful.

- During the operation, audio signal is output from AUDIO OUT, DIGITAL AUDIO OUT and HDMI2 (ARC function) terminals. To use HDMI2 with ARC function, connect an amplifier that has ARC function (p. 67) and set to use theatre speakers (p. 72).
- You can restrict access to VIERA Connect. [Child Lock] (p. 42)

• Turn the TV off, and then on again when changing or reconnecting the network connection.

Link Functions (VIERA Link)

• This TV supports "HDAVI Control 5" function. But available features are depending on the connected equipment's version of HDAVI Control. Please read the manual of the equipment to confirm the version.


VIERA Link features may be available even with other manufacturers' equipment supporting HDMI CEC.

Summary of features

VIERA Link (HDMI connection)

Connected equipment Features	DIGA Recorder	DVD Player / Blu-ray Disc Player	HD Video Camera / LUMIX Camera
Channel download	O*2	-	_
Easy playback	0	0	0
Power on link	0	0	0
Power off link	0	0	0
Reduce unnecessary power consumption in Standby	○*3	○*3	-
Auto standby for unnecessary equipment	○*3	○*3	-
Pause Live TV programme	* 2 *4	-	-
Direct TV Recording	O*2	-	_
Control the menu of the connected equipment by VIERA remote control	○*1	O*1	O *1
Speaker control	-	-	_

Link Functions (VIERA Link)



DIGA Recorder / DVD Player / Blu-ray Disc Player / HD Video Camera / LUMIX Camera with VIERA Link function

١

• Use fully wired HDMI compliant cable.

• Connect the equipment supporting VIERA Link to the TV's HDMI terminal via an HDMI cable.

About HDMI cable for connecting Panasonic HD Video Camera or LUMIX Camera, read the manual of the
equipment.

66


VIERA Link (HDMI and Audio out connections)

Connected equipment Features	Player theatre	Blu-ray Disc theatre	Amplifier	
Channel download	-	_	_	
Easy playback	○*5	○*5	_	
Power on link	0	0	_	
Power off link	0	0	0	
Reduce unnecessary power		()*3		
consumption in Standby	-	0	=	
Auto standby for unnecessary	()*3 *6	()*3 *6	()*3	
equipment	<u>One ne</u>	<u>One ne</u>	0.5	
Pause Live TV programme	-	-	_	
Direct TV Recording	-	_	_	
Control the menu of the connected	()*1	()*1		
equipment by VIERA remote control	0	0.1	_	
Speaker control	0	0	0	

Connection

١.

To use Player theatre / Blu-ray Disc theatre



• Use fully wired HDMI compliant cable.

- Connect the equipment supporting VIERA Link to the TV's HDMI terminal via an HDMI cable.
- Use the optical digital audio cable, or RCA cable for audio output from the TV.
- *1: Available with the equipment which has "HDAVI Control 2 or later" function.
- *2: Available with the equipment which has "HDAVI Control 3 or later" function.
- *3: Available with the equipment which has "HDAVI Control 4 or later" function.
- *4: Available with a DIGA Recorder which has HDD.
- *5: While playing a disc.
- *6: Except for watching a disc.
- *7: If the connected equipment has "HDAVI Control 5" function, you do not have to use this audio cable (Optical digital audio cable or RCA cable). In this case, connect the equipment to the TV's HDMI2 terminal via an HDMI cable.

VIERA Link Control of compatible equipment >[VIERA Link Control] (p. 70)

• Table below displays maximum number of compatible equipment that can be controlled by VIERA Link Control. This includes connections to equipment already connected to the TV.

For example, DIGA Recorder connected to Amplifier which is connected to the TV via an HDMI cable.

Type of the equipment	Maximum number
Recorder (DIGA Recorder, etc.)	3
Player (DVD Player, Blu-ray Disc Player, HD Video Camera, LUMIX Camera, Digital Camera, Player theatre, Blu-ray Disc theatre, etc.)	3
Audio system (Player theatre, Blu-ray Disc theatre, Amplifier, etc.)	1
Tuner (Set top box, etc.)	4

67

VIERA Link "HDAVI Control™"*

*Enjoy additional HDMI Inter-Operability with Panasonic products which have "HDAVI Control" function.

ร T

v

٧

C V

te

0

S

шÍ.

V

tł

C

F

ç

This TV supports "HDAVI Control 5" function.

- These features are limited to models incorporating "HDAVI Control" and "VIERA Link".
- Some functions are not available depending on the equipment's version of HDAVI Control. Confirm the connected equipment's version of HDAVI Control.
- VIERA Link "HDAVI Control", based on the control functions provided by HDMI which is an industry standard known as HDMI CEC (Consumer Electronics Control), is a unique function that we have developed and added. As such, its operation with other manufacturers' equipment that supports HDMI CEC cannot be guaranteed.
- Please refer to individual manuals for other manufacturers' equipment supports ribm of De guarant
- About applicable Panasonic equipment, consult your local Panasonic dealer.

Preparations

- Connect the equipment supporting VIERA Link.
- Use fully wired HDMI compliant cable. Non-HDMI-compliant cables cannot be utilised.
 Recommended Panasonic's HDMI cable part number:
 DR CPUIDTE (12, 2)
 DR CPUIDTE (12, 2)
 - RP-CDHS15 (1.5 m) RP-CDHS30 (3.0 m) RP-CDHS50 (5.0 m)
- Set up the connected equipment. Read the manual of the equipment.

For optimal recording, the settings of the recorder may need to be changed. For details, read the manual of the
recorder.

- Set [VIERA Link] to [On] in the Setup Menu. → [VIERA Link] (p. 38)
- Set up the TV.

Link Functions (VIERA Link

After connection, turn the equipment on and then switch the TV on.

Select the input mode from HDMI1, HDMI2, HDMI3 or HDMI4 (p. 25), and make sure that an image is displayed correctly.

- This setup should be done each time when the following conditions occur:
- for the first time
- when adding or reconnecting equipment
- when changing setup

Features available

Channel download

Channel settings can be downloaded to the recorder.

Easy playback

Automatic input switching - When the connected equipment is operated, input mode is switched automatically.

Power on link

Set Power on Link [On] in the Setup Menu to use this function → [Power on Link] (p. 38)

When the connected equipment starts playback or direct navigator / function menu for the equipment are activated, the TV is automatically turned on. (Only when the TV is in Standby mode.)

Power off link

Set Power off Link [On] in the Setup Menu to use this function ⇒ [Power off Link] (p. 38)

When the TV is set to Standby mode, the connected equipment is also automatically set to Standby.

This function will work even if the TV enters Standby mode automatically by auto power standby function.

Reduce unnecessary power consumption in Standby [Standby Power Save]

Set Standby Power Save [On] in the Setup Menu to use this function → [Standby Power Save] (p. 38)

The power consumption in Standby mode of the connected equipment is controlled higher or lower in synchronisation with the TV On / Off state to reduce the consumption.

When the TV is set to Standby mode, the connected equipment is automatically set to Standby and the power consumption of the connected equipment is automatically minimised.

When the TV is turned on, the connected equipment is still in Standby mode, but the power consumption is increased to make startup time fast.

 This function is effective if the connected equipment can change the power consumption in Standby mode and is set to higher consumption.

• This function works when [Power off Link] is set to [On].

Auto standby for unnecessary equipment [Intelligent Auto Standby]

Set Intelligent Auto Standby [On (With reminder)] or [On (No reminder)] in the Setup Menu to use this function Intelligent Auto Standby] (p. 38)

When the TV is on, non-watched or non-used connected equipment goes into Standby mode automatically to reduce the power consumption. For example, when the input mode is switched from HDMI or when Speaker Selection is changed to [TV] (except for watching a disc).

- If you select [On (With reminder)], the on-screen message will be displayed before the connected equipment turns to standby.
- This function may not work properly depending on the connected equipment. If required, set to [Off].

Direct TV Recording - What you see is What you record [Direct TV Rec]

Records the current programme in the DIGA Recorder immediately.

- If you connect a variety of recorders including other manufacturers' recorders at the same time, connect the DIGA Recorder to the TV's lower HDMI terminal number. For example, if you use HDMI1 and HDMI2 for two recorders, connect the DIGA Recorder to HDMI1.
- If you cannot operate, check the settings and the equipment.
- "Summary of features" (p. 66, 67), "Preparations" (p. 68)

Display [VIERA TOOLS] and select [VIERA Link]





Select [Direct TV Rec] and start recording







- access / start

select


To stop recording

Select [Stop] in [Direct TV Rec]

VIERA Link Menu	
Pause Live TV	Start
Direct TV Rec	Stop
VIERA Link Control	Recorder
Speaker Selection	Home Cinema



Link Functions (VIERA Link)



• If you stop playback or cancel pause, the recorded programme will be deleted from HDD.


Control the menu of the connected equipment by VIERA remote control [VIERA Link Control]

You can control some functions of the connected equipment with this TV remote control pointing at the TV's signal receiver.

- If you cannot operate, check the settings and the equipment.
- ➡ "Summary of features" (p. 66, 67), "Preparations" (p. 68)

For details of the operations for the connected equipment, read the manual of the equipment.






[Recorder1-3 / Player1-3]

■ If you access non-VIERA Link equipment

VIERA Link Menu	
Pause Live TV	Start
Direct TV Rec	Start
VIERA Link Control	Recorder
Speaker Selection	Home Cinema

equipment The type of the connected equipment is displayed.

Although you can access the connected equipment, you cannot operate it. Use its own remote control to operate the equipment.



Т

F (|

E

Multi-channel sound

If you want to enjoy the multi-channel sound (e.g. Dolby Digital 5.1ch) via an Amplifier, connect it with HDMI cable and Optical digital audio cable (p. 67), and then select [Home Cinema]. If your Amplifier has "HDAVI Control 5" function, you only need to connect it with HDMI cable to the TV's HDMI2 terminal.

To enjoy the sound from the DIGA Recorder in multi-channel sound, connect an HDMI cable from the DIGA Recorder to the Amplifier (p. 67).


Note

- These functions may not work properly depending on the connected equipment.
- Image or sound may not be available for the first few seconds when input mode is switched.
- "HDAVI Control 5" is the newest standard (as of November, 2011) for HDAVI Control compatible equipment. This standard is compatible with conventional HDAVI equipment.
- To confirm this TV's version of HDAVI Control [System Information] (p. 38)

External Equipment


These diagrams show our recommendations for connection of your TV to various pieces of equipment. For other connections, consult the instructions for each piece of equipment, the basic connection (p. 12 - 14), the table (p. 75), and the specifications (p. 88, 89).

• Check the type of terminals and cable plugs are correct when connecting.



To enjoy the sound from the external equipment in multi-channel sound (e.g. Dolby Digital 5.1ch), connect the equipment to the amplifier.

For the connections, read the manuals of the equipment and amplifier.



Types of connectable equipment to each terminal

				Termin	nal			
			AV2	IN *1				
Features	AV1 IN*1	AUDIO OUT*1	COMPONENT	VIDEO	DIGITAL AUDIO OUT	ETHERNET	HDMI 1 - 4	USB 1 - 3
	NDEO L R O	L R ®	Y_DE0 → (1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2	Video L R		ethernet		
To watch 3D contents (Blu-ray Disc Player)							0	
To watch satellite broadcasts (Set top box)	0			0			0	
To watch videocassettes / DVDs (VCR / DVD player)	0		0	0			0	
To watch camcorder images (Video camera)	0			0			0	
To play games (Game equipment)	0			0			0	
To use amplifier with speaker system		0			0		()*2	
To use network services						0		○*3
VIERA Link							0	

*2: Use HDMI2 for connecting an amplifier. This connection is applicable when using an amplifier that has ARC (Audio Return Channel) function.

*3: Use USB 2 port for connecting the Communication Camera.

External Equipment

C: Recommended Connection
 *1: To connect the equipment, the terminal adaptor (supplied) is necessary.

Technical Information

Channel Allocation

Cr	nann	nnel Allocation									
	annel Ian	Asia / W.Europe	CIS / E.Europe	China	Hong Kong	NZ / Indonesia	Indian CATV	South Africa	American System	American CATV	Japan CATV
DIS	CH PLAY					Receive	channel				
	0 1 2 3 4 5 6 6 7 5 1 1 2 3 4 4 5 6 6 7 5 1 1 2 3 4 4 5 6 6 9 5 20 21	- - 2 3 3 11 12 - - - - - - - 21	- 1 2 3 3 11 12 - - - - - - - 21	- 1 2 1 2 12 13		- 1 2 3 3 11 - - - - - - - - - - - - - - - -	- 1 2 3 4 5 1 5 2 5 3 5 5 6 6	- 1 2 3 3 11 12 13 - - - - - 21	- - 2 } 13 14		- 1 2 } 12 13 }
2 2 2 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	22 22 23 24 24 28 27 58 59 22 57 58 59 22 57 58 59 22 57 58 59 27 57 58 59 70 57 57 58 59 70 57 57 57 57 57 57 57 57 57 57 57 57 57	21 21 21 21 21 21 21 21 21 21	62 63 69 -	577 - - - - - - - - - - - - - - - - - -	21 3 4 62 63 4 62 63 4 - - -	62 63 69 -	5 2 12 S11 S40 S41 21 24 25 31 32 <	21 21 21 21 21 21 21 21 21 21	62 63 69 -	62 63	62 C13
7 7 7 7 7 7	74 75 76 77 78 79 30	- S'1 S'2 S'3 - - - S1	S'1 - - - - S1	- - - - - -	- S'1 S'2 S'3 - - - S1	- S'1 S'2 S'3 - - - S1	41	- S'1 S'2 S'3 - - - S1	- - - - - -		<u>}</u>
	81 5 89	S2 5 S10	S2 ک S10	Z1 5 Z9	S2 5 S10	S2 5 S10	51	\$2 ک \$10			}
99999999999999999999999999999999999999	39 30 30 30 30 30 30 30 30 30 30	310 311 S12 S13 S14 S15 S16 S17 S18 S19 S20 S21 S21 S41 -	310 311 S12 S13 S14 S15 S16 S17 S18 S19 S20 S21 S21 S41 -	Z10 Z11 Z11 Z12 Z13 Z14 Z15 Z16 Z17 Z18 Z17 Z20 Z20 Z20 Z237 - - - -	S10 S11 S12 S13 S14 S15 S16 S17 S18 S19 S20 S21 S21 S21 S21 S41 -	310 311 S12 S13 S14 S15 S16 S17 S18 S19 S20 S21 S21 S41 -	51 52 52 61 62 69 70 - - - -	- - S14 S15 S16 S17 S18 S19 S20 S21 S21 S21 S21		999 100 125	C49 - - - - - -

Technical Information

76

Stereo / Bilingual Sound Selection

∞/⊽ [/I

When you receive the stereo / bilingual sound system, sound output modes can be selected by pressing the Sound Selection button.

Audio Signal	STEREO	MAIN I	SUB II	MONO
Mode Indicator	0	I	Π	\bigtriangledown

NICAMUsed in New Zealand, Singapore, Hong Kong etc.

Type of broadcast	Regular broadcast	Regular + NICAM MONO I	NICAM	NICAM DUAL MONO
	(Standard Audio)	(MAIN I)	STEREO	(MAIN I / SUB II)
Mode Indicator	No Indicator \bigtriangledown	I \(\neg \)	$\bigcirc \dashrightarrow \bigtriangledown$	I → I ↓ ▽ ↓ I

A2 (German)Used in Australia, Malaysia etc.

Type of broadcast	Regular broadcast (Standard Audio)	BILINGUAL or DUAL MONO: MAIN I / SUB II	STEREO	
Mode Indicator	No Indicator ∇	I ↔ I	$\heartsuit \dashrightarrow \heartsuit$	

If the stereo signal is poor or the receiving conditions are not optimum or if STEREO:MONO automatic switching
occurs, it is recommended you switch from STEREO to MONO.

• Even when the contents of the receiving signal undergo changes, selection mode is kept intact.

• When the receiving conditions deteriorate, listening will be easier if the mode is set to the MONO position, using the Sound Selection button.

• DUAL, also known as DUAL MONO or as BILINGUAL is not currently transmitted in some countries.

Supported file format in Media Player and media servers

Photo

Format File extension		Image resolution (pixel)	Details / Restrictions
JPEG	.jpg	8 × 8	DCF and EXIF standards
	.jpeg	to	Sub-sampling: 4:4:4, 4:2:2, 4:2:0
	.mpo	30,719 × 17,279	• Progressive JPEG is not supported.

Video

Container File extension		Video codec	Audio codec	Details / Restrictions
AVCHD	.mts	H.264	Dolby Digital	AVCHD Standard Ver. 2.0 (AVCHD 3D, AVCHD Progressive) The data may not be available if a folder structure on the device is modified.
SD-Video	.mod	MPEG1 MPEG2	Dolby Digital MPEG Audio	SD-Video Standard Ver. 1.31 (Entertainment Video Profile)The data may not be available if a folder structure on the device is modified.
MOV	.mov .qt	DivX3 DivX4 DivX5 DivX6 H.264 BP/MP/HP Motion JPEG MPEG1 MPEG2 MPEG4 SP/ASP	AAC Dolby Digital Dolby Digital Plus DTS core HE-AAC LPCM MPEG Audio MP3	 This TV supports Motion JPEG recorded by Panasonic LUMIX Camera*1. This TV is not available for playing back Motion JPEG with the media server. *1: Some products of before the year 2004 may not be available. The compatibility with future products is not guaranteed.
AVI	.avi .divx	DivX3 DivX4 DivX5 DivX6 H.264 BP/MP/HP MPEG1 MPEG2 MPEG4 SP/ASP VC-1 Windows Media Video Ver. 9	AAC ADPCM Dolby Digital Dolby Digital Plus DTS core HE-AAC LPCM MPEG Audio MP3 WMA	 Certified to play DivX Plus HD video file in Media Player For details of DivX ⇒ (p. 80) Some subtitles or chapter functions may not be available.
MKV	.mkv	DivX3 DivX4 DivX5 DivX6 H.264 BP/MP/HP MPEG1 MPEG2 MPEG4 SP/ASP	AAC Dolby Digital Dolby Digital Plus DTS core HE-AAC MPEG Audio MP3	 WMA Pro and WMA Lossless are not supported.

Technical Information

Container	File extension	Video codec	Audio codec	Details / Restrictions
ASF	.asf .wmv	DivX3 DivX4 DivX5 DivX6 MPEG4 SP/ASP VC-1 Windows Media Video Ver. 9	AAC Dolby Digital Dolby Digital Plus HE-AAC LPCM MP3 WMA	 Copy-protected files cannot be played back. WMA Pro and WMA Lossless are not supported.
MP4	.f4v .m4v .mp4	DivX3 DivX4 DivX5 DivX6 H.264 BP/MP/HP MPEG1 MPEG2 MPEG4 SP/ASP	AAC Dolby Digital Dolby Digital Plus HE-AAC MPEG Audio MP3	 This TV supports this container recorded by Panasonic products. For details, read the manual of the products.
FLV	.flv	H.264	AAC MP3	-
3GPP	.3gp .3g2	H.264 MPEG4 SP/ASP	AAC HE-AAC	-
PS	.mpg .mpeg .vob .vro	H.264*2 MPEG1 MPEG2 VC-1*2	AAC* ² Dolby Digital Dolby Digital Plus ^{*2} HE-AAC* ² LPCM MPEG Audio MP3* ²	*2: This codec can be played back only in Media Player.
TS	.m2ts .tp .trp .ts	H.264 MPEG1 MPEG2 VC-1*3	AAC Dolby Digital Dolby Digital Plus DTS core* ³ HE-AAC MPEG Audio MP3* ³	*3: This codec can be played back only in Media Player.

Music

Codec	File extension	Restrictions] ech
MP3	.mp3	-	nica
AAC	.m4a	 Copy-protected files cannot be played back. 	
WMA	.wma	 Copy-protected files cannot be played back. WMA Pro and WMA Lossless are not supported. 	Torma
FLAC	.flac	-	tion

Note (

Some files may not be played back even if they fulfil these conditions.
Do not use two-byte characters or other special codes for data.

• The device may become unusable with this TV if the file or folder names are changed.

-

DivX

DivX Certified® to play DivX® and DivX Plus® HD (H.264/MKV) video up to 1080p HD including premium content. ABOUT DIVX VIDEO:

DivX[®] is a digital video format created by DivX, LLC, a subsidiary of Rovi Corporation. This is an official DivX Certified[®] device that plays DivX video. Visit divx.com for more information and software tools to convert your files into DivX videos.

C

C

ι

(

.

Subtitle text file of DivX

Subtitles format - MicroDVD, SubRip, TMPlayer

- The DivX video file and subtitles text file are inside the same folder, and the file names are the same except for the file extensions.
- If there are more than one subtitles text files inside the same folder, they are displayed in the following order of priority:

".srt", ".sub", ".txt".

- To confirm or change the current subtitle status while playing DivX content, press the OPTION button to display Option Menu.
- Depending on the methods used to create the file or the state of recording, only parts of the subtitles may be displayed, or the subtitles may not be displayed at all.
- Some subtitles text may not be displayed correctly.

Note

- Depending on how you make SD Card, USB Flash Memory or the media server, files and folders may not be displayed in the order you numbered.
- Depending on how you create the files and the structure of folders, the files and folders may not be displayed.
- When there are many files and folders, operation may take time to complete or some files may not be displayed or playable.

ABOUT DIVX VIDEO-ON-DEMAND:

This DivX Certified[®] device must be registered in order to play purchased DivX Video-on-Demand (VOD) movies. To obtain your registration code, locate the DivX VOD section in the Setup Menu. Go to vod.divx.com for more information on how to complete your registration.

To show DivX VOD registration code

[DivX® VOD] (p. 38)

- If you want to generate the new registration code, you have to deregister the current registration code. After playing DivX VOD content once, the confirmation screen to deregister will be displayed in [DivX® VOD] in the Setup Menu. If you press the OK button on the confirmation screen, the deregistration code will be generated and you will not be able to play any contents that you purchased using the current registration code. You will obtain the new registration code by pressing the OK button on the deregistration code screen.
- If you purchase DivX VOD content using a registration code different from this TV's code, you will not be able to play this content. ([Your device is not authorized to play this DivX protected video.] is displayed.)

Regarding DivX content that can only be played a set number of times

Some DivX VOD content can only be played a set number of times.

When you play this content, the remaining number of plays is displayed. You cannot play this content when the number of remaining plays is zero. ([This DivX rental has expired.] is displayed.)

- When playing this content, the number of remaining plays is reduced by one in the following conditions:
 - · If you exit the current application.
- If you play the other content.
- · If you go to the next or previous content.

Devices for playing back

SD Card

Use an SD Card which meets SD standards. If not, it may cause the TV to malfunction.

Card format:

- SDXC Card exFAT SDHC Card / SD Card - FAT16 or FAT32
- Compliant card type (maximum capacity):

SDXC Card (64 GB), SDHC Card (32 GB), SD Card (2 GB), miniSD Card (2 GB) (requiring miniSD adaptor)

- If miniSD Card is used, insert / remove it together with the adaptor.
- Check the latest information on the card type at the following website. (English only) http://panasonic.jp/support/global/cs/tv/

USB Flash Memory

USB Flash Memory format: FAT16, FAT32 or exFAT

(Note

- Data modified with a PC may not be displayed.
- Do not remove the device while the TV is accessing data. Otherwise this can damage device or TV.
- Do not touch the pins on the device.
- Do not subject the device to a high pressure or impact.
- Insert the device in the correct direction. Otherwise this can damage device or TV.
- Electrical interference, static electricity, or erroneous operation may damage the data or device.
- Back up the recorded data at regular intervals in case of deteriorated or damaged data or erratic operation of the TV.
 Panasonic is not liable for any deterioration or damage of recorded data.



HDMI connection

HDMI (high-definition multimedia interface) is the world's first complete digital consumer AV interface complying with a non-compression standard.

HDMI allows you to enjoy high-definition digital images and high-quality sound by connecting the TV and the equipment.

HDMI-compatible equipment^{*1} with an HDMI or DVI output terminal, such as a DVD player, a set top box or game equipment, can be connected to the HDMI terminal using an HDMI compliant (fully wired) cable. For more information about connections **⇒** (**p. 13, 73**)

Applicable HDMI features

- Input audio signal:
- 2ch Linear PCM (sampling frequencies 48 kHz, 44.1 kHz, 32 kHz) ■ Input video signal: ■ "Input signal that can be displayed" (p. 84)
- Match the output setting of the digital equipment. Input PC signal:
- "Input signal that can be displayed" (p. 84)
 Match the output setting of the PC.

VIERA Link (HDAVI Control 5)
 [VIERA Link] (p. 68)

Е

- 3D
- Content Type
- Deep colour
- Audio Return Channel*2
- (HDMI2 terminal only)

DVI connection

If the external equipment has only a DVI output, connect to the HDMI terminal via a DVI to HDMI adaptor cable*³. When the DVI to HDMI adaptor cable is used, connect the audio cable to AUDIO terminal with the supplied AV2 IN (COMPONENT / VIDEO) adaptor.

Note

- Audio settings can be made on [HDMI1 / 2 / 3 / 4 Input] in the Sound Menu. (p. 36)
- If the connected equipment has an aspect adjustment function, set the aspect ratio to "16:9".
- These HDMI connectors are "type A".
- These HDMI connectors are compatible with HDCP (High-Bandwidth Digital Content Protection) copyright protection.
- Equipment having no digital output terminal may be connected to the input terminal of component or video to receive analogue signals.
- This TV incorporates HDMI[™] technology.
- *1: The HDMI logo is displayed on HDMI-compliant equipment.
- *2: Audio Return Channel (ARC) is a function to send digital sound signals via an HDMI cable.
- *3: Enquire at your local digital equipment retailer shop.

PC connection

A PC may be connected to this TV so that the PC screen is displayed and sound is heard from the TV.

- A PC adaptor is not necessary for the DOS/V-compliant D-sub 15-pin connector.
- Some PC models cannot be connected to this TV.
- When using PC, set the colour display quality of PC to the highest position.
- For details of the applicable PC signals + "Input signal that can be displayed" (p. 84)
- Maximum display resolution

Aspect	4:3	1,440 × 1,080 pixels
Aspect	16:9	1,920 × 1,080 pixels

D-sub 15-pin connector signal

(54321)
0 9 8 7 6
(5430)

Pin No.	Signal Name	Pin No.	Signal Name	Pin No.	Signal Name
1	R	6	GND (Ground)	11	NC (not connected)
2	G	7	GND (Ground)	(12)	NC (not connected)
3	В	8	GND (Ground)	(13)	HD
4	NC (not connected)	9	NC (not connected)	14	VD
5	GND (Ground)	10	GND (Ground)	(15)	NC (not connected)

Technical Information

USB connection

- It is recommended to connect the USB Flash Memory or Communication Camera to the TV's USB ports directly.
- Some USB devices or USB HUB may not be used with this TV.
- You cannot connect any devices by using USB card reader.
- You cannot use two or more same kind of USB devices simultaneously except USB Flash Memory.
- Additional information for USB devices may be on the following website. (English only) http://panasonic.jp/support/global/cs/tv/

USB Keyboard

- The USB Keyboard requiring its driver is not supported.
- Characters may not be displayed correctly on the TV screen depending on the connected keyboard.
- Some of the keys of USB keyboards may correspond to the operation of the remote control.


USB Keyboard	Remote Control	USB Keyboard	Remote Control
$\uparrow/\downarrow/\leftarrow/\rightarrow$	Cursor buttons	F2	VIERA TOOLS
Enter	ОК	F3	MENU
Backspace	RETURN	F4	INPUT (AV)
Esc	EXIT	F5 / F6	Channel Down / Up
0 - 9 / Character	Numeric buttons	F7 / F8	Volume Down / Up
F1	-	F9 / F10 / F11 / F12	Coloured buttons

Gamepad

 Check the gamepads that have been tested for the performance with this TV at the following website. (English only) http://panasonic.jp/support/global/cs/tv/

Some of the keys of gamepads correspond to the operation of the remote control.

Example:



	Remote Control		Remote Control
1	Volume Up / Down	7	VIERA TOOLS
2	Channel Up / Down	8	EXIT
3	-	9	INPUT (AV)
4	OK	9	INFOT (AV)
5	RETURN	10	MENU
6	INTERNET	11	Cursor buttons

Characters table for numeric buttons

You can enter characters by using numeric buttons for free input items. (English only)

User input																			
Na	am	е																	
А	В	С	D	Е	F	G	Н	T	J	К	L	Μ	Ν	0	Ρ	Q	R	S	Т
U	V	W	Х	Υ	Ζ		0	1	2	3	4	5	6	7	8	9	!	1	#
а	b	С	d	е	f	g	h	i	j	k	T	m	n	0	р	q	r	s	t
u	٧	W	х	у	z	()	+	-		*	_							

Press the numeric button repeatedly until you reach the desired character.

- The character is set automatically if you leave for 1 second.
 You can also set the character by pressing the OK button or
- other numeric buttons within 1 second. • The characters may vary depending on the input items.

Characters table:

Numeric buttons	Characters	Numeric buttons	Characters
1	. @ /1!:#+-*_()"'%&?,;=\$[]~<>{} `^\	6	m n o 6 M N O
2	a b c 2 A B C	7.93	pqrs7PQRS
3 def	d e f 3 D E F	8	tuv8TUV
4 _{sh}	ghi4GHI	9.00	w x y z 9 W X Y Z
5×1	jk15JKL	0	Space 0

ō

Technical Information

Input signal that can be displayed

■ COMPONENT (Y, P_B, P_R (from AV2 IN terminal)), HDMI

Signal name	COMPONENT	HDMI
525 (480) / 60i, 60p	0	0
625 (576) / 50i, 50p	0	0
750 (720) / 60p, 50p	0	0
1,125 (1,080) / 60i, 50i	0	0
1,125 (1,080) / 60p, 50p, 24p		0

○ : Applicable input signal

E I1

■ PC (from D-sub 15P)

Signal name	Horizontal frequency (kHz)	Vertical frequency (Hz)
640 × 480 @60 Hz	31.47	59.94
800 × 600 @60 Hz	37.88	60.32
852 × 480 @60 Hz	31.44	59.89
1,024 × 768 @60 Hz	48.36	60.00
1,280 × 1,024 @60 Hz	63.98	60.02
1,280 × 768 @60 Hz	47.70	60.00
1,366 × 768 @60 Hz	48.39	60.04

Applicable input signal for PC is basically compatible to VESA standard timing.

■ PC (from HDMI terminal)

Signal name	Horizontal frequency (kHz)	Vertical frequency (Hz)
640 × 480 @60 Hz	31.47	60.00
1,280 × 720 @60 Hz	45.00	60.00
1,920 × 1,080 @60 Hz	67.50	60.00

Applicable input signal for PC is basically compatible to HDMI standard timing.

Note

• Signals other than above may not be displayed properly.

• The above signals are reformatted for optimal viewing on your display.

• PC signal is magnified or compressed for display, so that it may not show fine detail with sufficient clarity.

FAQs

Before requesting service or assistance, please follow these simple guides to resolve the problem. If the problem still persists, please contact your local Panasonic dealer for assistance.

White spots or shadow images (noise)

• Check the position, direction, and connection of the aerial.

Neither image nor sound is produced

- Check the TV is turned on.
- Check the mains lead is plugged into the TV and the socket outlet.
- Check the TV is in AV mode.
- Check the correct input mode is selected.
- Check the Picture Menu (p. 33, 34) and volume.
- Check all required cables and connections are firmly in place.

Black and white picture

• Check that the output of the external equipment matches the input of the TV.

[VIERA Link] function does not work and an error message appears

- Turn the connected equipment on and then switch the TV on. (p. 68)

There may be red spots, blue spots, green spots and black spots on the screen

This is a characteristic of liquid crystal panels and is not a problem. The liquid crystal panel is built with very high
precision technology giving you fine picture details. Occasionally, a few non-active pixels may appear on the
screen as a fixed point of red, green, blue or black. Please note this does not affect the performance of your LCD,
and it is not a quality problem.

Problem	Causes / Actions
Chaotic image, noisy	 Set [P-NR] in the Picture Menu to remove noise. (p. 33) Check nearby electrical products (car, motorcycle, fluorescent lamp).
No image can be displayed	 Is [Contrast], [Brightness] or [Colour] in the Picture Menu set to the minimum? (p. 33) Check the setting of [AV2] ([COMPONENT] / [VIDEO]) in [Input Selection] to match the output of the external equipment. (p. 25)
Blurry or distorted image (no sound or low volume) ● Reset channels. → (p. 40, 41)	
Unusual image is displayed	 Turn the TV off with Mains power On / Off switch, then turn it on again. If the problem persists, initialise all settings. [Shipping Condition] (p. 43)

	Problem	Causes / Actions
Sound	No sound is produced	 Is "Sound mute" active? →(p. 10) Is the volume set to the minimum?
und	Sound level is low or sound is distorted	 Sound signal reception may be deteriorated. Set [MPX] (p. 36) in the Sound Menu to [Mono].
3D	Cannot view 3D images	 Ensure that [3D Mode Selection] is set to [3D]. → (p. 29) Some 3D image signals may not be automatically recognised as 3D images. Set [3D Mode Selection (Manual)] to match the picture format. → (p. 29) For some people, the 3D images may be difficult to see, or cannot be seen, especially in users who have a different level of eyesight between the left and right eyes. Take the necessary steps (wearing glasses etc.) to correct your eyesight before use.
	There is something wrong with the 3D images	● Check the setting of [Edge Smoother]. ➡ (p. 30)
HDMI	Sound is unusual	 Set the sound setting of the connected equipment to "2ch L.PCM". Check the [HDMI1 / 2 / 3 / 4 Input] setting in the Sound Menu. (p. 36) If digital sound connection has a problem, select analogue sound connection. (p. 82)
IMO	Pictures from external equipment are unusual when the equipment is connected via HDMI	 Check the HDMI cable is connected properly. → (p. 73) Turn the TV and equipment off, then turn them on again. Check an input signal from the equipment. → (p. 84) Use equipment compliant with EIA/CEA-861/861D.
Network	Cannot connect to the network	 Check the LAN cable or wireless LAN is connected properly. ⇒ (p. 57) Check the connections and settings. ⇒ (p. 57 - 61) Check the network equipment and network environment. The router may not be set to issue IP address automatically. If the network administrator prefers to allocate an IP address, set an IP address manually. (p. 59) The router may be using MAC address filtering (security setting). Confirm the MAC Address of this TV (p. 36) and set the router to use it. If the problem persists, consult your Internet Service Provider or telecommunications company.
	Cannot select the file during DLNA operations	 Is the media server of the connected equipment prepared? → (p. 56) Check applicable data format. → (p. 78, 79)
	Cannot operate VIERA Connect	 Check the connections and settings. (p. 57 - 61) The server or connected line may be busy now.

F

F C c d

(• e •

۷

	Problem	Causes / Actions	
	The TV does not switch on	• Check the mains lead is plugged into the TV and the socket outlet.	
	The TV goes into Standby mode	 Auto power standby function is activated. > (p. 11) The TV enters Standby mode about 30 minutes after broadcasting ends. 	
	The remote control does not work or is intermittent	 Are the batteries installed correctly? (p. 7) Has the TV been switched on? The batteries may be running low. Replace them. Point the remote control directly at the TV's remote control signal receiver (within about 7 m and a 30 degree angle of the signal receiver). Situate the TV away from sunshine or other sources of bright light not to shine on the TV's remote control signal receiver. 	
Other	Parts of the TV become hot	• Even when the temperature of parts of the front, top and rear panels has risen, these temperature rises do not cause any problems in terms of performance or quality.	
	The LCD panel moves slightly when it is pushed with a finger Clattered sound might be heard	 There is some flexibility around the panel to prevent damage to the panel. The panel might move slightly when it is pushed with a finger, and clattered sound might be heard. This is not a malfunction. 	
	Overcurrent error message appears	 The connected USB device might cause this error. Remove the device and turn the TV off with Mains power On / Off switch, then turn it on again. Check foreign objects are not inside the USB port. 	
	An error message appears	 Follow the message's instructions. If the problem persists, contact your local Panasonic dealer or the authorised service centre. 	

Maintenance

First, remove the mains plug from the socket outlet.

Display panel, Cabinet, Pedestal

Regular care:

Gently wipe the surface of the display panel, cabinet, or pedestal by using a soft cloth to clean the dirt or fingerprints.

For stubborn dirt:

First clean the dust on the surface. Dampen a soft cloth with clean water or diluted neutral detergent (1 part detergent to 100 parts water). Wring the cloth and wipe the surface. Finally, wipe away all the moisture.

Caution

- Do not use a hard cloth or rub the surface too hard, otherwise this may cause scratches on the surface.
- Take care not to subject the TV's surfaces to water or detergent. Liquid inside the TV could lead to product failure.
 Take care not to subject the surfaces to insect repellent, solvent, thinner or other volatile substances. This may
- degrade surface quality or cause peeling of the paint.The surface of the display panel is specially treated and may be easily damaged. Take care not to tap or scratch the
- The surface of the display parter is specially treated and may be easily damaged. Take care not to tap of scratch the surface with your fingernail or other hard objects.
- Do not allow the cabinet and pedestal to make contact with a rubber or PVC substance for a long time. This may
 degrade surface quality.

Mains plug

Wipe the mains plug with a dry cloth at regular intervals. Moisture and dust may lead to fire or electrical shock.

Specifications

тv		42" class	47"	class		55" class		
Model No.		TH-L42ET5K TH-L42ET5M TH-L42ET5T	TH-L4	7ET5K 7ET5M 7ET5T	TH-L55ET5K TH-L55ET5M TH-L55ET5T			
Powe	r Source	AC 110-240 V, 50 / 60 Hz						
Power Consumption	Power Rating	113 W	137 W		173 W			
wer mption	Standby condition	0.2 W	0.2 W		0.2 W			
_	Panel system	IPS LED backlight Liquid	Crystal Display					
Display panel	Visible screen size (diagonal)	107 cm / 42 inches	119 cm / 47 i	inches	139 cm	/ 55 inches		
~	Number of pixels	2,073,600 (1,920 (W) × 1	,080 (H))					
Dime	nsions (W × H × D)	997 mm × 650 mm × 247 mm (With Pedestal) 997 mm × 604 mm ×	1,107 mm × 268 mm (Wit 1,107 mm ×	th Pedestal)	282 mr	nm × 811 mm × n (With Pedestal)		
		52 mm (TV only)	52 mm (TV c		1,281 mm × 765 mm × 52 mm (TV only)			
Mass		17.0 kg Net (With Pedestal)	20.5 kg Net (With Pedest	20.5 kg Net (With Pedestal)		Net edestal)		
		14.0 kg Net (TV only)	17.0 kg Net (TV only)	25.0 kg	Net (TV only)		
S	Speaker	(75 mm × 22 mm) × 2, 8 Ω						
Sound	Audio output	20 W (10 W + 10 W)						
٩	Headphones	M3 (3.5 mm) stereo mini	Jack × 1					
	iving systems / name	3 PAL D, K of b 4 SECAM B, G tran 5 SECAM D, K Play 6 SECAM K1 Vide	Function content of the second content of th	8 NTSC 4.43 otion 9 NTSC 4.43 adcast 10 NTSC 4.43 nissions and ack from 11 NTSC 3.58 Cassette 13 NTSC 3.58		Function Playback from Special VCR's or DVD		
		7 3.58/4.5 MHz)		 PAL 60 Hz/5.5 MHz PAL 60 Hz/6.0 MHz PAL 60 Hz/6.5 MHz 		Playback from Special Disc Players and Special VCR's or DVD		
Recei	iving channels	VHF BAND 2-12 (PAL/SECAM B, K1) 0-12 (PAL B AUST.) 1-9 (PAL B N.Z.) 1-12 (PAL/SECAM D) 1-12 (NTSC M Japan) 2-13 (NTSC M USA)	UHF BAND 21-69 (PAL G, H 28-69 (PAL B A) 13-57 (PAL D, K 13-62 (NTSC M) 14-69 (NTSC M)	() Japan)	CATV S1-S20 (OSCAR) 1-125 (USA CATV C13-C49 (JAPAN) S21-S41 (HYPER) Z1-Z37 (CHINA) 5A, 9A (AUST.)			
Aeria	I - Rear	VHF / UHF						
Opera	ating conditions	Temperature: 0 °C - 40 ° Humidity: 20 % - 80 % R		sing)				

3

Specifications

AV/1 IN	AUDIO L - R	RCA PIN Type × 2	0.5 V[rms]			
AVIIN	VIDEO	RCA PIN Type × 1	1.0 V[p-p] (75 Ω)			
AUDIO OUT	AUDIO L - R	RCA PIN Type × 2	0.5 V[rms] (high impedance)			
	AUDIO L - R	RCA PIN Type × 2	0.5 V[rms]			
AV2 IN	COMPONENT	Y Pb/Cb, Pr/Cr	1.0 V[p-p] (including synchronisation) ±0.35 V[p-p]			
	VIDEO	RCA PIN Type × 1	1.0 V[p-p] (75 Ω)			
HDMI 1 / 2 / 3 / 4 input	TYPE A Connectors This TV supports "H	DAVI Control 5" function.				
PC	R,G,B: 0.7 V[p-p] (75 HD, VD: TTL Level 2. • Applicable input sign	Ω) 0 – 5.0 V[p-p] (high impeda nals:	nce)			
Card slot	SD Card slot × 1					
ETHERNET	10BASE-T / 100BASE-TX					
USB 1 / 2 / 3	USB 2.0 TYPE A Con	nectors DC 5 V, Max. 50	00 mA			
DIGITAL AUDIO OUT	PCM / Dolby Digital /	DTS, Fibre optic				
Standard compliance and Frequency range*	IEEE802.11a/n 5.15 GHz - 5.35 GHz, 5.47 GHz - 5.85 GHz IEEE802.11b/g/n 2.40 GHz - 2.4835 GHz					
Security	WPA2-PSK (TKIP/AE	S) WPA-PSK (TKIP/AES) WEP (64 bit/128 bit)			
	AV2 IN HDMI 1 / 2 / 3 / 4 input PC Card slot ETHERNET USB 1 / 2 / 3 DIGITAL AUDIO OUT Standard compliance and Frequency range*	AV1 IN VIDEO AUDIO OUT AUDIO L - R AUDIO L - R AUDIO L - R AV2 IN COMPONENT VIDEO VIDEO HDMI 1 / 2 / 3 / 4 input TYPE A Connectors • This TV supports "H PC HIGH-DENSITY D-SU R,G,B: 0.7 V[p-p] (75 HD, VD: TTL Level 2. • Applicable input sign VGA, SVGA, WVGA Card slot SD Card slot × 1 ETHERNET 10BASE-T / 100BASE USB 1 / 2 / 3 USB 2.0 TYPE A Connologian / DIGITAL AUDIO OUT Standard compliance and Frequency range* IEEE802.11a/n 5.15 GHz - 5.35 GHz, IEEE802.11b/g/n 2.40 GHz - 2.4835 GHZ	AV1 IN VIDE O RCA PIN Type × 1 AUDIO OUT AUDIO L - R RCA PIN Type × 2 AV2 IN Y Y COMPONENT Y Discover Y COMPONENT Y PB/CB, PR/CR Y VIDEO RCA PIN Type × 2 AV2 IN Y COMPONENT Y COMPONENT Y OBSC RCA PIN Type × 2 HDMI 1 / 2 / 3 / 4 TYPE A Connectors Input TYPE A Connectors This TV supports "HDAVI Control 5" function. HIGH-DENSITY D-SUB 15PIN R,G,B: 0.7 V[p-p] (75 Ω) HD, VD: TTL Level 2.0 – 5.0 V[p-p] (high impeda Applicable input signals: VGA, SVGA, WVGA, XGA, SXGA, WXGA Card slot SD Card slot × 1 ETHERNET 10BASE-T / 100BASE-TX USB 1 / 2 / 3 USB 2.0 TYPE A Connectors DC 5 V, Max. 50 DIGITAL AUDIO OUT PCM / Dolby Digital / DTS, Fibre optic IEEE802.11a/n 5.15 GHz - 5.35 GHz, 5.47 GHz - 5.85 GHz IEEE802.11b/g/n 2.40 GHz - 2.4835 GHz			

* The frequency and channel differ depending on the country.

3D Eyewear

Dimensions (W × H × D)	149.0 mm × 44.0 mm × 171.0 mm
Mass	Approx. 18 g
Lens type	Circularly-polarised filter
Usage temperature range	0 °C - 40 °C
Materials	Main body: Resin Lens section: Resin

Note

• Design and Specifications are subject to change without notice. Mass and Dimensions shown are approximate.

Licence

Even if no special notation has been made of company or product trademarks, these trademarks have been fully respected.

This product incorporates the following software or technology:

- (1) the software developed independently by or for Panasonic Corporation,
- (2) the software owned by third party and licensed to Panasonic Corporation,
- (3) the software based in part on the work of the Independent JPEG Group,
- (4) the software developed by the FreeType Project,
- (5) the software licensed under the GNU LESSER GENERAL PUBLIC LICENSE (LGPL) and/or,
- (6) open sourced software other than the software licensed under the LGPL.
- (7) "PlayReady" (digital right management technology) licensed by Microsoft Corporation or its affiliates.

For the software categorized as (5), please refer to the terms and conditions of LGPL, as the case may be at http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html

In addition, the software categorized as (5) are copyrighted by several individuals.

Please refer to the copyright notice of those individuals at

http://www.am-linux.jp/dl/EUIDTV12/

The LGPL software is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY, without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

At least three (3) years from delivery of products, Panasonic will give to any third party who contact us at the contact information provided below, for a charge no more than our cost of physically performing source code distribution, a complete machine-readable copy of the corresponding source code covered under LGPL.

Contact Information cdrequest@am-linux.jp

Source code covered under LGPL is also freely available to you and any other member of the public via our website below.

http://www.am-linux.jp/dl/EUIDTV12/

For the software categorized as (5) and (6), please refer to the applicable license terms included in the "Setup" menu on product.

Further, for PlayReady categorized as (7), please be aware of the following.

- (a) This product contains technology subject to certain intellectual property rights of Microsoft. Use or distribution of this technology outside of this product is prohibited without the appropriate license(s) from Microsoft.
- (b) Content owners use Microsoft PlayReady[™] content access technology to protect their intellectual property, including copyrighted content. This device uses PlayReady technology to access PlayReady-protected content and/or WMDRM-protected content. If the device fails to properly enforce restrictions on content usage, content owners may require Microsoft to revoke the device's ability to consume PlayReady-protected content. Revocation should not affect unprotected content or content protected by other content access technologies.

Content owners may require you to upgrade PlayReady to access their content.

If you decline an upgrade, you will not be able to access content that requires the upgrade.

Licence



91

Information on Disposal in other Countries outside the European Union



This symbol is only valid in the European Union. If you wish to discard this product, please contact your local authorities or dealer and ask for the correct method of disposal.

Customer's Record

The model number and serial number of this product may be found on its rear panel. You should note this serial number in the space provided below and retain this book, plus your purchase receipt, as a permanent record of your purchase to aid in identification in the event of theft or loss, and for Warranty Service purposes.

Model Number

Serial Number

Panasonic Corporation

Web Site: http://panasonic.net

© Panasonic Corporation 2012

Printed in Malaysia

M0212-1032

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com