

Panasonic®

Operating Instructions

Premium Design Phone with Smartphone Connect

Model No. **KX-PRW110FX**



SMS

***Before initial use, see “Getting Started”
on page 10.***

Thank you for purchasing a Panasonic product.

Please read these operating instructions before using the unit and save them for future reference.

To use this unit in your country, first change the unit's region setting to match your country (page 32). Change the unit's display language as needed (page 13).

(For Czech and Slovakia)

This cordless telephone is possible to use according to General licence No.: VO-R/8/08.2005-23 (for Czech), VPR-7/2001 (for Slovakia).

Table of Contents

Introduction		Smartphone Integration	
Accessory information	3	Smartphone integration	40
General information	5	Network settings	40
Important Information		Smartphone Connect app	41
For your safety	6	Other network features	41
Important safety instructions	7	Useful Information	
For best performance	7	Voice mail service	43
Other information	8	Character entry	43
Specifications	9	Error messages	45
Getting Started		Troubleshooting	46
Setting up	10	Network connection	
Controls	11	troubleshooting	50
Display icons	12	Index	
Turning the power on/off	13	Index.....	52
Language setting	13		
Date and time	13		
Other settings	13		
Making/Answering Calls			
Making calls	15		
Answering calls	15		
Useful features during a call	15		
Intercom	17		
Key lock	17		
Phonebook			
Phonebook	18		
Speed dial	20		
Programming			
Menu list	21		
Alarm	27		
Night mode	28		
Incoming call barring	29		
Baby monitor	29		
Other programming	31		
Registering a unit	33		
Caller ID Service			
Using Caller ID service	35		
Caller list	35		
SMS (Short Message Service)			
Setting up SMS	37		
Sending a message	37		
Receiving a message	38		
Other settings	39		

Accessory information

Supplied accessories

No.	Accessory item/Part number	Quantity
①	AC adaptor/PNLV236CE	1
②	Telephone line cord	1
③	Rechargeable batteries*1	2
④	Handset cover*2	1

*1 See page 3 for replacement battery information.

*2 The handset cover comes attached to the handset.



Additional/replacement accessories

Please contact your nearest Panasonic dealer for sales information.

Accessory item	Model number
Rechargeable batteries	HHR-4MVE or HHR-4MY*1
	Battery type: – Nickel metal hydride (Ni-MH) – 2 x AAA (R03) size for each handset
DECT repeater	KX-A405
Key finder	KX-TGA20FX*2

*1 Replacement batteries may have a different capacity from that of the supplied batteries.

*2 By registering the key finder (4 max.) to a Panasonic Digital Cordless Phone and attaching it to an easy-to-lose item in advance, you can locate and find the mislaid item to which the key finder is attached. Please visit our Web site:

<http://panasonic.net/pcc/products/telephone/p/tga20/>

Please contact Panasonic or authorised sales department on the back cover for availability of key finder in your area.

Other information

- Design and specifications are subject to change without notice.
- The illustrations in these instructions may vary slightly from the actual product.

Introduction

Expanding your phone system

Handset (optional): KX-PRWA10FX

You can expand your phone system by registering optional handsets (6 max.) to a single base unit.

- Optional handsets may be a different colour from that of the supplied handsets.



Smartphone

Your smartphone: 4 max.

You can expand your phone system by installing the Smartphone Connect app on your smartphone and registering your smartphone to the base unit.

- You must configure the base unit and download the app before you can use these features. See the "Smartphone Integration" chapter beginning on page 40 for more information.



General information

- This equipment is designed for use on the Czech, Slovakia, Estonia, Latvia, Lithuania, Croatia, Slovenia, Romania and Bulgaria analogue telephone network.
- In the event of problems, you should contact your equipment supplier in the first instance.
- For use in other countries, please contact your equipment supplier.

Declaration of Conformity:

- Panasonic System Networks Co., Ltd. declares that this equipment is in compliance with the essential requirements and other relevant provisions of Radio & Telecommunications Terminal Equipment (R&TTE) Directive 1999/5/EC.

Declarations of Conformity for the relevant Panasonic products described in this manual are available for download by visiting:
<http://www.ptc.panasonic.eu>

Contact to Authorised Representative:

Panasonic Testing Centre
Panasonic Marketing Europe GmbH
Winsbergring 15, 22525 Hamburg, Germany

For your future reference

We recommend keeping a record of the following information to assist with any repair under warranty.

Serial No.	Date of purchase
(found on the bottom of the base unit)	
Name and address of dealer	
Attach your purchase receipt here.	

Important Information

For your safety

To prevent severe injury and loss of life/property, read this section carefully before using the product to ensure proper and safe operation of your product.

WARNING

Power connection

- Use only the power source marked on the product.
- Do not overload power outlets and extension cords. This can result in the risk of fire or electric shock.
- Completely insert the AC adaptor/power plug into the power outlet. Failure to do so may cause electric shock and/or excessive heat resulting in a fire.
- Regularly remove any dust, etc. from the AC adaptor/power plug by pulling it from the power outlet, then wiping with a dry cloth. Accumulated dust may cause an insulation defect from moisture, etc. resulting in a fire.
- Unplug the product from power outlets if it emits smoke, an abnormal smell, or makes an unusual noise. These conditions can cause fire or electric shock. Confirm that smoke has stopped emitting and contact an authorised service centre.
- Unplug from power outlets and never touch the inside of the product if its casing has been broken open.
- Never touch the plug with wet hands. Danger of electric shock exists.

Installation

- To prevent the risk of fire or electrical shock, do not expose the product to rain or any type of moisture.
- Do not place or use this product near automatically controlled devices such as automatic doors and fire alarms. Radio waves emitted from this product may cause such devices to malfunction resulting in an accident.

- Do not allow the AC adaptor or telephone line cord to be excessively pulled, bent or placed under heavy objects.

Operating safeguards

- Unplug the product from power outlets before cleaning. Do not use liquid or aerosol cleaners.
- Do not disassemble the product.
- Do not spill liquids (detergents, cleansers, etc.) onto the telephone line cord plug, or allow it to become wet at all. This may cause a fire. If the telephone line cord plug becomes wet, immediately pull it from the telephone wall jack, and do not use.

Medical

- Consult the manufacturer of any personal medical devices, such as pacemakers or hearing aids, to determine if they are adequately shielded from external RF (radio frequency) energy. DECT features operate between 1.88 GHz and 1.90 GHz with a peak transmission power of 250 mW. Wi-Fi features operate between 2.412 GHz and 2.472 GHz with a peak transmission power of 100 mW.
- Do not use the product in health care facilities if any regulations posted in the area instruct you not to do so. Hospitals or health care facilities may be using equipment that could be sensitive to external RF energy.

CAUTION

Installation and location

- Never install telephone wiring during an electrical storm.
- Never install telephone line jacks in wet locations unless the jack is specifically designed for wet locations.
- Never touch uninsulated telephone wires or terminals unless the telephone line has been disconnected at the network interface.
- Use caution when installing or modifying telephone lines.
- The AC adaptor is used as the main disconnect device. Ensure that the AC

Important Information

outlet is installed near the product and is easily accessible.

- This product is unable to make calls when:
 - the handset batteries need recharging or have failed.
 - there is a power failure.
 - the key lock feature is turned on.
- Do not place magnetic cards or similar objects near the phone. Magnetic data on the cards, etc. may be deleted.
- Do not place metallic objects such as paperclips near the product. Metallic objects could cause a short circuit if they touch the charge contacts.

Battery

- We recommend using the batteries noted on page 3. **USE ONLY rechargeable Ni-MH batteries AAA (R03) size.**
- Do not mix old and new batteries.
- Do not open or mutilate the batteries. Released electrolyte from the batteries is corrosive and may cause burns or injury to the eyes or skin. The electrolyte is toxic and may be harmful if swallowed.
- Exercise care when handling the batteries. Do not allow conductive materials such as rings, bracelets, or keys to touch the batteries, otherwise a short circuit may cause the batteries and/or the conductive material to overheat and cause burns.
- Charge the batteries provided with or identified for use with this product only, in accordance with the instructions and limitations specified in this manual.
- Only use a compatible base unit (or charger) to charge the batteries. Do not tamper with the base unit (or charger). Failure to follow these instructions may cause the batteries to swell or explode.

Important safety instructions

When using your product, basic safety precautions should always be followed to reduce the risk of fire, electric shock, and injury to persons, including the following:

1. Do not use this product near water for example, near a bathtub, washbowl, kitchen sink, or laundry tub, in a wet basement or near a swimming pool.
2. Avoid using a telephone (other than a cordless type) during an electrical storm. There may be a remote risk of electric shock from lightning.
3. Do not use the telephone to report a gas leak in the vicinity of the leak.
4. Use only the power cord and batteries indicated in this manual. Do not dispose of batteries in a fire. They may explode. Check with local codes for possible special disposal instructions.

SAVE THESE INSTRUCTIONS

For best performance

Base unit location/avoiding noise

The base unit and other compatible Panasonic units use radio waves to communicate with each other.

- For maximum coverage and noise-free communications, place your base unit:
 - at a convenient, high, and central location with no obstructions between the handset and base unit in an indoor environment.
 - away from electronic appliances such as TVs, radios, personal computers, wireless devices, or other phones.
 - facing away from radio frequency transmitters, such as external antennas of mobile phone cell stations. (Avoid putting the base unit on a bay window or near a window.)
- Coverage and voice quality depends on the local environmental conditions.
- If the reception for a base unit location is not satisfactory, move the base unit to another location for better reception.

Environment

- Keep the product away from electrical noise generating devices, such as fluorescent lamps and motors.

Important Information

- The product should be kept free from excessive smoke, dust, high temperature, and vibration.
- The product should not be exposed to direct sunlight.
- Do not place heavy objects on top of the product.
- When you leave the product unused for a long period of time, unplug the product from the power outlet.
- The product should be kept away from heat sources such as radiators, cookers, etc. It should not be placed in rooms where the temperature is less than 0 °C or greater than 40 °C. Damp basements should also be avoided.
- The maximum calling distance may be shortened when the product is used in the following places: Near obstacles such as hills, tunnels, underground, near metal objects such as wire fences, etc.
- Operating the product near electrical appliances may cause interference. Move away from the electrical appliances.

Routine care

- **Wipe the outer surface of the product with a soft moist cloth.**
- Do not use benzene, thinner, or any abrasive powder.


Other information

CAUTION: Risk of explosion if battery is replaced by an incorrect type. Dispose of used batteries according to the instructions.

Notice for product disposal, transfer, or return

- This product can store your private/confidential information. To protect your privacy/confidentiality, we recommend that you erase information such as phonebook or caller list entries from the memory before you dispose of, transfer, or return the product.

Information for Users on Collection and Disposal of Old Equipment and used Batteries



These symbols (①, ②, ③) on the products, packaging, and/or accompanying documents mean that used electrical and electronic products and batteries should not be mixed with general household waste.

For proper treatment, recovery and recycling of old products and used batteries, please take them to applicable collection points, in accordance with your national legislation and the Directives 2002/96/EC and 2006/66/EC. By disposing of these products and batteries correctly, you will help to save valuable resources and prevent any potential negative effects on human health and the environment which could otherwise arise from inappropriate waste handling.

For more information about collection and recycling of old products and batteries, please contact your local municipality, your waste disposal service or the point of sale where you purchased the items.

Penalties may be applicable for incorrect disposal of this waste, in accordance with national legislation.

For business users in the European Union

If you wish to discard electrical and electronic equipment, please contact your dealer or supplier for further information.

Information on Disposal in other Countries outside the European Union

These symbols (①, ②, ③) are only valid in the European Union. If you wish to discard these items, please contact your local authorities or dealer and ask for the correct method of disposal.

Note for the battery symbol

This symbol (Ⓜ) might be used in combination with a chemical symbol (Ⓝ). In this case it complies with the requirement set by the Directive for the chemical involved.

Specifications

- **Communication standards**
DECT (Digital Enhanced Cordless Telecommunications),
GAP (Generic Access Profile)
Wi-Fi (IEEE 802.11 b/g/n)
- **Frequency range**
DECT:
1.88 GHz to 1.90 GHz
Wi-Fi:
2.412 GHz to 2.472 GHz (channels 1 to 13)
- **RF transmission power**
DECT:
Approx. 10 mW (average power per channel)
Wi-Fi:
100 mW (peak transmission power)
- **Encryption**
WPA2-PSK (TKIP/AES), WPA-PSK (TKIP/AES), WEP (128/64 bit)
- **Simplified configuration**
WPS (PBC)
- **Power source**
220–240 V AC, 50/60 Hz
- **Power consumption**
Base unit:
Standby: Approx. 2.0 W
Maximum: Approx. 3.9 W
- **Operating conditions**
0 °C–40 °C, 20 %–80 % relative air humidity (dry)

Getting Started

Setting up




Connections

■ Base unit

- 1 Press the AC adaptor plug firmly to the unit.
- 2 Keep the plug in the horizontal position and fasten the cord by hooking it.
- 3 Connect the AC adaptor to the power outlet.
- 4 Connect the telephone line cord to the unit and telephone line jack until you hear a click.
- 5 A DSL/ADSL filter (not supplied) is required if you have a DSL/ADSL service.


Note:

- Use only the supplied Panasonic AC adaptor PNLV236CE.
- Use only the supplied telephone line cord.



Battery installation

- USE ONLY rechargeable Ni-MH batteries AAA (R03) size (1).
- Do NOT use Alkaline/Manganese/Ni-Cd batteries.
- Confirm correct polarities (+, -).



- Follow the directions on the display to set up the unit.


Battery charging

Charge for about 7 hours.

- Confirm "Charging" is displayed (1).

Getting Started

- When the batteries are fully charged, "Fully charged" is displayed.



Note when setting up

Note for connections

- The AC adaptor must remain connected at all times. (It is normal for the adaptor to feel warm during use.)
- The AC adaptor should be connected to a vertically oriented or floor-mounted AC outlet. Do not connect the AC adaptor to a ceiling-mounted AC outlet, as the weight of the adaptor may cause it to become disconnected.

During a power failure

The unit will not work during a power failure. We recommend connecting a corded-type telephone (without AC adaptor) to the same telephone line or to the same telephone line jack, if you have such a telephone jack in your house.

Note for battery installation

- Use the supplied rechargeable batteries. For replacement, we recommend using the Panasonic rechargeable batteries noted on page 3, 7.

Note for battery charging

- It is normal for the handset to feel warm during charging.
- Clean the charge contacts of the handset, base unit, and charger with a soft and dry cloth once a month. Before cleaning the unit, disconnect from power outlets and any telephone line cords. Clean more often if

the unit is exposed to grease, dust, or high humidity.

Battery level

Icon	Battery level
	High
	Medium
	Low
	Needs charging.

Panasonic Ni-MH battery performance (supplied batteries)


Operation	Operating time
In continuous use	11 hours max.
Not in use (standby)	150 hours max.

Note:

- Actual battery performance depends on usage and ambient environment.

Controls


Base unit



- [📞] (Locator)**
 - You can locate a misplaced handset by pressing [📞].
- Charge contacts**

Getting Started

Handset



- 1 Charge contacts
 - 2 (Speakerphone)
 - 3 (Talk)
 - 4 Dial keypad
 - 5 Speaker
 - 6 Receiver
 - 7 Display
 - 8 [R/ECO]
R: Recall/Flash
ECO: Eco mode shortcut key
 - 9 [Off/Power]
 - 10 Microphone
- Control type
- (A) Soft keys
By pressing a soft key, you can select the feature shown directly above it on the display.
- (B) Navigator key

Navigator keys functions as follows.











Symbol	Meaning
	[▲] Up
	[▼] Down
	[◀] Left
	[▶] Right

- [▲], [▼], [◀], or [▶]: Scroll through various lists and items.
- [▲] or [▼] (◀): Adjust the receiver or speaker volume while talking.
- [→] (Caller list): View the caller list.
- [☎] (Phonebook): View the phonebook entry.
- [●] (Redial): View the redial list.

Display icons

Handset display items

Item	Meaning
	Range status: The more bars visible, the closer the handset is to the base unit.
	Out of base unit range
	Paging, intercom mode
	Speakerphone is on. (page 15)
	The line is in use. <ul style="list-style-type: none"> ● When flashing slowly: The call is put on hold. ● When flashing rapidly: An incoming call is now being received.
	Missed call*1 (page 35)
	The base unit transmission power is set to "Low". (page 14)
	Noise reduction is set. (page 16)
	The key backlight is off. (page 24)





Item	Meaning
	Battery level
	Alarm is on. (page 27)
	Equalizer is set. (page 16)
	Privacy mode is on. (page 25)
	Ringer volume is off. (page 23)
	Night mode is on. (page 28)
	Blocked call*1 (page 29)
	New SMS message received.*2 (page 38)
	New voice mail message received.*3 (page 43)
	Baby monitor is activated. The name/number displayed next to the icon indicates the monitoring unit. (page 29)
Line in use	Someone is using the line.

*1 Caller ID subscribers only


*2 SMS users only

*3 Voice mail subscribers only

Handset soft key icons




Icon	Action
	Temporarily turns off the ringer for incoming calls. (page 15)
	Opens the phonebook.
	Selects entries or handsets. (page 28)
C	Erases a number/character.
	Puts the call on mute.

Turning the power on/off





Press [] for about 2 seconds.

Language setting

Display language

- 1 **[Menu]** (right soft key) []1110
- 2 []: Select your desired language. → **[OK]**
- 3 []

Date and time



- 1 **[Menu]** (right soft key) []1011
- 2 Enter the current date, month, and year. → **[OK]**
Example: 15 July, 2013
15 07 2013
 - You can select the date format by pressing []:
 - dd/mm/yy (date/month/year)
 - yy/mm/dd
- 3 Enter the current hour and minute.
Example: 9:30
09 30
 - You can select 24-hour or 12-hour clock format (“AM” or “PM”) by pressing [].
- 4 **[OK]** → []

Other settings

Screen saver mode

The backlight goes dark when on a call or turns off completely after 1 minute of inactivity if the handset is not on the base unit or charger.

Activate the handset display again by:

- pressing [] when on a call.
- pressing [] at all other times.

Getting Started

One touch eco mode

When the handset is on the base unit, the base unit transmission power is reduced up to 99.9 % if only one handset is registered.

Even when the handset is not on the base unit or several handsets are registered, the base unit transmission power in standby mode can be reduced up to 90 % by activating one touch eco mode.

You can turn on/off one touch eco mode by just pressing **[R/ECO]**. The default setting is "Normal".

- When the one touch eco mode is on: "Low" is temporarily displayed and **ECO** is shown on the handset display instead of **Y**.
- When the one touch eco mode is off: "Normal" is temporarily displayed and **ECO** goes off from the handset display.

Note:

- When there is another cordless phone nearby and it is in use, the base unit transmission power may not be reduced.
- Activating one touch eco mode reduces the range of the base unit in standby mode.
- If you set the DECT repeater mode to "On" (page 34):
 - One touch eco mode is cancelled.
 - "Eco Setup" is not shown in the display menu (page 24).

Dialling mode

If you cannot make calls, change this setting according to your telephone line service. The default setting is "Tone".

"Tone": For tone dial service.

"Pulse": For rotary/pulse dial service.

- 1 **[Menu]** (right soft key) **#[1][2][0]**
- 2 **[↓]**: Select the desired setting.
- 3 **[OK]** → **[⏻]**

Making calls

- 1 Lift the handset and dial the phone number.
 - To correct a digit, press [C].
- 2 Press [↶].
- 3 When you finish talking, press [↶⏻] or place the handset on the base unit or charger.

Using the speakerphone

- 1 Dial the phone number and press [📞].
- 2 When you finish talking, press [↶⏻].

Note:

- To switch back to the receiver, press [📞]/[↶].

Adjusting the receiver or speaker volume

Press [▲] or [▼] repeatedly while talking.

Making a call using the redial list

The last 10 phone numbers dialled are stored in the redial list (each 24 digits max.).

- 1 [📞]
- 2 [↕]: Select the desired phone number.
- 3 [↶]/[📞]
 - If [📞] is pressed and the other party's line is engaged, the unit automatically redials multiple times.

Erasing a number in the redial list

- 1 [📞]
- 2 [↕]: Select the desired phone number.
→ [Erase]
- 3 [↕]: "Yes" → [OK] → [↶⏻]

Pause (for PBX/long distance service users)

A pause is sometimes required when making calls using a PBX or long distance service. When storing a calling card access number

and/or PIN in the phonebook, a pause is also needed (page 19).

Example: If you need to dial the line access number "0" when making outside calls with a PBX:

- 1 [0] → [▲] (Pause)
- 2 Dial the phone number. → [↶]

Note:

- A 3 second pause is inserted each time [▲] (Pause) is pressed.

Answering calls

- 1 Lift the handset and press [↶] or [📞] when the unit rings.
- 2 When you finish talking, press [↶⏻] or place the handset on the base unit or charger.

Any key answer: You can answer the call by pressing any dial key.

Auto talk: You can answer calls simply by lifting the handset (page 24).

Temporary ringer off: You can turn the ringer off temporarily by pressing [X].

Adjusting the handset ringer volume

Press [▲] or [▼] repeatedly to select the desired volume while ringing.

Useful features during a call

Hold

- 1 Press [Menu] during an outside call.
- 2 [↕]: "Hold" → [OK]
- 3 To release hold, press [↶].

Note:

- After holding for 10 minutes, the call is disconnected.

Making/Answering Calls

Mute

- 1 Press [**M**] during a call.
- 2 To return to the call, press [**M**].

Recall/flash

[**R/ECO**] allows you to use the special features of your host PBX such as transferring an extension call, or accessing optional telephone services.

Note:

- To change the recall/flash time, see page 25.

For call waiting or Call Waiting Caller ID service users

To use call waiting or Call Waiting Caller ID, you must first subscribe with your service provider/telephone company. This feature allows you to receive calls while you are already talking on the phone. If you receive a call while on the phone, you will hear a call waiting tone.

If you subscribe to both **Caller ID** and **Call Waiting with Caller ID services**, the 2nd caller's information is displayed after you hear the call waiting tone on the handset.

- 1 Press [**R/ECO**] to answer the 2nd call.
- 2 To switch between calls, press [**R/ECO**].

Note:

- Please contact your service provider/telephone company for details and availability of this service in your area.

Temporary tone dialling (for rotary/pulse service users)

Press [**T**] before entering access numbers which require tone dialling.

Handset noise reduction

This feature allows you to hear the voice of the person you are talking to clearly, by

reducing the surrounding noise coming from the other party's telephone.

- 1 Press [**Menu**] while talking.
- 2 [**↕**]: "Noise Reduction On" or "Noise Reduction Off" → [**OK**]

Note:

- Depending on the environment where this handset is being used, this feature may not be effective.
- This feature is not available using the speakerphone.

Handset equalizer

This feature clarifies the voice of the person you are talking to, producing a more natural-sounding voice that is easier to hear and understand.

- 1 Press [**Menu**] while talking.
- 2 [**↕**]: "Equalizer" → [**OK**]
- 3 [**↕**]: Select the desired setting.
- 4 Press [**OK**] to exit.

Note:

- Depending on the condition and quality of your telephone line, this feature may emphasise existing line noise. If it becomes difficult to hear, turn this feature off.
- This feature is not available while using the speakerphone.

Call share

You can join an existing outside call. To join the conversation, press [**Join**] when the other handset is on an outside call.

Note:

- To prevent other users from joining your conversations with outside callers, turn the privacy mode on (page 25).

Transferring calls, conference calls

Outside calls can be transferred between 2 handsets in the same radio cell.

2 handsets in the same radio cell can have a conference call with an outside party.

- 1 During an outside call, press **[Menu]** to put the call on hold.
- 2 **[↕]**: "Intercom" → **[OK]**
- 3 **[↕]**: Select the desired unit. → **[OK]**
- 4 Wait for the paged party to answer.
 - If the paged party does not answer, press **[Back]** to return to the outside call.
- 5 **To complete the transfer:**
Press **[↶⏻]**.
To establish a conference call:
[Menu] → **[↕]**: "Conference" → **[OK]**
 - To leave the conference, press **[↶⏻]**. The other 2 parties can continue the conversation.
 - To put the outside call on hold:
[Menu] → **[↕]**: "Hold" → **[OK]**
To resume the conference: **[Menu]** → **[↕]**: "Conference" → **[OK]**
 - To cancel the conference: **[Menu]** → **[↕]**: "Stop Conference" → **[OK]**
You can continue the conversation with the outside caller.

Note:

- You can also select your smartphone in this feature using a handset, if your smartphone is registered to the base unit (page 40).

Intercom

Intercom calls can be made between handsets in the same radio cell.

Note:

- When paging the handset, the paged handset beeps for 1 minute.
- If you receive an outside call while talking on the intercom, you hear 2 tones. To answer the call, press **[↶⏻]**, then press **[↶]**.
- You can also select your smartphone in this feature using a handset, if your smartphone is registered to the base unit (page 40).

Making an intercom call

- 1 **[Menu]** (right soft key) → **[Intercom]**
- 2 **[↕]**: Select the desired unit. → **[OK]**
- 3 When you finish talking, press **[↶⏻]**.

Answering an intercom call

- 1 Press **[↶]** to answer the page.
- 2 When you finish talking, press **[↶⏻]**.

Turning auto intercom on/off

This feature allows the handset to answer intercom calls automatically when it is called. You do not need to press **[↶]**. When this feature is set to "on", the monitoring handset for the baby monitor feature (page 31) will also answer baby monitor calls automatically. The default setting is "off".

- 1 **[Menu]** (right soft key) **[#]** **[2]** **[7]** **[3]**
- 2 **[↕]**: Select the desired setting. → **[OK]** → **[↶⏻]**

Key lock

The handset can be locked so that no calls or settings can be made. Incoming calls can be answered, but all other functions are disabled while key lock is on.

To turn key lock on, press **[Menu]** (right soft key) for about 3 seconds.

- To turn key lock off, press **[Key lock]** (right soft key) for about 3 seconds.

Note:

- Calls to emergency numbers cannot be made until key lock is turned off.

Phonebook

Phonebook

You can add 500 names (16 characters max.) and phone numbers (24 digits max.) to the phonebook, and assign each phonebook entry to the desired category.

The total number of entries that can be stored varies depending on how many phone numbers you have stored for each entry.

Total number of entries is shown below*1:

1 name + 1 phone number: 500 entries

1 name + 2 phone numbers: 250 entries

1 name + 3 phone numbers: 166 entries

*1 Up to 3 phone numbers for each entry can be stored.

Important:

- All entries can be shared by any registered handset.
- You can copy contacts from your smartphone to the unit's phonebook if your smartphone is registered to the base unit. For more information, refer to the Smartphone Connect App Guide, which is available for download from our web site.

Adding phonebook entries

- 1 [□] → [Menu]
- 2 [↕]: "New Entry" → [OK]
- 3 [↕]: "(Name)" → [Select]
- 4 Enter the party's name. → [OK]
 - You can change the character entry mode by pressing [R/ECO] (page 43).
- 5 [↕]: "(Phone No. 1)" → [Select]
 - You can store up to 3 phone numbers for each entry.
- 6 Enter the party's phone number. → [OK]
- 7 [↕]: "Category 1" → [Select]
- 8 [↕]: Select the desired category. → [OK]
- 9 [Save] → [☎]

Storing a redial list number to the phonebook

- 1 [●]
- 2 [↕]: Select the desired phone number. → [Detail] → [Save]
- 3 To store the name, continue from step 3, "Editing entries", page 19.

Storing caller information to the phonebook

- 1 [→]
- 2 [↕]: Select the desired entry. → [Detail] → [Menu]
- 3 [↕]: "Save CID" → [OK]
- 4 [↕]: "Phonebook" → [OK]
- 5 To store the name, continue from step 3, "Editing entries", page 19.

Categories

Categories can help you find entries in the phonebook quickly and easily. You can change the names of categories ("Friends", "Family", etc.). By assigning different ringer tones for different categories of callers, you can identify who is calling (category ringer tone), if you have subscribed to Caller ID service.

Changing category names/setting category ringer tone

- 1 [□] → [Menu]
- 2 [↕]: "Category" → [OK]
- 3 [↕]: Select the desired category. → [OK]
- 4 **To change category names**
[↕]: "Category Name" → [OK] → Edit the name (10 characters max.; page 43). → [OK]
To set category ringer tone
[↕]: Select the current setting of the category ringer tone. → [OK] → [↕]: Select the desired ringer tone. → [OK]
- 5 [☎]

Finding and calling from a phonebook entry

- 1 [□]
- 2 **To scroll through all entries**
 [↕]: Select the desired entry. → [↶]
To search by first character
 ① Press the dial key ([0] to [9], or [#]) which contains the character you are searching for (page 43).
 ② [↕]: Scroll through the phonebook if necessary. → [↶]
To search by query
 ① [✕] → To search for the name, enter the first characters (up to 4) in uppercase (page 43). → [OK]
 ② [↕]: Scroll through the phonebook if necessary. → [↶]
To search by category
 ① [Search] → [↕]: "Category" → [OK]
 ② [↕]: Select the desired category. → [OK]
 ③ [↕]: Scroll through the phonebook if necessary. → [↶]
- 3 [↕]: Select the desired phone number. → [↶]

Editing entries

- 1 Find the desired entry (page 19). → [Menu]
- 2 [↕]: "Edit" → [OK]
- 3 [↕]: Select the desired item you want to change. → [Select]
- 4 **To change the name and phone number:**
 Edit the name or phone number. → [OK]
To change the category:
 [↕]: Select the desired category. → [OK]
To delete the picture:
 [Erase] → [↕]: "Yes" → [OK]
- 5 [Save] → [↶]

Erasing entries

Erasing an entry

- 1 Find the desired entry (page 19). → [Menu]
- 2 [↕]: "Erase" → [OK]
- 3 [↕]: "Yes" → [OK] → [↶]

Erasing all entries

- 1 [□] → [Menu]
- 2 [↕]: "Erase All" → [OK]
- 3 [↕]: "Yes" → [OK]
- 4 [↕]: "Yes" → [OK] → [↶]

Note:

- You can copy contacts from your smartphone to the unit's phonebook if your smartphone is registered to the base unit. Later, if you delete those phonebook entries from the unit, pictures that were attached to the entries will remain in the handset. You can erase these pictures manually using the "Memory Manager" feature (page 25).

Chain dial

This feature allows you to dial phone numbers in the phonebook while you are on a call. This feature can be used, for example, to dial a calling card access number or bank account PIN that you have stored in the phonebook, without having to dial manually.

- 1 During an outside call, press [Menu].
- 2 [↕]: "Phonebook" → [OK]
- 3 [↕]: Select the desired entry. → [Call]
- 4 [↕]: Select the desired phone number.
- 5 Press [Call] to dial the number.

Note:

- When storing a calling card access number and your PIN in the phonebook as one phonebook entry, press [▲] (Pause) to add pauses after the number and PIN as necessary (page 15).

Phonebook

- If you have rotary/pulse service, you need to press **[*]** before pressing **[Menu]** in step 1 to change the dialling mode temporarily to tone. When adding entries to the phonebook, we recommend adding **[*]** to the beginning of phone numbers you wish to chain dial (page 18).

Speed dial

You can assign 1 phone number to each of the dial keys (**[1]** to **[9]**) on the handset.

Adding phone numbers to speed dial keys

■ By entering phone numbers:

- 1 Press and hold the desired speed dial key (**[1]** to **[9]**). → **[Add]**
- 2 **[↓]**: "Manual" → **[OK]**
- 3 Enter the party's name (16 characters max.; page 43). → **[OK]**
- 4 Enter the party's phone number (24 digits max.). → **[OK]** 2 times → **[☎]**

■ From the phonebook:

- 1 Press and hold the desired speed dial key (**[1]** to **[9]**). → **[Add]**
- 2 **[↓]**: "Phonebook" → **[OK]**
- 3 **[↓]**: Select the desired entry. → **[OK]**
- 4 **[↓]**: Select the desired phone number.
- 5 **[OK]** → **[☎]**

Note:

- If you edit a phonebook entry which is assigned to a speed dial key, the edited entry does not transfer to the speed dial key.

Editing an entry

- 1 Press and hold the desired speed dial key (**[1]** to **[9]**). → **[Menu]**
- 2 **[↓]**: "Edit" → **[OK]**
- 3 Edit the name if necessary. → **[OK]**

- 4 Edit the phone number if necessary. → **[OK]** 2 times → **[☎]**

Erasing an entry

- 1 Press and hold the desired speed dial key (**[1]** to **[9]**). → **[Menu]**
- 2 **[↓]**: "Erase" → **[OK]**
- 3 **[↓]**: "Yes" → **[OK]** → **[☎]**

Viewing an entry/Making a call

- 1 Press and hold the desired speed dial key (**[1]** to **[9]**).
- 2 To make a call, press **[☎]**.

Menu list

To access the features, there are 2 methods.


■ Scrolling through the display menus

- 1 **[Menu]** (right soft key)
- 2 Press **[▼]**, **[▲]**, **[▶]**, or **[◀]** to select the desired main menu. → **[OK]**
- 3 Press **[▼]** or **[▲]** to select the desired item from the next sub-menus. → **[OK]**
- 4 Press **[▼]** or **[▲]** to select the desired setting. → **[OK]**

■ Using the direct command code

- 1 **[Menu]** (right soft key) → Enter the desired code.
Example: Press **[Menu]** (right soft key) **#1101**.
- 2 Select the desired setting. → **[OK]**

Note:


- To exit the operation, press **[⏻]**.
- In the following table, < > indicates the default settings.
- In the following table,  indicates the reference page number.
- Display menu order and sub-menu may vary depending on your model.

Display the menu tree and direct command code table

Main menu:  "Caller List"


Operation	Code	
Viewing the caller list.	#213	35

Main menu:  "Ringer Setup"


Sub-menu 1	Sub-menu 2	Settings	Code	
Ringer Volume	–	0-6: Off-6 <6>	#160	–
Ringtone*1	–	<Ringtone 1>	#161	–
Night Mode	On/Off	1: On 0: <Off>	#238	28
	Start/End	<23:00/06:00>	#237	28
	Ring Delay	1: 30 sec. 2: <60 sec.> 3: 90 sec. 4: 120 sec. 0: No Ringing	#239	28
	Select Category	1-9: Category 1-9	#241	28
First Ring*2, *3	–	1: <On> 0: Off	#173	–


Programming


Main menu:  "SMS"

Sub-menu 1	Sub-menu 2	Settings	Code	
Receive List	–	–	#350	38
Send List	–	–		38
Create	–	–		37
Settings	Message Centre1 ^{*2, *4}	–	#351	37
	Message Centre2 ^{*2, *4}	–	#352	37
	PBX Access # ^{*2}	<Off>	#356	39
	SMS On/Off ^{*2, *5}	<Off>	#357	37


Main menu:  "Intercom"


Operation	Code	
Paging the desired unit.	#274	17

Main menu:  "Time Settings"


Sub-menu 1	Sub-menu 2	Settings	Code	
Set Date/Time ^{*2}	–	–	#101	13
Memo Alarm	1-5: Alarm1-5	1: Once 2: Daily 3: Weekly 0: <Off>	#720	27
Time Adjustment ^{*2, *6}	–	1: Caller ID 0: <Manual>	#226	–

Programming


Main menu:  "Initial Setup"

Sub-menu 1	Sub-menu 2	Settings	Code	
Ringer Setup	Ringer Volume	0-6: Off-6 <6>	#160	-
	Ringtone ^{*1}	<Ringtone 1>	#161	-
	Night Mode - On/Off	1: On 0: <Off>	#238	28
	Night Mode - Start/End	<23:00/06:00>	#237	28
	Night Mode - Ring Delay	1: 30 sec. 2: <60 sec.> 3: 90 sec. 4: 120 sec. 0: No Ringing	#239	28
	Night Mode - Select Category	1-9: Category 1-9	#241	28
	First Ring ^{*2, *3}	1: <On> 0: Off	#173	-
Time Settings	Set Date/Time ^{*2}	-	#101	13
	Memo Alarm - 1-5: Alarm1-5	1: Once 2: Daily 3: Weekly 0: <Off>	#720	27
	Time Adjustment ^{*2, *6}	1: Caller ID 0: <Manual>	#226	-
Handset Name	-	-	#104	31
Key Finder Setup ^{*7} - 1: Add new device (for Finder1) ^{*8} - 2: Add new device (for Finder2) - 3: Add new device (for Finder3) - 4: Add new device (for Finder4)	Change Name ^{*2}	Finder1	#6561	-
		Finder2 ^{*9}	#6562 ^{*10}	
		Finder3 ^{*9}	#6563 ^{*10}	
		Finder4 ^{*9}	#6564 ^{*10}	
	Register	-	#6571	-
		-	#6572 ^{*10}	
		-	#6573 ^{*10}	
		-	#6574 ^{*10}	
	Cancel Register	-	#6581	-
		-	#6582 ^{*10}	
-		#6583 ^{*10}		
-		#6584 ^{*10}		
Caller Barred ^{*2}	-	-	#217	29

Programming

Sub-menu 1	Sub-menu 2	Settings	Code	
Speed Dial	–	–	#261	20
Eco Setup	Transmission Power ^{*2}	1: <Normal> 2: Low	#725	14
Display Setup	Wallpaper	<Wallpaper1>	#181	–
	Clock ^{*11}	1: Analogue (Small) 2: Analogue (Large) 3: <Digital (Large)> 4: Digital (Small) 0: Off	#198	–
	Display Colour	1: <Colour1> 2: Colour2	#182	–
	Display Mode ^{*12}	1: <Multi Items> 0: Single Item	#192	–
	Key Backlight	1: <On> 0: Off	#276	–
	LCD in charging ^{*13} (LCD backlight)	1: <On> 0: Off	#191	–
	Contrast (Display contrast)	1-6: Contrast 1-6 <Contrast 3>	#145	–
Auto Intercom	–	1: On 0: <Off>	#273	17
Keytones	–	1: <On> 0: Off	#165	–
Call Restrict ^{*2}	–	–	#256	31
Auto Talk ^{*14}	–	1: On 0: <Off>	#200	15

Programming

Sub-menu 1	Sub-menu 2	Settings	Code	
Line Setup	Dial Mode ^{*2}	1: Pulse 2: <Tone>	#120	14
	Recall/Flash ^{*2, *15, *16}	0: 900 msec. 1: 700 msec. 2: <600 msec.> 3: 400 msec. 4: 300 msec. 5: 250 msec. *: 200 msec. #: 160 msec. 6: 110 msec. 7: 100 msec. 8: 90 msec. 9: 80 msec.	#121	16
Privacy Mode ^{*2, *17}	-	1: On 0: <Off>	#194	-
Memory Manager ^{*18}	-	-	#670	-
Phone Number Setup ^{*2, *19}	International Code	-	#117	-
	Country Code	-	#118	
	National Access Code	-	#119	
Network Setup	Current Status	-	#526	42
	Wi-Fi Setup	Connect - Search for Networks - WPS (Easy Setup)	#523	40
		Signal Strength	#537	42
		Wi-Fi Repeater 1: On 0: <Off>	#538	41
	IP Setup	Auto (DHCP) Manual (Static)	#500	41
	Reset Network	-	#730	42
Base Unit PIN ^{*2}	-	<0000>	#132	32
DECT Repeater ^{*2}	-	1: On 0: <Off>	#138	34
Register	Register H.set	-	#130	33
	Cancel Register ^{*20}	-	#131	34

Programming

Sub-menu 1	Sub-menu 2	Settings	Code	
Country*2	–	1: <Other> 2: Česká rep. 3: Slovensko	#136	32
Select Base	–	<Auto>	#137	33
Cancel Base*20	–	–	#139	34
Language	Display	<English>	#110	13

Main menu: “Baby Monitor”

Sub-menu 1	Sub-menu 2	Settings	Code	
On/Off	–	1: On 0: <Off>	#268	30
Sensitivity Level	–	1: Low 2: <Middle> 3: High	#269	31

Main menu: “Calendar”

Operation	Code	
Viewing the calendar and setting the schedule alarm.	#727	32

Main menu: “Key Finder”*7

Sub-menu 1	Sub-menu 2	Settings	Code	
Search	–	–	#655	–
Battery Check	–	–		

Main menu: “Caller Barred”*2, *21

Operation	Code	
Storing/Viewing bar call numbers.	#217	29

- *1 The preset melodies in this product (“Ringtone 3” - “Ringtone 40”) are used with permission of © 2012 Copyrights Vision Inc.
- *2 If you program these settings using one of the handsets, you do not need to program the same item using another handset.
- *3 If you do not want the unit to ring before the caller information is received, set to “**OFF**”. (Caller ID subscribers only)
You can only remove the first ring if the unit rings 2 times or more by default, which depends on your service provider/telephone company.
- *4 If you select the unit’s region setting (page 32) to “**Česká rep.**” or “**Slovensko**”, the default setting will be changed for the selected country.
- *5 If you select the unit’s region setting (page 32) to “**Česká rep.**” or “**Slovensko**”, the default setting is “**On**”.
- *6 This feature allows the unit to automatically adjust the date and time each time caller information including date and time is received.

Programming

- To turn this feature on, select “**Caller ID**”. To turn this feature off, select “**Manual**”.
(Caller ID subscribers only)
- To use this feature, set the date and time first (page 13).
- *7 This setting is available when you have the key finder (KX-TGA20FX). Read the installation manual for more information on the key finder.
 - *8 For models with supplied key finders, the display shows “**1 : Finder1**”.
 - *9 If you register 2 or more key finders.
 - *10 If you have 2 or more key finders.
 - *11 Wallpaper is displayed in the standby mode only when you select “**Digital (Small)**” or “**Off**” for this setting.
 - *12 You can select to display either a single item or multiple items on one screen at a time for the handset main menu icons in function menu, phonebook list, caller list, and redial list.
 - *13 You can set the handset display backlight while on charge.
 - “**On**”: Backlight is on (dimmed).
 - “**Off**”: Backlight turns off after 10 seconds of charging.
 - *14 If you subscribe to a Caller ID service and want to view the caller’s information after lifting up the handset to answer a call, turn off this feature.
 - *15 The recall/flash time depends on your telephone exchange or host PBX. Contact your PBX supplier if necessary.
 - *16 The default setting will be as follows if you select the following regional codes when changing the unit’s region setting (page 32):
 - “**Česká rep.**” = “**100 msec.**”
 - “**Slovensko**” = “**100 msec.**”
 - *17 To prevent other users from joining your conversations with outside callers, turn this feature on.
 - *18 If you use your smartphone to copy images (used by your handsets as wallpaper patterns), pictures (attached to your smartphone’s contacts), or ringtones, you can confirm handset memory usage and erase unnecessary items to make more memory available.
For more information, refer to the Smartphone Connect App Guide, which is available for download from our web site.
 - *19 If you store phone numbers in your smartphone’s contacts using the international dialling symbol “+” and the country code, we recommend that you store phone number conversion codes in the base unit.
For more information, refer to the Smartphone Connect App Guide, which is available for download from our web site.
 - *20 This menu is not displayed when scrolling through the display menus. It is only available in direct command code.
 - *21 This menu icon is displayed when the key finder is not registered.

Alarm

An alarm sounds at the set time for 1 minute and is repeated 5 times at 5 minute intervals (snooze function). A text memo can also be displayed for the alarm. A total of 5 separate alarm times can be programmed for each handset. You can set one of 3 different alarm options (once, daily, or weekly) for each alarm time.

Important:

- Make sure the unit’s date and time setting is correct (page 13).

- 1 **[Menu]** (right soft key) **[#][7][2][0]**
- 2 Select an alarm by pressing **[1]** to **[5]**. → **[OK]**

Programming

- 3 **[↕]**: Select the desired alarm option. → **[OK]**

"Off" Turns alarm off. Go to step 9.
"Once" An alarm sounds once at the set time.
"Daily" An alarm sounds daily at the set time. Go to step 5.
"Weekly" Alarm sounds weekly at the set time(s).

- 4 Proceed with the operation according to your selection in step 3.
- **Once**:
Enter the desired date and month. → **[OK]**
 - **Weekly**:
[↕]: Select the desired day of the week and press **[✓]**. → **[OK]**
- 5 Set the desired time. → **[OK]**
- 6 Enter a text memo (30 characters max.). → **[OK]**
- 7 **[↕]**: Select the desired alarm tone. → **[OK]**
- We recommend selecting a different ringer tone from the one used for outside calls.
- 8 **[↕]**: Select the desired snooze setting. → **[OK]**
- 9 **[OK]** → **[⏏]**

Note:

- Press **[Stop]** to stop the alarm completely.
- When the handset is in use, the alarm will not sound until the handset is in standby mode.
- Press any dial key or **[Snooze]** to stop the sound but keep the snooze function activated.
- If you want to make an outside call when the snooze function is activated, please stop the snooze function before making the call.

Night mode

Night mode allows you to select a period of time during which the handset will not ring for outside calls. This feature is useful for time periods when you do not want to be disturbed, for example, while sleeping. Night mode can be set for each handset.

Important:

- Make sure the unit's date and time setting is correct (page 13).
- If you have set the alarm, the alarm sounds even if the night mode is turned on.

Turning night mode on/off

- 1 **[Menu]** (right soft key) **#238**
- 2 **[↕]**: Select the desired setting. → **[OK]**
 - If you select "Off", press **[⏏]** to exit.
- 3 Enter the desired hour and minute you wish to start this feature. → **[OK]**
- 4 Enter the desired hour and minute you wish to end this feature. → **[OK]** → **[⏏]**

Changing the start and end time

- 1 **[Menu]** (right soft key) **#237**
- 2 Continue from step 3, "Turning night mode on/off", page 28.

Setting the ring delay

This setting allows the handset to ring during night mode if the caller waits long enough. After the selected amount of time passes, the handset rings. If you select "No Ringing", the handset never rings during night mode.

- 1 **[Menu]** (right soft key) **#239**
- 2 **[↕]**: Select the desired setting. → **[OK]** → **[⏏]**

Selecting categories to bypass night mode


- 1 **[Menu]** (right soft key) **#241**

- 2 Select your desired categories by pressing [1] to [9].
 - “✓” is displayed next to the selected category numbers.
 - To cancel a selected category, press the same dial key again. “✓” disappears.
- 3 [OK] → [⏏]

Incoming call barring

This feature allows the unit to reject calls from specified phone numbers that you do not want to answer such as junk calls. When a call is received, the unit does not ring while the caller is being identified. If the phone number matches an entry in the call barred list, the unit emits no sound to the caller, and disconnects the call. (Caller ID subscribers only)

Important:

- When the unit receives a call from a number that is stored in the call barred list, the call is logged in the caller list (page 35) with  after the call is disconnected.

Storing unwanted callers

You can store up to 100 phone numbers in the call barred list.

Important:

- You must store the phone number with an area code in the call barred list.

■ From the caller list:

- 1 [➔]
- 2 [↕]: Select the entry to be barred. → [Detail] → [Menu]
- 3 [↕]: “Save CID” → [OK]
- 4 [↕]: “Caller Barred” → [OK]
- 5 [↕]: “Yes” → [OK] → [⏏]

■ By entering phone numbers:

- 1 [Menu] (right soft key) [#][2][1][7] → [Add]

- 2 Enter the phone number (24 digits max.). → [OK]
- 3 [⏏]

Viewing/editing/erasing bar call numbers

- 1 [Menu] (right soft key) [#][2][1][7]
- 2 [↕]: Select the desired entry.
 - To exit, press [⏏].
- 3 To edit a number:
 - [Edit] → Edit the phone number. → [OK] → [⏏]
 - To erase a number:
 - [Erase] → [↕]: “Yes” → [OK] → [⏏]

Baby monitor

This feature allows you to listen in on a room where another handset is located, allowing you to easily monitor from different areas of the house or place. The monitored handset (placed in a baby’s room, for example) will automatically call the monitoring handset or the phone number stored when it detects sound.

Important:

- You should perform a test run of the baby monitor procedure to ensure that the baby monitor feature is set correctly. For example, test its sensitivity. Check the connection if you are diverting the baby monitor to an outside line.

Note:

- Both the monitored and monitoring handsets must select the same base unit in order to use the baby monitor feature (page 33).
- If the unit is connected to a PBX system, you cannot set the baby monitor.
- During the monitoring mode, battery consumption is faster than usual. We recommend leaving the monitored handset on the base unit or charger.
- The monitored handset never rings during the monitoring mode.

Programming

Setting the baby monitor

Perform the setting operation with the handset to be monitored (for example, the handset placed in a baby's room).

To monitor with a handset

The internal baby monitor feature is only available between handsets in the same radio cell.

- 1 **[Menu]** (right soft key) **#** **2** **6** **8**
- 2 **[↕]**: "On" → **[OK]**
- 3 **[↕]**: Select the desired handset number to monitor with. → **[OK]**
 - "Baby Monitor" will be displayed.
 - The registered handset name/number is displayed.

Note:

- You can also select your smartphone in this feature using a handset, if your smartphone is registered to the base unit (page 40).
- When this feature is on, another handset can hear the monitored handset by making an intercom call.

To monitor from an outside line

■ From the phonebook:

- 1 **[Menu]** (right soft key) **#** **2** **6** **8**
- 2 **[↕]**: "On" → **[OK]**
- 3 **[↕]**: Select "External" to monitor from an outside line. → **[Edit]** → **[Add]**
- 4 **[↕]**: "Phonebook" → **[OK]**
- 5 **[↕]**: Select the phonebook entry. → **[OK]**
- 6 **[↕]**: Select the desired phone number. → **[OK]**
 - "Baby Monitor" will be displayed.

Note:

- If you edit a phonebook entry which is assigned for monitoring, the edited entry does not transfer to the monitor.

■ By entering phone numbers:

- 1 **[Menu]** (right soft key) **#** **2** **6** **8**

- 2 **[↕]**: "On" → **[OK]**
- 3 **[↕]**: Select "External" to monitor from an outside line. → **[Edit]** → **[Add]**
- 4 **[↕]**: "Manual" → **[OK]**
- 5 Enter the desired name. → **[OK]**
- 6 Enter the desired number. → **[OK]** 2 times
 - "Baby Monitor" will be displayed.

Note:

- The registered name/number is displayed.

Turning off the baby monitor

The monitored handset cannot be used while baby monitor is set to "On".

- 1 Press **[Menu]** on the handset being monitored.
- 2 **[↕]**: "On/Off" → **[OK]**
- 3 **[↕]**: "Off" → **[OK]** → **[↵]**

Editing an outside monitoring number

- 1 Press **[Menu]** on the handset being monitored.
- 2 **[↕]**: "On/Off" → **[OK]**
- 3 **[↕]**: "On" → **[OK]**
- 4 **[↕]**: Select the outside line. → **[Edit]**
- 5 **[Menu]** → **[↕]**: "Edit" → **[OK]**
- 6 Edit the name if necessary. → **[OK]**
- 7 Edit the phone number if necessary. → **[OK]** 2 times

Erasing an outside monitoring number

- 1 Press **[Menu]** on the handset being monitored.
- 2 **[↕]**: "On/Off" → **[OK]**
- 3 **[↕]**: "On" → **[OK]**
- 4 **[↕]**: Select the outside line. → **[Edit]**
- 5 **[Menu]** → **[↕]**: "Erase" → **[OK]**
- 6 **[↕]**: "Yes" → **[OK]** → **[↵]**

Baby monitor sensitivity

You can adjust the sensitivity of the baby monitor. Increase or decrease the sensitivity to adjust the sound level needed to trigger the baby monitor feature.

- This feature cannot be set during a monitoring call.
- 1 Press **[Menu]** on the handset being monitored.
 - 2 **[↕]**: "Sensitivity Level" → **[OK]**
 - 3 **[↕]**: Select the desired setting. → **[OK]**
→ **[↵]**

Answering the baby monitor

■ When monitoring with a handset:

Press **[↵]** to answer calls.

If you want to respond from the monitoring handset, press **[↵]**.

- The monitoring handset will answer calls automatically when the auto intercom feature is set to "On" (page 17).

Note:

- If you receive an outside call when communicating with the monitored handset, you hear 2 tones. To answer the call, press **[↵]**, then press **[↵]**.

■ When monitoring from an outside line:

To answer a call, follow the operation for your phone.

If you want to respond from the monitoring handset, press **[#][1]** using tone dialling. You can turn off the baby monitor feature by pressing **[#][0]**.

Note:

- 2 minutes after the monitored handset starts a call, communication between the monitored handset and monitoring phone line is turned off automatically.

Other programming

Changing the handset name

Each handset can be given a customised name ("Bob", "Kitchen", etc.). This is useful when you make intercom calls between handsets. You can also select whether or not the handset name is displayed in standby mode. The default setting is "No". If you select "Yes" without entering any handset name, "Handset 1" to "Handset 6" is displayed.

- 1 **[Menu]** (right soft key) **[#][1][0][4]**
- 2 Enter the desired name (max. 10 characters).
- 3 **[OK]**
- 4 **[↕]**: Select the desired setting. → **[OK]**
2 times → **[↵]**

Call restriction

You can restrict selected handsets from dialling certain numbers. You can assign up to 6 phone numbers to be restricted, and select which handsets are to be restricted. Storing area codes here prevents the restricted handsets from dialling any phone number in that area code.

- 1 **[Menu]** (right soft key) **[#][2][5][6]**
- 2 Enter the base unit PIN (default: "0000").
 - If you forget your PIN, contact an authorised service centre.
- 3 Select the handsets to be restricted by pressing **[1]** to **[6]**.
 - All handsets registered to the base unit are displayed.
 - "✓" is displayed next to the selected handset numbers.
 - To cancel a selected handset, press the same dial key again. "✓" disappears.
- 4 **[OK]**
- 5 Select a memory location by pressing **[1]** to **[6]**. → **[OK]**

Programming

- 6 Enter the phone number or area code to be restricted (8 digits max.). → **[OK]** → **[⏻]**

Note:

- You can also select your smartphone in this feature using a handset, if your smartphone is registered to the base unit (page 40).

Changing the base unit PIN

Important:

- If you change the PIN (Personal Identification Number), please make note of your new PIN. The unit will not reveal the PIN to you. If you forget your PIN, contact an authorised service centre.

- 1 **[Menu]** (right soft key) **#132**
- 2 Enter the current 4-digit base unit PIN (default: "0000").
- 3 Enter the new 4-digit base unit PIN. → **[OK]**
- 4 **[↕]**: "Yes" → **[OK]** → **[⏻]**

Changing the unit's region setting/Resetting the base unit

- 1 **[Menu]** (right soft key) **#136**
- 2 **[↕]**: Select the desired country. → **[OK]**
"Other" = countries except Czech and Slovakia
"Česká rep." = Czech
"Slovensko" = Slovakia
- 3 **[↕]**: "Yes" → **[OK]** → **[⏻]**

Note:

- Changing the unit's region setting may cause the settings for your country or your customised settings to return to their default settings.

Calendar/Schedule

You can program 20 schedule alarms for each handset using the calendar. A schedule alarm sounds at the set time for 1 minute. A text memo can also be displayed for the schedule alarm.

Important:

- Make sure the unit's date and time setting is correct (page 13).

Adding a new entry

- 1 **[Menu]** (right soft key) → **☰** → **[OK]**
- 2 **[↕]**: Select the desired date. → **[OK]**
- 3 **[Menu]** → **[↕]**: "New Entry" → **[OK]**
- 4 Edit the date if necessary. → **[OK]**
- 5 Set the desired time. → **[OK]**
- 6 Enter a text memo (30 characters max.; page 43). → **[OK]**
- 7 **[↕]**: Select the desired alarm tone. → **[OK]** 2 times
 - You can select "off" if you prefer not to hear an alarm tone.
 - We recommend selecting a different ringer tone from the one used for outside calls.

- 8 **[⏻]**

Note:

- To stop the alarm, press **[Stop]** or place the handset on the base unit or charger.
- When the handset is in use, the alarm will not sound until the handset is in standby mode.

Viewing entries

- 1 **[Menu]** (right soft key) → **☰** → **[OK]**
- 2 To see the entries on the selected date, press **[OK]**.
To see the schedule list, press **[List]**.
 - You can see detailed information about the schedule by pressing **[Menu]**. → **[↕]**: "Detail" → **[OK]**

Editing an entry

- 1 **[Menu]** (right soft key) → **☰** → **[OK]**
- 2 **[List]** → **[↕]**: Select the desired entry.
- 3 **[Menu]** → **[↕]**: "Edit" → **[OK]**
- 4 Edit the date if necessary. → **[OK]**
- 5 Edit the time if necessary. → **[OK]**

- 6 Edit the text memo if necessary (30 characters max.). → [OK]
- 7 [↕]: Select the desired alarm tone. → [OK] 2 times → [⏻]

Erasing an entry

Schedule alarm entries are not erased automatically after the schedule alarm sounds. Erase unwanted entries.

- 1 [Menu] (right soft key) → [⏻] → [OK]
- 2 [List] → [↕]: Select the desired entry.
- 3 [Menu] → [↕]: "Erase" → [OK]
- 4 [↕]: "Yes" → [OK] → [⏻]

Erasing all entries

- 1 [Menu] (right soft key) → [⏻] → [OK]
- 2 [List] → [Menu]
- 3 [↕]: "Erase All" → [OK]
- 4 [↕]: "Yes" → [OK]
- 5 [↕]: "Yes" → [OK] → [⏻]

Registering a unit

Operating additional units

Additional handsets

Up to 6 handsets can be registered to a single base unit.

Important:

- The additional handset model recommended for use with this unit is noted on page 4. If another handset model is used, certain operations may not be available.

Additional base units


Handsets can be registered to up to 4 base units, allowing you to add additional base units and extend the area in which your handset(s) can be used. If a handset moves out of range of its base unit when "Auto" is selected on

base unit (page 33), it looks for another base unit to make or receive calls. A base unit and the handsets it communicates with is called a "radio cell".

Note:

- Calls are disconnected when the handset moves from one radio cell to another.

Registering a handset to a base unit

The supplied handset and base unit are pre-registered. If for some reason the handset is not registered to the base unit (for example,  is displayed even when the handset is near the base unit), re-register the handset.

- 1 **Handset:**
[Menu] (right soft key) [7][1][3][0]
- 2 [↕]: Select a base unit number. → [OK]
 - This number is used by the handset as a reference only.
- 3 **Base unit:**
Press and hold [••] for about 5 seconds.
 - If all registered handsets start ringing, press [••] again to stop, then repeat this step.
- 4 **Handset:**
[OK] → Wait until "Base PIN" is displayed. → Enter the base unit PIN (default: "0000"). → [OK]
 - If you forget your PIN, contact an authorised service centre.

Selecting a base unit

When "Auto" is selected, the handset automatically uses any available base unit it is registered to. When a specific base unit is selected, the handset makes and receives calls using that base unit only. If the handset is out of range of that base unit, no calls can be made.

- 1 [Menu] (right soft key) [7][1][3][7]
- 2 [↕]: Select the desired base unit number, or "Auto". → [OK]

Programming

Deregistering a handset

A handset can cancel its own registration to the base unit, or other handsets registered to the same base unit. This allows the handset to end its wireless connection with the system.

- 1 **[Menu]** (right soft key) **#131**
 - All handsets registered to the base unit are displayed.
- 2 **[↕]**: Select the handset you want to cancel. → **[OK]**
- 3 **[↕]**: “Yes” → **[OK]**
- 4 **[↵]**

Cancelling a base unit

A handset can cancel a base unit that it is registered to. This allows the base unit to end its wireless connection with the system.

- 1 **[Menu]** (right soft key) **#139**
- 2 **[↕]**: Select the base unit you want to cancel. → **[OK]**
- 3 **[↕]**: “Yes” → **[OK]** → **[↵]**

Increasing the range of the base unit

You can increase the signal range of the base unit by using a DECT repeater. Please use only the Panasonic DECT repeater noted on page 3. Contact your Panasonic dealer for details.

Important:

- Before registering the DECT repeater to this base unit, you must turn the DECT repeater mode on.
- Do not use more than one DECT repeater at a time.

Setting the DECT repeater mode

- 1 **[Menu]** (right soft key) **#138**
- 2 **[↕]**: Select the desired setting. → **[OK]**
→ **[↵]**

Registering the DECT repeater (KX-A405) to the base unit

Note:

- Please use a DECT repeater that has not yet been registered to another unit. If the DECT repeater is registered to another unit, deregister it first, referring to the Installation Guide for the DECT repeater.

- 1 **Base unit:**
Press and hold **[📶]** for about 5 seconds.
- 2 **DECT repeater:**
Connect the AC adaptor, then wait until the **①** indicator and **📶** indicator light green.
- 3 **Base unit:**
To exit the registration mode, press **[📶]**.

Using Caller ID service

Important:

- This unit is Caller ID compatible. To use Caller ID features, you must subscribe to Caller ID service. Contact your service provider/telephone company for details.

Caller ID features

When an outside call is being received, the caller information is displayed.

Caller information for the last 50 callers is logged in the caller list from the most recent call to the oldest.

- If the unit cannot receive caller information, the following is displayed:
 - “**Out of Area**”: The caller dials from an area which does not provide a Caller ID service.
 - “**Private Caller**”: The caller requests not to send caller information.
- If the unit is connected to a PBX system, caller information may not be properly received. Contact your PBX supplier.

Missed calls

If a call is not answered, the unit treats it as a missed call and **↔** is displayed. This lets you know if you should view the caller list to see who called while you were away.

Even if only one missed call in the caller list is viewed (page 35), **↔** disappears from the display. When you receive another new call, **↔** is displayed again.

Note:

- Even when there are unviewed missed calls, **↔** disappears from the standby display if the following operation is performed by one of the registered handsets:
 - Being replaced on the base unit or charger.
 - Pressing **[↻]**.

Phonebook name display

When caller information is received and it matches a phone number stored in the

phonebook, the stored name in the phonebook is displayed and logged in the caller list.

Caller list

Important:

- Make sure the unit's date and time setting is correct (page 13).

Viewing the caller list and calling back

- 1 **[↔]**
- 2 Press **[▼]** to search from the most recent call, or press **[▲]** to search from the oldest call.
 - You can see the detailed information about the caller by pressing **[Detail]** when in multiple display mode.
- 3 To call back, press **[↶]**.
To exit, press **[↻]**.

Note:

- If the entry has already been viewed or answered, “**✓**” is displayed.

Editing a caller's phone number

- 1 **[↔]**
- 2 **[↕]**: Select the desired entry. → **[Detail]**
- 3 **[Menu]** → **[↕]**: “**edit**” → **[OK]**
- 4 Edit the number.
- 5 **[↶]**

Erasing selected caller information

- 1 **[↔]**
- 2 **[↕]**: Select the desired entry.
- 3 **[Erase]** → **[↕]**: “**yes**” → **[OK]** → **[↻]**

Caller ID Service

Erasing all caller information

- 1 [→]
- 2 [Erase] → [↕]: “Yes” → [OK] → [↶]

SMS (Short Message Service)

Setting up SMS

SMS allows you to send and receive text messages.

Important:

- To use SMS features, you must:
 - subscribe to a Caller ID and/or an appropriate service such as SMS.
 - confirm that SMS is turned on.
 - confirm that the correct message centre numbers are stored.

Contact your service provider/telephone company for details and availability.

Note:

- A total of 22 messages (at 160 characters/message) can be saved. Total number may be more than 22 if length of messages is less than 160 characters/message.
- If the unit is connected to a PBX system, you may not be able to use SMS features.

Turning SMS on/off

- 1 **[Menu]** (right soft key) **#357**
- 2 **[↕]**: Select the desired setting. → **[OK]**
→ **[⏻]**

Storing SMS message centre numbers

SMS message centre numbers must be stored in order to send and receive SMS messages.

For Czech:

The message centre numbers (used for SMS services provided by Telefonica O2) are preprogrammed in this unit. You can change them if necessary.

For Slovakia:

The message centre numbers (used for SMS service provided by Slovak Telecom - T-Com) are preprogrammed in this unit. You can change them if necessary.

- Contact your service provider/telephone company for more information.
- If you change the unit's region setting/reset the base unit, the stored message centre numbers will be deleted or changed

(page 22). In this case, store the numbers again if necessary.

- 1 **To store "Message Centre1":**
[Menu] (right soft key) **#351**
To store "Message Centre2":
[Menu] (right soft key) **#352**
- 2 Edit the number as necessary. → **[OK]**
→ **[⏻]**

Note:

- For PBX users:
 - You need to add the PBX line access number and a dialling pause to the beginning of the Message Centre 1 number.
 - If you only use the Message Centre 1 number for SMS, store the Message Centre 1 number as is (without adding a line access number or dialling pause) to Message Centre 2.

Sending a message

Writing and sending a new message

- 1 **[Menu]** (right soft key) → **[✉]** → **[OK]**
- 2 **[↕]**: "Create" → **[OK]**
- 3 Enter a message. → **[OK]**
 - You can change the character entry mode by pressing **[R/ECO]** (page 43).
- 4 Enter the destination phone number (20 digits max.). → **[OK]** 2 times
 - You can also set the phone number:
 - from the redial list by pressing **[☎]**.
 - from the caller list by pressing **[→]**.
 - from the phonebook by pressing **[□□]**.
- 5 To save the message, select "Yes". → **[OK]**
- 6 To send the message, press **[OK]**.

Note:


- This unit supports SMS messages of up to 612 characters, however, the maximum number of characters you can send or

SMS (Short Message Service)



receive may be limited by your SMS service provider/telephone company. Contact your SMS service provider/telephone company for details.

- If your message contains over 160 characters, the message is a long message and *****Long Text***** is displayed. Your service provider/telephone company may treat long messages differently from other messages. Contact your service provider/telephone company for details.
- If your phone is connected to a PBX, store the PBX line access number (page 39).


Editing/sending a saved message

- 1 **[Menu]** (right soft key) →  → **[OK]**
- 2 **[↕]**: "Send List" → **[OK]**
- 3 **[↕]**: Select the message. → **[OK]**
- 4 **To edit the message:**
[Menu] → **[↕]**: "Edit Message" → **[OK]** → Continue from step 3, "Writing and sending a new message", page 37.
To send the message:
[Menu] → **[↕]**: "Send" → **[OK]** → Press and hold **[C]** to erase all numbers. → Continue from step 4, "Writing and sending a new message", page 37.


Erasing saved messages

- 1 **[Menu]** (right soft key) →  → **[OK]**
- 2 **[↕]**: "Send List" → **[OK]**
- 3 **[↕]**: Select a message. → **[OK]**
- 4 **[Menu]** → **[↕]**: Select "Erase" or "Erase All". → **[OK]**
- 5 **[↕]**: "Yes" → **[OK]** → 

Receiving a message

- When an SMS message is received:
- "Receiving SMS Message" is displayed.
 - a tone is heard (if the handset ringer is turned on).
 -  is displayed with the total number of new (unread) SMS messages.

Reading a received message

- 1 **[Menu]** (right soft key) →  → **[OK]**
- 2 **[↕]**: "Receive List" → **[OK]**
- 3 **[↕]**: Select a message.
 - Messages which have already been read are indicated by a "✓".
 - To erase a message, press **[Menu]**. → **[↕]**: "Erase" → **[OK]** → **[↕]**: "Yes" → **[OK]**
- 4 **[OK]**

Note:

- To call the message sender, press .

Replying to a message

- 1 While reading a received message, press **[Menu]**.
- 2 **[↕]**: "Reply" → **[OK]**
- 3 Enter a message (page 43). → **[OK]**
- 4 Edit the destination phone number if necessary. → **[OK]** 2 times
- 5 Continue from step 5, "Writing and sending a new message", page 37.

SMS options while reading a received message

You can perform the following operations while you are reading a received message.

- **Editing/forwarding a message:**
[Menu] → **[↕]**: "Edit Message"
- **Erasing received messages:**
[Menu] → **[↕]**: Select "Erase" or "Erase All".
- **Storing the sender's number in the phonebook:**
[Menu] → **[↕]**: "Add Phonebook"
- **Editing the sender's number and calling back:**
[Menu] → **[↕]**: "Edit & Call"

SMS (Short Message Service)

Note:

- After performing the above operation, proceed to the next step by following the display messages or pressing soft keys.

Other settings

Storing the PBX line access number (for PBX users only)

Store your PBX line access number (4 digits max.) so that SMS messages are sent properly. When sending SMS messages to entries in the phonebook or redial list, the PBX line access number is deleted. The default setting is "OFF".

- 1 **[Menu]** (right soft key) **[#]** **[3]** **[5]** **[6]**
- 2 **[↓]**: "On" → **[OK]**
- 3 Enter your PBX line access code and a dialling pause, if necessary. → **[OK]** → **[↶]**

Smartphone Integration

Smartphone integration

You can install the free Smartphone Connect app on your smartphone and use your smartphone as an extension of your phone system. The following features are available when using the app.

- Making and receiving calls using your landline
- Making and receiving intercom calls
- Checking your call log
- Copying phonebook entries from your smartphone to your phone system
- Transferring landline calls between your smartphone and your handsets
- Copying images from your smartphone to your handsets to be used as wallpaper patterns (Android™ version only)
- Copying the ringtone from your smartphone to your handsets (Android version only)

Requirements

- iPhone 4, iPhone 4S, iPhone 5, iPad, or iPad mini (iOS 5.0 or later) or An Android device (Android 4.0 or later)
- The Smartphone Connect app (see page 41)
- A wireless router (IEEE 802.11g or IEEE 802.11n recommended)
- You must configure both your base unit and your smartphone to connect wirelessly to your home network via your wireless router.
- In order to use most of the app's features, your smartphone needs to be connected to the same wireless router as your base unit. (You cannot use these features while away from home.)

Functionality information

- The app may not function properly depending on system environment, such as your smartphone model, peripherals connected to your smartphone, and the apps installed on your smartphone.

Trademarks

- Android is a trademark of Google Inc.

- iPhone and iPad are trademarks of Apple Inc.
- Wi-Fi® is a registered mark of the Wi-Fi Alliance.
- All other trademarks identified herein are the property of their respective owners.

Network settings

Before you begin

Confirm the following before you configure the base unit to connect wirelessly to your home network.

- Make sure your wireless router is turned on and functioning.
- Make sure that you know your wireless router's Wi-Fi settings, including its SSID (wireless network name), security password, etc. In some situations, you may also need to know the IP-related settings required in order for the base unit to connect to your wireless router, including your wireless router's IP address, subnet mask, etc.
- Make sure you have the operating instructions included with your wireless router handy.

Typical configuration (DHCP)

- 1 **[Menu]** (right soft key) **[#]** **[5]** **[2]** **[3]**
- 2 **[↕]**: "Search for Networks" → **[OK]**
 - The base unit searches for available wireless networks and "Searching . . ." is displayed.
 - When searching is complete, a list of available wireless networks is displayed, including the SSID, security setting, and signal strength.
 - The base unit cannot find your wireless router if the wireless router does not broadcast its SSID. If there is a "stealth mode" setting, turn it off; if there is a "SSID broadcast" setting, turn it on. Change the appropriate setting before performing this procedure, and then change it back when finished.

Smartphone Integration

- 3 **[↕]**: Select your wireless router's SSID. → **[OK]**
- 4 Confirm the SSID and then press **[OK]**.
- 5 Enter the password required to access the wireless network. → **[OK]**
 - After the base unit connects to the wireless router, "Connected to" and your wireless router's SSID is displayed.
- 6 **[↵]**

Simplified configuration (WPS, DHCP)

This procedure requires a wireless router that supports WPS. If your wireless router supports WPS, make sure the feature is turned on, and locate its WPS button before beginning this procedure. The WPS button is typically labelled "WPS" or has two curved arrows on it.

- 1 **[Menu]** (right soft key) **[#][5][2][3]**
- 2 **[↕]**: "WPS (Easy Setup)" → **[OK]**
- 3 Press the WPS button on your wireless router and then press **[OK]** on the handset.
 - The base unit searches for your wireless router and "Searching..." is displayed.
 - After the wireless router is found, the base unit's Wi-Fi settings will be completed automatically. When the setup is complete, "Connected to" and your wireless router's SSID is displayed.

- 4 **[↵]**

Advanced configuration (static IP settings)

After using the procedure explained in "Typical configuration (DHCP)", page 40 or "Simplified configuration (WPS, DHCP)", page 41, use the procedure below to set the base unit's IP settings manually if necessary. This procedure is not necessary for most users.

- 1 **[Menu]** (right soft key) **[#][5][0][0]**

- 2 **[↕]**: "Manual (Static)" → **[OK]**
- 3 **[↕]**: Select the desired item. → **[OK]**
- 4 Enter the desired setting. → **[OK]**
 - Press **[←]** to move the cursor if necessary.
- 5 Set the other items as necessary.
- 6 **[↕]**: "<Save>" → **[OK]** → **[↵]**

Smartphone Connect app

Once you have configured the base unit's Wi-Fi and network settings, you are ready to download the Smartphone Connect app. Download information is available at the web page listed below.



www.panasonic.net/pcc/support/tel/air

For information about using the app, refer to the Smartphone Connect App Guide, which is available for download at the web page listed above.

Other network features

Wi-Fi repeater mode

You can increase the signal range of your wireless network by turning on the base unit's Wi-Fi repeater mode feature.

- 1 **[Menu]** (right soft key) **[#][5][3][8]**
- 2 **[↕]**: Select the desired setting. → **[OK]**

Important:

- If using Wi-Fi repeater mode, do not place the base unit and your wireless router too close to each other. If they are too close, using Wi-Fi repeater mode can cause the sound to cut out briefly during landline calls.
- Do not use Wi-Fi repeater mode if you already have a Wi-Fi range extender. If you

Smartphone Integration

already have a Wi-Fi range extender, using Wi-Fi repeater mode can cause network problems such as not being able to access the Internet, and the sound may cut out briefly during landline calls.

Confirming network status

- 1 **[Menu]** (right soft key) **[#526]**
- 2 **[↕]** and **[←▶]**: Display the desired information. → **[↵]**

Confirming your wireless router's Wi-Fi signal strength

- 1 **[Menu]** (right soft key) **[#537]**
- 2 Confirm the signal strength. → **[↵]**


Resetting the base unit's network settings

All network-related settings will be reset to the default settings. No other information will be deleted.


- 1 **[Menu]** (right soft key) **[#730]**
- 2 Enter the base unit PIN (default: "0000"). → **[OK]**

Voice mail service

Voice mail is an automatic answering service offered by your service provider/telephone company. After you subscribe to this service, your service provider/telephone company's voice mail system answers calls for you when you are unavailable to answer the phone or when your line is busy. Messages are recorded by your service provider/telephone company, not your telephone.

When you have new messages,  is displayed on the handset if message indication service is available. Please contact your service provider/telephone company for details of this service.

Important:

- If  still remains on the display even after you have listened to new messages, turn it off by pressing and holding **#** for 2 seconds.

Character entry

The dial keys are used to enter characters and numbers. Each dial key has multiple characters assigned to it. The characters that can be entered depend on the character entry mode (page 43).

- Press **[←]** or **[→]** to move the cursor left or right.
- Press dial keys to enter characters and numbers.
- Press **[C]** to erase the character or number highlighted by the cursor. Press and hold **[C]** to erase all characters or numbers.
- Press **[x]** (A→a) to switch between uppercase and lowercase.
- To enter another character located on the same dial key, press **[▶]** to move the cursor to the next space, then press the appropriate dial key.
- If you do not press any dial key within 5 seconds after entering a character, the character is fixed and the cursor moves to the next space.

Character entry modes

The available character entry modes are Alphabet (ABC), Numeric (0-9), Greek (ΑΒΓ), Extended 1 (ΑΆΆ), Extended 2 (ŚŚŚ), and Cyrillic (АБВ). For SMS messages, Alphabet (ABC), Numeric (0-9), Greek (ΑΒΓ), and Extended 1 (ΑΆΆ) modes are available. When in these entry modes except Numeric, you can select which character is entered by pressing a dial key repeatedly.

When the unit displays the character entry screen:

[R/ECO] → **[↑]**: Select a character entry mode. → **[OK]**

Note:

- **␣** in the following tables represents a single space.
- The dial keys with *1, *2, and *3 in the following tables have different character assignment for SMS. See the footnotes with *1, *2, and *3.

Useful Information

Alphabet character table (ABC)

0	1 ^{*1}	2	3	4	5	6	7	8	9	#
_ 0	& ' () * , - . / 1	A B C	D E F	G H I	J K L	M N O	P Q R	T U V	W X Y	#
		2	3	4	5	6	S 7	8	Z 9	
		a b c	d e f	g h i	j k l	m n o	p q r s	t u v	w x y	
		2	3	4	5	6	7	8	z 9	

Numeric entry table (0-9)

0	1	2	3	4	5	6	7	8	9	#
0	1	2	3	4	5	6	7	8	9	#

Greek character table (ABΓ)

0	1 ^{*1}	2	3	4	5	6	7	8	9	#
_ 0	& ' () * , - . / 1	A B Γ	Δ E Z	H Θ I	K Λ M	N Ξ O	Π P Σ	T Υ Φ	Χ Ψ Ω	#
		2	3	4	5	6	7	8	9	

Extended 1 character table (AÄÅ)

0	1 ^{*1}	2	3	4 ^{*2}	5	6	7	8	9 ^{*3}	#
_ 0	& ' () * , - . / 1	A Ä Å	D E È	G Ğ H	J K L	M N Ñ	P Q R	T U Û	W X Y	#
		Ä Å Ä	É Ê Ë	Ì Í Î	5	O Ò Ó	S Ş ß	Ú Û Ü	Ý Þ Z	
		Á Æ B	Ë F 3	Ï Î Ï		Ô Ö Ø	7	Û Ü 8	9	
		C Ç 2	4			ø 6				
		a à á	d e è	g ğ h	j k l 5	m n ñ	p q r s	t u ù	w X x	
		â ã ä	é ê ë	ì í î		o ò ó	ş ß 7	ú û ü	y ý z	
		á æ b	ë f 3	ï î ï		ô ö ø		û v 8	9	
		c ç 2	4			ø 6				

- The following are used for both uppercase and lowercase: ø Ŵ Ŷ

Extended 2 character table (ŠŠŠ) (Not available for SMS)

0	1	2	3	4	5	6	7	8	9	#
_ 0	& ' () * , - . / 1	A Á Ä	D Ď E	G H I	J K L	M N Ń	P Q R	T Ť U	W X Y	#
		Ä B C	É Ě ě	Í 4	Ĺ Ľ Ļ	Ň Ō Ó	Ř Ŕ S	Ú Ů ů	Ý Ź Z	
		Č Ć 2	F 3		5	Ö Ő 6	Š Š 7	ú v 8	Ž Ž Ž	
		a á ä	d ď e	g h i í	j k l ĺ	m n Ń	p q r	t ť u	w x y	
		Ä b c	é ě ě	4	Ĺ Ľ 5	ň o ó	Ř ř s	ú ů ů	ý ý z	
		Č Ć 2	f 3			ö ő 6	š š 7	ú v 8	ž ž ž	
						ø 6			9	

Useful Information

- The following are used for both uppercase and lowercase:

А Ѓ Ć Ę Ł Ł Ł Ń Ŕ Ś Ś ũ ŷ Ż Ż Ź

Cyrillic character table (A5B) (Not available for SMS)

0	1	2	3	4	5	6	7	8	9	#
_ 0 Ґ	& ' ()	А Б В	Д Е Ж	И Й К	М Н О	Р С Т	Ф Х Ц	Ш Щ	Ъ Э Ю	#
Є І І	* , - .	Г	З	Л	П	У	Ч	Ъ Ы	Я	
ŷ	/ 1	2	3	4	5	6	7	8	9	

*1

1
. @ / : ; * # + - 1 " ' , !
і ? ъ _ € £ \$ ¥ () [] { } &
% \ ^ ~ < > = □ §

*2

4
G Ğ H I İ İ İ İ İ İ 4
g ğ h i i i i i i 4

*3

9
W X Y Z 9
w x y z 9

Error messages

Display message	Cause/solution
Base no power or No link to base. Reconnect main base AC adaptor.	<ul style="list-style-type: none"> The handset has lost communication with the base unit. Move closer to the base unit and try again. Unplug the base unit's AC adaptor to reset the unit. Reconnect the adaptor and try again. The handset's registration may have been cancelled. Re-register the handset (page 33).
Check Phone Line	<ul style="list-style-type: none"> The supplied telephone line cord has not been connected yet or not connected properly. Check the connections (page 10).
Invalid Number	<ul style="list-style-type: none"> You tried to send an SMS message to a phone number saved in the phonebook, caller list, or redial list that is over 20 digits long.
Memory Full	<ul style="list-style-type: none"> The phonebook memory is full. Erase unwanted entries (page 19). The call barred list memory is full. Erase unwanted entries (page 29). The schedule alarm memory is full. Erase unwanted entries (page 33). The maximum number of base units (4) is already registered to the handset. Cancel unused base unit registrations from the handset (page 34). Handset memory is full. Erase unwanted wallpaper images, photos, or ringtones (page 25).
Use rechargeable battery.	<ul style="list-style-type: none"> A wrong type of battery such as Alkaline or Manganese was inserted. Use only the rechargeable Ni-MH batteries noted on page 3, 7.



Useful Information

Display message	Cause/solution
You must first subscribe to Caller ID.	<ul style="list-style-type: none">You must subscribe to a Caller ID service. Once you receive caller information after subscribing to a Caller ID service, this message will not be displayed.

Troubleshooting

If you still have difficulties after following the instructions in this section, disconnect the base unit's AC adaptor and turn off the handset, then reconnect the base unit's AC adaptor and turn on the handset.

General use



Problem	Cause/solution
The handset does not turn on even after installing charged batteries.	<ul style="list-style-type: none">Place the handset on the base unit or charger to turn on the handset.
The unit does not work.	<ul style="list-style-type: none">Make sure the batteries are installed correctly (page 10).Fully charge the batteries (page 10).Check the connections (page 10).Unplug the base unit's AC adaptor to reset the unit and turn off the handset. Reconnect the adaptor, turn on the handset and try again.The handset has not been registered to the base unit. Register the handset (page 33).
The handset display is blank or dark.	<ul style="list-style-type: none">The handset is in screen saver mode (page 13). Activate the handset display again by:<ul style="list-style-type: none">pressing [] when on a call.pressing [] at all other times."LCD in charging" is set to "Off" while on charge. Change the setting (page 24).The handset is not turned on. Turn the power on (page 13).
I cannot hear a dial tone.	<ul style="list-style-type: none">Make sure that you are using the supplied telephone line cord. Your old telephone line cord may have a different wiring configuration.The base unit's AC adaptor or telephone line cord is not connected. Check the connections.Disconnect the base unit from the telephone line and connect the line to a known working telephone. If the working telephone operates properly, contact our service personnel to have the unit repaired. If the working telephone does not operate properly, contact your service provider/telephone company.
The handset display begins operating automatically.	<ul style="list-style-type: none">Demonstration mode is activated. Please connect the telephone line cord to the telephone line jack (page 10).

Useful Information


Menu list

Problem	Cause/solution
The display is in a language I cannot read.	<ul style="list-style-type: none">● Change the display language (page 13).
I cannot activate the eco mode.	<ul style="list-style-type: none">● You cannot set eco mode when you set the DECT repeater mode "On". If required, set the DECT repeater mode to "off" (page 34).
I cannot display the wallpaper.	<ul style="list-style-type: none">● Wallpaper is displayed in the standby mode only when you select "Digital (Small)" or "Off" for the clock setting. Change the clock setting (page 24).
I cannot register a handset to a base unit.	<ul style="list-style-type: none">● The maximum number of base units (4) is already registered to the handset. Cancel unused base unit registrations from the handset (page 34).● The maximum number of handsets (6) is already registered to the base unit. Cancel unused handset registrations from the base unit (page 34).● You entered the wrong PIN. If you forget your PIN, contact an authorised service centre.

Battery recharge

Problem	Cause/solution
The handset beeps and/or  flashes.	<ul style="list-style-type: none">● Battery charge is low. Fully charge the batteries (page 10).
I fully charged the batteries, but –  still flashes or – the operating time seems to be shorter.	<ul style="list-style-type: none">● Clean the battery ends (\oplus, \ominus) and the charge contacts with a dry cloth and charge again.● It is time to replace the batteries (page 10).

Making/answering calls, intercom

Problem	Cause/solution
 is displayed.	<ul style="list-style-type: none">● The handset is too far from the base unit. Move closer.● The base unit's AC adaptor is not properly connected. Reconnect AC adaptor to the base unit.● The handset is not registered to the base unit. Register it (page 33).● Activating one touch eco mode reduces the range of the base unit in standby mode. If required, turn eco mode off (page 14).

Useful Information

Problem	Cause/solution
Noise is heard, sound cuts in and out.	<ul style="list-style-type: none"> You are using the handset or base unit in an area with high electrical interference. Re-position the base unit and use the handset away from sources of interference. Move closer to the base unit. If you use a DSL/ADSL service, we recommend connecting a DSL/ADSL filter between the base unit and the telephone line jack. Contact your DSL/ADSL provider for details. The wireless network is congested. When using a smartphone to talk on landline calls (page 40), sound may cut out if large amounts of data are transmitted over the wireless network, such as when streaming video, downloading or uploading large files, etc. The base unit's Wi-Fi repeater mode feature is turned on and the base unit is too close to your wireless router. Turn Wi-Fi repeater mode off (page 41), or place the base unit and your wireless router further from each other. The base unit's Wi-Fi repeater mode feature is turned on and you are also using a Wi-Fi range extender. Do not use Wi-Fi repeater mode if you already have a Wi-Fi range extender.
Sound quality seems to be getting worse.	<ul style="list-style-type: none"> You have registered a handset that is not recommended (page 4). The clearest sound quality is only possible by registering the recommended handset.
The handset does not ring.	<ul style="list-style-type: none"> The ringer volume is turned off. Adjust ringer volume (page 15, 23). Night mode is turned on. Turn it off (page 28).
I cannot make a call.	<ul style="list-style-type: none"> The dialling mode may be set incorrectly. Change the setting (page 14). You dialled a call restricted number (page 31). The key lock feature is turned on. Turn it off (page 17).

Caller ID

Problem	Cause/solution
Caller information is not displayed.	<ul style="list-style-type: none"> You must subscribe to a Caller ID service. Contact your service provider/telephone company for details. If your unit is connected to any additional telephone equipment, remove and plug the unit directly into the wall jack. If you use a DSL/ADSL service, we recommend connecting a DSL/ADSL filter between the base unit and the telephone line jack. Contact your DSL/ADSL provider for details. Other telephone equipment may be interfering with this unit. Disconnect the other equipment and try again.
Caller information is slow to display.	<ul style="list-style-type: none"> Depending on your service provider/telephone company, the unit may display the caller's information at the 2nd ring or later. Set the first ring to "o££" (page 23). Move closer to the base unit.

Useful Information

Problem	Cause/solution
Time on the unit has shifted.	<ul style="list-style-type: none">● Incorrect time information from incoming Caller ID changes the time. Set the time adjustment to "Manual" (off) (page 23).

SMS (Short Message Service)

Problem	Cause/solution
The SMS message centre number is logged in the caller list and the message is not received.	<ul style="list-style-type: none">● Someone tried to send you a message while SMS is turned off. Turn it on (page 37).
I cannot send or receive SMS messages.	<ul style="list-style-type: none">● You have not subscribed to the appropriate service. Contact your service provider/telephone company.● The SMS message centre number(s) are not stored or are incorrect. Store the correct numbers (page 37).● Message transmission was interrupted. Wait until the message has been sent before using other telephone functions.● If you use a DSL/ADSL service, we recommend connecting a DSL/ADSL filter between the base unit and the telephone line jack. Contact your DSL/ADSL provider for details.
"FD" is displayed.	<ul style="list-style-type: none">● The unit could not connect to the SMS message centre. Confirm that the correct SMS message centre numbers are stored. Confirm that SMS is turned on (page 37).
"FE" is displayed.	<ul style="list-style-type: none">● An error occurred while sending the message. Try again.
"E0" is displayed.	<ul style="list-style-type: none">● Your phone number is permanently withheld or you have not subscribed to the appropriate service. Contact your service provider/telephone company.

Liquid damage

Problem	Cause/solution
Liquid or other form of moisture has entered the handset/base unit.	<ul style="list-style-type: none">● Disconnect the AC adaptor and telephone line cord from the base unit. Remove the batteries from the handset and leave to dry for at least 3 days. After the handset/base unit are completely dry, reconnect the AC adaptor and telephone line cord. Insert the batteries and charge fully before use. If the unit does not work properly, contact an authorised service centre.

Caution:

- To avoid permanent damage, do not use a microwave oven to speed up the drying process.

Useful Information

Network connection troubleshooting

Problem	Cause/solution
I am having trouble connecting.	<ul style="list-style-type: none">● Your wireless router is not turned or is not functioning. Refer to the operating instructions included with your wireless router.● Your smartphone is not connected to your wireless router. Check your smartphone's Wi-Fi settings. Refer to the operating instructions included with your smartphone.● The SSID (wireless network name), security type, or password assigned to the wireless router has been changed. Configure the base unit again using the procedure described in "Typical configuration (DHCP)", page 40, or "Simplified configuration (WPS, DHCP)", page 41.● Confirm the base unit's Wi-Fi and IP settings using the procedure described in "Confirming network status", page 42.● If your wireless router's client isolation feature (a feature that prevents wireless devices connected to the same wireless router from communicating with each other) is turned on, your base unit and your smartphone will not be able to communicate with each other. Refer to the operating instructions included with your wireless router and make sure that this feature is turned off.● The base unit's network settings are incorrect. Reset the base unit's network settings (page 42) and configure the network settings again.
My smartphone and other devices cannot access the Internet since I turned on Wi-Fi repeater mode.	<ul style="list-style-type: none">● Do not use Wi-Fi repeater mode (page 41) if you already have a Wi-Fi range extender.




Useful Information

Problem	Cause/solution
"Failed to connect" is displayed.	<p>If you selected "Search for Networks" when configuring the base unit</p> <ul style="list-style-type: none"> You entered the wrong password when configuring the base unit to connect to your wireless router. Confirm the password and try again. If your wireless router is configured to use a hexadecimal password, enter the correct password using numbers 0-9 and letters a-f. <p>If you selected "WPS (Easy Setup)" when configuring the base unit</p> <ul style="list-style-type: none"> Your wireless router uses WEP encryption. Configure the wireless router to use another type of encryption, such as WPA2-PSK (AES) encryption, and try again. Your wireless router's "stealth mode" feature is turned on, or its "SSID broadcast" feature is turned off. Change this setting before configuring the base unit to connect to your wireless router, and then change it back when finished. <p>If you have configured your wireless router to use MAC address filtering</p> <ul style="list-style-type: none"> Make sure you add the base unit's MAC address to the list of authorised MAC addresses. If the base unit's Wi-Fi repeater mode feature is turned on, the base unit has two MAC addresses ("MAC Addr. (Client)") and ("MAC Addr. (AP)"). Add them both to the list.
"Wrong Password" is displayed.	<ul style="list-style-type: none"> You entered the wrong password when configuring the base unit to connect to your wireless router. Confirm the password and try again.
"IP Address conflicts" is displayed.	<ul style="list-style-type: none"> The IP address assigned to the base unit is also assigned to another device on your network. Check the IP address settings of the base unit and other devices on the network.
"Cannot obtain IP Address" is displayed.	<ul style="list-style-type: none"> Your wireless router does not support DHCP, or the DHCP feature of your wireless router is turned off. If your wireless router supports DHCP, make sure that its DHCP feature is turned on. If DHCP is not available, set the base unit's IP settings manually. See "Advanced configuration (static IP settings)", page 41.





Index

Index

- A** Additional base units: 33
- Additional handsets: 33
- Alarm: 27
- Answering calls: 15
- Auto intercom: 17
- Auto talk: 15, 24
- B** Baby monitor: 29
- Base unit
 - Cancelling: 34
 - Resetting: 32
 - Selecting: 33
- Battery: 10, 11
- C** Calendar: 32
- Call restriction: 31
- Call share: 16
- Call waiting: 16
- Call Waiting Caller ID: 16
- Caller ID service: 35
- Caller list: 35
- Caller list edit: 35
- Category: 18
- Chain dial: 19
- Character entry: 43
- Conference calls: 16
- Control type: 12
- D** Date and time: 13
- DECT repeater: 34
- Dialling mode: 14
- Direct command code: 21
- Display
 - Clock: 24
 - Colour: 24
 - Contrast: 24
 - Display mode: 24
 - Language: 13
 - LCD backlight: 24
 - Wallpaper: 24
- E** Eco mode: 14
- Equalizer: 16
- Error messages: 45
- F** First ring: 23
- H** Handset
 - Deregistration: 34
 - Name: 31
 - Registration: 33
- Hold: 15
- I** Incoming call barring: 29
- Intercom: 17
- K** Key finder: 23, 26
- Key lock: 17
- Keytones: 24
- M** Making calls: 15
- Missed calls: 35
- Mute: 16
- N** Night mode: 28
- Noise reduction: 16
- P** Pause: 15
- Phonebook: 18
- PIN: 32
- Power failure: 11
- Power on/off: 13
- Privacy mode: 25
- R** Recall/flash: 16
- Redialling: 15
- Region setting: 32
- Ringer tone: 23
- S** Schedule: 32
- Smartphone integration
 - Network connection troubleshooting: 50
 - Network settings: 40
 - Network status: 42
 - Smartphone Connect app: 41
 - Wi-Fi repeater mode: 41
- SMS feature: 37
- Speakerphone: 15
- Speed dial: 20
- T** Temporary tone dialling: 16
- Time adjustment: 23
- Transferring calls: 16
- Troubleshooting: 46
- V** Voice mail: 43
- Volume
 - Receiver: 15
 - Ringer (Handset): 15, 23
 - Speaker: 15



Notes









Notes



Notes



CE0470

Sales Department:

■ Czech

Panasonic Marketing Europe
GmbH, organizační složka
Česká republika

Thámova 289/13 (Palác Karlín)
186 00 Praha 8

telefon: +420-236 032 511
centrální fax: +420-236 032 411
zákaznická linka: +420-236 032 911
e-mail: panasonic.praha@eu.panasonic.com
aktuální info na www.panasonic.cz

■ Slovakia

Panasonic Marketing Europe
GmbH, organizačná zložka
Slovenská republika

Štúrova 11, 811 01 Bratislava,
Slovenská republika

Telefón: +421-2-2062-2211
Fax: +421-2-2062-2311
zákaznická linka: +421-2-2062-2911
e-mail: panasonic.bratislava@eu.panasonic.com
aktuálne info na www.panasonic.sk

■ Romania

Panasonic Marketing Europe
GmbH, Wiesbaden, Germania,
Sucursala București, Romania

B-dul Preciziei, Nr. 24, West Gate Park,
Clădirea H3, Etaj 2, Sector 6,
București, 062204, Romania

Telefon: +40.21.316.31.61
Fax: +40.21.316.04.46
e-mail: suport.clienti@eu.panasonic.com
web: www.panasonic.ro

Panasonic System Networks Co., Ltd.

1-62, 4-chome, Minoshima, Hakata-ku, Fukuoka 812-8531, Japan

© Panasonic System Networks Co., Ltd. 2013



PNQX6121ZA

PNQX6121ZA TT0713MG0 (E)

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>