
Reference



Panasonic®

Operating Instructions

Model No.

DVD Recorder

DMR-ES15



Dear customer

IDEO

RAM

Thank you for purchasing this product. For optimum performance and safety, please read these instructions carefully.

RW/R

Before connecting, operating or adjusting this product, please read the instructions completely.

Please keep this manual for future reference.







If you have any questions contact In the U.S.A.: 1-800-211-PANA(7262)

1-800-561-5505 In Canada:

For U.S.A. only

Շ


DIGITAL VIDEO

AUDIO

The warranty can be found on page 46.

For Canada only The warranty can be found on page 47.

La referencia rápida en español se puede encontrar en la página 48-51.





CAUTION!

THIS PRODUCT UTILIZES A LASER.

USE OF CONTROLS OR ADJUSTMENTS OR PERFORMANCE OF PROCEDURES OTHER THAN THOSE SPECIFIED HEREIN MAY RESULT IN HAZARDOUS RADIATION EXPOSURE. DO NOT OPEN COVERS AND DO NOT REPAIR YOURSELF. REFER SERVICING TO QUALIFIED PERSONNEL.

CAUTION!

DO NOT INSTALL OR PLACE THIS UNIT IN A BOOKCASE, BUILT-IN CABINET OR IN ANOTHER CONFINED SPACE. ENSURE THE UNIT IS WELL VENTILATED. TO PREVENT RISK OF ELECTRIC SHOCK OR FIRE HAZARD DUE TO OVERHEATING, ENSURE THAT CURTAINS AND ANY OTHER MATERIALS DO NOT OBSTRUCT THE VENTILATION VENTS.

WARNING:

TO REDUCE THE RISK OF FIRE, ELECTRIC SHOCK OR PRODUCT DAMAGE, DO NOT EXPOSE THIS APPARATUS TO RAIN, MOISTURE, DRIPPING OR SPLASHING AND THAT NO OBJECTS FILLED WITH LIQUIDS, SUCH AS VASES, SHALL BE PLACED ON THE APPARATUS.

THE FOLLOWING APPLIES ONLY IN THE U.S.A. Note to CATV system installer:

This reminder is provided to call the CATV system installer's attention to Article 820-40 of the NEC that provides guidelines for proper grounding and, in particular, specifies that the cable ground shall be connected to the grounding system of the building, as close to the point of cable entry as practical.



IO REDUCE THE RISK OF ELECTRIC SHOCK, DO NOT REMOVE SCREWS. NO USER-SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.



The lightning flash with arrowhead symbol, within an equilateral triangle, is intended to alert the user to the presence of uninsulated "dangerous voltage" within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons.



The exclamation point within an equilateral triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the appliance.

THE FOLLOWING APPLIES ONLY IN THE U.S.A. FCC Note:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: To assure continued compliance, follow the attached installation instructions and use only shielded interface cables when connecting to peripheral devices.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Responsible Party:

Panasonic Corporation of North America One Panasonic Way Secaucus, NJ 07094 Telephone No.: 1-800-211-7262

The socket outlet shall be installed near the equipment and easily accessible. The mains plug of the power supply cord shall remain readily operable. To completely disconnect this apparatus from the AC Mains, disconnect the power supply cord plug from AC receptacle.

DANGER	-VISIBLE AND INVISIBLE LASER
	RADIATION WHEN OPEN. AVOID DIRECT EXPOSURE TO BEAM. FDA 21 CFR/Class IIIb
注意	-打开时有可见及不可见激光辐射。避免光束照射。
注意	- ここを開くと可視及び不可視レーザ光が出ます。 ビームを見たり、触れたりしないでください。
	CLASS 38 VISIBLE AND INVISIBLE LASER RADIATION WHEN OPEN. AVOID EXPOSURE TO THE BEAM. IEC60825-1 +A2/Class 38
	 RAYONNEMENT LASER VISIBLE ET INVISIBLE, CLASSE 3B, EN CAS D'OUVERTURE. ÉVITER UNE EXPOSITION AU FAISCEAU.
FORSIGTIG	– SYNLIG OG USYNLIG LASERSTRÅLING KLASSE 3B, NÅR LÅGET ER ÅBENT, UNDGÅ AT BLIVE UDSAT FOR STRÅLEN.
WAILO	– AVATTAESSA OLET ALTTIINA LUOKAN 3B NÄKYVÄÄ JA NÄKYMÄTÖNTÄ LASERSÄTEILYÄ, VARO ALTISTUMISTA SÄTEELLE.
	KLASS 3B SYNLIG OCH OSYNLIG LASERSTRÅLNING NÄR DENNA DEL ÅR ÖPPNAD. UNDVIK EXPONERING FÖR STRÅLEN.
VORSICHT	 SICHTBARE UND UNSICHTBARE LASERSTRAHLUNG KLASSE 3B, WENN ABDECKUNG GEÖFFNET, NICHT DEM STRAHL AUSSETZEN.
	VISIBLE AND INVISIBLE LASER RADIATION WHEN OPEN. AVOID EXPOSURE TO THE BEAM. (IEC60825-1)
ATTENTION	 RAYONNEMENT LASER VISIBLE ET INVISIBLE EN CAS D'OUVERTURE. EXPOSITION DANGEREUSE AU FAISCEAU.
ADVARSEL	– SYNLIG OG USYNLIG LASERSTRÅLING VED ÅBNING. UNDGÅ UDSÆTTELSE FOR STRÅLING.
VARO!	– AVATTAESSA OLET ALTTIINA NÄKYVÄÄ JA NÄKYMÄTÖN LASERSÄTEILYLLE. ÄLÄ KATSO SÄTEESEEN.
	– SYNLIG OCH OSYNLIG LASERSTRÅLNING NÄR DENNA DEL ÄR ÖPPNAD. BETRAKTA EJ STRÅLEN.
VORSICHT	SICHTBARE UND UNSICHTBARE LASERSTRAHLUNG, WENN ABDECKUNG GEÖFFNET. NICHT DEM STRAHL AUSSETZEN.
ADVARSEL	– SYNLIG OG USYNLIG LASERSTRÅLING NÅR DEKSEL ÅPNES. UNNGÅ EKSPONERING FOR STRÅLEN. VQL1J67

(Inside of product)

IMPORTANT SAFETY INSTRUCTIONS

Read these operating instructions carefully before using the unit. Follow the safety instructions on the unit and the applicable safety instructions listed below. Keep these operating instructions handy for future reference.

- 1) Read these instructions.
- 2) Keep these instructions.
- 3) Heed all warnings.
- 4) Follow all instructions.
- 5) Do not use this apparatus near water.
- 6) Clean only with dry cloth.
- Do not block any ventilation openings. Install in accordance with the manufacturer's instructions.
- Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.
- 9) Do not defeat the safety purpose of the polarized or groundingtype plug. A polarized plug has two blades with one wider than the other. A grounding-type plug has two blades and a third grounding prong. The wide blade or the third prong are provided for your safety. If the provided plug does not fit into your outlet, consult an electrician for replacement of the obsolete outlet.
- 10) Protect the power cord from being walked on or pinched particularly at plugs, convenience receptacles, and the point where they exit from the apparatus.
- 11) Only use attachments/accessories specified by the manufacturer.
- 12) Use only with the cart, stand, tripod, bracket, or table specified by the manufacturer, or sold with the apparatus. When a cart is used, use caution when moving the cart/apparatus combination to avoid injury from tip-over.



- 13) Unplug this apparatus during lightning storms or when unused for long periods of time.
- 14) Refer all servicing to qualified service personnel. Servicing is required when the apparatus has been damaged in any way, such as power-supply cord or plug is damaged, liquid has been spilled or objects have fallen into the apparatus, the apparatus has been exposed to rain or moisture, does not operate pormally or has been dropped

Getting started

IMPORTANT SAFETY INSTRUCTIONS
Disc information4
The remote control information
Disc handling
Unit care
Control reference guide
STEP 1 Connection
STEP 2 Plug-in Auto Tuning12
Channel captions/Television type
Remote control settings15 Clock settings15

Recording

Important notes for recording	16
Recording modes and approximate recording times	. 17
Disc Insertion/Ejection	. 17
Recording television programs	18
To specify a time to stop recording -One Touch Recording.	. 19
Flexible Recording	. 19
Playing while you are recording	
Selecting audio to record	. 19
Scheduled recording	
Cancel scheduled recording that has already begun	. 21
Release program from recording standby	. 21
Notes on scheduled recording	. 21
Check, change or delete a program	. 21

Playing back

Playing discs	22
Operations during play	
Using menus to play MP3 and still pictures	
(JPEG/TIFF)	24
Playing MP3	
Playing still pictures (JPEG/TIFF)	25
Useful functions during still picture play	25
Using on-screen menus/	
FUNCTIONS window and Status messages	26
Using on-screen menus	
FUNCTIONS window	27
Status messages	27

Editing

Editing titles/chapters Editing titles/chapters and playing chapters Title operations Chapter operations Creating, editing and playing playlists Creating playlists Editing and playing playlists/chapters Playlist operations Chapter operations	. 28 . 29 . 29 . 30 . 30 . 31 . 31
Copying	
Copying from a video cassette recorder	32

	. 32
DV camcorder recording	32
Manual recording	32

Convenient functions

Entering text 33 Deleting titles 33 Selecting recorded titles to delete –Delete Navigator 33 Deleting title during play 33 DVD Management 34 Providing a disc with a name –Disc Name 34 Setting the protection –Disc Protection 34 Deleting all titles and playlists –Delete All Titles 34 Deleting all contents of a disc –Format Disc (DVD) 34 Selecting whether to show the Top Menu first -Playback will start with: -Playback will start with: 35 Creating Top Menu –Create DVD Top Menu 35 Enabling the second layer on DL (dual- or double- layer on single side) discs to be recordable –Close First Layer 35 Changing the unit's settings 36
Common procedures
Reference
Messages.39Frequently asked questions40Troubleshooting guide41Product Service.43Glossary.44Specifications45Limited Warranty (ONLY FOR U.S.A.)46Limited Warranty (ONLY FOR CANADA).47

Referencia rápida en español 48

Index. Back cover

(Spanish Quick Reference)

Accessories

(Product nu Only for U	umbers correct as of Decemi S.A.: To order accessories	accessories. Use numbers indicated in parentheses wher ber 2005. These may be subject to change.) s, refer to "Accessory Purchases" on page 46. es, call the dealer from whom you have made your pu	
			 For use with this unit only. Do not use it with other equipment. Also do not use the cords for other equipment with this unit.
1 Remote control (EUR7659Y10)	1 Audio/video cable (K2KA6BA00003)	1 75 Ω coaxial cable (K2KZ2BA00001) 1 AC power supply cord (K2CB2CB00018)	
2 Batteries for remote control	1 DVD-RAM disc	(U.S.A. only) Product Registration Card Please complete and return the included pro via the Internet at: http://www.prodreg.com/p	

Disc information

Discs you can use for recording and play

Disc type	DVD-RAM	DVD-R	DVD-R DL* ¹ (dual layer on single side)	DVD-RW	+R* ²	+R DL* ¹ (double layer on single side)	+RW
Indication in these instructions	RAM	-R Before finalization DVD-V	-R DL Before finalization	-RW(V) Before finalization	+R Before finalization	+R DL Before finalization	+RW
		After finalization	After finalization	After finalization	After finalization	After finalization	
Logo	RAM RAM4.7	R R4.7		RW			
Recording format (→ below)	VR	DVD-Video	R DL DVD-Video	DVD-Video	+VR	+VR	+VR
Re-writable*3	Yes	No	No	Yes	No	No	Yes
What you can do on	this unit						
Recording broadcasts that allow one copy	Yes*4	No	No	No	No	No	No
Recording both Main and SAP of MTS broadcast	Yes	No	No	No	No	No	No
Recording 16:9 aspect picture	Yes	No	No	No	No	No	No
Creating playlists	Yes	No	No	No	No	No	No
Compatibility							
Usable high speed recording disc type* ⁵	Up to 5x	Up to 16x	Up to 4x	Up to 6x	Up to 16x	Up to 2.4x	Up to 4x ^{*6}
Play on other players Only on DVD- RAM compatible players. (It is	Yes	Yes*7	Yes	Yes	Yes* ⁸	Yes (It is not possible to	
	not possible to finalize the disc.)	opossible to alize the Only on compatible players after finalizing the disc (→ page 35)					finalize the disc.)

We recommend using Panasonic discs. We also recommend using DVD-RAM discs with cartridges to protect them from scratches and dirt.
You may not be able to record depending on the condition of the discs and you may not be able to play due to the condition of the recording.

For the recording time, refer to "Recording modes and approximate recording times" on page 17.

*1 You can record onto the second layer of dual- or double-layer discs after closing the first layer (→ page 35). You will no longer be able to record to the first layer after you do this (→ page 16).

When playing a title recorded on both layers, video and audio may momentarily cut out when the unit is switching layers.

*² You may not be able to use +R recorded on this unit in another Panasonic DVD recorder and vice versa. Once the disc is finalized, however, it can be played in the other unit.

*3 The amount of the recordable disc space doesn't increase even if the program is deleted when you use a one time recording disc.

*4 CPRM (→ page 44) compatible discs only.

*⁵ This unit can use the high-speed recording discs shown in the chart, but using them will not shorten the recording time.

^{*6} You can play 8x recording speed discs recorded on another equipment.

- *7 Play on DVD-R DL compatible equipment.
- *8 Play on +R DL compatible equipment.

Regarding recording format

VR (DVD Video Recording) format

This is a recording method which allows you to freely record and edit television broadcasts and so on.

- Digital broadcasts that allow "One time only recording" can be recorded to a CPRM compatible disc. You can record to CPRM compatible DVD-RAM on this unit.
- Play is only possible on a compatible DVD player.

DVD-Video format

- This recording method is the same as commercially available DVD-Video.
- Digital broadcasts that allow "One time only recording" cannot be recorded.
- You can play on compatible equipment such as DVD players after finalizing the disc on this unit.

Disc type	DVD-Video	DVD-Audio	DVD-RW (VR format)	C	D	Video CD
Indication in these instructions	DVD-V	DVD-A	-RW(VR)	CD		VCD
Logo						
Instructions	High quality movie and music discs	High fidelity music discs • Played on this unit in 2 channels.	 DVD-RW recorded on another DVD Recorder* You can play programs that allow "One time only recording" if they have been recorded to a CPRM compatible disc. By formatting (→ page 34) the disc, you can record to it in DVD-Video format. It may be necessary to finalize the disc on the equipment used for recording. 	Music and audio recorded (including CD- R/RW*)	CD-R and CD-RW* with music recorded in MP3 Still pictures (JPEG and TIFF) recorded on CD-R and CD-RW*	Music and video recorded (including CD- R/RW*)

• The producer of the disc can control how discs are played. So you may not always be able to control play as described in these operating instructions. Read the disc's instructions carefully.

Close the session after recording. Play may be impossible on some discs due to the condition of the recording.

Regarding DVD-Audio

Some multi-channel DVD-Audio will prevent down-mixing (→ page 44) of all or part of their contents if this is the manufacturer's intention. Tracks that are prevented from being down-mixed will not play properly on this unit (e.g. audio is played from the front two channels only). Refer to the disc's jacket for more information.

Note about using a DualDisc

The digital audio content side of a DualDisc does not meet the technical specifications of the Compact Disc Digital Audio (CD-DA) format so play may not be possible.


Discs that cannot be played

- 2.6 and 5.2 GB DVD-RAM, 12 cm (5")
- 3.95 and 4.7 GB DVD-R for Authoring
- DVD-R recorded in VR format
- DVD-R (DVD-Video format), DVD-R DL, DVD-RW (DVD-Video format), +R, +R DL recorded on another unit and not finalized (→ page 44)
- PAL discs (you can still play the audio on DVD-Audio)
- DVD-Video with a region number other than "1" or "ALL"
- Blu-ray
- DVD-ROM, +R 8 cm (3"), CD-ROM, CDV, CD-G, Photo CD, CVD, SVCD, SACD, MV-Disc, PD, Divx Video Disc, etc.


The remote control information

Batteries

- Insert so the poles (+ and -) match those in the remote control.
- · Do not use rechargeable type batteries.



· Do not use different types at the same time.



- Do not take apart or short circuit.
- Do not attempt to recharge alkaline or manganese batteries.

• Do not use batteries if the covering has been peeled off. Mishandling of batteries can cause electrolyte leakage which can damage items the fluid contacts and may cause a fire.

Remove if the remote control is not going to be used for a long period of time. Store in a cool, dark place.

Disc handling

How to hold a disc

Do not touch the recorded surface.

Concerning non-cartridge discs

Be careful about scratches and dirt.

If there is dirt or

condensation on the disc Wipe with a damp cloth and then wipe dry.

Handling precautions

- Do not attach labels or stickers to discs. (This may cause disc warping and un-balanced rotation, rendering it unusable.)
- · Write on the label side of the disc only with a soft, oil-based felt pen. Do not use ballpoint pens or other hard writing implements.
- Do not use record cleaning sprays, benzine, thinner, static electricity prevention liquids or any other solvent.

Use Remote control signal sensor 7 m (23 feet) directly in front of the unit

- Do not use scratch-proof protectors or covers.
- · Do not drop, stack, or impact discs. Do not place objects on them.
- Do not use the following discs:
- -Discs with exposed adhesive from removed stickers or labels (rented discs, etc.).
- -Discs that are badly warped or cracked.
- -Irregularly shaped discs, such as
- heart shapes. Do not place in the following areas:
- In direct sunlight. - In very dusty or humid areas.
- -Near a heater.
- -Locations susceptible to significant differences in temperature (condensation can occur).
- -Where static electricity or electromagnetic waves occur.
- To protect discs from scratches and dirt, return them to their cases or cartridges when you are not using them.

The manufacturer accepts no responsibility and offers no compensation for loss of recorded or edited material due to a problem with the unit or recordable media, and accepts no responsibility and offers no compensation for any subsequent damage caused by such loss.

Examples of causes of such losses are

- A disc recorded and edited with this unit is played in a DVD recorder or computer disc drive manufactured by another company.
- A disc used as described above and then played again in this unit.
- A disc recorded and edited with a DVD recorder or computer disc drive manufactured by another company is played in this unit.

Unit care

The precision parts in this unit are readily affected by the environment, especially temperature, humidity, and dust. Cigarette smoke also can cause malfunction or breakdown.

To clean this unit, wipe with a soft, dry cloth.

- Never use alcohol, paint thinner or benzine to clean this unit.
- · Before using chemically treated cloth, carefully read the instructions that came with the cloth.

Observe the following points to ensure continued listening and viewing pleasure.

Dust and dirt may adhere to the unit's lens over time, making it impossible to record or play discs.

Use the DVD lens cleaner (RP-CL720PP) about once every year, depending on frequency of use and the operating environment. Carefully read the lens cleaner's instructions before use.

Do not place the unit on amplifiers or equipment that may become hot. The heat can damage the unit.



Before moving the unit, ensure the disc tray is empty. Failure to do so will risk severely damaging the disc and the unit.








R6/LR6, AA






Control reference guide

Remote control




- ① Turn the unit on (\rightarrow page 12)
- $\ensuremath{\textcircled{O}}$ Select channels and title numbers, etc./Enter numbers
- ③ Cancel
- ④ Basic operations for recording and play
- (5) Skip the specified time (\rightarrow page 23)
- ⑥ Show Direct Navigator/Top menu (→ page 22, 24, 28)
- ⑦ Selection/Enter, Frame-by-frame (→ page 12, 23)
- ⑧ Show sub menu (→ page 25, 28, 31)
- ⑨ Show on-screen menu (→ page 26)
- Image 19, 23)
- ① Start recording (→ page 18)
- ⁽¹⁾ Change recording mode (\rightarrow page 18)
- 1 Remote control signal output
- ⁽¹⁾ Television operations (→ page 15)
 ⁽⁵⁾ Channel select (→ page 18)
- (b) Channel select (\rightarrow page 18) (b) Add/delete channel (\rightarrow page 13)
- Input select (IN1 or IN2 or DV)
- ⁽¹⁾ Delete items (\rightarrow page 33)
- (1) Skip a minute forward (\rightarrow page 23)
- (a) Show scheduled recording list (\rightarrow page 20)
- (1) Show FUNCTIONS window (\rightarrow page 27)
- 2 Return to previous screen
- ⁽³⁾ Create chapters (→ page 23)
- ⁽²⁾ Show Setup menu (→ page 14, 36)
- ⁽²⁾ Start Flexible Recording (→ page 19)
- ^② Show status messages (→ page 27)

Main unit



- ① POWER button (POWER ₼/I) (→ page 12)
 - Press to switch the unit from on to standby mode or vice versa. In standby mode, the unit is still consuming a small amount of power.
- ② Disc tray (→ page 18)
- ③ Connector for a digital video (DV) camcorder (→ page 32)
- ④ Connectors for external equipment (\rightarrow page 32)
- (5) Channel select (→ page 18)

The unit's display



- ⑥ Open/close disc tray (→ page 18)
- ⑦ Display (→ below)
- ⑧ Stop (→ page 18, 23)
- 1 Remote control signal sensor
- ① Start recording (→ page 18)/
 - Specify the time to stop recording (\rightarrow page 19)
 - ① Disc indicator
 - This indicator lights up when a disc that is supported by this unit is inserted.
 - ② Scheduled recording indicator
 - ③ Main display section
 - ④ Playing indicator
 - ⑤ Recording indicator

The remote control information/Disc handling/Unit care/Control reference guide

STEP 1 Connection

This section includes diagrams of four common methods of connections (A-D, pages 8-9). Please connect using the one that best suits you.

- Visit Panasonic's homepage for more information about connection methods. (This is in English only.)
- http://www.panasonic.com/consumer_electronics/dvd_recorder/dvd_connection.asp
- Before doing any connection, turn off all equipment and read the appropriate operating instructions.
- Peripheral equipment and optional cables are sold separately unless otherwise indicated.

The unit's RF OUT terminal


The picture and sound signal from this unit does not go through the RF OUT terminal to the television.

Make sure you connect one of the following terminals on this unit to the television: the AUDIO/VIDEO OUT terminal, the S VIDEO OUT terminal or the COMPONENT VIDEO OUT terminal.

• Refer to page 11 if the antenna connector doesn't match.


When the unit is not to be used for a long time

To save power, unplug it from the household AC outlet. This unit consumes a small amount of power, even when it is turned off (**approx. 2.0 W**).



Connect the unit directly to the television


Video signals fed through video cassette recorders will be



AC power supply cord (Included) Connect only after all other connections are complete.

Connection with a television and video cassette recorder

The connection will allow the video cassette recorder to be used for playback and recording when this unit is turned off.



BQT8314


В



Connection with a television and cable box or satellite receiver

- You need to subscribe to a cable TV service to enjoy viewing their programming.
- Consult your service provider regarding appropriate cable TV box.

С




D Connection with a television, video cassette recorder and cable box or satellite receiver


· You need to subscribe to a cable TV service to enjoy viewing their programming.

• Consult your service provider regarding appropriate cable TV box.

• The connection will allow the video cassette recorder to be used for playback and recording when this unit is turned off.







If the antenna connector doesn't match

the equipment (television etc.). Refer to other equipment's operating instructions.

This unit Other equipment (television etc.) Type A twin lead 300-75 Ω from the antenna transformer 75–300 Ω 99 transformer VHF or UHF (Flat) Twin lead 75 Ω coaxial 300Ω cable To this unit's RF IN cable Television terminal A twin lead and from the antenna a coaxial plug VHF/UHF VHF/UHF band separator VHF (Flat) Twin lead band mixer QQ UHF 300Ω cable 75 O coaxial cable Television To this unit's (Round) **RF IN terminal** 75 Ω coaxial cable Two twin leads from the antenna VHF/UHF (Flat) Twin lead VHF band mixer VHF/UHF band separator 300Ω cable UHE 75 Ω coaxial 0 To this unit's Television cable **RF IN terminal** 300-75 Ω transformer

Use one of the following connections to suit the antenna lead to the unit's RF IN terminal, and the 75 Ω coaxial cable to the antenna terminals on


Connecting an amplifier or system component

- Connecting an amplifier with a digital input terminal
- To enjoy multi-channel surround on DVD-Video, connect an amplifier with a built-in decoder displaying these logo marks using an optical digital audio cable and change the settings in Digital Audio Output (→ page 38).

D			D	O	. B`	Y
D	I	G	I	Т	Α	L


Amplifier's rear panel

- Before purchasing an optical digital audio cable, check the terminal shape of the connected equipment.
- You cannot use DTS Digital Surround decoders not suited to DVD.
- Even if using this connection, output will be only 2 channels when playing DVD-Audio.




This unit's rear panel

■ Connection to a stereo amplifier



This unit's rear panel

STEP 2 Plug-in Auto Tuning



After pressing [\bigcirc DVD POWER] to turn the unit on for the first time, the unit starts necessary setup.

Regarding DST (Daylight Saving Time) (→ page 15) Legal revision is expected to change the DST period in 2007. When you use the unit with DST on, the change may cause the unit's clock to go behind the actual time. Check the DST setting in "Set Clock Manually" in the Setup menu, set DST off and reset the clock precisely if you are using this function. Preparation

Turn on the television and select the appropriate video input to suit the connections to this unit.

1 Press [\bigcirc DVD POWER].

Select Language Seleccione el idioma Sélection de Langue	
English Español Français	
Press ENTER Pulse ENTER Appuyer sur ENTER	

2 Press $[\blacktriangle, \nabla]$ to select the language and press [ENTER].

If you make a mistake, press [RETURN] to return to an earlier screen.

Aspect Ratio Selection	
Select TV type and press ENTER. (Please refer to Operation Instruction for details)	
4:3 4:3 TV 16:9 16:9 Widescreen TV	

3 Press [▲,▼] to select "4:3 TV" or "16:9 Widescreen TV" and press [ENTER].

Quick Start setting	
The unit can be turned on faster, in about 1 second. Please note that Quick Start mode slightly increases power consumption when the unit is off. (See Operation Instructions for details) Turn Quick Start on ?	
On	
Off	

4 Press [▲,▼] to select "On" or "Off" and press [ENTER].

If you activate "Quick Start" function, select "On".

About "Quick Start" function

If you set Quick Start to on, you can start recording to DVD-RAM about 1 second after you press [☉ DVD POWER] to turn the unit on and then sequentially press [● REC]. The following happens when you have selected "On".

 Power consumption in standby mode increases because power is supplied to the unit.



5 Press [▲,▼] to select "Internal TV Tuner" or "Input" and press [ENTER].

When you do not set channels on this unit, select "Input". The unit then displays "Set Clock Manually" screen. Set the clock manually (\rightarrow page 13).

(Continued on next page)

6 Press [ENTER] to start Plug-in Auto Tuning.



The unit then proceeds with Auto Clock Setting. The time is displayed when finished.



When one of the following screen appears "No channels were found." screen



After turning off the unit, confirm following and perform setup again.

- · Confirm the antenna cable is firmly connected to RF IN terminal.
- . If you do not set channels on this unit, select "Input" in step 5.

"Auto Clock Setting is incomplete." screen



Press [ENTER] and set clock manually (→ right).

Press [ENTER].

Cinnel Cour

A picture or a blue background screen is displayed.

If the clock is an hour slower or faster than the actual time

Select "-1" or "+1" in "Adjust Time Zone" in the Setup menu (→ page 15).

The unit configures channels according to the Signal Source (RF IN) settings (→ page 36) as follows.

(RF IN)	Band	Channel
Antenna	VHF	2–13
	UHF	14–69
Cable TV	VHF	2–13
	CATV LOW BAND	95–99
	CATV MID/SUPER BAND	14–36
	CATV HYPER BAND	37–65
	ULTRA BAND	66–94 100–125
	SPECIAL CATV CHANNEL	1

Adding and deleting channels


After channel setting on this unit completed, you can add or delete channels if necessary channels are not set or unnecessary channels are set.

1 Press the numbered buttons to select a channel.

Antenna

5: [0] → [5] e.g., 15: [1] → [5] Cable TV 5: e.g., 15: $[0] \rightarrow [1] \rightarrow [5]$





 $[1] \rightarrow [1] \rightarrow [5]$ 115: • You can also use [$\land \lor$ CH] when you are going to delete a channel.

2 Press [ADD/DLT].

e.g., The channel is deleted.

Channel 15 Deleted

Restart Plug-in Auto Tuning (after relocation, for example)

The setting of the clock and channel is cleared when you perform the procedure below. Scheduled recording settings are also cleared.

1 When the unit is on and stopped

> Press and hold [\lor CH] and [\land CH] on the main unit for about five seconds. The unit turns off.


2 Press [DVD POWER].

The language selection screen is displayed.

When "Set Clock Manually" screen is displayed

The "Set Clock Manually" screen is automatically displayed when: -there is an error while setting the clock automatically. -you have selected "Input" in step 5 while setting (→ page 12).

1 Press [◀,▶] to select the item you want to change and press $[\blacktriangle, \nabla]$ to change the setting.



 $(\rightarrow below)$ • DST (Daylight Saving Time): If you select "On", the clock is advanced one hour starting at

DST, Time Zone


- 2 a.m. on the first Sunday in April and ending at 2 a.m. on the last Sunday in October.
- Time Zone shows the time difference from Greenwich Mean Time (GMT).

EST (Eastern Standard Time)	= GMT –5
CST (Central Standard Time)	= GMT –6
MST (Mountain Standard Time)	= GMT –7
PST (Pacific Standard Time)	= GMT –8
AST (Alaska Standard Time)	= GMT –9
HST (Hawaii Standard Time)	= GMT –10

2 Press [ENTER].

A picture or a blue background screen is displayed. The clock starts

Channel captions/Television type



Channel captions

You can give the preset captions, or manually enter new ones yourself.

The captions you enter are displayed when the channel is displayed and in the Direct Navigator screen.

 You can set channel captions after channel setting on this unit is completed (→ page 12–13).





2 Press [▲,▼] to select "Channel" and press [▶].

Preset Channel Captions

3 Press [▲,▼] to select "Preset Channel Captions" and press [ENTER].



4 Press [▲,▼] to select the caption and press [▶].

You can choose from the following captions.

ABC, PBS, CBS, CNN, FOX, ESPN, NBC, HBO, A&E, AMC, FAM, MAX, MTV, SHOW, TBS, USA, TNT, CBC, UPN, CTV, WB, TSN, DSC, GLOB

• When selecting the caption, press and hold [▲,▼] to scroll up and down the screen.

5 Press [▲,▼] to select the channel corresponding to the caption and press [◄].

Channels are only displayed if they contain a station and if captions have not been added manually.

 \bullet To delete the channel number, press [CANCEL \star].

Repeat steps 4 and 5 to enter other channels.

Press [ENTER].

Manual Channel Captions

- 3 Press [▲,▼] to select "Manual Channel Captions" and press [ENTER].
- 4 Press [▲,▼] to select the channel and press [▶].

• Channels are only displayed if they contain a station and if preset captions have not been added.

5 Press [▲,▼] to select the first character and press [▶].

- You can choose from the following characters: A–Z, 0–9, -, &, !, /, (space)
- To delete the caption, press [CANCEL *].
- Repeat this step to enter the other characters.

Setup	Manual Channel Captions		
		Channel Number	Caption
		6	
Channel		8	
Setup			
Disc		10	AAAA
Video			
Audio		12	
Display		23	
TV Screen	ENTER - 20		

6 Press [◀,▶] to return to the "Channel Number" column.

Repeat steps 4–6 to enter other channels.

7 Press [ENTER].


To exit the screen Press [SETUP].

To return to the previous screen Press [RETURN].

Selecting television type

Do the following if you connect a progressive television or if you connect a different type of television after choosing a type during initial setup just after turning the unit on for the first time. Select the item that matches your television.

- 1 While stopped Press [SETUP].
- 2 Press [▲,▼] to select "TV Screen" and press [▶].
- 3 Press [▲,▼] to select "TV Type" and press [ENTER].



Select "480p" if the television is compatible with progressive output.

4 Press [▲,▼] to select the item and press [ENTER].

To exit the screen Press [SETUP].

To return to the previous screen Press [RETURN].

6

Remote control settings

Refer to the control reference on page 14.

Television operation

You can operate the TV through the unit's remote control.

Point the remote control at the television While pressing [\bigcirc POWER TV], enter the code with the numbered buttons.

e.g., 0250: $[0] \rightarrow [2] \rightarrow [5] \rightarrow [0]$

Manufacturer and Code No.			
Panasonic	0051/0250	PHILIPS (RC-5)	0054
National QUASAR		RCA	0047
QUADAIT		SAMSUNG	0060/0587/
			0702
FISHER	0154	SANYO	0154
GE	0047	SHARP	0093/0165
GOLDSTAR	0178/0317/ 0457	SONY	0000
HITACHI	0145	SYLVANIA	0054
JVC	0053	THOMSON	0047
LG	0178/0317/ 0457	TOSHIBA	0156
MAGNAVOX	0054	ZENITH	0017
MITSUBISHI	0150		

Test by turning on the television and changing channels. Repeat the procedure until you find the code that allows correct operation.

 If your television brand is not listed or if the code listed for your television does not allow control of your television, this remote control is not compatible with your television.

When other Panasonic products respond to this remote control

When other Panasonic products placed nearby affect this unit's remote control, change the remote control code on the main unit and the remote control (the two must match).

Use "1", the factory set code, under normal circumstances. To change the code on the main unit

- 1 While stopped Press [SETUP].
- 2 Press [▲,▼] to select "Setup" and press [▶].
- 3 Press [▲,▼] to select "Remote Control Code" and press [ENTER].
- 4 Press [▲,▼] to select the code ("1", "2" or "3") and press [ENTER].



To change the code on the remote control

- 5 While pressing [ENTER], press and hold the numbered button ([1], [2] or [3]) for more than 2 seconds.
- 6 Press [ENTER].
- When the following indicator appears on the unit's display



To return to the previous screen

To exit the screen Press [SETUP].

Press [RETURN].

Press and hold [ENTER] and the indicated number button at the same time for more than 2 seconds.

Clock settings

Refer to the control reference on page 14.

Set Clock Manually

In the case of a power failure, the clock setting remains in memory for approximately 1 minute.

- 1 While stopped Press [SETUP].
- 2 Press [▲,▼] to select "Setup" and press [▶].
- 3 Press [▲,▼] to select "Clock Settings" and press [ENTER].
- 4 Press [▲,▼] to select "Set Clock Manually" and press [ENTER].



DST, Time Zone (→ below)

- 5 Press [◄,▶] to select the item you want to change and press [▲,▼] to change the setting.
 - DST (Daylight Saving Time): On or Off If you select "On", the clock is advanced one hour starting at 2 a.m. on the first Sunday in April and ending at 2 a.m. on the last Sunday in October.
 Time Zone shows the time difference from Greenwich Mean Time (GMT).

EST (Eastern Standard Time)	= GMT –5
CST (Central Standard Time)	= GMT –6
MST (Mountain Standard Time)	= GMT7
PST (Pacific Standard Time)	= GMT –8
AST (Alaska Standard Time)	= GMT –9
HST (Hawaii Standard Time)	= GMT -10

6 Press [ENTER].

The clock starts.

Adjust Time Zone

Adjust the time zone (-1 or +1) if it was not set correctly with auto clock setting.


You can set this menu only after "Set Clock Automatically" is completed.

1 While stopped

Press [SETUP].

- 2 Press [▲,▼] to select "Setup" and press [▶].
- 3 Press [▲,▼] to select "Clock Settings" and press [ENTER].
- 4 Press [▲,▼] to select "Adjust Time Zone" and press [ENTER].
- 5 Press [▲,▼] to select "-1" or "+1" and press [ENTER].

To exit the screen Press [SETUP]. To return to the previous screen Press [RETURN]. Channel captions/Television type/Remote control settings/Clock settings



Recording modes and approximate recording times

Depending on the content being recorded, the recording times may become shorter than indicated.

		RAM	
Recording Mode	4.7 GB	9.4 GB (Double- sided ^{*1})	DVD-R, DVD-RW, +R, +RW 4.7 GB
XP (High picture quality)	1 h.	2 h.	1 h.
SP (Standard)	2 h.	4 h.	2 h.
LP (Long recording)	4 h.	8 h.	4 h.
EP (Extra long recording)	8 h. (6 h.*²)	16 h. (12 h.*²)	8 h. (6 h.*²)
FR (Flexible Recording)	8 h. maximum	8 h. maximum for one side	8 h. maximum

Recording Mode	DVD-R DL, +R DL*3 8.5 GB		
necording wode	First layer (L0)	Second layer (L1)	
XP (High picture quality)	55 min.	50 min.	
SP (Standard)	1 h. 50 min.	1 h. 40 min.	
LP (Long recording)	3 h. 40 min.	3 h. 20 min.	
EP (Extra long recording)	7 h. 25 min. (5 h. 30 min.* ²)	6 h. 50 min. (5 h. 15 min.*²)	
FR (Flexible Recording)	7 h. 25 min. maximum	6 h. 50 min. maximum	

*1 It is not possible to record or play continuously from one side of a double sided disc to the other.

- *² When "Recording Time in EP Mode" is set to "EP Extended Play (6H)" in the Setup menu (→ page 37). The sound quality is better when using "EP – Extended Play (6H)" than when using "EP – Extended Play (8H)".
- $^{\star 3}\,$ It is not possible to record continuously from the first layer to the second layer.

Note

 This unit uses variable bit rate (VBR) recording which varies the amount of data recorded to suit the images, so actual recording times and remaining recording times shown by the unit will be different. (The difference will be especially noticeable with DVD-R DL and +R DL.)

Use a disc with plenty of remaining time.

 RAM When recording to DVD-RAM using EP (8H) mode, play may not be possible on DVD players that are compatible with DVD-RAM. Use EP (6H) mode if playback may be on other equipment.

Disc Insertion/Ejection

When the format confirmation screen is displayed

RAM -RW(V) +R +R DL +RW

When you insert a new disc and a disc recorded on a computer or other equipment, a format confirmation screen might be displayed. Format the disc to use it. However all the recorded contents are deleted.



Press [◀,▶] to select "Yes" and press [ENTER].

• Several steps are necessary to format a disc. Refer to "Deleting all contents of a disc –Format Disc (DVD)" (→ page 34).

FR (Flexible Recording)

The unit automatically selects a recording rate between XP and EP (8H) that will enable the recordings to fit in the remaining disc space with the best possible recording quality.

 You can use FR mode in Scheduled recording (→ page 20, step 3) and Flexible recording (→ page 19).

Using "FR mode" is convenient in these kind of situations • When the amount of free space on the disc makes selecting an appropriate recording mode difficult · When you want to record a long program with the best picture quality possible e.g., Recording a 90 minutes program to disc If you select XP mode The program will not fit one disc. 60 minutes 30 minutes Full Another disc is necessary. If you select SP mode The program will fit one disc. There will be 30 minutes remaining disc space. If you select FR mode The program will fit one disc perfectly.

When remove a recorded disc

-R -R DL -RW(V) +R +R DL

When you press (**△** OPEN/CLOSE] on the main unit while stopped: The following screen appears when you have not processed the disc for play on other equipment.

Fit




When finalizing the disc

Press [● REC].

- You cannot stop this process once you have started it.
 If you want to provide the disc with a name or set play menu select, select "Disc Name" (→ page 34) or "Playback will start with:"
 (→ page 35) in "DVD Management" before finalizing.
- When opening the tray without disc finalization Press [▲ OPEN/CLOSE] on the main unit.

Recording television programs



RAM -R -R DL -RW(V)

· You can record up to 99 titles on one disc.

+R +R DL +RW

• You can record up to 49 titles on one disc.

See also the notes "Important notes for recording" (\rightarrow page 16).

Note

- ◆RW You can create a Top Menu using "Create DVD Top Menu"
 (→ page 35). Recording or editing on the disc may delete the menu. In that case, create the menu again.
- RAM It is not possible to record continuously from one side of a double sided disc to the other. You will need to eject the disc and turn it over.

Preparation

- Turn on the television and select the appropriate video input to suit the connections to this unit.
- Turn the unit on.

Off Timer

The unit switches to standby after about 6 hours in the stop mode. You can turn this feature off or change the time to 2 hours (\rightarrow page 36, "Off Timer").

1 Press [OPEN/CLOSE] on the main unit to open the tray and insert a disc. • Press the button again to close the tray. • When using 8 cm (3") DVD-RAM, or 8 cm (3") DVD-R, remove the disc from the cartridge. Cartridge disc Insert label-up. \frown Insert label-up with the arrow facing in. Insert fully 2 Press [$\land \lor$ CH] to select the channel. To select with the numbered buttons: Cable TV Antenna 5: [0] → [5] 5: $[0] \rightarrow [0] \rightarrow [5]$ e.g., e.g., [1] → [5] 15[.] $[0] \rightarrow [1] \rightarrow [5]$ 15 115: $[1] \rightarrow [1] \rightarrow [5]$ Select the audio to record (→ page 19). 3 Press [REC MODE] to select the recording mode (XP, SP, LP, or EP). Remaining time on the disc 4 Press [• REC] to start recording.



The elapsed time is shown on the display.

Recording will take place on free space on disc. Data will not be overwritten.

- You cannot change the channel or recording mode during recording. You can change the channel or recording mode while paused; however, the recording will then be as a separate title.
- You can record while the unit is in standby for scheduled recording, but once the time for the scheduled recording to begin is reached, any recording taking place will stop and the scheduled recording will begin.

To pause recording

Press [1].

Press again to restart recording. You can also press [● REC] to restart. (Title is not split into separate titles.)

To stop recording

Press [**II**].

- From the start to the end of the recording is called one title.
- -R -R DL -RW(V) +R +R DL +RW
 It takes about 30 seconds for the unit to complete recording management information after recording finishes.
- When recording the channel (not set on this unit) from cable box or satellite receiver
- 0 Select the channel on the equipment before turning the unit on.
- ② Press [\land ∨ CH] to select IN1 or IN2 in step 2 (→ above).

To specify a time to stop recording -One Touch Recording

During recording

Press [● REC] to select the recording time.
The unit's display changes as shown below.

. , ,		
OFF 0:30 \longrightarrow OFF 1:00	→ OFF 1:30	→ OFF 2:00
└── Counter (cancel) ←──	- OFF 4:00 ←	OFF 3:00 ←

- This does not work during scheduled recordings (→ page 20) or while using Flexible Recording (→ below).
- If you change the channel or recording mode while recording is paused, the time specified to stop recording is cancelled.
- The unit turns off automatically after the time to stop recording is reached.

To cancel

Press [
 REC] several times until the counter appears.

The time to stop recording is cancelled; however, recording continues.

To stop recording partway

Press [

Flexible Recording

(Recording that fits the remaining disc space)

RAM -R -R DL -RW(V) +R +R DL +RW

The unit sets the best possible picture quality that fits the recording within the remaining disc space. The recording mode becomes FR mode. Refer to "FR (Flexible Recording)" (\rightarrow page 17).

Preparation

٦

Select the channel or the external input (IN1, IN2 or DV) to record.

While stopped Press [F Rec].

 Flexible Recording

 Record in FR mode.

 Max recording time
 8 Hour 00 Min.

 Set recording time
 1 Hour 30 Min.

 Start
 Cancel

 Concel
 mode.

2 Press [◄,►] to select "Hour" and "Min." and press [▲,▼] to set the recording time.

- You can also set the recording time with the numbered buttons.
- You cannot record for more than 8 hours.

When you want to start recording Press [▲, ♥, ◄, ▶] to select "Start" and press [ENTER]. Recording starts.

To exit the screen without recording

Press [RETURN].

Press [STATUS].

e.g., DVD-RAM

To stop recording partway Press [■]. To show the remaining time



Playing while you are recording

RAM

Playing from the beginning of the title you are recording–Chasing playback

Press [▶] (PLAY) during recording.

• There is no sound output while searching forward or backward.

To stop play

Press [**II**].

To stop recording 2 seconds after play stops Press [■].

- To stop scheduled recording
- Press [■] to stop playing.
- ② After 2 seconds, press [].
- ③ Press [◀,►] to select "Stop recording" and press [ENTER].

Playing a title previously recorded while recording– Simultaneous rec and play

1 Press [DIRECT NAVIGATOR] during recording.

2 Press [▲, ♥, ◄, ▶] to select a title and press [ENTER].

 There is no sound output while searching forward or backward.

To stop play

Press [**II**]

To stop recording

- Press [
] to stop playing.
- ② Press [DIRECT NAVIGATOR] to exit screen.
- ③ Press [■].

To stop scheduled recording

- Press [■] to stop playing.
- ② Press [DIRECT NAVIGATOR] to exit screen.
- ③ Press [■].
- ④ Press [◀▶] to select "Stop recording" and press [ENTER].

Selecting audio to record

RAM Press [AUDIO].

→ Stereo: ↓ SAP	 Main audio (stereo) If the broadcast is "Mono+SAP", audio will be monaural even if you select Stereo mode. Secondary audio program (SAP) 	
Audio:	 If recorded in SAP mode, main audio is also recorded. 	
Mono:	Main audio (monaural) • Select "Mono" if reception is poor during a stereo broadcast.	
e.g., "S	DVD-RAM CH 12 ((Stereo	


"((" appears when the unit is receiving the audio type you selected.

• If you change the sound setting while recording, the recorded sound will also change.

-R -R DL -RW(V) +R +R DL +RW

Select the audio (Main or SAP) in "Multichannel TV Sound (MTS)" in the Setup menu (\rightarrow page 38).

Scheduled recording



RAM -R -R DL -RW(V) +R +R DL +RW


See also the notes "Important notes for recording" (\rightarrow page 16).

You can enter up to 16 programs up to a month in advance. (Each daily or weekly program is counted as one program.)

Preparation

- Turn on the television and select the appropriate video input to suit the connections to this unit.
- Check that the time on the unit is correct.
- Insert a disc (→ page 18).


1 Press [SCHEDULE].



2 Press [▲,▼] to select "New Scheduled Recording" and press [ENTER].



3 Press [▶] to move through the items and change the items with [▲,▼].



- Press and hold [▲,▼] to alter On (Start time) and Off (Finish time) in 30-minute increments.
- You can also set Channel, Date, On (Start time), and Off (Finish time) with the numbered buttons.
- You can also press [REC MODE] to change the recording mode.

To set daily or weekly timer

Press $[\blacktriangleleft, \blacktriangleright]$ to select "Date" and $[\blacktriangle, \blacktriangledown]$ to select daily timer or weekly timer.

 Date: Current date up to one month later minus ↓↑ one day

Daily timer: Sun-Sat \rightarrow Mon-Sat \rightarrow Mon-Fri

 \downarrow Weekly timer: Weekly, Sun $\rightarrow --- \rightarrow$ Weekly, Sat

■ To enter title name

Press [◀▶] to select "Title Name" and press [ENTER] (→ page 33, Entering text).

4 Press [ENTER].



When "!" appears, make sure the disc has a sufficient space.

"O" lights on the unit's display to indicate scheduled recording standby has been activated.

• Repeat steps 2-4 to schedule other recordings.

Note

When the disc is removed, scheduled recording standby is cancelled (the " \bigcirc " indicator goes out). You can put the unit back on standby by inserting a recordable disc (the " \bigcirc " lights on again).

■ To return to the previous screen Press [RETURN].

■ To exit the screen

Press [SCHEDULE].

- When recording the channel (not set on this unit) from cable box or satellite receiver
- Press [▲,▼] to select IN1 or IN2 in the channel column (→ above, step 3).
- ② Select the channel on the equipment before the scheduled time.

Cancel scheduled recording that has already begun

When the unit is on

Press [

The confirmation screen appears.

2 Press [◄,►] to select "Stop recording" and press [ENTER].

Recording stops and the scheduled recording is cancelled. (Daily and weekly schedules remain and scheduled recording will start as programmed.)

Release program from recording standby

- **1** Press [SCHEDULE].
- 2 Press [▲,▼] to select the program and press [SUB MENU].
- **3** Press [▲,▼] to select "Schedule set to Off" and press [ENTER].


Cancelled icon is displayed in left column.



• Be sure to select "Schedule set to On." in step 3 before the scheduled time to put the program on recording standby.

Notes on scheduled recording

- "♥" flashes on the unit's display for about 5 seconds when the unit cannot go to scheduled recording standby (e.g., a recordable disc is not in the disc tray).
- Scheduled recordings begin when the set time is reached even when recording or when playing.
- If the unit is turned on when scheduled recording begins, it remains turned on after recording finishes. It does not turn off automatically. You can turn the unit off during scheduled recording.
- If you are making consecutive recordings that will start one after the other, the beginning of the later program cannot be recorded.
- e.g., Program① 10:00-11:00 Program② 11:00-12:00



- If the actual broadcasting times of scheduled recordings overlap, the recording that starts first always has priority, and the recording of the later program will start only after the first scheduled recording has finished.
- If you set DST (Daylight Saving Time) to On when manually setting the clock (→ page 15), scheduled recording may not work when summer switches to winter and vice versa.


Check, change or delete a program

Even when the unit is turned off, you can display the schedule list by pressing [SCHEDULE].

Press [SCHEDULE].

lcons

- This program is currently recording.
- The times overlap those in another program.
- Scheduled recording standby is cancelled. Recording will not start at the scheduled time.
- You stopped a weekly or daily scheduled recording. The icon disappears the next time the scheduled program starts recording.
- G The disc was full so the program failed to record.
- The material was copy-protected so it was not recorded.
- The program did not complete recording because the disc is dirty or for some other reason.



Message displayed in the Check line

- **OK:** Displayed if the recording can fit in the remaining space.
- → (Date): For recordings made daily or weekly, the display will show until when recordings can be made (up to a maximum of one month from the present time) based on the time remaining on the disc.
 - It may not be possible to record because:
 - no disc is inserted
 - the disc is write-protected
 - there is no more space left
 - the number of possible titles has reached its maximum
 - scheduled recording standby is cancelled
- Overlap: The times overlap those in another program. Recording of the program with the later start time starts when the earlier program finishes recording.

■ To change a program

1:

Press $[\blacktriangle, \nabla]$ to select the program and press [ENTER] (\rightarrow page 20, step 3).

• During scheduled recording, you can change the end time as long as the recording mode is not "FR".

■ To delete a program


Press $[\blacktriangle, \nabla]$ to select the program and press [CANCEL *] or [ADD/DLT].

To cancel recording that has already begun Press $[\mathbf{A}, \nabla]$ to select program and press [SUB MENU], then press [ENTER].

To exit the schedule list Press [SCHEDULE].

• Programs that failed to record are displayed gray, and cannot be changed. They are automatically deleted from the schedule list at 4 a.m. two days later.

Playing discs



Preparation

- Turn on the television and select the appropriate video input to suit the connections to this unit.
- Turn on this unit.

1 Insert a disc (\rightarrow page 18).

2 Press [▶] (PLAY).

RAM -R -R DL -RW(V) +R +R DL +RW -RW(VR) Play starts from the most recently recorded title.

DVD-V DVD-A CD VCD

Play starts from the beginning of the disc.



When a menu screen appears on the television DVD-V DVD-A

Press $[\blacktriangle, \nabla, \triangleleft, \blacktriangleright]$ to select the item and press [ENTER].

Some items can also be selected using the numbered buttons.

Press the numbered buttons to select the item.

e.g., 5: $[0] \rightarrow [5]$ 15: $[1] \rightarrow [5]$

• To return to the menu screen

- DVD-V Press [DIRECT NAVIGATOR] or [SUB MENU].
- DVD-A Press [DIRECT NAVIGATOR].
- VCD Press [RETURN].
- The playing method may differ from the one described above depending on disc types. Read the disc's instructions carefully.

Selecting recorded titles to play –Direct Navigator

RAM -R -R DL -RW(V) +R +R DL +RW -RW(VR)

Simply select the recorded titles you want to play from the menu.

1 Press [DIRECT NAVIGATOR].



- 2 Press [▲,▼,◀,►] to select the title and press [ENTER]. You can also select titles with the numbered buttons.
 - e.g., 5: $[0] \rightarrow [5]$ 15: $[1] \rightarrow [5]$ To show other pages

Press [I◀◀] (Previous) or [►►I] (Next).

To exit the screen

Press [DIRECT NAVIGATOR].

Direct Navigator screen icons

- Title protected.
- Title that was not recorded due to recording protection (Digital broadcasts, etc.)
- \times Title cannot be played because data is damaged.
- Currently recording.
- Title with "One time only recording" restriction


Note

- RAM -R -R DL -RW(V) +R +R DL +RW The unit stops playing a disc when scheduled recording starts.
- RAM Press [▶] (PLAY) when you wish to start playing the disc while recording (→ page 19, "Chasing playback").

Operations during play	/
Stop	Press [□]. The stopped position is memorized. Resume play function Press [▶] (PLAY) to restart from this position. • VCD Depending on the disc, resume play function may not be effective. • The stopped position is cleared when: - You press [□] several times. - You open the tray. - DVDFA CD VCD You turn the unit off.
Pause	Press [II]. Press again or press [▶] (PLAY) to restart play.
Search	 Press [◄] or [▶▶]. The speed increases up to 5 steps (+R +R DL +RW up to 3 steps). Press [▶] (PLAY) to restart play. Audio is heard during first level search forward. DVD-A (excluding motion picture parts) CD Audio is heard during all levels of search. Depending on the disc, searching may not be possible.
Skip	During play or while paused, press [I] or [I]. The unit will skip titles, chapters, or tracks according to the number of times the button is pressed and play will begin.
Starting from a selected item	Press the numbered buttons. Play starts from the selected title, chapter or track. e.g., 5: [0] → [5] [D] (MP3, JPEG/TIFF) 5: [0] → [0] → [5] 15: [1] → [5] 15: [0] → [1] → [5] DVD-A Selecting groups [0] → [1] → [5] Vhile stopped (screen saver is displayed on the television → right) [5] • This works only when stopped (screen saver is displayed on the television → above) with some discs. • VCD (with playback control) If you press the numbered buttons while stopped (the above screen saver is displayed on the television) you can cancel PBC. (Elapsed play time appears on the unit's display.)
Quick View RAM	Press and hold [▶] (PLAY/x1.3). Play speed is quicker than normal. • Press again to return to normal speed.
Slow-motion RAM -R -R DL -RW(V) +R +R DL +RW DVD-V DVD-A (Motion picture parts only) -RW(VR) VCD	 While paused, press [◄◄] or [▶▶]. The speed increases up to 5 steps. Press [▶] (PLAY) to restart play. VCD Forward direction [▶▶] only. The unit will pause if slow-motion play is continued for approximately 5 minutes (excluding DVD-V DVD-A VCD).
Frame-by-frame RAM -R -R DL -RW(V) +R +R DL +RW DVD-V DVD-A (Motion picture parts only) -RW(VR) VCD	 While paused, press [◀II] or [II►]. Each press shows the next frame. Press and hold to change forward or backward in succession. Press [►] (PLAY) to restart play. VCD Forward direction [II►] only.
Skipping the specified time (Time Slip) RAM -R -R DL -RW(V) +R +R DL +RW -RW(VR)	 Press [TIME SLIP]. Press [▲,▼] to select the time and press [ENTER]. Play skips to the specified time. Each time you press [▲,▼], the time increases [▲] or decreases [▼] by 1 minute intervals. (Press and hold for 10-minute intervals.)
CM Skip RAM -R -R DL -RW(V) +R +R DL +RW -RW(VR)	Press [CM SKIP]. Play restarts from approximately a minute later.
Changing audio	Press [AUDIO]. RAM RW(VF) VCD Stereo → Mono L → Mono R e.g., "Stereo" is selected • RAM RW(VF) When playing an SAP broadcast: Main Audio↔SAP Audio DVD-V DVD-A You can change the audio channel number each time you press the button. This allows you to change things like the soundtrack language. Soundtrack 1 ENG DC Digital 3/2.1ch e.g., DVD-V English is the selected language (→ page 26, Soundtrack).

	e.g., DVD-V English is the selected language (\rightarrow page 26, Soundtrack).
Create Chapter RAM (→ page 28, Title/Chapter)	 Press [CREATE CHAPTER]. Chapters are divided at the point pressed. Press [i◄◀,▶▶i] to skip to the start of a chapter.

Using menus to play MP3 and still pictures (JPEG/TIFF)



Regarding MP3 and still pictures (JPEG/TIFF)

- Compatible formats: ISO9660 level 1 or 2 (except for extended formats) and Joliet
- Maximum number of files (tracks) and folders (groups) recognizable: 999 files* (tracks) and 99 (including the root folder) folders (groups)
- Total number for all the MP3, JPEG and other type of files • This unit is compatible with multi-session but reading or play of
- the disc may take time if there are a lot of sessions. Operation may take time to complete when there are many files (tracks) and/or folders (groups) and some may not display or be plavable.
- The display order on this unit may differ from how the order is displayed on a computer.
- · Depending on how you create the disc (writing software), files (tracks) and folders (groups) may not play in the order you numbered them.
- This unit is not compatible with packet-writing format.
- Depending on the recording, some items may not be playable.

Regarding MP3

- File format: MP3
- Files must have the extension ".mp3" or ".MP3".
- Bit rates: 32 kbps to 320 kbps
- Sampling frequency: 16 kHz/22.05 kHz/24 kHz/32 kHz/44.1 kHz/ 48 kHz
- This unit is not compatible with ID3 tags.
- If there is a large amount of still picture data etc. within an MP3 file, play may not be possible.

Regarding still pictures (JPEG/TIFF)

- File format: JPEG, TIFF (non-compressed RGB chunky format) Files must have the extension ".jpg", ".JPG", ".tif" and ".TIF".
- Number of pixels: between 34 x 34 and 6144 x 4096
- (Sub sampling is 4:2:2 or 4:2:0)
- This unit cannot play images that have resolutions beyond the range shown.
- · Operation may take time to complete when playing TIFF format still pictures.
- The unit is not compatible with MOTION JPEG.
- You can play MP3 and still pictures (JPEG/TIFF) on this unit by making folders as shown below. However, depending on how you create the disc (writing software), play may not be in the order you numbered the folders.

Order of

play

• When the highest level folders are "DCIM" folders, they are displayed first on the tree.

Structure of MP3 folders Prefix with 3-digit numbers in the order you want to play them.


(JPEG/TIFF) Files inside a folder are displayed in the order they were updated or taken.

Structure of still pictures

Playing MP3

CD

You can play CD-R, CD-RW discs which contain MP3 files that have been recorded on a computer.



Selected group

Press [DIRECT NAVIGATOR].

 Group no. T: Track no. in the group — Total: Track no./Total track no. in all groups 	G 1 T 1 Total 1/111 No. © - • @ - • ● # Prev. ▶► Next	No. 1 : Total 1 2 3 4 5 6 7 8	Group 101 Track 001-Baby 002-Simple 003-Aganju 004-Around 005-River 006-Every 007-Cada 008-0	Tree
		7 8 9	007-Cada 008-O 009-Winter	
	ENTER 😨	10	010-Distante Page 001/002	□ ►
 Files are treated as treat 		ا ما م برم		

· Files are treated as tracks and folders are treated as groups.

Press $[\blacktriangle, \nabla]$ to select the track and press [ENTER].

Play starts on the selected track.

- "" indicates the track currently playing.
- · You can also select the track with the numbered buttons.

e.g., 5:
$$[0] \rightarrow [0] \rightarrow [5]$$

15:
$$[0] \rightarrow [1] \rightarrow [5]$$


To show other pages

Press [I | (Previous) or [►►] (Next).

■ To select other group

1 Press [▶].

G: Selected group no. /Total group no. If the group has no track, "--" is displayed as group number.



2 Press $[\blacktriangle, \nabla]$ to select a group and press [ENTER].

The file list for the group appears.

To stop playing

Press [

To return to the previous screen Press [RETURN].

To switch to Pictures menu

(→ page 25, "To select Pictures Menu")

To exit the screen Press [DIRECT NAVIGATOR].

Order of


play

anuals.com. All Manuals Search And Download.

Playing still pictures (JPEG/TIFF)

CD

You can play CD-R, CD-RW discs which contain still pictures (JPEG/ TIFF) that have been recorded on a computer.



To stop playing

Press [

• The unit remembers the still picture where you stopped play. This is cleared when you turn the unit off or remove the disc.

To return to the previous screen


Press [RETURN].

To switch to MP3 menu


Select "MP3 Music" in step 4 of "To select Pictures Menu" (\rightarrow above).

To exit the menu screen Press [DIRECT NAVIGATOR].

Useful functions during still picture play



Using on-screen menus/FUNCTIONS window and Status messages



Using on-screen menus

Common procedures

Press [DISPLAY].

Disc	Soundtrack	DO Digital	2/0 ch
Play	Subtitle		Off
Video Audio	Audio channel		LR
Other			
Menu	Item	Setting	

• Depending on the condition of the unit (playing, stopped, etc.) and disc contents, there are some items that you cannot select or change.

- 2 Press [▲,▼] to select the menu and press [▶].
- 3 Press [▲,▼] to select the item and press [▶].
 - Some items can be changed by pressing [ENTER].

To clear the on-screen menus Press [DISPLAY].

Disc menu-Setting disc content

Soundtrack* DVD-V DVD-A

Select the audio and language (→ below, Audio attribute, Language).

RAM -R -R DL -RW(V) +R +R DL +RW -RW(VR)

The disc's audio attributes appear.

Subtitle* DVD-V DVD-A

Turn the subtitle on/off and select the language

(→ below, Language).

RAM -R -R DL -RW(V) +R +R DL +RW -RW(VR)

(Only discs that contain subtitle on/off information)

Subtitle on/off information cannot be recorded using this unit.
If the subtitles overlap closed captions recorded on discs, turn the subtitles off.

Audio channel RAM -RW(VR) VCD

→ page 23, Changing audio

Angle* DVD-V DVD-A

Change the number to select an angle.

Still-P (Still picture) DVD-A

Selects the play method for still pictures.

Slide Show: Plays according to the default order on the disc.

- Page: Select the still picture number and play.
- RANDOM: Plays in random order.
- Return: Returns to the default still picture on the disc.

PBC (Playback control → page 44) VCD

Indicates whether menu play (playback control) is on or off (unchangeable).

- * With some discs, you may only be able to make changes using the menus (→ page 22) on the disc.
- The display changes according to the disc content. You cannot change anything when there is no recording.

Audio attribute

LPCM/PPCM/DDigital/DTS/MPEG:	Signal type
k (kHz):	Sampling frequency
b (bit):	Number of bits
ch (channel):	Number of channels

Language

ENG:	English	DAN:	Danish	THA:	Thai
FRA:	French	POR:	Portuguese	POL:	Polish
DEU:	German	RUS:	Russian	CES:	Czech
ITA:	Italian	JPN:	Japanese	SLK:	Slovak
ESP:	Spanish	CHI:	Chinese	HUN:	Hungarian
NLD:	Dutch	KOR:	Korean	FIN:	Finnish
SVE:	Swedish	MAL:	Malay	*:	Others
NOR:	Norwegian	VIE:	Vietnamese		

Play menu–Change play sequence

This function works only when the elapsed play time is displayed. Select the item for repeat play. Depending on the disc, the items that can be selected will differ.

Repeat play

- All CD (excluding MP3 discs) VCD
- Chapter RAM -R -R DL -RW(V) +R +R DL +RW
 DVD-V -RW(VR)
- Group DVD-A CD (MP3 discs only)
- Playlists RAM -RW(VR)
- Title RAM -R -R DL -RW(V) +R +R DL +RW DVD-V -RW(VR)
- Track DVD-A CD VCD
- Select "Off" to cancel.

4

Video menu-Change picture quality

Picture

RAM -R -R DL -RW(V) +R +R DL +RW DVD-V DVD-A -RW(VR) VCD

Select the picture mode

- Normal: Default setting
- Soft. Soft picture with fewer video artifacts
- Details are sharper Fine:
- · Cinema:
- Mellows movies, enhances detail in dark scenes.

DNR

RAM -R -R DL -RW(V) +R +R DL +RW DVD-V DVD-A -RW(VR) VCD

Reduces noise and picture degradation. On↔Off

Progressive

[Only when you have selected "480p" in "TV Type" (\rightarrow page 14).]

- Select "On" to enable progressive output.
- · Select "Off" if the picture is stretched horizontally.
- · When progressive output is on, closed captions cannot be displayed.

Transfer [Only when "Progressive" (→ above) is set to "On".]

Select the method of conversion for progressive output to suit the type of material being played (\rightarrow page 44, Film and video).

• Auto1 (normal):

- Automatically detects the film and video content, and appropriately converts it. Auto2: In addition to "Auto1", automatically detects film
- contents with different frame rates and appropriately converts it.
- Video: Select when using "Auto1" and "Auto2", and the video content is distorted.

Line-in NR (Only when IN1, IN2 or DV is selected.)

Reduces video tape noise while copying

- Depending on the video signal, jittering may occur.
- Automatic:
 - Noise reduction only works on picture input from a video tape.
- On: Noise reduction works for any video input.
- Off: Noise reduction is off. Select when you want to record input as it is.

Audio menu-Change sound effect

V. Surround Sound

RAM -R -R DL -RW(V) +R +R DL +RW DVD-V DVD-A

-RW(VR)

(Dolby Digital, 2-channel or over only)

Enjoy a surround-like effect if you are using two front speakers only.

- Turn V. Surround Sound off if it causes distortion.
- Turn off the surround function on the connected equipment.
- V. Surround Sound does not work for SAP recordings.

Dialog Enhancer

RAM -R -R DL -RW(V) +R +R DL +RW DVD-V DVD-A -RW(VR)

(Dolby Digital, 3-channel or over only, including a center channel)

The volume of the center channel is raised to make dialog easier to hear.

Other menu-Change the display position

Position

1 (Standard) - 5: The higher the setting the lower the screen moves

FUNCTIONS window

By using the FUNCTIONS window you may access the main functions quickly and easily.

1 While stopped



DIGA FUNCTIONS	Cartridge Protection	Off
Ø DVD-RAM	Disc Protection Off	
Playback		
Program		
E Delete		
Other Functions		
ENTER • RETURN		

Functions displayed depend on the type of disc.

2 Press $[\blacktriangle, \nabla]$ to select an item and press [ENTER].

 If you select "Other Functions", press [▲,▼] to select an item and press [ENTER].

To exit the FUNCTIONS window


Press [FUNCTIONS]

Status messages


Status messages appear on the television during operation to show the condition of the unit.

Press [STATUS].

The display changes each time you press the button.




Editing titles/chapters



RAM -R -R DL -RW(V) +R +R DL +RW -RW(VR)

Title/Chapter



- original state. Make certain before proceeding.
- You cannot edit during recording.
- ■RW You can create a Top Menu using "Create DVD Top Menu" (→ page 35). Recording or editing on the disc may delete the menu. In that case, create the menu again.
- **FRDL** Management information is recorded in unused sections when you edit discs. The available space on these discs decreases each time you edit their contents.

Preparation


28

- Turn on the television and select the appropriate video input to suit the connections to this unit.
- RQT8314 Turn the unit on.
 - Insert a disc (→ page 18).
 - RAM Release protection (→ page 34).

Download from Www.Somanuals.com. All Manuals Search And Download.

Editing titles/chapters and playing chapters


- 1 During play or while stopped Press [DIRECT NAVIGATOR].
- **2** Press $[\blacktriangle, \nabla, \triangleleft, \blacktriangleright]$ to select the title.



To show other pages Press [I◄◀] (Previous) or [▶►I] (Next). Multiple editing Select with [▲,♥,◀,►] and press [IJ]. (Repeat.) • A check mark appears. Press [IJ] again to cancel.

3 Press [SUB MENU], then press [▲,▼] to select the operation and press [ENTER].

 If you select "Edit Title", press [▲,▼] to select the operation and press [ENTER] (→ page 29).



If you select "View Chapters" (→ Step 4)


4 Press $[\blacktriangle, \nabla, \triangleleft, \blacktriangleright]$ to select the chapter.

To start play \rightarrow Press [ENTER]. To edit \rightarrow Step 5



• To show other pages/Multiple editing (→ above)

5 Press [SUB MENU], then press [▲,▼] to select the operation and press [ENTER].



• You can go back to the Title View.

To exit the screen

Press [DIRECT NAVIGATOR].

To return to the previous screen Press [RETURN].

Title operations

After performing steps 1–3 (\rightarrow page 28)

After performing steps 1-3 (-	page 20)	
Delete Title*	Press [◀,▶] to select "Delete" and press [ENTER]. • Once deleted, the recorded contents are lost and cannot be restored.	
RAM -R -R DL -RW(V) +R +R DL +RW	 -R -R DL +R +R DL The available recording space does not increase whe -RW(V) +RW Available recording space increases only when the last record increase if other titles are deleted. 	
Properties RAM -R -R DL -RW(V) +R +R DL +RW -RW(VR)	Information (e.g., time and date) is shown. • Press [ENTER] to exit the screen.	
Title Name RAM -R -R DL -RW(V) +R +R DL +RW	You can give names to recorded titles. → page 33, Entering text	
Set Protection* Cancel Protection* RAM +R +R DL +RW	If set, this will protect the title from accidental deletion. Press [◄,►] to select "Yes" and press [ENTER]. The lock symbol appears when the title is protected.	DIRECT NAVIGATOR Title View
Shorten Title <u>FAM</u> (→ below, "For quicker editing")	 You can remove unnecessary parts of the recording such as commercials. ① Press [ENTER] at the start point and end point of the section you want to delete. ② Press [▲,▼] to select "Exit" and press [ENTER]. Select "Next" and press [ENTER] to delete other sections. ③ Press [◀,►] to select "Delete" and press [ENTER]. 	DIGECT NAVIGATION Shorten Tile
Change Thumbnail RAM -R -R DL -RW(V) +R +R DL +RW (→ below, "For quicker editing")	 You can change the image to be shown as a thumbnail picture in the Title View. ① Press [▶] (PLAY) to start play. ② Press [ENTER] when the image you want to use as a thumbnail is shown. To change the thumbnail Restart play and press [▲, ▼] to select "Change", then press [ENTER] at the point you want to use as the thumbnail. ③ Press [▲, ▼] to select "Exit" and press [ENTER]. 	DIRECT NAVIGATOR Change Thumbnall
Divide Title RAM (→ below, "For quicker editing")	You can divide a title into two. ① Press [ENTER] at the point you want to divide the title. ② Press [▲,▼] to select "Exit" and press [ENTER]. ③ Press [◀,▶] to select "Divide" and press [ENTER]. To confirm the division point Press [▲,▼] to select "Preview" and press [ENTER]. (The unit plays 10 seconds before and after the division point.) To change the division point Restart play and press [▲,▼] to select "Divide", then press [ENTER] at the point you want to divide. Note • The divided titles retain the name and CPRM property (→ page 44) of the o • Video and audio just before and after the dividing point may momentarily be "Preview" function (→ above) before proceeding.	
* Multiple editing is possible.		

Multiple editing is possible.


Chapter operations


Delete Chapter*	Press [◀,▶] to select "Delete" and press [ENTER].
Delete Chapter	
RAM	• Once deleted, the recorded contents are lost and cannot be restored. Make certain before proceeding.
Create Chapter RAM (→ below, "For quicker editing")	 Select the point where you want to start a new chapter while viewing the title. ① Press [ENTER] at the point you want to divide. Press [▲,▼] to select "Exit" and press [ENTER].
Combine Chapters	Press [◀,▶] to select "Combine" and press [ENTER].
RAM	The selected chapter and following chapter are combined.
* Multiple editing is possible.	
• Use search. Time Slip or slo	w-motion (\rightarrow page 23) to find the desired point.

Editing titles/chapters

• Use search, time sup of slow-motion (→ page 20) to find the desired point.
 • To skip to the start or end of a title, press [I◄] (start) or [▶] (end).
 Download from Www.Somanuais.com. All Manuais Search And Download.

Creating, editing and playing playlists





· Editing playlists doesn't modify the recorded data. Playlists are not recorded separately so this doesn't use much capacity. · You cannot create or edit a playlist while recording.

RAM

- The maximum number of items on a disc:
- -Plavlists:
- 99 -Chapters in playlists: Approximately 1000
 - Depends on the state of recording.
- If you exceed the maximum numbers of items for a disc, all the items entered will not be recorded.

Preparation

- · Turn on the television and select the appropriate video input to suit the connections to this unit.
- Turn the unit on.
- Insert a disc (→ page 18).
- Release disc or cartridge protection (→ page 34).

Creating playlists

- 1 While stopped Press [FUNCTIONS].
- 2 Press [▲,▼] to select "Other Functions" and press [ENTER].

OVD-RAM	S Cartridge Protection Off Disc Protection Off
Playback Program Program Others Functions Enter Enter Enter	Playlists Flexible Recording DV Camcorder Rec Setup DVD Management

- **3** Press [▲,▼] to select "Playlists" and press [ENTER].
- 4 Press $[\blacktriangle, \nabla, \triangleleft, \triangleright]$ to select "Create" and press [ENTER].

	PLAYLISTS Ø DVD-RAM	Playlist View			
/				••	
	Create				
	Previous	Page	01/01	Next	
(ENTER				

5 Press [◀,▶] to select the source title and press $[\mathbf{V}]$.

Press [ENTER] to select all the chapters in the title, then skip to step 7.



6 Press $[\blacktriangleleft, \triangleright]$ to select the chapter you want to add to a playlist and press [ENTER].

Press [A] to cancel.



 You can also create a new chapter from the source title. Press [SUB MENU] to select "Create Chapter" and press [ENTER] (→ page 29, "Create Chapter").

Press $[\blacktriangleleft, \triangleright]$ to select the position to

- insert the chapter and press [ENTER]. 2 20 1 002 2 003 July 1
- Press [▲] to select other source titles. Repeat steps 5–7 to add other chapters.

8 Press [RETURN].


To exit the screen Press [RETURN] several times. To return to the previous screen Press [RETURN].

7

Editing and playing playlists/chapters

RAM -RW(VR) (play only)


- 1 While stopped Press [FUNCTIONS].
- 2 Press [▲,▼] to select "Other Functions" and press [ENTER].
- **3** Press [▲,▼] to select "Playlists" and press [ENTER].
- 4 Press [▲, ♥, ◄, ▶] to select the playlist. To start play → Press [ENTER]. To edit → Step 5



• To show other pages/Multiple editing (→ page 28)

5 Press [SUB MENU], then press [▲,▼] to select the operation and press [ENTER].

 If you select "Edit", press [▲,▼] to select the operation and press [ENTER].



If you select "View Chapters" (→ Step 6)


6 Press $[\blacktriangle, \bigtriangledown, \triangleleft, \blacktriangleright]$ to select the chapter. To start play \rightarrow Press [ENTER].

To edit → Step 7



• To show other pages/Multiple editing (\rightarrow page 28)

7 Press [SUB MENU], then press [▲,▼] to select the operation and press [ENTER].



To exit the screen Press [RETURN] several times.

To return to the previous screen Press [RETURN].

Playlist operations

After performing steps 1–5 (\rightarrow left)

Alter performing s			
Delete Playlist* RAM	Press [◀,▶] to select "Delete" and press [ENTER]. Once deleted, the playlists are lost and cannot be restored. Make certain before proceeding.		
Properties RAM -RW(VR)	Playlist information (e.g., length and date) is shown. • Press [ENTER] to exit the screen. Properties Dinosaur Number: 01 Chapters: 012 Length: 0.3005 BURG		
Create RAM	→ page 30, Creating playlists, steps 5–8		
Сору* пам	 Press [◀,▶] to select "Copy" and press [ENTER]. The copied playlist becomes the newest one in the playlist view screen. 		
Playlist Name	→ page 33, Entering text		

RAM	
Change	\rightarrow page 29, Change Thumbnail
Thumbnail	
RAM	

* Multiple editing is possible.

Chapter operations

RAM


After performing steps 1–7 (\rightarrow left)

 Editing chapters in a playlist does not modify the source titles and source chapters.

Add	→ page 30, Creating playlists, steps 5–8	
Chapter		
	Press $[\blacktriangle, \nabla, \triangleleft, \blacktriangleright]$ to select the position to insert the chapter and press [ENTER].	
Move Chapter	PLAYLISTS More Chapter	
Create	→ page 29, Create Chapter	
Chapter		
Combine	→ page 29, Combine Chapters	
Chapters		
Delete Chapter*	→ page 29, Delete Chapter The playlist itself is deleted if you delete all the chapters in it.	


* Multiple editing is possible.

Copying from a video cassette recorder



e.g.: Connecting other video equipment to the IN2 or DV IN terminals

You can also connect to the IN1 input terminal on the rear. • Turn off the unit and other video equipment before connecting.



If the audio output of the other equipment is monaural Connect to L/MONO.

 The S VIDEO terminal achieves a more vivid picture than the VIDEO terminal.

See also the notes "Important notes for recording" (\rightarrow page 16).

Preparation

- Turn on the unit and connected equipment.
- Insert a disc (→ page 18).
- Press [REC MODE] to select the recording mode.
- To reduce noise in input from external equipment, set "Line-in NR" to "On" (→ page 27).
- When recording from the unit's DV IN terminal Select the type of audio recording from "Select Audio Ch


Select the type of audio recording from "Select Audio Channel for DV Input" in the Setup menu (\rightarrow page 38).

When recording from DV equipment (e.g., digital video camcorder), you can record audio/video recordings from DV tape only.

DV camcorder recording

RAM -R -RW(V) +R +RW

RAM Programs are recorded as a title while at the same time chapters are created at each break in the images and the playlist is created automatically.



- 1 While stopped Press [FUNCTIONS].
- 2 Press [▲,▼] to select "Other Functions" and press [ENTER].
- **3** Press [▲,▼] to select "DV Camcorder Rec." and press [ENTER].
- 4 Press [◄,►] to select "Record" and press [ENTER]. Recording starts.

When recording finishes

The confirmation screen appears. Press [ENTER] to finish DV Auto Record.

To stop recording

Press [I]. The confirmation screen appears. Press [ENTER].

- Only one piece of DV equipment (e.g., digital video camcorder) can be connected to the unit via the DV IN terminal.
- If you use video camcorders from other manufacturers these are not guaranteed to work.
- It is not possible to operate the unit from the connected DV equipment.
- The DV IN terminal on this unit is for use with DV equipment only. (It cannot be connected to a computer, etc.)
- The DV equipment name may not be shown correctly.
- Depending on the DV equipment, the images or audio may not be
- input properly.The date and time information on the tape of the DV equipment will not be recorded.
- · You cannot record and play simultaneously.

If the DV automatic recording function does not work properly, check the connections and DV equipment settings, and turn the unit off and back on.

If that does not work, follow the instructions for manual recording (\rightarrow below).

Manual recording

RAM -R -R DL -RW(V) +R +R DL +RW

Note

When recording using this unit's input terminals, only the sound received at the time of recording will be recorded. As long as secondary audio that is recorded on the video cassette is not output on the unit in play, it is not recorded.

1 While stopped

Press [INPUT SELECT] to select the input channel for the equipment you have connected.

e.g., If you have connected to IN2 input terminals, select "IN2".

2 Start play on the other equipment.

3 When you want to start recording

Press [● REC].

Recording starts.

 Using Flexible Recording (→ page 19), you can record the content of a video cassette (approx. 1–8 hours) to a 4.7 GB disc with the best possible quality of recording without wasting disc space.
 To skip unwanted parts

Press [II] to pause recording. (Press again to restart recording.)

To stop recording

Press [**II**].

Almost all videos and DVD software on sale have been treated to prevent illegal copying. Any software that has been so treated cannot be recorded using this unit.

Entering text

Refer to the control reference on page 32.

RAM -R -R DL -RW(V) +R +R DL +RW You can give names to recorded titles, etc.

The maximum number of characters:

RAM	Characters	-R -R DL -RW(V) +R +R DL +RW	Characters
Title	64 (44*)	Title	44
Playlist	64	Disc	40
Disc	64		

* Scheduled recording


If a name is long, parts of it may not be shown in some screens.

1 Show Enter Name screen.

Title (scheduled recording)		(→ page 20, Step 3)
Title		(→ page 28, Step 3)
Playlist		(→ page 31, Step 5)
Disc	$(\rightarrow$ page 34, "Providing a dise	c with a name –Disc Name")

-R -R DL -RW(V) +R +R DL

If you enter a long name, only part of it is shown in the Top Menu after finalization (\rightarrow page 35). When entering a title name, the name that will appear in the Top Menu can be previewed in "Top Menu Preview (Finalized Disc)" window.



Name field: shows the text you have entered

Κ

2 Press $[\blacktriangle, \nabla, \triangleleft, \blacktriangleright]$ to select a character and press [ENTER].

Repeat this step to enter other characters.

- To erase a character
- Press $[\blacktriangle, \nabla, \triangleleft, \blacktriangleright]$ to select the character in the name field and press [1].
- Using the numbered buttons to enter characters e.g., entering the letter "R
- ① Press [7] to move to the 7th row.
- Press [7] twice to highlight "R".
- ③ Press [ENTER].
- To enter a space Press [CANCEL *] and press [ENTER].

З Press [] (Set).

Returns to the previously displayed screen.

To end partway

Press [RETURN]. Text is not saved.

To save frequently used phrases

You can add frequently used phrases and recall them later. Maximum number of saved phrases: 20 Maximum number of characters per phrase: 20 After entering the phrase (\rightarrow above, steps 1–2)

- Press [>>] while the phrase to be saved is shown in the name field. 1 2
 - Press [◀] to select "Save" and press [ENTER]. To cancel saving phrase
 - Press [RETURN].

To recall a saved phrase

- 1 Press [44].
- 2 Press $[\blacktriangle, \nabla, \triangleleft, \blacktriangleright]$ to select the phrase to be recalled and press [ENTER]

To erase a saved phrase

1 Press [14]

- Press $[\blacktriangle, \nabla, \triangleleft, \blacktriangleright]$ to select the phrase to be erased and press 2 [SUB MENU]
- 3 Press [ENTER]
- Press [◀] to select "Erase" and press [ENTER]. 4
- 5 Press [RETURN].

Deleting titles

Refer to the control reference on page 32.

- RAM -R -R DL -RW(V) +R +R DL +RW
- A title cannot be restored once it is deleted.
- Make certain before proceeding. You cannot delete while recording.

RAM

When a recorded title is deleted the available disc space will increase by the amount deleted.

The available disc space increases if any of these is deleted

of these is deleted.						
			1			
				Ē		

Title1 Title2		The last recorded title	The available space
---------------	--	----------------------------	---------------------

-RW(V) +RW

Disc space increases only when the last recorded title is deleted.

The available space does not increase if these are deleted.		{	When deleted, the available disc space increases.		
Title1	Title2			he last ecorded title	The available space

-R -R DL +R +R DL

Available space does not increase after deletion.

Selecting recorded titles to delete -Delete Navigator

Preparation

- Turn on the television and select the appropriate video input to suit the connections to this unit.
- Turn the unit on.
- Insert a disc (→ page 18).
- While stopped

Press [FUNCTIONS].

2 Press $[\blacktriangle, \nabla]$ to select "Delete" and press [ENTER].



3 Press $[\blacktriangle, \nabla, \triangleleft, \triangleright]$ to select the title and press [ENTER].

To show other pages

Press [I◄◄] (Previous) or [►►I] (Next) **Multiple deleting** Select with $[\blacktriangle, \nabla, \triangleleft, \blacktriangleright]$ and press $[\blacksquare]$. (Repeat.) • A check mark appears. Press [11] again to cancel.

4 Press [◀,▶] to select "Delete" and press [ENTER].

To return to the previous screen Press [RETURN].


To exit the screen Press [RETURN] several times.

Deleting title during play

- 1 While playing
- 2 Press [◀,▶] to select "Delete" and press [ENTER].

8

DVD Management



Preparation

1

RAM Release protection (\rightarrow below).

While stopped Press [FUNCTIONS].

- 2 Press [▲,▼] to select "Other Functions" and press [ENTER].
- 3 Press [▲,▼] to select "DVD Management" and press [ENTER]. Select which step 4 to perform depending on what you want to do next.

To exit the screen

Press [RETURN] several times. To return to the previous screen

Press [RETURN].

Providing a disc with a name –Disc Name

RAM -R -R DL -RW(V) +R +R DL +RW

After performing steps 1–3 (\rightarrow above)

4 Press [▲,▼] to select "Disc Name" and press [ENTER].

- → page 33, Entering text
- The disc name is displayed in the DVD MANAGEMENT window.
- With a finalized disc and +RW the name is displayed in the Top Menu.



Setting the protection –Disc Protection

RAM

After performing steps 1–3 (→ above)

- 4 Press [▲,▼] to select "Disc Protection" and press [ENTER].
- 5 Press [◀,▶] to select "Yes" and press [ENTER].



The lock symbol appears closed when the disc is writeprotected.

Cartridge-protection

RAM (with a cartridge)

With the write-protect tab in the protect position, play automatically starts when inserted in the unit.

Deleting all titles and playlists –Delete All Titles

After performing steps 1–3 (→ left)

- 4 Press [▲,▼] to select "Delete All Titles" and press [ENTER].
- 5 Press [◀,▶] to select "Yes" and press [ENTER].
- 6 Press [◀,▶] to select "Start" and press [ENTER].

A message appears when finished.

7 Press [ENTER].

Note

- Once deleted, the recorded contents are lost and cannot be restored. Make certain before proceeding.
- Deleting all video titles will result in all playlists also being deleted.
- Delete does not work if one or more titles are protected.

Deleting all contents of a disc –Format Disc (DVD)

RAM -RW(V) +RW -RW(VR)

+R +R DL (New disc only)

Note

Formatting delete all contents (including computer data), and they cannot be restored. Check carefully before proceeding. The contents are deleted when you format the disc even if you have set protection.

After performing steps 1–3 (→ left)

- 4 Press [▲,▼] to select "Format Disc (DVD)" and press [ENTER].
- 5 Press [◀,▶] to select "Yes" and press [ENTER].
- 6 Press [◀,▶] to select "Start" and press [ENTER].

A message appears when formatting is finished.

- Do not disconnect the AC power supply cord while formatting. This can render the disc unusable.
- Formatting normally takes a few minutes. However, it may take up to a maximum of 70 minutes (RAM).

7 Press [ENTER].

Note

- -R -R DL CD Formatting cannot be performed.
- RW(V) RW(VR) You can format only as DVD-Video format on this unit.
- When a disc has been formatted using this unit, it may not be possible to use it on any other equipment.

RAM To stop formatting

Press [RETURN].

• You can cancel formatting if it takes more than 2 minutes. The disc must be reformatted if you do this.



Selecting whether to show the Top Menu first

-Playback will start with:

-R -R DL -RW(V) +R +R DL +RW

You can select whether to show the top menu after finalizing. Make selections before finalizing the disc.

After performing steps 1-3 (\rightarrow page 34)

4 Press $[\blacktriangle, \nabla]$ to select "Playback will start with:" and press [ENTER].

5 Press $[\blacktriangle, \nabla]$ to select items and press [ENTER].

DVD's Top Menu:

The top menu appears first. First Title on DVD: The disc content is played without displaying the top menu.

Enabling discs to be played on other equipment -Finalize

-R -R DL -RW(V) +R +R DL

Finalize the disc so you can play it on other DVD equipment. The equipment must be able to play finalized discs. To check compatibility with other equipment, refer to page 4.

After performing steps 1–3 (→ page 34)

- 4 Press [▲,▼] to select "Finalize" and press [ENTER].
- 5 Press [◀,▶] to select "Yes" and press [ENTER].

6 Press [◀,▶] to select "Start" and press [ENTER].

• Finalizing starts. You cannot cancel finalizing.

• Finalizing can take a few minutes, up to a maximum of 15 minutes, depending on the remaining space on the disc. (-R DL +R DL up to 60 minutes.)

Note

Do not disconnect the AC power supply cord while finalizing. This will render the disc unusable.

Press [ENTER].

After finalizing

- -R -R DL +R +R DL The disc becomes play-only and you can no longer record or edit.
- -RW(V) You can record and edit the disc after formatting $(\rightarrow$ page 34) although it becomes play-only after finalizing.
- Titles are divided into about 5-minute (+R +R DL 8-minute) chapters. This time varies greatly depending on the condition and mode of recording
- There is a pause of several seconds between titles and chapters during play.
- · You cannot finalize discs recorded on other manufacturers' equipment.
- Discs finalized on this unit may not be playable on other players due to the condition of the recording.
- When finalizing a high-speed recording compatible disc, it may take longer than displayed on the confirmation screen (approximately four times).

Creating Top Menu -Create DVD Top Menu

+RW

+RW discs contain no Top Menu data. Top Menu is a convenient function. We recommend you to create the menu before playing a +RW disc on other equipment.

After performing steps 1–3 (→ page 34)

- 4 Press [▲,▼] to select "Create DVD Top Menu" and press [ENTER].
- **5** Press **[⊲**,**▶**] to select "Yes" and press [ENTER].

6 Press [◀,▶] to select "Start" and press [ENTER].

Creating Top Menu starts. You cannot cancel creating. Creating Top Menu can take a few minutes.

7 Press [ENTER].

· Recording or editing on the disc may delete the menu. In that case, create the menu again.

· You cannot use the title menu for playing on this unit.

Enabling the second layer on DL (dual- or double- layer on single side) discs to be recordable -Close First Layer

-R DL +R DL

DVD-R DL and +R DL discs have two layers of recording surface on one side. This unit does not offer seamless recording on two layers. Recording stops when space on the first layer becomes full. You must close the first layer to start recording on the second layer. Closing makes the first layer unavailable for recording (editing is still available). You cannot cancel closing. Make certain before proceeding.

After performing steps 1-3 (\rightarrow page 34)

- 4 Press [▲,▼] to select "Close First Layer" and press [ENTER].
- **5** Press **[◄**,**▶**] to select "Yes" and press [ENTER].
- 6 Press [◀,▶] to select "Start" and press [ENTER].

Closing the layer starts. You cannot cancel closing. Closing the layer can take several minutes, up to a maximum of 30 minutes, depending on the remaining space on the first laver.

Note

Do not disconnect the AC power supply cord while closing the layer. This will render the disc unusable.

Press [ENTER].


- You cannot close the first layer when it has no recording.
- By closing the layer, you can record or edit discs that have been recorded on the second layer by other equipment.

To confirm the layer you can record

You can confirm the remaining recording time on the layer you can record.



Changing the unit's settings



Common procedures

While stopped Press [SETUP]

000	Ľ		1.	
Tab	s	Menus	s Opti	ons
Setup		Signal Source (RF IN	I) Cable TV	
	Set	t Channels Automatic	ally	
Channel	Cha	nnel Captions		
Setup	Pr	eset Channel Captio	ons	
Disc	Ma	nual Channel Capti	ons	

- 2 Press [▲,▼] to select the tab and press [▶].
- 3 Press [▲,▼] to select the menu and press [ENTER].
- 4 Press [▲,▼] to select the option and press [ENTER].

To return to the previous screen Press [RETURN].

To exit the screen

Press [SETUP].

Note

There may be differences in operation methods. If this happens, follow the on-screen instructions for the operation.

Summary of settings

The settings remain intact even if you switch the unit to standby. Tabs Options (Underlined items are the factory presets.) Menus Channel Signal Source (RF IN) (→ page 13) Antenna Cable TV Set Channels Automatically Preset Channel Captions*1 (→ page 14) _ Manual Channel Captions*1 (→ page 14) Off Timer Setup 2 Hours <u>6 Hours</u> Off Select how long the unit remains on when it is not being used. Remote Control Code (→ page 15) Set Code 1 Set Code 2 Set Code 3 **Clock Settings** Press [ENTER] to show the following settings. Set Clock Automatically _ Set Clock Manually (→ page 15) _ Adjust Time Zone*² (→ page 15) • -1 • 0 • +1 **Quick Start** • On • Off If you set Quick Start to on, you can start recording to The following happens when you have selected "On". DVD-RAM about 1 second after you press [O DVD POWER] to · Power consumption in standby mode increases because power turn the unit on and then sequentially press [
 REC]. is supplied to the unit. **Restore Default Settings** Yes • <u>No</u> This returns all values in the Setup menus, except for the clock, channel settings, ratings level, and on-screen language, to the default settings.

*1 You can set these menus only after "Set Channels Automatically" is completed.

*2 You can set this menu only after "Set Clock Automatically" is completed.

Tabs	Menus	Options (Underlined items are the factory presets.)
Disc	Settings for Playback Press [ENTER] to show the following settings.	
	Ratings Set a ratings level to limit DVD-Video play.	 <u>8 No Limit</u>: All DVD-Video can be played. 1 to 7: Prohibits play of DVD-Video with corresponding ratings recorded on them.
	Follow the on-screen instructions. Enter a 4-digit password with the numbered buttons when the password screen is shown.Do not forget your password.	O Lock All: Prohibits play of all DVD-Video. Unlock Recorder Change Level Temporary Unlock
	Play DVD-Audio in Video Mode Select "Video Mode (Video On)" to play DVD-Video content on some DVD-Audio.	 Video Mode (Video On): The setting returns to "Audio Mode (Video Off)" when you change the disc or turn the unit off. <u>Audio Mode (Video Off)</u>
	Audio Language • Some discs start in a certain language despite any changes you make here. • Enter a code (-) page 14) with the	 <u>English</u> French Spanish Original: The original language of each disc will be selected. Other * * * *
	 Subtitle Language DVD-V Enter a code (→ page 44) with the numbered buttons when you select "Other * * * *". When the selected language is not available on the disc, the default 	• <u>Automatic</u> : If the language selected for "Audio Language" is not available, subtitles of that language will automatically appear if available on that disc.
	Menu Languagelanguage is played. There are discsMenu Languagewhere you can only switch the language from the menu screen (→ page 22).	• English • French • Spanish • Other * * * * • English • French • Spanish • Other * * * *
	Settings for Recording Press [ENTER] to show the following setting.	
	Recording Time in EP Mode Select the maximum number of hours for recording in EP mode (→ page 17, Recording modes and approximate recording times).	 EP – Extended Play (6H): You can record for 6 hours on an unused 4.7 GB disc. <u>EP – Extended Play (8H)</u>: You can record for 8 hours on an unused 4.7 GB disc. The sound quality is better when using "EP – Extended Play (6H)" than when using "EP – Extended Play (8H)".
Video	Still Mode (paused video) Select the type of picture shown when you pause play (→ page 44, Frames and fields).	 <u>Automatic</u> Field: Select if jittering occurs when "Automatic" is selected. (The picture is coarser.) Frame: Select if small text or fine patterns cannot be seen clearly when "Automatic" is selected. (The picture is clearer and finer.)
	Black Level Control Select for adjusting the black level control to the desired setting	I for picture enhancement.
	Input Level Adjusts the black level of the input signal.	• Lighter • <u>Darker</u>
	Output Level (Composite/SVideo) Adjusts the black level of the output signal from the VIDEO OUT and S VIDEO OUT terminal.	• <u>Lighter</u> • Darker
	Output Level (Component) Adjusts the black level of the output signal from the COMPONENT VIDEO OUT (Y/P _B /P _R) terminals.	• Lighter • <u>Normal</u> • Darker

Changing the unit's settings

Tabs	N	lenus	-	•	tems are the factory presets.)
Audio	Dynamic Range Compressi Change the dynamic range for	on DVD-V (Dolby Digital only) or late night viewing.	• On	• <u>Off</u>	
	Multi-channel TV Sound (MTS)			 Secondary 	Audio Program (SAP)
	-R -R DL -RW(V) +R +R DL +RW Select whether to record the main or secondary audio program (SAP) when recording to a disc.		You cannot select the audio on this unit when recording from an external source, such as when transferring (copying) from a vide cassette recorder. Select on the other equipment. When recording from the unit's DV IN terminal, select the type of audio recording from "Select Audio Channel for DV Input" (→ below).		
	Digital Audio Output Change the settings when yo • Press [ENTER] to display th	u have connected equipment throu le menu.	gh this unit's	DIGITAL AUDIO	OUT terminal (→ page 11).
	PCM Down Conversion Select how to output audi kHz or 88.2 kHz. • Signals are converted to	• On:	(Choose when	verted to 48 kHz or 44.1 kHz. the connected equipment cannot s with a sampling frequency of 96 z.)	
	above settings if the sign	hals have a sampling frequency of z, or the disc has copy protection.	• <u>Off</u> :	when the conne	put as 96 kHz or 88.2 kHz. (Choose ected equipment can process signal g frequency of 96 kHz or 88.2 kHz.)
	Dolby Digital	Select how to output the signal. If "Bitstream" is selected, the	<u>Bitstream</u> : PCM [.]	Digital logo.	ng to equipment displaying the Dolb
	DIGITAL	connected equipment decodes the signal. If "PCM" is selected, this unit		Dolby Digital lo	
	DIGITAL	decodes the signal and outputs it as 2 channel.	Bitstream:	logo.	ng to equipment displaying the DTS
	SURROUND	Note Not making the proper settings may result in noise or some trouble for digital recording.	• PCM:	DTS logo.	ng to equipment not displaying the
	Select Audio Channel for DV Input You can select the kind of audio when recording from the unit's DV IN terminal (→ page 32).		• <u>Stereo 1</u> : • Stereo 2: • Mix:	subsequent to Records both S	l audio such as narration (L2, R2) original recording. Stereo 1 and Stereo 2.
			-R -R DL -RW(V) +R +R DL +RW When recording MTS broadcast, select the type of audio in advance from "Multi-channel TV Sound (MTS)" (→ above).		
Display	Status Messages Choose whether to show stat	<u>Automatic</u>	• Off		
	On-screen Language Choose the language for these menus and on-screen messages.		• <u>English</u>	 Español 	• Français
	Blue Background Select "Off" if you do not want to have the unit show the blue background when reception is weak.		• <u>On</u>	• Off	
	FL Display Changes the brightness of the unit's display.		when you disappear	y turns dark durii press a button. W	ng play, and reappears momentarily /hen the unit is turned off all display mode the standby power ed.
TV Screen	TV Type (→ page 14)		 <u>Aspect 4:3</u> Aspect 16: 		Aspect 4:3 & 480pAspect 16:9 & 480p
	4:3 TV Settings for DVD-Video Select how DVD-Video widescreen picture is shown on a 4:3 standard aspect television.		Video reco (unless pro • Letterbox (ohibited by the pr (Shrink to fit):	t <u>)</u> : creen is played as Pan & Scan roducer of the disc). creen is played in the letterbox style
	4:3 TV Settings for DVD-RAM Select how DVD-RAM widescreen picture is shown on a 4:3 standard aspect television.		• Pan and S	t: Titles played as can (Stretch to fi Video recorded Scan. (Shrink to fit):	

On the television		Page
Cannot finish recording completely.	 The program was copy-protected. The disc may be full. The maximum number of times you can record the program is exceeded. 	
Cannot play.	You inserted an incompatible disc (Discs recorded in PAL video, etc.).	-
Cannot record on the disc.	The disc may be dirty or scratched.	6
Unable to format.		
Please check the disc.		
Cannot record. Disc is full.	Create space by deleting any unnecessary titles. RAM -RW(V) +RW	29, 33, 34
Cannot record. Maximum numbers of titles exceeded.	 (Even if you delete recorded content from DVD-R, DVD-R DL, +R or +R DL, there is no increase in disc space.) Use a new disc. 	_
No disc	The disc may be upside down.	
Please change the disc.	 There may be a problem with the disc. Press [OPEN/CLOSE] on the main unit to remove it and check it for scratches or dirt. (The unit turns off automatically after you open the tray.) 	6
This is a non-recordable disc.	• The unit cannot record on the disc you inserted. Insert a DVD-RAM or unfinalized DVD-R,	4
This disc is not formatted properly.	 DVD-R DL, DVD-RW (DVD-Video format), +R, +R DL or +RW. You inserted an unformatted DVD-RAM, DVD-RW, +R, +R DL or +RW. Format the disc with this unit. 	
0	The operation is prohibited by the unit or disc.	

On the unit's display

The following messages or service numbers appear on the unit's display when something unusual is detected during startup and use.

• The remote control and main unit are using different codes. Change the code on the remote control. Press and hold [ENTER] and the indicated number button at the same time for more than 2 seconds.	15
• If there is no change after turning the unit on and off, consult the dealer where the unit was purchased.	_
 The disc is dirty or badly scratched. The unit cannot record, play, or edit. The message may appear when the DVD lens cleaner has finished cleaning. Press [OPEN/CLOSE] on the main unit to eject the disc. 	6
Recording may be unavailable due to a disc problem. Use a new disc.	—
• Deleting an item may be unavailable due to a disc problem. Use a new disc.	_
 Displayed when the unit is started. This is not a malfunction. The unit is carrying out its recovery process. You cannot operate the unit while "PLEASE WAIT" is displayed. 	_
You have inserted a disc the unit cannot play or record on.	4, 5
You have inserted a new DVD-RW/+R/+R DL/+RW or a DVD-RAM/DVD-RW (DVD-Video format) recorded on other equipment.	34
 The unit is hot. The unit switches to standby for safety reasons. Wait about 30 minutes until the message disappears. Select a position with good ventilation when installing the unit. Do not block the vent on the rear of the unit. 	
• There was a power failure or the AC plug was disconnected while the unit was on. The unit is carrying out its recovery process. This process restores the unit to normal operation. The unit is not broken. Wait until the message disappears.	_
• There was something unusual detected with the disc while recording or playing. The unit is carrying out its recovery process. This process restores the unit to normal operation. The unit is not broken. Wait until the message disappears.	41
• The unit fails to operate properly. Press [POWER https://www.ic.unit.com (POWER https://www.ic.unit.com"/>https://www.ic.unit.com (POWER https://wwww.ic.unit.com"/>https://wwww.ic.unit.com (POWER <	_
	 the code on the remote control. Press and hold [ENTER] and the indicated number button at the same time for more than 2 seconds. If there is no change after turning the unit on and off, consult the dealer where the unit was purchased. The disc is dirty or badly scratched. The unit cannot record, play, or edit. The message may appear when the DVD lens cleaner has finished cleaning. Press [▲ OPEN/CLOSE] on the main unit to eject the disc. Recording may be unavailable due to a disc problem. Use a new disc. Deleting an item may be unavailable due to a disc problem. Use a new disc. Displayed when the unit is started. This is not a malfunction. The unit is carrying out its recovery process. You cannot operate the unit while "PLEASE WAIT" is displayed. You have inserted a disc the unit cannot play or record on. You have inserted a new DVD-RW/+R/+R DL/+RW or a DVD-RAM/DVD-RW (DVD-Video format) recorded on other equipment. The unit is hot. The unit is hot. The unit is hot. The unit switches to standby for safety reasons. Wait about 30 minutes until the message disappears. Select a position with good ventilation when installing the unit. Do not block the vent on the rear of the unit. There was a power failure or the AC plug was disconnected while the unit was on. The unit is carrying out its recovery process. This process restores the unit to normal operation. The unit is not broken. Wait until the message disappears. There was something unusual detected with the disc while recording or playing. The unit is carrying out its recovery process. This process restores the unit to normal operation. The unit is not broken. Wait until the message disappears. There was something unusual detected with the disc while recording or playing. The unit is carrying out its recovery process. This process restores the unit to normal operation. The unit is not broken. Wait until the message disappears. The

Frequently asked questions

Set up		Page
Do the Audio/Video cables need to be connected to the TV in order to see the Menus?	 If your television does not have AUDIO/VIDEO terminals, an RF modulator is necessary. Consult your local dealer for more information. 	8–10
What equipment is necessary to play multi channel surround sound?	 DVD-Video: You can play DVD-Video multi channel surround by digitally connecting an amplifier equipped with a Dolby Digital or DTS decoder. DVD-Audio: This unit plays DVD-Audio in 2 channels. You cannot play multi channel surround sound. 	11 —
Are the headphones and speakers directly connected to the unit?	• You cannot directly connect to the unit. Connect through the amplifier, etc.	11
The television has both S VIDEO IN terminal and COMPONENT VIDEO IN terminals. Which terminal should I connect with?	 We recommend the COMPONENT VIDEO IN terminal. Component signal outputs the color difference signals (P_B/P_R) and luminance signal (Y) separately in order to achieve high fidelity in reproducing colors. If the television is compatible with progressive output, a high quality picture can be output because this unit's component video output terminal outputs a progressive output signal. 	10
Is my television progressive output compatible?	• All Panasonic televisions that have 480p input terminals are compatible. Consult the manufacturer if you have another brand of television.	—
Disc		
Can I play DVD-R, DVD-R DL, DVD-RW (DVD-Video format), +R, +R DL and +RW recorded with this unit with other equipment?	 You can play on compatible equipment such as DVD players after finalizing the disc on this unit. It is not necessary to finalize +RW. However, depending on the condition of the recording, the quality of the disc and capabilities of the DVD player, play may not be possible. To enable play on other DVD players, please use "Create DVD Top Menu" in the DVD Management menu. 	35
Can I play DVD-Video, DVD-Audio and Video CDs bought in another country?	 You can play them if the video standard is NTSC. However, you cannot play DVD-Video if their region number does not include "1" or "ALL". 	 Cover
Can a DVD-Video that does not have a region number be played?	• The DVD-Video region number indicates the disc conforms to a standard. You cannot play discs that do not have a region number.	
Please tell me about DVD-R, DVD-R DL, DVD-RW, +R, +R DL and +RW compatibility with this unit.	 This unit records and plays DVD-R, DVD-R DL, DVD-RW (DVD-Video format), +R, +R DL and +RW, and plays DVD-RW (VR format). This unit also records and plays high speed recording compatible discs. After recording but before finalizing +R, +R DL discs You may not be able to play and record discs on this unit after recording them on other Panasonic products or other manufacturer's equipment. You may not be able to play and record discs on other equipment after recording them on this unit. After finalizing the disc, however, you will be able to play it on any DVD-Video compatible player. 	4, 5 <u>4</u> —
Please tell me about CD-R and CD-RW compatibility with this unit.	 This unit plays CD-R/CD-RW discs (audio recording discs) which have been recorded under one of the following standards: CD-DA, Video CD, MP3 and still pictures (JPEG/TIFF). Close the session after recording. You cannot write to a CD-R or CD-RW with this unit. 	5, 24
Recording		
Can I record from a commercially purchased video cassette or DVD?	• Most commercially sold video cassettes and DVD are copy protected; therefore, recording is usually not possible.	—
Can I record digital audio signals using this unit?	 You cannot record digital signals. The digital audio terminals on this unit are for output only. (The audio recorded using the unit's DV IN terminal from a digital video camcorder, for example, is recorded digitally.) 	—
Can a digital audio signal from this unit be recorded to other equipment?	 You can record if using the PCM signal. When recording DVD, change the "Digital Audio Output" settings to the following from the Setup menu. PCM Down Conversion On Dolby Digital PCM DTS PCM However, only As long as digital recording from the disc is permitted. As long as the recording equipment is compatible with a sampling frequency of 48 kHz. You cannot record MP3 signals. 	38
Can I switch to SAP during recording?	• With DVD-RAM, you can, and the recorded audio also changes. Just press [AUDIO].	19
	 With DVD-R, DVD-R DL, DVD-RW (DVD-Video format), +R, +R DL or +RW you cannot. Change before recording with "Multi-channel TV Sound (MTS)" in the Setup menu. 	38

Troubleshooting guide

Before requesting service, make the following checks. If you are in doubt about some of the check points, or if the remedies indicated in the chart do not solve the problem, refer to "Customer Services Directory" on page 46 if you reside in the U.S.A., or refer to "Product information" on page 43 if you reside in Canada.

The following do not indicate a problem with this unit:

- Regular disc rotating sounds.
- Poor reception due to atmospheric conditions.
- Image disturbance during search.
- Interruptions in reception due to periodic satellite broadcasting breaks.
- Operations do not work due to a poor-quality disc. (Try again using a Panasonic disc.)
- The unit freezes due to one of its safety devices being activated. (Press and hold [POWER $\mbox{O}/\mbox{I}]$ on the main unit for 10 seconds.)

Power		Page
No power.	Insert the AC power supply cord securely into a known active AC outlet.	8, 9
The unit switches to the standby mode.	 This is a power saving feature. Change "Off Timer" in the Setup menu, if you would prefer. One of the unit's safety devices is activated. Press [POWER o/l] on the main unit to turn the unit on. 	36 —

TV screen and video		
The images from this unit do not appear on the television.	 Make sure that the television is connected to the VIDEO OUT terminal, S VIDEO OUT terminal or COMPONENT VIDEO OUT terminals on this unit. Make sure that the television's input setting (e.g., VIDEO 1) is correct. 	8, 9, 10 —
Picture is distorted.	• The television isn't compatible with progressive signals. Press and hold [■] and [▶ x1.3] on the main unit at the same time for about 5 seconds. The setting will change to interlace.	_
Television reception worsens after connecting the unit.	Re-connect all connecting cords securely.	—
Status messages do not appear.	 Select "Automatic" in "Status Messages" in the Setup menu. 	38
The blue background does not appear.	Select "On" in "Blue Background" in the Setup menu.	38
The 4:3 aspect ratio picture expands left and right. Screen size is wrong.	 Use the television to change the aspect. If your television does not have that function, set "Progressive" in the Video menu to "Off". Check the settings for "TV Type", "4:3 TV Settings for DVD-Video" or "4:3 TV Settings for DVD-RAM" in the Setup menu. 	27 38
There is a lot of after-image when playing video.	Set "DNR" in the Video menu to "Off".	27
When playing DVD-Video using progressive output, one part of the picture momentarily appears to be doubled up.	 Set "Progressive" in the Video menu to "Off". This problem is caused by the editing method or material used on DVD-Video, but should be corrected if you use interlace output. 	27
There is no apparent change in picture quality when adjusted with the Video menu in the on-screen menus.	The effect is less perceivable with some types of video.	_

Displays		
The display is dim.	Change "FL Display" in the Setup menu.	38
"12:00A" is flashing on the unit's display.	Set the clock.	15
Compared to the actual recorded time, less remaining time is displayed.	• The displayed recording/play time is converted from the number of frames at 29.97 frames (equal to 0.999 seconds) to one second. There will be a slight difference between the time displayed and the actual elapsed time (e.g., actual one-hour elapsed time may display as approximately 59 minutes 56 seconds). This does not affect the recording.	_
The time recorded on the disc and the available time shown do not add up. The play time shown for MP3 does not agree with the actual time.	 Times shown may disagree with actual times. Even if you delete recorded content from DVD-R, DVD-R DL, +R, or +R DL, there is no increase in disc space. Available recording space on DVD-RW (DVD-Video format) or +RW increases only when the last recorded title is deleted. It does not increase if other titles are deleted. Available recording space on DVD-R, DVD-R DL, +R and +R DL reduces if you have repeatedly recorded and edited more than 200 times or so. (For the second layer on DVD-R DL and +R DL, this happens after about 60 times.) While searching, the elapsed time may not display correctly. 	
"U88" is displayed and the disc cannot be ejected.	 The unit is carrying out the recovery process. Do the following to eject the disc. Press [POWER ☆/I] on the main unit to switch the unit to standby. If the unit doesn't switch to standby, press and hold [POWER ☆/I] on the main unit for about 10 seconds. The unit is forcibly switched to standby. While the unit is off, press and hold [■] and [CH ∧] on the main unit at the same time for about 5 seconds. Remove the disc. 	Ι

Sound		Page
No sound	Check the connections and settings. Check the input mode on the amplifier if you have	8–11, 38
Low volume.	connected one.	
Distorted sound.	Press [AUDIO] to select the audio.	23
Cannot hear the desired audio	Turn off V. Surround Sound in the following cases.	27
type.	 When using discs that do not have surround sound effects such as Karaoke discs. When playing MTS broadcast programs. The disc may have a restriction on the method of audio output. If "D. MIX" does not appear in the display when playing multi-channel DVD-Audio, only audio for the two front channels will be output. Refer to the disc's jacket. 	_
Cannot switch audio.	 You cannot change the audio type when DVD-R, DVD-R DL, DVD-RW (DVD-Video format), +R, +R DL or +RW is in the disc tray. 	_
	 You cannot change the audio type when playing DVD-R, DVD-R DL, DVD-RW (DVD-Video format), +R, +R DL or +RW. (You can select "Main" or "SAP" in "Multi-channel TV Sound (MTS)" in the Setup menu before recording.) 	38
	 When the sound is output from DIGITAL AUDIO OUT terminal, the sound effect doesn't work if the setting of "Dolby Digital" is "Bitstream". 	11, 38
	• There are discs where audio cannot be changed because of how the disc was created.	—

Operation		
Cannot operate the television. The remote control doesn't work.	 Change manufacturer code. Some televisions cannot be operated even if you change the code. The remote control and main unit are using different codes. Change the code on the remote control. Press and hold [ENTER] and the indicated number button at the same time for more than 2 seconds. 	15 15
	 The batteries are depleted. Replace them with new ones. You are not pointing the remote control at the main unit's remote control signal sensor during operation. 	6 6
	 Colored glass may obstruct the signal reception/transmission. Don't place the signal sensor in direct sunlight or in areas that may be subject to sunlight exposure. 	Ξ
	 It may be necessary to set the code on the remote control again after changing the batteries. It may be necessary to set the manufacturer code again after changing the batteries. 	15 15
The unit is on but cannot be operated.	 Some operations may be prohibited by the disc. The unit is hot ("U59" appears on the display). Wait for "U59" to disappear. One of the unit's safety devices may have been activated. Reset the unit as follows: Press [POWER on the main unit to switch the unit to standby. If the unit doesn't switch to standby, press and hold [POWER on the main unit for about 10 seconds. The unit is forcibly switched to standby. Alternatively, disconnect the AC power supply cord, wait one minute, then reconnect it. Press [POWER Press [POWER on the main unit to switch it on. If the unit still cannot be operated, consult the dealer. 	
Cannot eject disc.	 The unit is recording. The unit may have a problem. While the unit is off, press and hold [■] and [CH ∧] on the main unit at the same time for about 5 seconds. Remove the disc and consult the dealer. 	Ξ
Startup is slow.	 Startup takes time in the following situations. A disc other than a DVD-RAM is inserted. The clock is not set. Immediately after a power failure or the AC power supply cord is connected. 	_
Takes time to read DVD-RAM.	• It may take time to read a disc if it is being used for the first time in this unit or it has not been used for a long time.	—

Recording, scheduled recording and copying

Cannot record.	• You haven't inserted a disc or the disc you inserted cannot be recorded on. Insert a disc the	4
	unit can record onto. RAM -RW(V) +R +R DL +RW The disc is not formatted. Format the disc using DVD	34
	Management.	04
	 The write-protect tab on the cartridge is set to Protect, or the disc is protected with DVD Management. 	34
	• Some programs have limitations on the number of times they can be recorded. (CPRM)	44
	 The disc is full or nearly full. Delete unneeded titles or use another disc. You cannot record on finalized DVD-R, DVD-R DL, DVD-RW (DVD-Video format), +R, +R DL or DVD-RW (VR format) discs. 	29, 33, 34 —
	 Due to peculiarities of DVD-R, DVD-R DL, DVD-RW (DVD-Video format), +R, +R DL or +RW you may be unable to record onto them if you either insert and remove the disc or switch the unit on and off while a disc is loaded, a total of fifty times. 	_
	 DVD-R, DVD-R DL, DVD-RW, +R, +R DL and +RW recorded on this unit may not be recordable on other Panasonic DVD recorders. 	—
Cannot record from external equipment.	 Check that the connection is correct. Select the input channel ("IN1", "IN2" or "DV") for the equipment you have connected. 	8, 9, 32 —
Scheduled recording does not work properly.	 The scheduled program is incorrect or different scheduled program times overlap. Correct the program. Set the clock. 	21 15
Scheduled recording does not stop even when [I] is pressed.	 If you start recording immediately after turning on the unit while "Quick Start" is set to "On", you cannot then stop recording for a few seconds. 	36
The scheduled program remains even after recording finishes.	 The scheduled program remains if set to Monday - Friday, Monday - Saturday, Sunday - Saturday or weekly. 	20
A part or whole of a recorded title has been lost.	 If there is a power failure or the plug is disconnected from the household AC outlet while recording or editing, the title may be lost or the disc may become unusable. You will have to format the disc (RAM -RW(V) +RW) or use a new disc. We cannot offer any guarantee Developed from titles or discs. 	_

Recording, scheduled recordin	g and copying (Continued)	Page
The DV automatic recording function does not work.	 If images cannot be recorded or if the recording is aborted, check the connections and DV equipment settings. 	32
	• You cannot start recording until the images from the DV equipment appear on the television.	_
	 Recording may not be performed as desired if the time codes on the tape in the DV equipment are not successive. 	—
	• Depending on the equipment, the DV automatic recording may not operate properly.	—
	You can only record audio/video images on a DV tape.	—
Play		
Play fails to start even when	Insert the disc correctly with the label facing up.	18
[▶] (PLAY) is pressed.	The disc is dirty.	6
Play starts but then stops	• You tried to play a blank disc or unplayable disc on this unit.	4, 5
immediately.	• You tried to play a +RW that needs to be finalized on the equipment used for recording.	37
	• When recording to DVD-RAM using EP (8H) mode, play may not be possible on DVD players that are compatible with DVD-RAM. In this case use EP (6H) mode.	37
	You cannot play discs during DV automatic recording.	32
DVD-Video is not played.	Some DVD-Video cannot be played when you change the ratings level.	37
Alternative soundtrack and	• The languages are not recorded on the disc.	-
subtitles cannot be selected.	You may have to use the disc's menus to select languages.	22
No subtitles.	 When progressive output is on, closed captions cannot be displayed. 	_
	Subtitles are not recorded on the disc.	_
	 Set "Subtitle" on the on-screen menu to "On". 	26
Angle cannot be changed.	• Angles can only be changed during scenes where different angles are recorded.	—
You have forgotten your ratings password.	• While the disc tray is open, press and hold [● REC] and [▶ x1.3] on the main unit at the same time for 5 or more seconds ("INIT" will appear on the unit's display). The ratings level returns to "8".	—
Quick View does not work.	 This does not work when audio is other than Dolby Digital. 	
	 This does not work while recording in XP or FR mode. 	—
The resume play function	• Memorized positions are cancelled when the tray is opened. The memorized position on the	_
does not work.	playlist is also cancelled when the playlist and title are edited.	
Edit		
Cannot format.	The disc is dirty. Wipe with a damp cloth and then wipe dry.	6
	A variation of competitions of discrete the in performantial with this with this with	4 E

Cannot format.	The disc is dirty. Wipe with a damp cloth and then wipe dry.You tried formatting a disc that is not compatible with this unit.	6 4, 5
Cannot create chapters.	• The unit writes the chapter division information to the disc when you turn it off or remove the disc. The information is not written if there is an interruption to the power before this.	—
Cannot mark the start point or the end point during "Shorten Title" operation.	 These operations are not possible with still pictures. You cannot set points if they are too close to each other. You cannot set an end point before a start point. 	_
Cannot delete chapters.	• When the chapter is too short to delete, use "Combine Chapters" to make the chapter longer.	29
The available recording space doesn't increase even after deleting recordings on the disc.	 Available recording space on DVD-R, DVD-R DL, +R or +R DL does not increase even after deleting previously recorded titles. Available recording space on DVD-RW (DVD-Video format) or +RW increases only when the last recorded title is deleted. It does not increase if other titles are deleted. 	_
Cannot create a playlist.	 You cannot select all the chapters at once in a title if the title also includes still pictures. Select them individually. 	-

Product Service

1. Damage requiring service—The unit should be serviced by qualified service personnel if:

- (a) The AC power supply cord or AC adaptor has been damaged; or
- (b) Objects or liquids have gotten into the unit; or
- (c) The unit has been exposed to rain; or
- (d) The unit does not operate normally or exhibits a marked change in performance; or
- (e) The unit has been dropped or the cabinet damaged.
- 2. Servicing—Do not attempt to service the unit beyond that described in these operating instructions. Refer all other servicing to authorized servicing personnel.
- 3. Replacement parts—When parts need replacing ensure the servicer uses parts specified by the manufacturer or parts that have the same characteristics as the original parts. Unauthorized substitutes may result in fire, electric shock, or other hazards.
- 4. Safety check—After repairs or service, ask the servicer to perform safety checks to confirm that the unit is in proper working condition.

Product information

For product information or assistance with product operation:

In the U.S.A., refer to "Customer Services Directory" on page 46.

In Canada, contact the Panasonic Canada Inc. Customer Care Centre at 1-800-561-5505, or visit the website (www.panasonic.ca), or an authorized Servicentre closest to you.

Bitstream

This is the digital form of multi-channel audio data (e.g., 5.1 channel) before it is decoded into its various channels.

CPRM (Content Protection for Recordable Media)

CPRM is technology used to protect broadcasts that are allowed to be recorded only once. Such broadcasts can be recorded only with CPRM compatible recorders and discs.

Dolby Digital

This is a method of coding digital signals developed by Dolby Laboratories. Apart from stereo (2-channel) audio, these signals can also be multi-channel audio. A large amount of audio information can be recorded on one disc using this method.

Down-mixing

This is the process of remixing the multi-channel audio found on some discs into two channels for stereo output. It is useful when you want to listen to the 5.1-channel audio recorded on DVDs through your television's speakers. Some discs prohibit down-mixing and this unit can then only output the front two channels.

DTS (Digital Theater Systems)

This surround system is used in many movie theaters. There is good separation between the channels, so realistic sound effects are possible.

Dynamic range

Dynamic range is the difference between the lowest level of sound that can be heard above the noise of the equipment and the highest level of sound before distortion occurs. Dynamic range compression means reducing the gap between the loudest and softest sounds. This means you can listen at low volumes but still hear dialog clearly.

Film and video

DVD-Videos are recorded using either film or video. This unit can determine which type has been used, then uses the most suitable method of progressive output. Film:

Recorded at 24 or 30 frames per second. Generally appropriate for motion picture films.

Video:

Recorded at 30 frames/60 fields per second. Generally appropriate for TV drama programs or animation.

Finalize

A process that makes play of a recorded CD-R, CD-RW, DVD-R, etc. possible on equipment that can play such media. You can finalize DVD-R, DVD-R DL, DVD-RW (DVD-Video format), +R or +R DL on this unit. After finalizing, the disc becomes play-only and you can no longer record or edit. However, finalized DVD-RW can be formatted to become recordable.

Formatting

Formatting is the process of making media such as DVD-RAM recordable on recording equipment.


You can format DVD-RĂM, DVD-RW (only as DVD-Video format), +R, +R DL or +RW on this unit.

When you use a new DVD-RW, +R, +R DL or +RW, it must be formatted.

Formatting irrevocably deletes all contents.

Frames and fields

Frames refer to the single images that constitute the video you see on your television. Each frame consists of two fields.



• A frame still shows two fields, so there may be some blurring, but picture quality is generally better.

 A field still shows less picture information so it may be rougher, but there is no blurring.

JPEG (Joint Photographic Experts Group)

This is a system used for compressing/decoding color still pictures. If you select JPEG as the storage system on digital cameras, etc., the data will be compressed to 1/10–1/100 of its original size. The feature of JPEG is less deterioration in picture quality considering the degree of compression.

MP3 (MPEG Audio Layer 3)

An audio compression method that compresses audio to approximately one tenth of its size without any considerable loss of audio quality. You can play MP3 you have recorded onto CD-R and CD-RW.

Pan & Scan/Letterbox

In general, DVD-Video are produced with the intention that they be viewed on a widescreen television (16:9 aspect ratio), so images often don't fit regular (4:3 aspect ratio) televisions. Two styles of picture, "Pan & Scan" and "Letterbox", deal with this problem.

Pan & Scan: The sides are cut off so the picture fills the screen.



Letterbox: Black bands appear at the top and bottom of the picture so the picture itself appears in an aspect ratio of 16:9.



Playback control (PBC)

If a Video CD has playback control, you can select scenes and information with menus.

(This unit is compatible with version 2.0 and 1.1.)

Progressive/Interlace

NTSC, the video signal standard, has 480 interlaced (i) scan lines, whereas progressive scanning uses twice the number of scan lines. This is called 480p.

Using progressive output, you can enjoy the high-resolution video recorded on media such as DVD-Video. Your television must be compatible to enjoy progressive video.

Protection

You can prevent accidental deletion by setting writing protection or deletion protection.

Sampling frequency

Sampling is the process of converting the heights of sound wave (analog signal) samples taken at set periods into digits (digital encoding). Sampling frequency is the number of samples taken per second, so larger numbers mean more faithful reproduction of the original sound.

Thumbnail

This refers to a miniature representation of a picture used to display multiple pictures in the form of a list.

TIFF (Tag Image File Format)

This is a system used for compressing/decoding color still pictures. A common format for storing high quality images on digital cameras and other devices.

Language code list Enter the code with the numbered buttons.

cou		le coue	with the number		.0115.					
6566	Chinese:	9072	Hebrew:	7387	Macedonian:	7775	Romanian:	8279	Telugu:	8469
6565	Corsican:	6779	Hindi:	7273	Malagasy:	7771	Russian:	8285	Thai:	8472
6570	Croatian:	7282	Hungarian:	7285	Malay:	7783	Samoan:	8377	Tibetan:	6679
8381	Czech:	6783	Icelandic:	7383	Malayalam:	7776	Sanskrit:	8365	Tigrinya:	8473
6577	Danish:	6865	Indonesian:	7378	Maltese:	7784	Scots Gaelic:	7168	Tonga:	8479
6582	Dutch:	7876	Interlingua:	7365	Maori:	7773	Serbian:	8382	Turkish:	8482
7289	English:	6978	Irish:	7165	Marathi:	7782	Serbo-Croatiar	n:	Turkmen:	8475
6583	Esperanto:	6979	Italian:	7384	Moldavian:	7779		8372	Twi:	8487
6589	Estonian:	6984	Japanese:	7465	Mongolian:	7778	Shona:	8378	Ukrainian:	8575
6590	Faroese:	7079	Javanese:	7487	Nauru:	7865	Sindhi:	8368	Urdu:	8582
	Fiji:	-	Kannada:		Nepali:		Singhalese:		Uzbek:	8590
6985	Finnish:		Kashmiri:		Norwegian:	7879	Slovak:		Vietnamese:	8673
.:	French:		Kazakh:			7982	Slovenian:		Volapük:	8679
	Frisian:		Kirghiz:		Pashto, Pushto	:	Somali:		Welsh:	6789
	Galician:	-	Korean:			8083	Spanish:		Wolof:	8779
	Georgian:		Kurdish:		Persian:		Sundanese:		Xhosa:	8872
			Laotian:							7473
	Greek:		Latin:	7665	Portuguese:		Swedish:		Yoruba:	8979
	Greenlandic:		Latvian, Lettish		Punjabi:		Tagalog:		Zulu:	9085
	Guarani:	-			Quechua:		,	-		
	Gujarati:		Lingala:		Rhaeto-Romar		Tamil:			
6765	Hausa:	7265	Lithuanian:	7684		8277	Tatar:	8484		
	6566 6565 6570 8381 6577 6582 7289 6583 6589 6589 6590 6665 6985	6566 Chinese: 6555 Corsican: 6570 Croatian: 8381 Czech: 6577 Danish: 6582 Dutch: 7289 English: 6583 Esperanto: 6584 Estonian: 6585 Finish: 6586 Fiji: 6985 Finnish: : French: 6678 Frisian: 6890 Galician: 6672 Georgian: 6673 Greek: 7789 Greenlandic: 6669 Guarani: 7789 Greenlandic: 7577 Gujarati:	6566 Chinese: 9072 6565 Corsican: 6779 6570 Croatian: 7282 8381 Czech: 6783 6577 Danish: 6865 6582 Dutch: 7876 7289 English: 6978 6583 Esperanto: 6979 6583 Esperanto: 6979 6583 Esperanto: 6979 6583 Esperanto: 6979 6584 Fili: 7074 6985 Finnish: 7073 : French: 7082 6678 Frisian: 7089 6890 Galician: 7176 6672 Georgian: 7565 6682 German: 68976 7789 Greenlandic: 7576 6669 Guarani: 7178 7577 Gujarati: 7185	6566 Chinese: 9072 Hebrew: 6565 Corsican: 6779 Hindi: 6570 Croatian: 7282 Hungarian: 8381 Czech: 6783 Icelandic: 6577 Danish: 6865 Indonesian: 6582 Dutch: 7876 Interlingua: 7289 English: 6978 Irish: 6583 Esperanto: 6979 Italian: 6589 Estonian: 6984 Japanese: 6590 Faroese: 7079 Javanese: 6585 Finnish: 7074 Kannada: 6985 Finnish: 7073 Kasakh: 6678 Frisian: 7082 Kazakh: 6678 Frisian: 7089 Kirghiz: 6890 Galician: 7176 Korean: 6672 Georgian: 7565 Kurdish: 6674 Greek: 6976 Latin: 7789 Greenlandic: 7576	6566 Chinese: 9072 Hebrew: 7387 6565 Corsican: 6779 Hindi: 7273 6570 Croatian: 7282 Hungarian: 7285 8381 Czech: 6783 Icelandic: 7383 6577 Danish: 6865 Indonesian: 7378 6582 Dutch: 7876 Interlingua: 7365 7289 English: 6978 Irish: 7165 6583 Esperanto: 6979 Italian: 7384 6589 Estonian: 6984 Japanese: 7465 6590 Faroese: 7079 Javanese: 7487 6665 Fiji: 7074 Kanada: 7578 6678 Frisian: 7082 Kazakh: 7575 6678 Frisian: 7082 Kazakh: 7575 6678 Frisian: 7089 Kirghiz: 7589 6890 Galician: 7176 Korean: 7579 <td>6565 Corsican: 6779 Hindi: 7273 Malagasy: 6570 Croatian: 7282 Hungarian: 7285 Malay: 8381 Czech: 6783 Icelandic: 7383 Malayalam: 6577 Danish: 6865 Indonesian: 7378 Maltese: 6582 Dutch: 7876 Interlingua: 7365 Maori: 7289 English: 6978 Irish: 7165 Marathi: 6583 Esperanto: 6979 Italian: 7384 Moldavian: 6589 Estonian: 6984 Japanese: 7465 Mongolian: 6590 Faroese: 7079 Javanese: 7487 Nauru: 6665 Fiji: 7074 Kannada: 7578 Nepali: 6985 Finnish: 7073 Kashmiri: 7583 Norwegian: : French: 7082 Kazakh: 7579 Oriya: 6678 6678 Fisian:</td> <td>6566 Chinese: 9072 Hebrew: 7387 Macedonian: 7775 6565 Corsican: 6779 Hindi: 7273 Malagasy: 7771 6570 Croatian: 7282 Hungarian: 7285 Malagasy: 7771 6570 Croatian: 7282 Hungarian: 7285 Malay: 7783 8381 Czech: 6783 Icelandic: 7383 Malayalam: 7776 6577 Danish: 6865 Indonesian: 7378 Malese: 7784 6582 Dutch: 7876 Interlingua: 7365 Maori: 7773 7289 English: 6978 Irish: 7165 Marathi: 7782 6583 Esperanto: 6979 Italian: 7384 Moldavian: 7779 6589 Faroese: 7079 Javanese: 7487 Nauru: 7865 6665 Fiji: 7074 Kazakh: 7578 Nepali: 7892</td> <td>6566 Chinese: 9072 Hebrew: 7387 Macedonian: 7775 Romanian: 6565 Corsican: 6779 Hindi: 7273 Malagasy: 7771 Russian: 6570 Croatian: 7282 Hungarian: 7285 Malay: 7783 Samoan: 8381 Czech: 6783 Icelandic: 7383 Malayalam: 7776 Sanskrit: 6577 Danish: 6865 Indonesian: 7378 Maltese: 7784 Scots Gaelic: 6582 Dutch: 7876 Interlingua: 7365 Maori: 7773 Serbian: 7289 English: 6979 Italian: 7384 Moldavian: 7779 6589 Estonian: 6984 Japanese: 7465 Mongolian: 7778 Shona: 6590 Faroese: 7079 Javanese: 7487 Neuru: 7865 Sindhi: 6665 Fiji: 7074 Kannada: 7578 Nepali:</td> <td>6566 Chinese: 9072 Hebrew: 7387 Macedonian: 7775 Romanian: 8279 6565 Corsican: 6779 Hindi: 7273 Malagasy: 7771 Russian: 8285 6570 Croatian: 7282 Hungarian: 7285 Malay: 7783 Samoan: 8377 8381 Czech: 6783 Icelandic: 7383 Malayalam: 7776 Sanskrit: 8365 6577 Danish: 6865 Indonesian: 7378 Maltese: 7784 Scots Gaelic: 7168 6582 Dutch: 7876 Interlingua: 7365 Maarthi: 7772 Serbian: 8382 7289 English: 6978 Irish: 7165 Marathi: 7773 Serban: 8382 6583 Estonian: 6984 Japanese: 7465 Mongolian: 7778 Shona: 8378 6590 Faroese: 7079 Javanese: 7487 Nauru: 78</td> <td>6566 Chinese: 9072 Hebrew: 7387 Macedonian: 7775 Romanian: 8279 Telugu: 6565 Corsican: 6779 Hindi: 7273 Malagasy: 7771 Russian: 8285 Thai: 6570 Croatian: 7282 Hungarian: 7285 Malay: 7783 Samoan: 8377 Tibetan: 8381 Czech: 6783 Icelandic: 7383 Malayalam: 7776 Sanskrit: 8365 Tigrinya: 6577 Danish: 6865 Indonesian: 7378 Malese: 7774 Senskrit: 8382 Turkish: 7289 English: 6978 Irish: 7165 Marathi: 7773 Serbo-Croatian: Turkish: 7289 Esperanto: 6979 Italian: 7384 Moldavian: 7779 8372 Twi: 6589 Estonian: 6984 Japanese: 7465 Nauru: 7865 Sindhi: 8368 Urdu:</td>	6565 Corsican: 6779 Hindi: 7273 Malagasy: 6570 Croatian: 7282 Hungarian: 7285 Malay: 8381 Czech: 6783 Icelandic: 7383 Malayalam: 6577 Danish: 6865 Indonesian: 7378 Maltese: 6582 Dutch: 7876 Interlingua: 7365 Maori: 7289 English: 6978 Irish: 7165 Marathi: 6583 Esperanto: 6979 Italian: 7384 Moldavian: 6589 Estonian: 6984 Japanese: 7465 Mongolian: 6590 Faroese: 7079 Javanese: 7487 Nauru: 6665 Fiji: 7074 Kannada: 7578 Nepali: 6985 Finnish: 7073 Kashmiri: 7583 Norwegian: : French: 7082 Kazakh: 7579 Oriya: 6678 6678 Fisian:	6566 Chinese: 9072 Hebrew: 7387 Macedonian: 7775 6565 Corsican: 6779 Hindi: 7273 Malagasy: 7771 6570 Croatian: 7282 Hungarian: 7285 Malagasy: 7771 6570 Croatian: 7282 Hungarian: 7285 Malay: 7783 8381 Czech: 6783 Icelandic: 7383 Malayalam: 7776 6577 Danish: 6865 Indonesian: 7378 Malese: 7784 6582 Dutch: 7876 Interlingua: 7365 Maori: 7773 7289 English: 6978 Irish: 7165 Marathi: 7782 6583 Esperanto: 6979 Italian: 7384 Moldavian: 7779 6589 Faroese: 7079 Javanese: 7487 Nauru: 7865 6665 Fiji: 7074 Kazakh: 7578 Nepali: 7892	6566 Chinese: 9072 Hebrew: 7387 Macedonian: 7775 Romanian: 6565 Corsican: 6779 Hindi: 7273 Malagasy: 7771 Russian: 6570 Croatian: 7282 Hungarian: 7285 Malay: 7783 Samoan: 8381 Czech: 6783 Icelandic: 7383 Malayalam: 7776 Sanskrit: 6577 Danish: 6865 Indonesian: 7378 Maltese: 7784 Scots Gaelic: 6582 Dutch: 7876 Interlingua: 7365 Maori: 7773 Serbian: 7289 English: 6979 Italian: 7384 Moldavian: 7779 6589 Estonian: 6984 Japanese: 7465 Mongolian: 7778 Shona: 6590 Faroese: 7079 Javanese: 7487 Neuru: 7865 Sindhi: 6665 Fiji: 7074 Kannada: 7578 Nepali:	6566 Chinese: 9072 Hebrew: 7387 Macedonian: 7775 Romanian: 8279 6565 Corsican: 6779 Hindi: 7273 Malagasy: 7771 Russian: 8285 6570 Croatian: 7282 Hungarian: 7285 Malay: 7783 Samoan: 8377 8381 Czech: 6783 Icelandic: 7383 Malayalam: 7776 Sanskrit: 8365 6577 Danish: 6865 Indonesian: 7378 Maltese: 7784 Scots Gaelic: 7168 6582 Dutch: 7876 Interlingua: 7365 Maarthi: 7772 Serbian: 8382 7289 English: 6978 Irish: 7165 Marathi: 7773 Serban: 8382 6583 Estonian: 6984 Japanese: 7465 Mongolian: 7778 Shona: 8378 6590 Faroese: 7079 Javanese: 7487 Nauru: 78	6566 Chinese: 9072 Hebrew: 7387 Macedonian: 7775 Romanian: 8279 Telugu: 6565 Corsican: 6779 Hindi: 7273 Malagasy: 7771 Russian: 8285 Thai: 6570 Croatian: 7282 Hungarian: 7285 Malay: 7783 Samoan: 8377 Tibetan: 8381 Czech: 6783 Icelandic: 7383 Malayalam: 7776 Sanskrit: 8365 Tigrinya: 6577 Danish: 6865 Indonesian: 7378 Malese: 7774 Senskrit: 8382 Turkish: 7289 English: 6978 Irish: 7165 Marathi: 7773 Serbo-Croatian: Turkish: 7289 Esperanto: 6979 Italian: 7384 Moldavian: 7779 8372 Twi: 6589 Estonian: 6984 Japanese: 7465 Nauru: 7865 Sindhi: 8368 Urdu:

Specifications

Recordable discs: DVD-RAM: Ver. 2.0 Ver. 2.1/3x-SPEED DVD-RAM Revision 1.0 Ver. 2.2/5x-SPEED DVD-RAM Revision 2.0 DVD-R: for General Ver. 2.0 for General Ver. 2.0/4x-SPEED DVD-R Revision 1.0 for General Ver. 2.x/8x-SPEED DVD-R Revision 3.0 for General Ver. 2.x/16x-SPEED DVD-R Revision 6.0 for DL Ver. 3.0 for DL Ver. 3.x/4x-SPEED DVD-R for DL Revision 1.0 DVD-RW: Ver. 1.1 Ver. 1.x/2x-SPEED DVD-RW Revision 1.0 Ver. 1.x/4x-SPEED DVD-RW Revision 2.0 Ver. 1.x/6x-SPEED DVD-RW Revision 3.0 +R: Ver. 1.0 Ver. 1.1 Ver. 1.2 Ver. 1.3 for DL Ver. 1.0 +RW: Ver. 1.1 Ver. 1.2/4x-SPEED Recording system: DVD-RAM: DVD Video Recording format DVD-R: **DVD-Video** format DVD-R DL (Dual Layer): **DVD-Video** format DVD-RW: DVD-Video format +R +R DL (Double Layer) +RW **Recording time:** Max. 8 hours (using 4.7 GB disc) XP: Approx. 1 hour SP: Approx. 2 hours LP: Approx. 4 hours EP: Approx. 6 hours or 8 hours Plavable discs: DVD-RAM: DVD Video Recording format DVD-R: **DVD-Video** format DVD-R DL (Dual Layer): **DVD-Video** format DVD-Video format, DVD Video Recording format DVD-RW: +R +R DL (Double Layer) +RW DVD-Video DVD-Audio CD-Audio (CD-DA) Video CD CD-R/CD-RW (CD-DA, Video CD, MP3, JPEG) **Optical pick-up:** System with 1 lens, 2 integration units (662 nm wavelength for DVDs, 780 nm wavelength for CDs) Note LASER Specification Class 1 LASER Product 780 nm (CDs) Wave length: 662 nm (DVDs) No hazardous radiation is emitted with the Laser power: safety protection **Television system** NTSC system, 525 lines, 60 fields TV system: TV Channel: 2 ch-69 ch Antenna reception

The model number and serial number of this product can be found on either the back or the bottom of the unit. Please note them in the space provided below and keep for future reference.

CATV Channel: 1 ch-125 ch

MODEL NUMBER DMR-ES15
SERIAL NUMBER

RF converter output: Not provided

input.

Quick Start for Recording (Quick Start : ON)

 Sec. Quick Start for Recording on DVD-RAM*
 * From the power off state, recording on DVD-RAM starts about 1 second after first pressing the Power button and then sequentially pressing the REC button (Quick Start Mode).

Video system	
Recording system:	MPEG2 (Hybrid VBR)
Input:	LINE (pin jack) $\times 2$, 1.0 Vp-p; 75 Ω
	S connector $\times 2$ Y: 1.0 Vp-p; 75 Ω
0.11	C: 0.286 Vp-p; 75 Ω
Output:	LINE (pin jack) ×1, 1.0 Vp-p; 75 Ω S connector ×1 Y: 1.0 Vp-p; 75 Ω
	C: 0.286 Vp-p; 75 Ω
Component video	Y, PB, PR x 1 Y: 1.0 Vp-p; 75 Ω
output:	(480p/480i) PB: 0.7 Vp-p; 75 Ω
	PR: 0.7 Vp-p; 75 Ω
Audio system	
Recording system:	Dolby Digital (2ch)
Analog Input:	LINE (pin jack) ×2
	Reference input: 309 mVrms
	FS: 2 Vrms (1 kHz, 0 dB) Input impedance: 47 kΩ
Analog Output:	LINE (pin jack) ×1
Analog output	Reference output: 309 mVrms
	FS: 2 Vrms (1 kHz, 0 dB)
	Output impedance: 1 k Ω
Number of the second	(Load impedance: 10 kΩ)
Number of channels:	Recording: 2 channels Playback: 2 channels
Digital Output:	Digital audio optical output connector
Bigital Output.	×1
	(PCM, Dolby Digital, DTS)
DV Input:	IEEE 1394 Standard, 4 Pin: 1 pc
Regional Code:	# 1
Clock unit:	Quartz-controlled 12-hour digital display
Operating temperature ra	inge: 5 °C to 40 °C (41 °F to 104 °F)
Operating humidity range	: 10 % to 80 % RH (no condensation)
Power supply:	AC 120 V, 60 Hz
Power consumption:	Approx. 19 W
Dimensions (W × H × D):	Approx. 430 mm × 58 mm × 248 mm
· · · ·	(Approx. $16^{15}/16'' \times 2^{5}/16'' \times 9^{13}/16''$)
Mass:	Approx. 2.8 kg (6.16 lbs)

Power consumption in standby mode: <u>approx. 2.0 W</u> (Shipping condition) <u>approx. 6.1 W</u> (User setting: Quick Start: On)

Specifications are subject to change without notice. Mass and dimensions are approximate.

User memo:

DATE OF PURCHASE
DEALER NAME
DEALER ADDRESS
TELEPHONE NUMBER

Instalación básica

- Visite la página inicial de Panasonic para obtener más información acerca de los métodos de conexión. (Sólo está en inglés.)
- http://www.panasonic.com/consumer electronics/dvd recorder/dvd connection.asp
- Antes de hacer la conexión, apague todos los equipos y lea los manuales de instrucciones apropiados. • El equipo periférico y los cables opcionales se venden por separado a menos que se indique lo contrario.

Terminal RF OUT de la unidad

La señal de imagen y sonido de esta unidad no pasa por el terminal RF OUT hasta el televisor.


Asegúrese de conectar al televisor uno de estos terminales de la unidad: el terminal AUDIO/VIDEO OUT, el terminal S VIDEO OUT o el terminal COMPONENT VIDEO OUT.

Cuando la unidad no vaya a utilizarse durante mucho tiempo

Para ahorrar energía, desenchufe la unidad de la toma de corriente CA. Esta unidad consume una pequeña cantidad de energía aunque se encuentre apagada (aproximadamente 2,0 W).


Conecte la unidad directamente al televisor

Las señales de vídeo enviadas a través de videograbadoras se verán afectadas por los sistemas de protección del copyright, y las imágenes no se mostrarán correctamente en el televisor.




Conexión con un televisor y una videograbadora

Esta conexión permitirá utilizar la videograbadora para reproducir y grabar cuando la unidad esté apagada.



Si el televisor no tiene terminales de audio/vídeo, se necesita un modulador RF




Para disfrutar de una mejor calidad de imagen

Terminal S VIDEO OUT Los terminales S VIDEO OUT logran una imagen más viva que la del terminal VIDEO OUT. (Los resultados reales dependen del televisor.)

Terminal COMPONENT VIDEO OUT

Estos terminales se pueden utilizar para la salida entrelazada o progresiva y pueden proporcionar una imagen más clara que la del terminal S VIDEO OUT.

· Conéctelos a terminales del mismo color.



Sintonización automática

Preparación

 Encienda el televisor y seleccione la entrada de vídeo apropiada para las conexiones de esta unidad.

1 Pulse [\bigcirc DVD POWER].



2 Pulse [▲,▼] para seleccionar el idioma y pulse [ENTER].

Si se equivoca, pulse [RETURN] para volver a la pantalla anterior.

- Pulse [▲,▼] para seleccionar "TV de 4:3" o "TV ancho de 16:9" y pulse [ENTER].
- 4 Pulse [▲,▼] para seleccionar
 "Encendido" o "Apagado" y pulse
 [ENTER].
- 5 Pulse [▲,▼] para seleccionar "Sintonizador" o "Entrada" y pulse [ENTER].

6 Pulse [ENTER] para empezar la sintonización automática.

Ajuste automático de canales Can. 1 Ajuste automático de canales Está prosiguiendo... ► ▷ ▷

A continuación, la unidad procederá con el ajuste automático del reloj. Cuando acabe, aparecerá la hora.

7 Pulse [ENTER].

Si el reloj va una hora adelantado o retrasado 1 Pulse [SETUP].

- 2 Pulse $[\blacktriangle, \nabla]$ para seleccionar "Configuración" y pulse $[\blacktriangleright]$.
- 3 Pulse [▲,▼] para seleccionar "Fecha y Hora" y pulse [ENTER].
- 4 Pulse [▲, ▼] para seleccionar "Ajustar del huso horario" y pulse [ENTER].
- 5 Pulse [▲,▼] para seleccionar "-1" o "+1" y pulse [ENTER].

■ Si aparece la pantalla "Ajuste manual del reloj"

Se ha producido un error al ajustar el reloj automáticamente.
 Se ha seleccionado "Entrada" en el paso 5 durante el ajuste.

- Pulse [◄,▶] para seleccionar la opción que desee modificar y pulse [▲,♥] para cambiar el ajuste.
- 2 Pulse [ENTER].

Selección del tipo de televisor

Si tras haber elegido un tipo de televisor concreto durante el ajuste inicial, conecta un televisor progresivo u otro tipo de televisor distinto justo después de encender la unidad por primera vez, siga los pasos que se indican a continuación. Seleccione la opción que corresponda a su televisor.

- 1 Dura
- Durante la parada Pulse [SETUP].
- 2 Pulse [▲,▼] para seleccionar "Pantalla TV" y pulse [▶].
- 3 Pulse [▲,▼] para seleccionar "Tipo TV" y pulse [ENTER].


• 480p/480i: Seleccione "480p" si el televisor es compatible con la salida progresiva.

4 Pulse [▲,▼] para seleccionar la opción y pulse [ENTER].

Para salir de la pantalla Pulse [SETUP].

Para volver a la pantalla anterior Pulse [RETURN].

Grabación de programas de televisión



RAM -R -R DL -RW(V)

Puede grabar hasta 99 títulos en un disco.


+R +R DL +RW

Puede grabar hasta 49 títulos en un disco.

1 Pulse [▲ OPEN/CLOSE] para abrir la bandeja e introducir un disco.

Pluse de nuevo el botón para cerrar la bandeja.
 Disco sin cartucho
 Insértelo con la etiqueta

hacia arriba.





2 Pulse [∧ ∨ CH] para seleccionar el canal.

Para seleccionar con los botones numerados: Antena TV por cable

 Por ejemplo, 5:
 [0] → [5]
 Por ejemplo, 5:
 [0] → [0] → [5]

 15:
 [1] → [5]
 15:
 [0] → [1] → [5]

 115:
 [1] → [1] → [5]
 15:
 [1] → [1] → [5]

3 Pulse [REC MODE] para seleccionar el modo de grabación (XP, SP, LP o EP).

4 Pulse [● REC] para iniciar la

grabación.

La grabación se realizará en el espacio vacío del disco. Los datos no se sobrescribirán.

- Durante la grabación no puede cambiar el canal ni el modo de grabación. Durante la pausa puede cambiar el canal o el modo de grabación. Sin embargo, la grabación se realizará como un título separado.
- Puede grabar mientras la unidad está en modo de espera de una grabación programada; sin embargo, tenga en cuenta que cuando llegue el momento en que deba iniciarse la grabación programada, se detendrá cualquier grabación

Para hacer una pausa en la grabación Pulse [II].

Pulse de nuevo para reiniciar la grabación. También puede pulsar [● REC] para reiniciar. (El título no se divide en títulos separados.)

Para detener la grabación

Pulse [

• La grabación, desde el principio hasta el final, se denomina título.

Para especificar una hora para detener la grabación

-Grabación con una sola pulsación

Durante la grabación

Pulse [REC] para seleccionar el tiempo de grabación.

Modo de grabación

En función del contenido que se grabe, los tiempos de grabación pueden ser inferiores a los indicados.

	DVD-	DVD-R, DVD-RW, +R, +RW 4.7 GB	
Modo de grabación	4.7 GB 9.4 GB (Dos caras*1)		
XP (Alta calidad)	1 h.	2 h.	1 h.
SP (Normal)	2 h.	4 h.	2 h.
LP (Larga duración)	4 h.	8 h.	4 h.
EP (Duración	8 h.	16 h.	8 h.
extralarga)	(6 h.*²)	(12 h.*²)	(6 h.*²)
FR (Grabación flexible)	8 h. máximo	8 h. máximo una cara	8 h. máximo


Modo de grabación	DVD-R DL, +R DL*3 8.5 GB			
mode de grabación	Primera capa (L0)	Segunda capa (L1)		
XP (Alta calidad)	55 min.	50 min.		
SP (Normal)	1 h. 50 min.	1 h. 40 min.		
LP (Larga duración)	3 h. 40 min.	3 h. 20 min.		
EP (Duración	7 h. 25 min.	6 h. 50 min.		
extralarga)	(5 h. 30 min.* ²)	(5 h. 15 min.*²)		
FR (Grabación flexible)	7 h. 25 min. máximo	6 h. 50 min. máximo		

- *1 No es posible grabar ni reproducir continuamente desde una cara a la otra en un disco de dos caras.
- *2 Cuando "Tiempo de grab. en el modo EP" se establece en "EP-Repr. ón ampliada (6H)" en el menú Setup. La calidad de sonido es mejor cuando se utiliza "EP-Repr. ón ampliada (6H)" que cuando se utiliza "EP-Repr. ón ampliada (8H)".
- *³ No es posible grabar continuamente desde la primera capa a la segunda.

Reproducción mientras está grabando

Reproducción de persecución	 Puede empezar a reproducir desde el comienzo del título que está grabando. Pulse [▶] (PLAY) durante la grabación. Para detener la reproducción Pulse [■]. Para detener la grabación 2 segundos después de parar la reproducción Pulse [■].
Grabación y reproducción simultáneas	 Puede reproducir un título grabado previamente. 1 Pulse [DIRECT NAVIGATOR] durante la grabación. 2 Pulse [▲, ▼, ◄, ►] para seleccionar un título y pulse [ENTER]. Para detener la reproducción Pulse [■]. Para detener la grabación Después de parar la reproducción Pulse [DIRECT NAVIGATOR] para salir de la pantalla y pulse [■].

Reproducción de discos



1 Inserte un disco (→ página 50).

2 Pulse [▶] (PLAY).

RAM -R -R DL -RW(V) +R +R DL +RW -RW(VR)

La reproducción se inicia a partir del título grabado más recientemente

DVD-V DVD-A CD VCD

La reproducción se inicia desde el principio del disco.

Cuando aparece una pantalla de menú en el televisor

DVD-V DVD-A

Pulse $[\blacktriangle, \nabla, \triangleleft, \triangleright]$ para seleccionar la opción y pulse [ENTER]. Algunas opciones también pueden seleccionarse utilizando los botones numerados.

VCD

Pulse los botones numerados para seleccionar la opción. Por ejemplo, 5: $[0] \rightarrow [5]$ 15: [1] → [5]

· Para volver a la pantalla de menú


Pulse [DIRECT NAVIGATOR] o [SUB MENU]. DVD-V Pulse [DIRECT NAVIGATOR]. DVD-A Pulse [RETURN]. VCD

Selección de títulos grabados para reproducirlos Direct Navigator

RAM -R -R DL -RW(V) +R +R DL +RW -RW(VR)

Seleccione en el menú los títulos grabados que desee reproducir.

1 Pulse [DIRECT NAVIGATOR].



2 Pulse [▲, ▼, ◄, ▶] para seleccionar el título y pulse [ENTER]. También puede seleccionar títulos con los botones numerados. Por ejemplo, 5: $[0] \rightarrow [5]$ 15: [1] → [5]

Para salir de la pantalla Pulse [DIRECT NAVIGATOR].

Operaciones durante la reproducción

Parada	Pulse [■]. La posición de detención se memoriza. Función de reanudación de la reproducción Pulse [▶] (PLAY) para reiniciar la reproducción desde esta posición.	discos
Pausa	Pulse [II]. Pulse de nuevo o pulse [▶] (PLAY) para reiniciar la reproducción.	ción de
Búsqueda	 Pulse [◄◄] o [▷►]. La velocidad aumenta hasta 5 veces (+R +R DL +RW hasta 3 pasos). Pulse [►] (PLAY) para reiniciar la reproducción. 	eproduce
Salto	Durante la reproducción o una pausa, pulse [I◄◀] o [▷►]]. La unidad saltará los títulos, capítulos o pistas según el número de veces que se pulse el botón y se iniciará la reproducción.	visión/R
Inicio desde una opción seleccionada	Pulse los botones numerados. Por ejemplo, 5: $[0] \rightarrow [5]$ 15: $[1] \rightarrow [5]$ CD (MP3, JPEG/TIFF) 5: $[0] \rightarrow [0] \rightarrow [5]$ 15: $[0] \rightarrow [1] \rightarrow [5]$ DVD-A Selección de grupos Durante la parada (en el televisor se visualiza el salvapantallas) 5: $[5]$ • Esto sólo funciona durante la parada con algunos discos (en el televisor se visualiza el salvapantallas). • VCD (con control de reproducción) Si pulsa los botones numerados durante la parada (el salvapantallas se visualiza en el televisor) podrá cancelar el PBC. (En el visor de la unidad aparece el tiempo de reproducción transcurrido.)	Grabación de programas de televisión/Reproducción de discos
Visión rápida (Quick View) RAM	Mantenga pulsado [▶] (PLAY/x1.3). La velocidad de reproducción es superior a la normal. • Pulse de nuevo para volver a la velocidad normal.	
Cámara lenta RAM -R -R DL -RW(V) +R +R DL +RW DVD-V DVD-A (Sólo partes con imágenes en movimiento) -RW(VR) VCD	 Durante la pausa, pulse [◄◀] o [►►]. La velocidad aumenta hasta 5 veces. Pulse [►] (PLAY) para reiniciar la reproducción. VCD Sólo hacia delante [►►]. La unidad hará una pausa si la reproducción a cámara lenta continúa durante unos 5 minutos (excluyendo DVD-V DVD-A VCD). 	
Imagen a imagen RAM -R -R DL -RW(V) +R +R DL +RW DVD-V DVD-A (Sólo partes con imágenes en movimiento) -RW(VR) VCD	 Durante la pausa, pulse [◄ II] o [II ►]. Cada pulsación muestra la siguiente imagen. Manténgalos pulsados si desea avanzar o retroceder de forma secuencial. Pulse [►] (PLAY) para reiniciar la reproducción. VCD Sólo hacia delante [II ►]. 	
Salto del tiempo especificado (Time Slip) RAM -R -R DL -RW(V) +R +R DL +RW -RW(VR)	 Pulse [TIME SLIP]. Pulse [▲,▼] para seleccionar el tiempo y pulse [ENTER]. La reproducción salta el tiempo especificado. Cada vez que pulsa [▲,▼], el tiempo aumenta [▲] o disminuye [♥] en intervalos de 1 minuto. (Manténgalo pulsado para cambiar en intervalos de 10 minutos.) 	
CM Skip RAM -R -R DL -RW(V) +R +R DL +RW -RW(VR)	Pulse [CM SKIP]. La reproducción se reanuda aproximadamente un minuto después.	
Cambio del audio	Pulse [AUDIO]. RAM FRW(VF) VCD Estéreo → Mono L → Mono R * * * RAM FRW(VF) Al reproducir una emisión SAP (Programa de audio independiente): Principal ↔ SAP DVD-V DVD-A Cada vez que pulsa el botón puede cambiar el número del canal de audio. Esto le permite cambiar elementos como el idioma de la pista de sonido.	
Crear capítulo	Pulse [CREATE CHAPTER]. Los capítulos se dividen cuando se pulsa el punto seleccionado.	RQT831

Download from Www.Somanuals.com. All Manuals Search And Download.

Index

Angle	
attribute	
receiving, recording	
Change Thumbnail	
adding, deleting	
audio	
Set Channels Automatically 13	
Chasing playback	
Cleaning	
disc6	
lens	
main unit	
Clock settings15	
Close First Layer	
CM Skip	
Connection	
amplifier, system component 11	
antenna	
cable box, satellite receiver9, 10	
DV IN terminal	
television	
video cassette recorder8, 9, 10, 32	
Copy (playlist)	
Copying	
DV automatic recording	
from a video cassette recorder	
Manual recording	
CPRM	
Create Chapter	
Create DVD Top Menu	
Create playlists	
Delete	
all titles	
chapter	
chapter in playlist	
playlist	
title	

Divide Title. 29 DNR 27 DV automatic recording 32 DVD-RAM, DVD-R, DVD-R DL, DVD-RW, +R, +R DL, +RW.
Enter name disc
Finalize35, 44Flexible Recording19Format disc34FR (Flexible Recording) Mode17FUNCTIONS window27
JPEG 25, 44
Language audio
Menu MP3
recording
Noise reduction (NR) DNR
On-screen language

PCM Down Conversion	.38
Picture	.27
Playlist	30
Progressive	
Properties	
playlist	31
title	
Protection	
cartridge	34
disc	.34
title	29
Quick Start	36
Quick View	23
Ratings	37
Recording	
Flexible Recording	19
from a video cassette recorder	
mode	
scheduled	
Repeat play	
Restore default settings	
Resume play function	23
Scheduled recording	.20
Setup menu	36
Shorten Title	
Signal Source (RF IN)	
Simultaneous rec and play	
Soundtrack	
Status messages	
Subtitle	
Thumbnail	29
TIFF	
Time Slip.	
Transfer	
ТУ Туре	
туро	14
V. Surround Sound.	.27

Manufactured under license from Dolby Laboratories. "Dolby" and the double-D symbol are trademarks of Dolby Laboratories.

"DTS" and "DTS 2.0 + Digital Out" are trademarks of Digital Theater Systems, Inc.

Apparatus Claims of U.S. Patent Nos. 4,631,603, 4,577,216, and 4,819,098, licensed for limited viewing uses only.

-If you see this symbol-

Information on Disposal in other Countries outside the **European Union**



This symbol is only valid in the European Union. If you wish to discard this product, please contact your local authorities or dealer and ask for the correct method of disposal.

Panasonic Consumer Electronics Company, Division of Panasonic **Corporation of North America**

One Panasonic Way Secaucus, New Jersey 07094 http://www.panasonic.com

Panasonic Puerto Rico, Inc. Ave. 65 de Infantería, Km. 9.5 San Gabriel Industrial Park, Carolina, Puerto Rico 00985

This product incorporates copyright protection technology that is protected by method claims of certain U.S. patents and other intellectual property rights owned by Macrovision Corporation and other rights owners. Use of this copyright protection technology must be authorized by Macrovision Corporation, and is intended for home and other limited viewing uses only unless otherwise authorized by Macrovision Corporation. Reverse engineering or disassembly is prohibited.

MPEG Layer-3 audio decoding technology licensed from Fraunhofer IIS and Thomson multimedia.

> Panasonic Canada Inc. 5770 Ambler Drive Mississauga, Ontario L4W 2T3 www.panasonic.ca



© 2006 Matsushita Electric Industrial Co., Ltd. Printed in China

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com