

peerless®


# PWMT300

FIXED OR TILTING WALL MOUNT  
FOR 23" TO 71" PLASMA AND LCD SCREENS




- Fits most LG 23" to 71" flat panel screens\*
- Easily expandable adapter brackets and wall plate
- Adjustable tilt of +15°/-5° for viewing flexibility
- Intuitive design for easy installation
- Security and standard screws included
- Portrait and landscape capability with mounting hole patterns up to 41"W and 26.37"H
- For mounting to wood studs, solid concrete, or cinder block only

\*Not for use with 32LX and 32LP series LCD TVs.



1-plate configuration  
for screens 23"-37"



2-plate configuration  
for screens 32"-50"




3-plate configuration  
for screens 50"-71"



# PWMT300

FIXED OR TILTING WALL MOUNT FOR 23" TO 71" PLASMA AND LCD SCREENS



**Let's you center a screen even if the studs aren't centered.**  
Continuous rail design allows adapter brackets to be adjusted across the entire wall plate.

**Keeps screen safe.**  
Safety tabs prevent screens from sliding off wall plate.

**Set it and forget it.**  
Ergonomic tension handle makes it easy to lock in any angle without requiring the use of any tools.

**Perfect alignment made quick and easy.**  
Locks from +15/-5° increments. Makes it easy to set multiple screens at specified angles with confidence and without guesswork. Tamper resistant, once positive locking screw is locked in place.

**Saves you installation time.**  
Just loosen the screws and extend adapter brackets. No hardware to remove, no fussing with loose screws.

**Room to reach behind the screen.**  
-5° tilt gives you up to 4 inches of room, making it easy to plug in cords.

**Gives you more flexibility in placement.**  
Generous port size gives you greater leeway in establishing placement over outlet. Large enough to handle almost any cord arrangement, even over a four-way gang box.

**No need to keep track of keys or combinations.**  
Quick-to-install security and standard screws are included. Perfect for commercial or residential installations.



**Get the best view every time.**  
One-touch continuous tilt of +15/-5° makes it easy to adjust the screen for the best view.

*Note: Not for use with 32LP or 32LX series PPV sets*

Dimensions	19.3-42.3" x 13.7-27.3" x 3.2" (48.9-107.4 x 34.9-69.3 x 8.1 cm)
Load Capacity	250 lbs. (113.4 kg)
Product Weight	15 lbs. (6.8 kg)
Finish	Scratch resistant fused epoxy
Color	Black
Package Contents	3-piece wall plate, expandable brackets, wood stud & concrete mounting hardware, screen attachment fasteners
Units in Package	1
Package Size (L x W x H)	20.5" x 9.3" x 5" (52.1 x 23.5 x 12.7 cm)
Package Ship Weight	18.7 lbs. (8.5 kg)
Package UPC Code	044642702533



Peerless Industries, Inc.  
3215 W. North Avenue, Melrose Park, IL 60160  
(800) 865-2112 (708) 865-8870 Fax: (708) 865-2941 www.peerlessmounts.com

©2007 Peerless Industries, Inc. All rights reserved.  
Peerless is a registered trademark of Peerless Industries, Inc.  
All other brands, product names and taglines are trademarks or registered trademarks of their respective owners. PWMT300-0207



## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>