



S66/S66X

Sun Shroud

Installation Manual

Manual C410M - 9/94

1.0 WARNINGS

Prior to installation and use of this product, the following WARNINGS should be observed.

1. Installation and servicing should only be done by Qualified Service Personnel and conform to all Local codes.
2. Unless the unit is specifically marked as a NEMA Type 3-6P enclosure, it is designed for Indoor use only and it must not be installed where exposed to rain and moisture.
4. Only use replacement parts recommended by PELCO.

2.0 SCOPE

This manual covers the S66/S66X Sun Shroud for the EH66 and EH66X Series Environmental Enclosures.

3.0 DESCRIPTION

The S66/S66X sun shroud is designed to protect the EH66/EH66X enclosure from the direct rays of the sun and reduce internal temperature approximately 10-15°.

The following items are required for proper installation of the sun shroud assembly:

| <u>Quantity</u> | <u>Item</u> |
|-----------------|--|
| 6 | Washer, Internal Star #10 SS (Part # ZH10LWSIS) |
| 6 | Screw, 10-32 x 2" Pan Hd. Phil. SS (Part # ZH10-32X2.00SPP) |
| 6 | Spacer, 5/16" DIA x 1.5" L, #10 Clear (Part # SPA8549) |

Note: Use the six 10-32-UNC nuts and flat washers provided with the enclosure assembly (not included in this package).

4.0 INSTALLATION

To install the sun shroud, perform the following steps:

1. Unclamp the enclosure lid and remove.
2. Remove the six (6) screws from the enclosure lid.

3. Align the screw holes in the sun shroud and enclosure lid.

Note: The sun shroud can be aligned in either direction and fits over the top of the enclosure and vent cap(s).

4. Install the screws with the spacers as illustrated in Figure 1 and tighten.




Figure 1. Sun Shroud Assembly Diagram

5.0 WARRANTY AND RETURN INFORMATION

WARRANTY

PELCO will repair or replace, without charge, any merchandise proved defective in material or workmanship for a period of one year after the date of shipment (six months on all pan and tilts with auto scan and medium duty scanners, and two years on Legacy®, Intercept™ and CM9500/CM8500 Matrix products). PELCO will warranty all replacement parts and repairs for 90 days from the date of shipment. All goods for warranty work shall be sent freight prepaid to our Clovis, California facility. Repairs made necessary by reason of misuse, alteration, normal wear, or accident are not covered under this warranty. PELCO is not liable for any incidental or consequential expenses or liability incurred by the customer as a result of field repair, installation, or any other reason.

The above warranty is in lieu of any other expressed or implied warranty, condition, or guarantee by PELCO of the equipment listed herein. PELCO makes no warranties except for intended use and will not be liable for any loss, damage, or costs arising, whether consequential or incidental, from the use of said merchandise.

This warranty gives you specific legal rights. You may also have additional rights, which are subject to variation from state to state.

If a warranty repair is required, contact PELCO at (800) 289-9100 or (559) 292-1981 for a Repair Authorization number (RA), and provide the following information:

1. Model and serial number
2. Date of shipment, P.O. number, Sales Order number, or PELCO invoice number
3. Details of the defect or problem

If there is a dispute regarding the warranty of a product which does not fall under the warranty conditions stated above, please include a written explanation with the product when returned.

Ship freight prepaid to: PELCO
300 West Pontiac Way
Clovis, CA 93612-5699

Method of return shipment shall be the same as method by which the repair item is received by PELCO.

RETURNS

In order to expedite parts returned to the factory for repair or credit, please call the factory at (800) 289-9100 or (559) 292-1981 to obtain an authorization number (CA number if returned for credit, and RA number if returned for repair). Goods returned for repair or credit should be clearly identified with the assigned CA/RA number and freight should be prepaid. All merchandise returned for credit may be subject to a 20% restocking and refurbishing charge.

Ship freight prepaid to: PELCO
300 West Pontiac Way
Clovis, CA 93612-5699



PELCO

300 West Pontiac Way, Clovis, CA 93612-5699 (559) 292-1981 • (800) 289-9100
FAX (800) 289-9150 or (559) 292-3827 • DataFAX (800) 289-9108 or (559) 292-0435

(Product specifications subject to change without notice.)

C410M

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>