

Be Heard, Not Seen

PSB CustomSound In-Wall Speaker System

CW600E - Enclosed In-Wall System

In-wall speakers confront special acoustic challenges. Limited interior space confines their effective enclosure volume, while comparatively flimsy partition construction is no substitute for a true loudspeaker cabinet. There's rarely enough in-wall volume for real bass extension, and the same factor dooms most in-walls to being both unusually power hungry and dynamically limited.

For the PSB CustomSound premium in-wall system, the CW600E, the solution is a design that utilizes its own fully engineered loudspeaker enclosure. Derived from the highly acclaimed Platinum T6 tower, the CW600E incorporates a tall, narrow, highly braced, fully enclosed, wooden enclosure just four inches deep that fits fully within standard, 16-inch-studded construction. The CW600E's dual 6 1/2-inch (165mm) high-power woofers employ incredibly stiff fiberglass cones and higher mass to optimize them to their enclosure volume. The same MTM (midrange-tweeter-midrange) array found in the acclaimed PSB Platinum T6 tower, and a specially optimized crossover match system balance to the PSB Platinum Series while extending bass response. The result is superb, "Platinum-class" clarity and dynamics, with a highly dispersive "sweet spot" so wide and tall that even large home-theater audiences will enjoy maximum definition of movie sound and music alike. A "dog-leg" mounting scheme assures fast, fool-proof and easy mounting. The PSB CustomSound CW600E design finally settles the longstanding conflict between sound and design.




psb
SPEAKERS

CW600E - Enclosed In-Wall System

- “Platinum-Class” In-Wall performance
- Five Driver, 3-way system utilizes Platinum T6 drivers with stiff fiberglass cones and higher cone mass to optimize them to their restricted enclosure volume
- Fully enclosed, highly braced wooden enclosure fits within standard, 16” studded wall
- Midrange-tweeter array provides “Platinum-class” clarity and dynamics with a highly dispersive “sweet spot”.

| | |
|---------------------------------|---|
| Frequency Range (-6dB): | 45-35,000Hz |
| Recommended Power: | 15-200 Watts |
| Impedance: | 6 Ohms |
| Sensitivity (1W (2.83V) @1m) | |
| Anechoic Chamber: | 86dB SPL |
| Typical Listening Room: | 88dB SPL |
| Drivers: | 2 x 6 1/2” Woofers, 2 x 3 1/2” Midranges, 1” Dome Tweeter |
| Overall Dimensions (W x H x D): | 14 x 31 3/4 x 3 3/4” |
| Cut-out Dimensions (W x H): | 12 7/8 x 30 13/16” |
| Weight: | 31 lbs |



Installation Notes

- The CW600E requires a full width stud bay clear of any obstructions, pipes, wires, etc.
- Optimum mounting should place the tweeter as close to ear level as possible.
- System should be vertical as shown.
- Wire connections are on bottom of system. The system may be inverted if needed.
- Lift into aperture gently with two people if possible. (System is heavy!)
- Tighten 12 “dog leg” screws with a firm torque setting. Do not over tighten!
- Midrange and treble switches can be adjusted to suit room acoustics and personal taste.
- Due to the CW600E system being fully enclosed no in-wall acoustic treatment is required.
- System may be painted. Scuffing and priming recommended.
- See manual for more installation hints.

To Reach US Customer Service dial 1 888 772 0000 ext 4445 or 4342

PSB Speakers reserves the right to change specifications or features without notice.

© 2005 PSB Speakers, a division of Lenbrook Industries Limited.

PSB is a registered trademark of Lenbrook Industries Limited. Printed in Canada 08/05. All rights reserved.

No part of this publication may be reproduced, stored or transmitted in any form whatsoever without the written permission of PSB Speakers.

869 CW600E Data

www.pbspeakers.com

1 888 772 0000

psb
SPEAKERS

Download from www.Somanuals.com. All Manuals Search And Download.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>