

## V、 Trouble Shooting

Phenomenon	Reason
No picture and sound	AC adapter or automobile adapter is improperly connected. Powerswitch is off.
No sound	Audio volume is off or in "mute" condition. Press VOL+
Remote Control not working	Check Remote Control Battery and make sure it is installed correctly. Battery may not have power or signal is blocked.

### Notice to Customers

- Don't knock or press the LCD surface.
- **HIGH VOLTAGE INSIDE! DO NOT** dismantle the unit for your own safety.
- LCD may have a few color dots, which is common for the matrix display technology, and doesn't indicate defects or fault.
- Picture for reference only, articles as arrival, will not notice separately if has any changes.

**WARNING:**  
**FOR YOUR SAFETY, PLEASE DON'T OPERATE**  
**OR WATCH DISPLAY WHILE DRIVING.**

Components or manufacturing process may be subject to change within the specification for improving purpose.

(B 060322 V2.0)

**PYLE®**  
**view**  
[www.pyleaudio.com](http://www.pyleaudio.com)




**PLVWR750T**

Please read this manual before operating

## I、Installation Guide

- 1> This unit should be installed by a qualified service Technician.
- 2> This product is designed to operate with a 12V DC, negative ground battery system.
- 3> Don't connect the ground wire from the battery terminal prior to connecting the unit to the electrical system.
- 4> Please use accessories that come with this unit in order to avoid fire or electrical damage to it.




- |                              |                    |
|------------------------------|--------------------|
| ① Open button                | ⑤ Right light      |
| ② Left light control button  | ⑦ Menu             |
| ③ Right light control button | ⑨ Remote window    |
| ④ Left light                 | ⑪ Channel increase |
| ⑥ Analog decrease            |                    |
| ⑧ Analog increase            |                    |
| ⑩ Channel decrease           |                    |
| ⑫ Power ON/OFF button        |                    |


## II、Performance Parameter

**Panel size:** 7"  
**Display mode:** 16:9  
**System:** NTSC/PAL  
**Power supply:** DC 12V  
**Power consumption:** 12W  
**Resolution:** 480×RGB×234  
**Operation temperature:** +5℃ ~+40℃  
**Storage temperature:** -5℃ ~+75℃  
**Brightness:** 300cd/m<sup>2</sup>  
**Contrast:** 300:1  
**Built-in TV Tuner**  
**IR Transmitter**

## III、Remote Control



## IV、Connection



## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>