

AP-Series Label Applicators



AP362e LABEL APPLICATOR

Primera's AP-Series Label Applicators are the perfect semi-automatic labeling solution for cylindrical containers as well as many tapered containers, including bottles, cans, jars and tubes.

Set-up and operation is fast and easy. Just:

1. Set the guides
2. Place your container in the machine
3. Press the footswitch and your label is applied

The built-in spring-loaded pressure arm makes sure labels are applied firmly and without wrinkles.

With an AP-Series Label Applicator you'll apply labels faster and more accurately – helping to speed up your production and sell more of your products!



PRIMERA
TECHNOLOGY, INC.

www.primeralabel.eu

Apply Labels Fast and Accurately

With an AP-Series Label Applicator you'll be able to apply labels at speeds of up to 1200 per hour. Labels are perfectly applied without wrinkles, giving your finished products a highly professional look.

AP-Series Label Applicators are an ideal accessory to Primera's LX- or CX-Series label printers. The applicators can also apply roll-fed, pressure-sensitive labels produced by most other flexographic, offset and digital presses.

Two Models Available



AP360e is the base model. It quickly and efficiently applies single labels at a time.



AP362e is an advanced model. It can apply one or two different labels to a single container. A built-in LED counter and memory for up to nine front-to-back label offsets is also included.


Features

- » Quick set-up and easy operation
- » Accurately applies labels to the front (AP360e) or front and back (AP362e) with variable spacing
- » Fast – labels are applied at 5.3" (135mm) per second – up to 1200 containers per hour
- » Compact size – fits on most desks and countertops
- » Professionally designed – one of the only semi-automatic label applicators available with UL, CSA and FCC safety and emissions certifications
- » Industrial strength – built with heavy-duty sheet metal and steel for long life



Specifications

| | |
|-------------------------------|---|
| Container Width: | 1" to 9.4" (25.4mm to 238mm) |
| Container Diameter: | 15mm to 170mm (0.6" to 6.7") |
| Container Shape: | Cylindrical and many tapered |
| Supply roll diameter: | Up to 203mm (8") |
| Media liner width: | 25.4mm to 213mm (1" to 8.375") |
| Supply roll core: | 51.8mm to 76.2mm (2" to 3" I.D.) |
| Electrical rating: | 12VDC, 5.0A |
| Power requirements: | 100-240VAC, 50/60 Hz, 60 watts |
| Agency certifications: | UL, UL-C, CE, FCC Class A |
| Weight: | 7.26 kg (16 lbs.) |
| Dimensions: | 340mmW x 226mmH x 328mmD (13.4"W x 8.9"H x 12.9"D) |



AP-Series Label Applicators are the perfect accessory to Primera's LX400e and LX810e Color Label Printers

PRIMERA
TECHNOLOGY EUROPE™
Mainzer Strasse 131
65187 Wiesbaden / Germany
Fon: +49 (0) 611 - 92777-0
Fax: +49 (0) 611 - 92777-50
www.primeralabel.eu
www.primera-europe.eu
E-mail: sales@primera-europe.eu

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>