

Colour Television
14PT1324

Product highlights

- *Contrast Plus*
- *Personal Preference Key*
- *Sleeptimer*
- *Plug and Play Installation*



Plug & Play



Remote control unit varies with model



Let's make things better.



PHILIPS

Download from www.Somanuals.com. All Manuals Search And Download.

Colour Television
14PT1324

Product highlights

- *Contrast Plus*
- *Personal Preference Key*
- *Sleeptimer*
- *Plug and Play Installation*



Plug & Play



Remote control unit varies with model



Faisons toujours mieux.



PHILIPS

Download from www.Somanuals.com. All Manuals Search And Download.

Colour Television
14PT1324

Product highlights

- *Contrast Plus*
- *Personal Preference Key*
- *Sleeptimer*
- *Plug and Play Installation*



Plug & Play



Remote control unit varies with model



As κάνουμε τον κόσμο μας καλύτερο.



PHILIPS

Download from www.Somanuals.com. All Manuals Search And Download.

Colour Television
14PT1324

Product highlights

- *Contrast Plus*
- *Personal Preference Key*
- *Sleeptimer*
- *Plug and Play Installation*



Plug & Play



Remote control unit varies with model



Miglioriamo il tuo mondo.



PHILIPS

Download from www.somanuals.com. All Manuals Search And Download.

Colour Television
14PT1324

Product highlights

- *Contrast Plus*
- *Personal Preference Key*
- *Sleeptimer*
- *Plug and Play Installation*



Plug & Play



Remote control unit varies with model



Por si fazemos melhor.



PHILIPS

Download from www.Somanuals.com. All Manuals Search And Download.

Colour Television
14PT1324

Product highlights

- *Contrast Plus*
- *Personal Preference Key*
- *Sleeptimer*
- *Plug and Play Installation*



Plug & Play



Remote control unit varies with model



Juntos hacemos tu vida mejor.

Download from www.Somanuals.com. All Manuals Search And Download.



PHILIPS

Colour Television
14PT1324

Product highlights

- *Contrast Plus*
- *Personal Preference Key*
- *Sleeptimer*
- *Plug and Play Installation*



Plug & Play



Remote control unit varies with model



Let's make things better.



PHILIPS

Download from www.Somanuals.com. All Manuals Search And Download.

Colour Television
14PT1324

Product highlights

- *Contrast Plus*
- *Personal Preference Key*
- *Sleeptimer*
- *Plug and Play Installation*



Plug & Play



Remote control unit varies with model



Faisons toujours mieux.



PHILIPS

Download from www.Somanuals.com. All Manuals Search And Download.

Colour Television
14PT1324

Product highlights

- *Contrast Plus*
- *Personal Preference Key*
- *Sleeptimer*
- *Plug and Play Installation*



Plug & Play



Remote control unit varies with model



As κάνουμε τον κόσμο μας καλύτερο.



PHILIPS

Download from www.Somanuals.com. All Manuals Search And Download.

Colour Television
14PT1324

Product highlights

- *Contrast Plus*
- *Personal Preference Key*
- *Sleeptimer*
- *Plug and Play Installation*



Plug & Play



Remote control unit varies with model



Miglioriamo il tuo mondo.



PHILIPS

Download from www.Somanuals.com. All Manuals Search And Download.

Colour Television
14PT1324

Product highlights

- *Contrast Plus*
- *Personal Preference Key*
- *Sleeptimer*
- *Plug and Play Installation*



Plug & Play



Remote control unit varies with model



Por si fazemos melhor.



PHILIPS

Download from www.Somanuals.com. All Manuals Search And Download.

Colour Television
14PT1324

Product highlights

- *Contrast Plus*
- *Personal Preference Key*
- *Sleeptimer*
- *Plug and Play Installation*



Plug & Play



Remote control unit varies with model



Juntos hacemos tu vida mejor.

Download from www.Somanuals.com. All Manuals Search And Download.



PHILIPS

Product Information

Picture

Screen Size	14" (37 cm)
Viewing area	34 cm (14")
Iron Mask	
Personal Preference	Natural, Personal
Contrast Plus	
Sharpness Control	
Color Temperature Control	
Noise Reduction	

Sound

Sound output	1 x 2 Watts RMS
Loudspeakers	Full Range Speakers

Reception

Tuning system	PLL digital tuning
Tuner	UV, S and Hyperband
Channel selection	80 presets
Aerial input	75 Ohm Coaxial
TV systems	See Table
Stereo systems	See Table
Plug and Play installation	

Connectors

Front	Stereo headphone out (3.5 mm)
Rear	Ext 1: Scart CVBS In/Out + RGB In
Operation	RCL9ED
Multi language on-screen display	
Cursor Control	
Sleeptimer	(240 minutes)

Measurements

Mains	220 - 240V, 50 Hz
Power consumption	41 W
	10 Watts standby
Net weight	10 kg (approx.)
Gross weight	11 kg (approx.)
Set dimension	360 x 370 x 357 (W x D x H mm)
Box dimension	440 x 439 x 445 (W x D x H mm)

Product Highlights

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Sleeptimer

The Sleptimer automatically turns the TV off at a preset time of up to 240 minutes from the time the feature is activated. Sleptimer settings are programmed in 15, 30 and 60-minute increments.

Plug and Play

No problem anymore to install your new TV. You choose the language you are more familiar with, the country you are in and the TV will install automatically all available programs.

version		transmission system						ATS/ACI	stand supplied in the box
		PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		
14PT1324	/00	•							

Predecessor	: -
Chassis	: L9SS
Release date (TTM)	: January 2000
Reference	: Basic/EU/PH/14SYLA/0898

Features and specifications subject to change without notice

Let's make things better.



PHILIPS

Product Information

Picture

Screen Size	14" (37 cm)
Viewing area	34 cm (14")
Iron Mask	
Personal Preference	Natural, Personal
Contrast Plus	
Sharpness Control	
Color Temperature Control	
Noise Reduction	

Sound

Sound output	1 x 2 Watts RMS
Loudspeakers	Full Range Speakers

Reception

Tuning system	PLL digital tuning
Tuner	UV, S and Hyperband
Channel selection	80 presets
Aerial input	75 Ohm Coaxial
TV systems	See Table
Stereo systems	See Table
Plug and Play installation	

Connectors

Front	Stereo headphone out (3.5 mm)
Rear	Ext 1: Scart CVBS In/Out + RGB In
Operation	RCL9ED
Multi language on-screen display	
Cursor Control	
Sleeptimer	(240 minutes)

Measurements

Mains	220 - 240V, 50 Hz
Power consumption	41 W
	10 Watts standby
Net weight	10 kg (approx.)
Gross weight	11 kg (approx.)
Set dimension	360 x 370 x 357 (W x D x H mm)
Box dimension	440 x 439 x 445 (W x D x H mm)

Product Highlights

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Sleeptimer

The Sleptimer automatically turns the TV off at a preset time of up to 240 minutes from the time the feature is activated. Sleptimer settings are programmed in 15, 30 and 60-minute increments.

Plug and Play

No problem anymore to install your new TV. You choose the language you are more familiar with, the country you are in and the TV will install automatically all available programs.

version		transmission system						ATS/ACI	stand supplied in the box
		PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		
14PT1324	/00	•							

Predecessor	: -
Chassis	: L9SS
Release date (TTM)	: January 2000
Reference	: Basic/EU/PH/14SYLA/0898

Features and specifications subject to change without notice

Product Information

Picture

Screen Size	14" (37 cm)
Viewing area	34 cm (14")
Iron Mask	
Personal Preference	Natural, Personal
Contrast Plus	
Sharpness Control	
Color Temperature Control	
Noise Reduction	

Sound

Sound output	1 x 2 Watts RMS
Loudspeakers	Full Range Speakers

Reception

Tuning system	PLL digital tuning
Tuner	UV, S and Hyperband
Channel selection	80 presets
Aerial input	75 Ohm Coaxial
TV systems	See Table
Stereo systems	See Table
Plug and Play installation	

Connectors

Front	Stereo headphone out (3.5 mm)
Rear	Ext 1: Scart CVBS In/Out + RGB In
Operation	RCL9ED
Multi language on-screen display	
Cursor Control	
Sleeptimer	(240 minutes)

Measurements

Mains	220 - 240V, 50 Hz
Power consumption	41 W
	10 Watts standby
Net weight	10 kg (approx.)
Gross weight	11 kg (approx.)
Set dimension	360 x 370 x 357 (W x D x H mm)
Box dimension	440 x 439 x 445 (W x D x H mm)

Product Highlights

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Sleeptimer

The Sleptimer automatically turns the TV off at a preset time of up to 240 minutes from the time the feature is activated. Sleptimer settings are programmed in 15, 30 and 60-minute increments.

Plug and Play

No problem anymore to install your new TV. You choose the language you are more familiar with, the country you are in and the TV will install automatically all available programs.

version		transmission system						ATS/ACI	stand supplied in the box
		PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		
14PT1324	/00	•							

Predecessor	: -
Chassis	: L9SS
Release date (TTM)	: January 2000
Reference	: Basic/EU/PH/14SYLA/0898

Features and specifications subject to change without notice

Product Information

Picture

Screen Size	14" (37 cm)
Viewing area	34 cm (14")
Iron Mask	
Personal Preference	Natural, Personal
Contrast Plus	
Sharpness Control	
Color Temperature Control	
Noise Reduction	

Sound

Sound output	1 x 2 Watts RMS
Loudspeakers	Full Range Speakers

Reception

Tuning system	PLL digital tuning
Tuner	UV, S and Hyperband
Channel selection	80 presets
Aerial input	75 Ohm Coaxial
TV systems	See Table
Stereo systems	See Table
Plug and Play installation	

Connectors

Front	Stereo headphone out (3.5 mm)
Rear	Ext 1: Scart CVBS In/Out + RGB In
Operation	RCL9ED
Multi language on-screen display	
Cursor Control	
Sleeptimer	(240 minutes)

Measurements

Mains	220 - 240V, 50 Hz
Power consumption	41 W
	10 Watts standby
Net weight	10 kg (approx.)
Gross weight	11 kg (approx.)
Set dimension	360 x 370 x 357 (W x D x H mm)
Box dimension	440 x 439 x 445 (W x D x H mm)

Product Highlights

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Sleeptimer

The Sleptimer automatically turns the TV off at a preset time of up to 240 minutes from the time the feature is activated. Sleptimer settings are programmed in 15, 30 and 60-minute increments.

Plug and Play

No problem anymore to install your new TV. You choose the language you are more familiar with, the country you are in and the TV will install automatically all available programs.

version		transmission system						ATS/ACI	stand supplied in the box
		PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		
14PT1324	/00	•							

Predecessor	: -
Chassis	: L9SS
Release date (TTM)	: January 2000
Reference	: Basic/EU/PH/14SYLA/0898

Features and specifications subject to change without notice

Product Information

Picture

Screen Size	14" (37 cm)
Viewing area	34 cm (14")
Iron Mask	
Personal Preference	Natural, Personal
Contrast Plus	
Sharpness Control	
Color Temperature Control	
Noise Reduction	

Sound

Sound output	1 x 2 Watts RMS
Loudspeakers	Full Range Speakers

Reception

Tuning system	PLL digital tuning
Tuner	UV, S and Hyperband
Channel selection	80 presets
Aerial input	75 Ohm Coaxial
TV systems	See Table
Stereo systems	See Table
Plug and Play installation	

Connectors

Front	Stereo headphone out (3.5 mm)
Rear	Ext 1: Scart CVBS In/Out + RGB In
Operation	RCL9ED
Multi language on-screen display	
Cursor Control	
Sleeptimer	(240 minutes)

Measurements

Mains	220 - 240V, 50 Hz
Power consumption	41 W
	10 Watts standby
Net weight	10 kg (approx.)
Gross weight	11 kg (approx.)
Set dimension	360 x 370 x 357 (W x D x H mm)
Box dimension	440 x 439 x 445 (W x D x H mm)

Product Highlights

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Sleeptimer

The Sleptimer automatically turns the TV off at a preset time of up to 240 minutes from the time the feature is activated. Sleptimer settings are programmed in 15, 30 and 60-minute increments.

Plug and Play

No problem anymore to install your new TV. You choose the language you are more familiar with, the country you are in and the TV will install automatically all available programs.

version		transmission system						ATS/ACI	stand supplied in the box
		PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		
14PT1324	/00	•							

Predecessor	: -
Chassis	: L9SS
Release date (TTM)	: January 2000
Reference	: Basic/EU/PH/14SYLA/0898

Features and specifications subject to change without notice

Product Information

Picture

Screen Size	14" (37 cm)
Viewing area	34 cm (14")
Iron Mask	
Personal Preference	Natural, Personal
Contrast Plus	
Sharpness Control	
Color Temperature Control	
Noise Reduction	

Sound

Sound output	1 x 2 Watts RMS
Loudspeakers	Full Range Speakers

Reception

Tuning system	PLL digital tuning
Tuner	UV, S and Hyperband
Channel selection	80 presets
Aerial input	75 Ohm Coaxial
TV systems	See Table
Stereo systems	See Table
Plug and Play installation	

Connectors

Front	Stereo headphone out (3.5 mm)
Rear	Ext 1: Scart CVBS In/Out + RGB In
Operation	RCL9ED
Multi language on-screen display	
Cursor Control	
Sleeptimer	(240 minutes)

Measurements

Mains	220 - 240V, 50 Hz
Power consumption	41 W
	10 Watts standby
Net weight	10 kg (approx.)
Gross weight	11 kg (approx.)
Set dimension	360 x 370 x 357 (W x D x H mm)
Box dimension	440 x 439 x 445 (W x D x H mm)

Product Highlights

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Sleeptimer

The Sleptimer automatically turns the TV off at a preset time of up to 240 minutes from the time the feature is activated. Sleptimer settings are programmed in 15, 30 and 60-minute increments.

Plug and Play

No problem anymore to install your new TV. You choose the language you are more familiar with, the country you are in and the TV will install automatically all available programs.

version		transmission system						ATS/ACI	stand supplied in the box
		PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		
14PT1324	/00	•							

Predecessor	: -
Chassis	: L9SS
Release date (TTM)	: January 2000
Reference	: Basic/EU/PH/14SYLA/0898

Features and specifications subject to change without notice



VIS_14PT1324_FTL2.EPS



VIS_RCL9ED_FR1.EPS

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>