

Best value with great features

Get the best value with a high brightness LCD panel, FM radio and a compact design that can fit anywhere within the home.

Enhanced video performance

- Enhances Definition VGA panel for better picture resolution
- High brightness projects a high brightness picture even in daylight
- High contrast picture with deep black and pure white colors
- Fast response time capable of handling fast moving pictures

Impressive sound

- Virtual Dolby® Surround for cinema like audio experience

Great convenience

- LCD TV with integrated tuner for terrestrial reception
- FM radio tuner to enhance your personal enjoyment

Freedom of placement

- Compact, sleek design and small size that fits in every room
- Ergonomic handle for easy portability



PHILIPS

15" Real Flat TV™

I5PF7846

Technical specifications

Picture

- Screen (diagonal) : 15" (39 cm)
- Visible screen size : 15" (39 cm)
- Aspect ratio : 4:3 Standard format
- Display : LCD Active Matrix TFT TN
- Response Time : 16 ms
- Resolution : 1024 x 768
- Brightness : 450 nits
- Viewing Angle : 130 H/100 V
- Anti Reflex Coated Screen

Sound Quality

- Sound Power : 4 watt RMS
- Music Power : 8 watt RMS
- 2 on board Flat speakers
- Virtual Dolby® Surround

Ease of Installation

- Plug & play
- 100 Preset channels
- Autostore
- Fine tuning
- Sorting
- Manual store
- Smart ATS/ACI

Ease of Use

- Top controls
- Smart Picture (5 modes)
- Smart Sound (4 modes)
- Smart Listening (AVL) + Delta Volume
- Picture modes : 4:3, 4:3 expand, 16:9 compressed
- Multi-language OSD and menu control
- Program List (100 presets)
- Ergonomic Remote Control (RCI9335019/01)

Side Connections

- S-Video
- Headphone (mini jack)
- Video CVBS

Rear Connections

- EXT 1 : Euro AV Connector (RGB in, CVBS in/out)

Information

- 10 Page Smart Text
- Twin Page Text

FM Radio

- Stereo FM Radio
- 40 Preset Channels
- Autostore/Manual store
- Sorting
- Preset List

Reception

- Tuning System : PLL
- Tuner : VHF, UHF, S-channel, Hyperband
- Color system : See Table
- Stereo system : See Table
- Aerial Input : 75 Ohm Coaxial

Miscellaneous

- Ambient Temperature : +5/45°C
- Main : AC 90 – 240V
- Net Weight : 5.5 Kg
- Gross Weight : 7.5 Kg
- Set Dimensions (WxHxD) without Stand : 788 x 439 x 113 mm
- with Stand : 788 x 504 x 270 mm
- Box Dimensions (WxHxD) : 863 x 305 x 600 mm

Product highlights

High definition XGA LCD panel

It use latest panel technology which offers superior entertainment at 1024 X 768 pixel resolution. It also has faster response time and natural brilliant colors.

Virtual Dolby® Surround


Enjoy enhanced cinema surround sound effect without the need for rear speakers.

FM Radio

Listen to all your favorite radio channels (40 presets).

10 page teletext

The teletext is a common system transmitted by most broadcasters. 10 pages give you fast access to changing pages.



stereosystem						transmissionsystem					
2CS DK	NICAM DK	2CS BG	NICAM BG	NICAM I	NICAM LL'	PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'
•	•	•	•	•	•	•	•	•	•	•	•

Predecessor : I4PF7846

Chassis : LC04C

Introduction : Year 2004

Dolby and the double-D symbol are trademarks of Dolby Laboratories Licensing, Inc.

Features and specifications subject to change without notice.

2004 Royal Philips Electronics—All rights reserved.

www.philips.com

Download from www.Somanuals.com. All Manuals Search And Download.



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>