Register your product and get support at

www.philips.com/welcome

AF4800



EN User manual

English

1 Important

Safety

Hearing safety

- Listen at a moderate volume.
- Using headphones at a high volume can impair your hearing.
 This product can produce sounds in decibel ranges that may cause hearing loss for a normal person, even for exposure les
- cause hearing loss for a normal person, even for exposure less than a minute. The higher decibel ranges are offered for those that may have already experienced some hearing loss.

 Sound can be deceiving. Over time your hearing 'comfort
 - level' adapts to higher volumes of sound. So after prolonged listening, what sounds 'normal' can actually be loud and harmful to your hearing. To guard against this, set your volume to a safe level before your hearing adapts and leave it there.

 Set your volume control at a low setting.
 - Slowly increase the sound until you can hear it comfortably and clearly, without distortion.
 Prolonged exposure to sound, even at normally 'safe' levels,
 - can also cause hearing loss.
 Be sure to use your equipment reasonably and take appropriate breaks.
 - Listen at reasonable volumes for reasonable periods of time.
 - Be careful not to adjust the volume as your hearing adapts.
 - Do not turn up the volume so high that you can't hear what's around you.

potentially hazardous situations. Do not use headphones while operating a motorized vehicle, cycling, skateboarding, etc.; it may create a traffic hazard and is illegal in many areas. Where the mains plug or an appliance coupler is used as the disconnect device, the disconnect device shall remain readily

You should use caution or temporarily discontinue use in

operable.



- Never remove the casing of this unit.
- Never lubricate any part of this unit.
- Place this unit on a flat, hard and stable surface. Never place this unit on other electrical equipment.
- Only use this unit indoors. Keep this unit away from water, moisture and liquid-filled objects.
- Keep this unit away from direct sunlight, naked flames or heat. Important notes for users in the U.K.

Mains plug

- This apparatus is fitted with an approved 13 Amp plug. To change a fuse in this type of plug proceed as follows:
- 1 Remove fuse cover and fuse.
- 2 Fix new fuse which should be a BS1362 3 Amp. A.S.T.A. or BSI approved type. 3 Refit the fuse cover.

than 5 Amp.

If the fitted plug is not suitable for your socket outlets, it should be cut off and an appropriate plug fitted in its place. If the mains plug contains a fuse, this should have a value of 3 Amp. If a plug without a fuse is used, the fuse at the distribution board should not be greater

Note: The severed plug must be disposed of to avoid a possible and from your Sound plug series of the severed plug must be disposed of to avoid a possible and from your series of the severed plug must be disposed by the severed plug

How to connect a plug The wires in the mains lead are coloured with the following code:

blue = neutral (N), brown = live (L). As these colours may not correspond with the colour markings

- identifying the terminals in your plug, proceed as follows: Connect the blue wire to the terminal marked N or coloured black.
- Connect the brown wire to the terminal marked L or coloured red
- Do not connect either wire to the earth terminal in the plug. marked E (or e) or coloured green (or green and yellow).

Before replacing the plug cover, make certain that the cord grip is clamped over the sheath of the lead - not simply over the two wires.

Copyright in the U.K.

Recording and playback of material may require consent, See Copyright Act 1956 and The Performer's Protection Acts 1958 to 1972.

Notice

Any changes or modifications made to this device that are not expressly approved by Philips Consumer Lifestyle may void the user's authority to operate the equipment.

This product complies with the radio interference requirements of the European Community.

CE This product complies with the requirements of the following directives and guidelines: 2004/108/EC + 2006/95/EC

Your product is designed and manufactured with high quality materials and components, which can be recycled and reused.



When this crossed-out wheeled bin symbol is attached to a product it means that the product is covered by the European Directive 2002/96/EC.

Please inform yourself about the local separate collection



system for electrical and electronic products.

Please act according to your local rules and do not dispose of your old products with your normal household waste. Correct disposal of your old product helps to prevent potential negative consequences

Your product contains batteries covered by the European Directive 2006/66/EC, which cannot be disposed with normal household waste.Please inform yourself about the local rules on separate collection of batteries because correct disposal helps to prevent negative consequences for the environmental and human health.

Environmental informationAll unnecessary packaging has been omitted. We have tried to make

batteries and old equipment.

for the environment and human health.

the packaging easy to separate into three materials: cardboard (box), polystyrene foam (buffer) and polyethylene (bags, protective foam sheet.)

Your system consists of materials which can be recycled and reused if disassembled by a specialized company. Please observe the local regulations regarding the disposal of packaging materials, exhausted

2 Your FM/DAB radio

Congratulations on your purchase, and welcome to Philips! To fully benefit from the support that Philips offers, register your product at www.philips.com/welcome.


Introduction

With this unit, you can enjoy both FM radio and Digital Audio Broadcasting (DAB) radio.
Digital Audio Broadcasting (DAB), is a way of broadcasting radio digitally through a network of transmitters. It provides you with more choice, better sound quality and more information.

What's in the box

- Check and identify the contents of your package:
 - Main unit
- AC adaptor
 User manual

Overview of the main unit



- 1 FM/DAB antenna
 - Improve FM/DAB reception.

2

- lack for the headphone.
- 3 DC
 - Jack for the AC adaptor(supplied).
 - Speaker
- INFO load from Www.Somanuals,com.AlliManuals Search And Dow

(9) Numeric keypads Set/select a preset radio station. (10) **FNTFR** Display DAB station information. Confirm DAB station/menu selection. (11) Λ/V FM mode: Tune to a radio station DAB mode: Navigate DAB station list/menu. (12) Display panel Display current status. (13) **POWFR** Turn on or off the unit (14) VOL+/-Adjust volume.

6

(7)

(8)

(15)

(16)

Retractable stand

Provide stand support.

Battery compartment door

MENU

SHIFT

FM/DAB

Select DAB menu option. Scan DAB radio stations.

Select FM or DAB radio.

Shift the numeric numbers 1-5 to 6-10

3 Get started



 Use of controls or adjustments or performance of procedures other than herein may result in hazardous radiation exposure or other unsafe operation.

Always follow the instructions in this chapter in sequence. If you contact Philips, you will be asked for the model and serial number of this apparatus. The model number and serial number are on the back of the apparatus. Write the numbers here:

Model No. ______ Serial No. _____

Place the radio

To place the unit on a flat, stable surface, pull out the retractable stand from bottom of the unit at back-side.

Prepare FM/DAB antenna

For optimal reception, fully extend and adjust the position of the FM/DAB antenna.



 Position the antenna as far away as possible from your TV, VCR or other radiation source to prevent interference.

Connect power

You can use this radio player on AC power or battery power. **Battery Life** (Approx. hours)

When using	FM	DAB
alkaline R6 (size AA)	9	9

Option 1:AC power




- Risk of product damage! Ensure that the power supply voltage corresponds to the voltage printed on the back or the underside of the product.
- Risk of electric shock! When you unplug the AC adaptor, always pull the plug from the socket. Never pull the cord.
 Use only the AC adaptor specified by the manufacturer or sold with
- = Note

this unit.

The type plate is located on the back of the apparatus.

1 Connect one end of the AC adaptor to the DC socket on the main unit.



2 Connect the other end of the AC adaptor to the wall outlet.

Option 2: Battery power

- Caution
 - Risk of explosion! Keep batteries away from heat, sunshine or fire.
 - Never discard batteries in fire.

 Do not mix batteries (old and new or carbon and alkaline, etc.).
 - Remove batteries if they are exhausted or if the unit is not to be used for a long time.
 - Open the battery compartment at the back of the unit.
 Insert 6 R6/UM-3/AA size batteries (not supplied) with correct polarity (+/-) as indicated, then close the battery
- compartment.

The unit is ready to operate.



"Battery low' message is shown when the battery power is low. Change batteries to ensure normal operation.



Batteries contain chemical substances, so they should be disposed of properly.

For users in the U.K.:

For users in the U.K.: please follow the instructions in "Important note for users in the U.K." under "Important" part.

Turn on

Press ().

→ The unit switches to the last selected source.

To turn off the unit: Press O again.

Adjust the volume level

During play, press VOL+/-to increase/decrease the volume level

4 Listen to FM radio

Tune to FM radio

Press **FM/DAB**repeatedly to select FM radio. Press Λ/V to tune to a radio station.

Search FM radio stations

Tune to FM radio.

Press and hold ∧/V for more than two seconds to start searching stations.

→ The FM tuner tunes to a station with strong reception

automatically.

Repeat step 1 if necessary until you find the desired station.

Store FM stations manually

You can program a maximum of 10 preset FM radio stations.

1 Tune to your desired FM station.

To preset number 1 - 5, press and hold the numeric keypads for two seconds:

for two seconds;

To select the preset number 6 - 10, press and hold **SHIFT** and the numeric keypads simultaneously for two seconds.

The preset number of the saved station appears.



To overwrite a preset station, store another station in its place.

Select a preset FM radio station load from Www.Somanuals.com. All Manuals Search And Dowr Press FM/DABrepeatedly to select FM radio. Press numeric keypads to select a preset number.

5 Listen to DAB radio

Tune to DAB radio

When you enter the DAB mode for the first time, the radio player automatically scans DAB radio stations. Then station list is retained in memory so the next time the radio player is switched on, the station scan does not take place.

Press FM/DABrepeatedly to select DAB radio,

→ A bar graph indicates the progress of the search and the

Number of Stations



When scan is completed, the stations are listed in numerical then alphabetic order.

Progress bar

First available station is played.

(B) If there is no DAB coverage currently available → "Station list" is displayed.

1 Change the location or adjust antenna.

2 Press ENTER to scan again.

Change DAB station

Tune to a DAB station.

2 Use A/V to navigate through available stations. ad from Www.Somanuals.com. All Manuals Search And Dowl Press MENU to choose a station.

Scan DAB radio stations

When playing a DAB station, or the current station is not available, press and hold **MENU** for more than two seconds. The radio player scans all available DAB radio stations and broadcasts the current station



New stations and services will be added in the DAB broadcast. To make new DAB stations and services available on your radio player, do scan on a regular base.

Display station information

- Tune to a DAB radio station.
 - Press ENTER repeatedly to scroll through the following
 - information (if available): Dynamic label segment (DLS)
 - Program type (PTY) \rightarrow → Fnsemble Name
 - → Channel and frequency → Signal error rate
 - Bit rate and audio status \rightarrow Time

Date

Store DAB stations manually

You can store a maximum of 10 preset DAB radio stations.

- To preset number 1 5, press and hold the numeric keypads for two seconds: To select the preset number 6 - 10, press and hold SHIFT and the numeric keypads simultaneously for two seconds. → The preset number of the saved station appears.
- To overwrite a preset station, store another station in its place.

Select a preset DAB radio station

Press numeric keypads to select a preset number.

Use DAB menu

In DAB mode, press **MENU** to enter the DAB menu.

Press FM/DABrepeatedly to select DAB radio.

- Press Λ/V to scroll the menu options:
 - [Station list]
 - [System]
 - [DRC] (dynamic range control) [Manual tune]
 - [Full scan]
 - [Local scan]
 - To select an option, press ENTER.
 - Repeat step 2-3 if sub-option is available under one option.

[System] [DAB] Enter the DAB source.

[Info] This option displays the current software version of the load from, Www.Somanuals.com. All Manuals Search And Dowl

It is possible to manually tune to a specific channel/frequency and add this to the station list. This function can be used to obtain the optimum reception for a

[System setup] - [Factory reset] This option resets the unit to

- Inis function can be used to obtain the optimum reception for a specific channel/frequency, taking into account the position of the aerial.

 A rectangle will be displayed on first line of the display. The
- position of this rectangle indicates the signal strength (the further towards the right, the greater the signal strength).

 The second line of the display shows the selected channel and its
- → The second line of the display shows the selected channel and its frequency. The first line of the display shows a rectangle.
- Adjust the position of the antenna to obtain the optimum signal strength.

[DRC]

default setting. **IFM1** Enter the FM source.

[Manual tune]

- Dynamic range control (DRC) adds or removes a degree of compensation for the differences in the dynamic range between radio stations.
- [DRC high] (DRC is switched on; the default setting recommended for noisy environment.)
- [DRC low] (DRC is set to half normal level.)
 [DRC off] (DRC is switched off.)
- [Full scan] and [Local scan]
 Local scan is used to perform a small range of DAB radio search (in
 UK), Full scan is used to perform a wide range of DAB radio search
 (outside UK).



Product information



Product information is subject to change without prior notice.

Tuner (FM)

Tuning Range Tuning grid

General information

AC/DC adaptor

- Model

- Input

Output

Operation Power Consumption

Standby Power Consumption Power output

Battery power input

5.5W <1W

OH-075V0500T

87.5 - 108MHz

50KHz

1W (10% THD) $15V \times 6$ load from Www.Somanuals.com, All Manuals Search And Dow

230-240V~50Hz 35mA 7.5V === 500mA

- Ac	daptor	0.265 kg
7	Troubleshooti	ng
A	Warning	

0.365 kg

15mW x 2 (32 ohm)

200 x 115 5 x 45 2 mm

Never remove the casing of this apparatus.

Headphone output power

Main Unit (W x H x D)

Dimensions

Weight - Main Unit

To keep the warranty valid, never try to repair the system yourself. If you encounter problems when using this apparatus, check the following points before requesting service. If the problem remains unsolved, go to the Philips web site www.philips.com/welcome.When

number and serial number are available. No power Ensure that the AC power plug of the unit is connected

properly. Ensure that there is power at the AC outlet.

you contact Philips, ensure that the apparatus is nearby and the model

Insert the batteries with their polarities (+/- signs) aligned as

indicated

Replace the battery.

Poor radio reception

- Increase the distance between the unit and your TV or VCR.
- Fully extend the antenna.

8 About DAB

About Digital Audio Broadcasting (DAB)

DAB digital radio is a new way of broadcasting radio via a network of terrestrial transmitters. It provides listeners with more choice and information delivered in crystal clear, crackle-free sound quality.

—The technology allows the receiver to lock on to the strongest signal

- it can find.

 With DAB digital stations there are no frequencies to remember, and
- With DAB digital stations there are no frequencies to remember, and sets are tuned by station name, so there's no returning on the move.

What is a multiplex?

Digital radio operation is made up of a single block of frequencies called a multiplex. Each multiplex works within a frequency spectrum, such as Rand III for DAB broadcasts.

DAB BROADCASTERS AND DLS

Each DAB broadcaster (or multiplex operator) also provides text and audio data services. Some programmes are supported by Dynamic Label Segments (DLS). This is data which you can read as scrolling text on your DAB radio display. Some stations transmit the latest news, travel, and weather, what's on now and next, website addresses and phone numbers.

phone numbers.

For more information on digital radio coverage and services, please visit:
www.drdb.org.



© 2009 Koninklijke Philips Electronics N.V.

All rights reserved. load from Www.Somanuals.com. All Manuals Search AE4800_05_UM_V1.0 Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com