

WideScreen Television

32PW9544

**MATCH**  **LINE**

## Product highlights

- 100Hz Digital Scan
- CrystalClear-III Pro with Dynamic Contrast and LTP
- Wide Screen plus
- Incredible Surround
- TXT/NexTView DualScreen
- NexTView (type 2c)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Matching 'silver shadow' stand



  
CRYSTALCLEAR



WideScreen plus



Remote control unit varies with model

*Let's make things better.*



**PHILIPS**

Download from [www.Somanuals.com](http://www.Somanuals.com). All Manuals Search And Download.

WideScreen Television

32PW9544

**MATCH**  **LINE**

## Product highlights

- 100Hz Digital Scan
- CrystalClear-III Pro with Dynamic Contrast and LTP
- Wide Screen plus
- Incredible Surround
- TXT/NexTView DualScreen
- NexTView (type 2c)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Matching 'silver shadow' stand



  
CRYSTALCLEAR



WideScreen plus



Remote control unit varies with model

*Faisons toujours mieux.*



**PHILIPS**

Download from [www.Somanuals.com](http://www.Somanuals.com). All Manuals Search And Download.



WideScreen Television

32PW9544

**MATCH**  **LINE**

## Product highlights

- 100Hz Digital Scan
- CrystalClear-III Pro with Dynamic Contrast and LTP
- Wide Screen plus
- Incredible Surround
- TXT/NexTView DualScreen
- NexTView (type 2c)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Matching 'silver shadow' stand



  
CRYSTALCLEAR



WideScreen plus



Remote control unit varies with model

*As κάνουμε τον κόσμο μας καλύτερο.*



**PHILIPS**

Download from [www.Somanuals.com](http://www.Somanuals.com). All Manuals Search And Download.

WideScreen Television

32PW9544

**MATCH**  **LINE**

## Product highlights

- 100Hz Digital Scan
- CrystalClear-III Pro with Dynamic Contrast and LTP
- Wide Screen plus
- Incredible Surround
- TXT/NexTView DualScreen
- NexTView (type 2c)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Matching 'silver shadow' stand



  
CRYSTALCLEAR



WideScreen <sup>plus</sup>



Remote control unit varies with model

Miglioriamo il tuo mondo.



**PHILIPS**

Download from [www.Somanuals.com](http://www.Somanuals.com). All Manuals Search And Download.



WideScreen Television

32PW9544

**MATCH**  **LINE**

## Product highlights

- 100Hz Digital Scan
- CrystalClear-III Pro with Dynamic Contrast and LTP
- Wide Screen plus
- Incredible Surround
- TXT/NexTView DualScreen
- NexTView (type 2c)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Matching 'silver shadow' stand



  
CRYSTALCLEAR



WideScreen <sup>plus</sup>



Remote control unit varies with model

*Por si fazemos melhor.*



**PHILIPS**

Download from [www.Somanuals.com](http://www.Somanuals.com). All Manuals Search And Download.

WideScreen Television  
32PW9544

**MATCH**  **LINE**

## Product highlights

- 100Hz Digital Scan
- CrystalClear-III Pro with Dynamic Contrast and LTP
- Wide Screen plus
- Incredible Surround
- TXT/NexTView DualScreen
- NexTView (type 2c)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Matching 'silver shadow' stand



  
CRYSTALCLEAR



WideScreen plus



Remote control unit varies with model

Juntos hacemos tu vida mejor.



**PHILIPS**

Download from [www.Somanuals.com](http://www.Somanuals.com). All Manuals Search And Download.



WideScreen Television

32PW9544

**MATCH**  **LINE**

## Product highlights

- 100Hz Digital Scan
- CrystalClear-III Pro with Dynamic Contrast and LTP
- Wide Screen plus
- Incredible Surround
- TXT/NexTView DualScreen
- NexTView (type 2c)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Matching 'silver shadow' stand



  
CRYSTALCLEAR



WideScreen plus



Remote control unit varies with model

Let's make things better.



**PHILIPS**

Download from [www.somanuals.com](http://www.somanuals.com). All Manuals Search And Download.

WideScreen Television

32PW9544

**MATCH**  **LINE**

## Product highlights

- 100Hz Digital Scan
- CrystalClear-III Pro with Dynamic Contrast and LTP
- Wide Screen plus
- Incredible Surround
- TXT/NexTView DualScreen
- NexTView (type 2c)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Matching 'silver shadow' stand



  
CRYSTALCLEAR



WideScreen plus



Remote control unit varies with model

Faisons toujours mieux.



**PHILIPS**

Download from [www.Somanuals.com](http://www.Somanuals.com). All Manuals Search And Download.



WideScreen Television

32PW9544

**MATCH**  **LINE**

## Product highlights

- 100Hz Digital Scan
- CrystalClear-III Pro with Dynamic Contrast and LTP
- Wide Screen plus
- Incredible Surround
- TXT/NexTView DualScreen
- NexTView (type 2c)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Matching 'silver shadow' stand



  
CRYSTALCLEAR



WideScreen plus



Remote control unit varies with model

*As κάνουμε τον κόσμο μας καλύτερο.*



**PHILIPS**

Download from [www.Somanuals.com](http://www.Somanuals.com). All Manuals Search And Download.

WideScreen Television  
32PW9544

**MATCH**  **LINE**

## Product highlights

- 100Hz Digital Scan
- CrystalClear-III Pro with Dynamic Contrast and LTP
- Wide Screen plus
- Incredible Surround
- TXT/NexTView DualScreen
- NexTView (type 2c)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Matching 'silver shadow' stand



  
CRYSTALCLEAR



WideScreen plus



Remote control unit varies with model

Miglioriamo il tuo mondo.



**PHILIPS**

Download from [www.Somanuals.com](http://www.Somanuals.com). All Manuals Search And Download.



WideScreen Television

32PW9544

**MATCH**  **LINE**

## Product highlights

- 100Hz Digital Scan
- CrystalClear-III Pro with Dynamic Contrast and LTP
- Wide Screen plus
- Incredible Surround
- TXT/NexTView DualScreen
- NexTView (type 2c)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Matching 'silver shadow' stand



  
CRYSTALCLEAR



WideScreen plus



Remote control unit varies with model

Por si fazemos melhor.



**PHILIPS**

Download from [www.Somanuals.com](http://www.Somanuals.com). All Manuals Search And Download.

WideScreen Television

32PW9544

**MATCH**  **LINE**

## Product highlights

- 100Hz Digital Scan
- CrystalClear-III Pro with Dynamic Contrast and LTP
- Wide Screen plus
- Incredible Surround
- TXT/NexTView DualScreen
- NexTView (type 2c)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Matching 'silver shadow' stand



  
CRYSTALCLEAR



WideScreen plus



Remote control unit varies with model

Juntos hacemos tu vida mejor.



**PHILIPS**

Download from [www.Somanuals.com](http://www.Somanuals.com). All Manuals Search And Download.



## Product highlights

- **100 Hz Digital Scan**  
Offers a flickerfree picture.
- **CrystalClear-III Pro with Dynamic Contrast**  
Scavem, Comb filter and LTP (Luminance Transient Processing) offers a crisp and natural picture (with SECAM notch for /39)
- **WideScreenplus** line interpolation  
for enhanced resolution and picture quality.
- **Incredible Surround**  
For enhanced stereo effect.
- **NEXTVIEW Program Guide** (type 2c)  
Direct access of program info of all programs (1 week) and automatic programming of VCR (in /32 and /39)
- **Page link program guide**  
Easy acces of program info of selected channel (/25, /95)
- **TXT/NexTView DualScreen**  
Picture + TXT or picture + NexTView
- **440 Pages EasyText teletext** (level 2.5)
- **Active Control**  
Automatic Digital Noise Reduction, Auto Sharpness, Auto Format (black bar detection), Smart Controls, Automatically offers the best picture setting.
- **Improved Graphical User interface**
- **Matching 'silver shadow' stand and VCR**

## Supporting Features

- Blackline-S Ultra Flat picture tube
- Colour Transient Improvement (CTI)
- Picture freeze and strobe
- Viewing modes: 4:3, Movie Expand 14:9 & 16:9 (scroll), Subtitle zoom (scroll), Super Zoom (scroll), Wide Screen.
- EasyTune (auto store, ACI and ATS)
- EasyLink +
- Low power standby
- 80W music output
- Dynamic Bass Enhancement
- 3 Loadspeakers
- Independent headphone volume control

## Technical specifications

### Chassis

- Type: FL6 designline MID2.25

### Picture

- Screen diameter: 32"/82cm
- Visible screen size: 76cm
- Picture tube: Blackline-S Ultra Flat 16:9
- Image stability: 100Hz Digital Scan
- S-Video display
- Smart Picture control (5 modes)
  - Soft, Natural, Rich, Sport, Personal
- Brightness, contrast, tint, sharpness, colour control

### Sound

- Sound system: 3 speaker HiFi stereo
- Output (total): 80W music output
- NICAM stereo
- Frequency response: 20Hz-15kHz, +1/-3dB (ampl.)
- Loudspeakers:
  - 2 squeeeter 50x90mm
  - 1x subwoofer 4"
- Smart Sound control
  - Movie, Speech, Music, Personal
- Balance / treble / bass control

### Operation

- Easy menu-driven installation and operation, direct access menu's and cursor control
- Selection of 12 menu languages
- 100 preselections
- Multi-function RC handset controlling - TV, VCR, Sat, DVD
- On screen status display on programmes and functions (OSD)
- Sleep timer up to 180 minutes
- Electronic lock for parental control

Release date : August 1998  
Predecessor(s) :  
Date of issue : December 1998

- Favourite programme selection
- Programme title display (transmitted by TXT)
- On screen menu display:
  - Picture, Sound, Features, Headphone, Program list, Message, Timer, Installation, Program name giving, Language and country selection
- TXT/NexTView DualScreen
- Dealer message and demo modes
- Dealer Link: wireless communication for installation and service.

### Reception

- Tuning system: 100 fold PLL
- Colour transmission systems
- Off-air:
  - /05, /19 PAL B/G/I + SECAM B/G/L/L'
  - /12 PAL B/G + SECAM B/G/L + NTSC M
  - /58 PAL + SECAM B/G/D/K
- A/V connections:
  - PAL B/G
  - PAL I (UK only)
  - SECAM B/G
  - NTSC video play back
- Channel selections: 120 channels
  - VHF, UHF, S-Channels, Hyperband
- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)
- VCR preselections: 0; 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

### Teletext

- EasyText (level 2.5): fast access to preferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
  - Habit watch, preferred page and subcode page lists
  - Page look up table
- Program independent subtitles

### Remote Control


- RC type: RC 2009
- touch cursor and AV system control

### Connections

- Front
  - S-Video in
  - video CVBS-in (cinch)
  - audio L/R-in (cinch) with automatic mono switching
  - headphone jack 3.5mm
- Rear
  - Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
  - Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
  - Euro A/V connector (CVBS-in)
  - 2 audio-out (cinch) Constant level

### Miscellaneous

- Ambient temperature : +5/+45°C
- Mains : AC 220-240V ± 10%
- Power consumption: <111W; Stand by: <2W
- Weight : 50kg (excl. packaging)
- Dimensions (wxhxd): 86.0x52.6x55.3cm (excl. connections)



RC 2001

Features and specifications subject to change without notice

## Product highlights

- **100 Hz Digital Scan**  
Offers a flickerfree picture.
- **CrystalClear-III Pro with Dynamic Contrast**  
Scavem, Comb filter and LTP (Luminance Transient Processing) offers a crisp and natural picture (with SECAM notch for /39)
- **WideScreenplus** line interpolation  
for enhanced resolution and picture quality.
- **Incredible Surround**  
For enhanced stereo effect.
- **NEXTVIEW Program Guide** (type 2c)  
Direct access of program info of all programs (1 week) and automatic programming of VCR (in /32 and /39)
- **Page link program guide**  
Easy acces of program info of selected channel (/25, /95)
- **TXT/NexTView DualScreen**  
Picture + TXT or picture + NexTView
- **440 Pages EasyText teletext** (level 2.5)
- **Active Control**  
Automatic Digital Noise Reduction, Auto Sharpness, Auto Format (black bar detection), Smart Controls, Automatically offers the best picture setting.
- **Improved Graphical User interface**
- **Matching 'silver shadow' stand and VCR**

## Supporting Features

- Blackline-S Ultra Flat picture tube
- Colour Transient Improvement (CTI)
- Picture freeze and strobe
- Viewing modes: 4:3, Movie Expand 14:9 & 16:9 (scroll), Subtitle zoom (scroll), Super Zoom (scroll), Wide Screen.
- EasyTune (auto store, ACI and ATS)
- EasyLink +
- Low power standby
- 80W music output
- Dynamic Bass Enhancement
- 3 Loadspeakers
- Independent headphone volume control

## Technical specifications

### Chassis

- Type: FL6 designline MID2.25

### Picture

- Screen diameter: 32"/82cm
- Visible screen size: 76cm
- Picture tube: Blackline-S Ultra Flat 16:9
- Image stability: 100Hz Digital Scan
- S-Video display
- Smart Picture control (5 modes)
  - Soft, Natural, Rich, Sport, Personal
- Brightness, contrast, tint, sharpness, colour control

### Sound

- Sound system: 3 speaker HiFi stereo
- Output (total): 80W music output
- NICAM stereo
- Frequency response: 20Hz-15kHz, +1/-3dB (ampl.)
- Loudspeakers:
  - 2 squeeeter 50x90mm
  - 1x subwoofer 4"
- Smart Sound control
  - Movie, Speech, Music, Personal
- Balance / treble / bass control

### Operation

- Easy menu-driven installation and operation, direct access menu's and cursor control
- Selection of 12 menu languages
- 100 preselections
- Multi-function RC handset controlling - TV, VCR, Sat, DVD
- On screen status display on programmes and functions (OSD)
- Sleep timer up to 180 minutes
- Electronic lock for parental control

Release date : August 1998  
Predecessor(s) :  
Date of issue : December 1998

- Favourite programme selection
- Programme title display (transmitted by TXT)
- On screen menu display:
  - Picture, Sound, Features, Headphone, Program list, Message, Timer, Installation, Program name giving, Language and country selection
- TXT/NexTView DualScreen
- Dealer message and demo modes
- Dealer Link: wireless communication for installation and service.

### Reception

- Tuning system: 100 fold PLL
- Colour transmission systems
- Off-air:
  - /05, /19 PAL B/G/I + SECAM B/G/L/L'
  - /12 PAL B/G + SECAM B/G/L + NTSC M
  - /58 PAL + SECAM B/G/D/K
- A/V connections:
  - PAL B/G
  - PAL I (UK only)
  - SECAM B/G
  - NTSC video play back
- Channel selections: 120 channels
  - VHF, UHF, S-Channels, Hyperband
- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)
- VCR preselections: 0; 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

### Teletext

- EasyText (level 2.5): fast access to preferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
  - Habit watch, preferred page and subcode page lists
  - Page look up table
- Program independent subtitles

### Remote Control


- RC type: RC 2009
- touch cursor and AV system control

### Connections

- Front
  - S-Video in
  - video CVBS-in (cinch)
  - audio L/R-in (cinch) with automatic mono switching
  - headphone jack 3.5mm
- Rear
  - Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
  - Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
  - Euro A/V connector (CVBS-in)
  - 2 audio-out (cinch) Constant level

### Miscellaneous

- Ambient temperature : +5/+45°C
- Mains : AC 220-240V ± 10%
- Power consumption: <111W; Stand by: <2W
- Weight : 50kg (excl. packaging)
- Dimensions (wxhxd): 86.0x52.6x55.3cm (excl. connections)



RC 2001

Features and specifications subject to change without notice



## Product highlights

- **100 Hz Digital Scan**  
Offers a flickerfree picture.
- **CrystalClear-III Pro with Dynamic Contrast**  
Scavem, Comb filter and LTP (Luminance Transient Processing) offers a crisp and natural picture (with SECAM notch for /39)
- **WideScreenplus** line interpolation  
for enhanced resolution and picture quality.
- **Incredible Surround**  
For enhanced stereo effect.
- **NEXTVIEW Program Guide** (type 2c)  
Direct access of program info of all programs (1 week) and automatic programming of VCR (in /32 and /39)
- **Page link program guide**  
Easy acces of program info of selected channel (/25, /95)
- **TXT/NexTView DualScreen**  
Picture + TXT or picture + NexTView
- **440 Pages EasyText teletext** (level 2.5)
- **Active Control**  
Automatic Digital Noise Reduction, Auto Sharpness, Auto Format (black bar detection), Smart Controls, Automatically offers the best picture setting.
- **Improved Graphical User interface**
- **Matching 'silver shadow' stand and VCR**

## Supporting Features

- Blackline-S Ultra Flat picture tube
- Colour Transient Improvement (CTI)
- Picture freeze and strobe
- Viewing modes: 4:3, Movie Expand 14:9 & 16:9 (scroll), Subtitle zoom (scroll), Super Zoom (scroll), Wide Screen.
- EasyTune (auto store, ACI and ATS)
- EasyLink +
- Low power standby
- 80W music output
- Dynamic Bass Enhancement
- 3 Loadspeakers
- Independent headphone volume control

## Technical specifications

### Chassis

- Type: FL6 designline MID2.25

### Picture

- Screen diameter: 32"/82cm
- Visible screen size: 76cm
- Picture tube: Blackline-S Ultra Flat 16:9
- Image stability: 100Hz Digital Scan
- S-Video display
- Smart Picture control (5 modes)
  - Soft, Natural, Rich, Sport, Personal
- Brightness, contrast, tint, sharpness, colour control

### Sound

- Sound system: 3 speaker HiFi stereo
- Output (total): 80W music output
- NICAM stereo
- Frequency response: 20Hz-15kHz, +1/-3dB (ampl.)
- Loudspeakers:
  - 2 squeeeter 50x90mm
  - 1x subwoofer 4"
- Smart Sound control
  - Movie, Speech, Music, Personal
- Balance / treble / bass control

### Operation

- Easy menu-driven installation and operation, direct access menu's and cursor control
- Selection of 12 menu languages
- 100 preselections
- Multi-function RC handset controlling - TV, VCR, Sat, DVD
- On screen status display on programmes and functions (OSD)
- Sleep timer up to 180 minutes
- Electronic lock for parental control

- Favourite programme selection
- Programme title display (transmitted by TXT)
- On screen menu display:
  - Picture, Sound, Features, Headphone, Program list, Message, Timer, Installation, Program name giving, Language and country selection
- TXT/NexTView DualScreen
- Dealer message and demo modes
- Dealer Link: wireless communication for installation and service.

### Reception

- Tuning system: 100 fold PLL
- Colour transmission systems
- Off-air:
  - /05, /19 PAL B/G/I + SECAM B/G/L/L'
  - /12 PAL B/G + SECAM B/G/L + NTSC M
  - /58 PAL + SECAM B/G/D/K
- A/V connections:
  - PAL B/G
  - PAL I (UK only)
  - SECAM B/G
  - NTSC video play back
- Channel selections: 120 channels
  - VHF, UHF, S-Channels, Hyperband
- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)
- VCR preselections: 0; 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

### Teletext

- EasyText (level 2.5): fast access to preferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
  - Habit watch, preferred page and subcode page lists
  - Page look up table
- Program independent subtitles

### Remote Control


- RC type: RC 2009
- touch cursor and AV system control

### Connections

- Front
  - S-Video in
  - video CVBS-in (cinch)
  - audio L/R-in (cinch) with automatic mono switching
  - headphone jack 3.5mm
- Rear
  - Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
  - Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
  - Euro A/V connector (CVBS-in)
  - 2 audio-out (cinch) Constant level

### Miscellaneous

- Ambient temperature : +5/+45°C
- Mains : AC 220-240V ± 10%
- Power consumption: <111W; Stand by: <2W
- Weight : 50kg (excl. packaging)
- Dimensions (wxhxd): 86.0x52.6x55.3cm (excl. connections)



RC 2001

Release date : August 1998  
Predecessor(s) :  
Date of issue : December 1998

Features and specifications subject to change without notice

## Product highlights

- **100 Hz Digital Scan**  
Offers a flickerfree picture.
- **CrystalClear-III Pro with Dynamic Contrast**  
Scavem, Comb filter and LTP (Luminance Transient Processing) offers a crisp and natural picture (with SECAM notch for /39)
- **WideScreenplus** line interpolation  
for enhanced resolution and picture quality.
- **Incredible Surround**  
For enhanced stereo effect.
- **NEXTVIEW Program Guide** (type 2c)  
Direct access of program info of all programs (1 week) and automatic programming of VCR (in /32 and /39)
- **Page link program guide**  
Easy acces of program info of selected channel (/25, /95)
- **TXT/NexTView DualScreen**  
Picture + TXT or picture + NexTView
- **440 Pages EasyText teletext** (level 2.5)
- **Active Control**  
Automatic Digital Noise Reduction, Auto Sharpness, Auto Format (black bar detection), Smart Controls, Automatically offers the best picture setting.
- **Improved Graphical User interface**
- **Matching 'silver shadow' stand and VCR**

## Supporting Features

- Blackline-S Ultra Flat picture tube
- Colour Transient Improvement (CTI)
- Picture freeze and strobe
- Viewing modes: 4:3, Movie Expand 14:9 & 16:9 (scroll), Subtitle zoom (scroll), Super Zoom (scroll), Wide Screen.
- EasyTune (auto store, ACI and ATS)
- EasyLink +
- Low power standby
- 80W music output
- Dynamic Bass Enhancement
- 3 Loadspeakers
- Independent headphone volume control

## Technical specifications

### Chassis

- Type: FL6 designline MID2.25

### Picture

- Screen diameter: 32"/82cm
- Visible screen size: 76cm
- Picture tube: Blackline-S Ultra Flat 16:9
- Image stability: 100Hz Digital Scan
- S-Video display
- Smart Picture control (5 modes)
  - Soft, Natural, Rich, Sport, Personal
- Brightness, contrast, tint, sharpness, colour control

### Sound

- Sound system: 3 speaker HiFi stereo
- Output (total): 80W music output
- NICAM stereo
- Frequency response: 20Hz-15kHz, +1/-3dB (ampl.)
- Loudspeakers:
  - 2 squeeeter 50x90mm
  - 1x subwoofer 4"
- Smart Sound control
  - Movie, Speech, Music, Personal
- Balance / treble / bass control

### Operation

- Easy menu-driven installation and operation, direct access menu's and cursor control
- Selection of 12 menu languages
- 100 preselections
- Multi-function RC handset controlling - TV, VCR, Sat, DVD
- On screen status display on programmes and functions (OSD)
- Sleep timer up to 180 minutes
- Electronic lock for parental control

- Favourite programme selection
- Programme title display (transmitted by TXT)
- On screen menu display:
  - Picture, Sound, Features, Headphone, Program list, Message, Timer, Installation, Program name giving, Language and country selection
- TXT/NexTView DualScreen
- Dealer message and demo modes
- Dealer Link: wireless communication for installation and service.

### Reception

- Tuning system: 100 fold PLL
- Colour transmission systems
- Off-air:
  - /05, /19 PAL B/G/I + SECAM B/G/L/L'
  - /12 PAL B/G + SECAM B/G/L + NTSC M
  - /58 PAL + SECAM B/G/D/K
- A/V connections:
  - PAL B/G
  - PAL I (UK only)
  - SECAM B/G
  - NTSC video play back
- Channel selections: 120 channels
  - VHF, UHF, S-Channels, Hyperband
- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)
- VCR preselections: 0; 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

### Teletext

- EasyText (level 2.5): fast access to preferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
  - Habit watch, preferred page and subcode page lists
  - Page look up table
- Program independent subtitles

### Remote Control


- RC type: RC 2009
- touch cursor and AV system control

### Connections

- Front
  - S-Video in
  - video CVBS-in (cinch)
  - audio L/R-in (cinch) with automatic mono switching
  - headphone jack 3.5mm
- Rear
  - Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
  - Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
  - Euro A/V connector (CVBS-in)
  - 2 audio-out (cinch) Constant level

### Miscellaneous

- Ambient temperature : +5/+45°C
- Mains : AC 220-240V ± 10%
- Power consumption: <111W; Stand by: <2W
- Weight : 50kg (excl. packaging)
- Dimensions (wxhxd): 86.0x52.6x55.3cm (excl. connections)



RC 2001

Release date : August 1998  
Predecessor(s) :  
Date of issue : December 1998

Features and specifications subject to change without notice



## Product highlights

- **100 Hz Digital Scan**  
Offers a flickerfree picture.
- **CrystalClear-III Pro with Dynamic Contrast**  
Scavem, Comb filter and LTP (Luminance Transient Processing) offers a crisp and natural picture (with SECAM notch for /39)
- **WideScreenplus** line interpolation  
for enhanced resolution and picture quality.
- **Incredible Surround**  
For enhanced stereo effect.
- **NEXTVIEW Program Guide** (type 2c)  
Direct access of program info of all programs (1 week) and automatic programming of VCR (in /32 and /39)
- **Page link program guide**  
Easy acces of program info of selected channel (/25, /95)
- **TXT/NexTView DualScreen**  
Picture + TXT or picture + NexTView
- **440 Pages EasyText teletext** (level 2.5)
- **Active Control**  
Automatic Digital Noise Reduction, Auto Sharpness, Auto Format (black bar detection), Smart Controls, Automatically offers the best picture setting.
- **Improved Graphical User interface**
- **Matching 'silver shadow' stand and VCR**

## Supporting Features

- Blackline-S Ultra Flat picture tube
- Colour Transient Improvement (CTI)
- Picture freeze and strobe
- Viewing modes: 4:3, Movie Expand 14:9 & 16:9 (scroll), Subtitle zoom (scroll), Super Zoom (scroll), Wide Screen.
- EasyTune (auto store, ACI and ATS)
- EasyLink +
- Low power standby
- 80W music output
- Dynamic Bass Enhancement
- 3 Loadspeakers
- Independent headphone volume control

## Technical specifications

### Chassis

- Type: FL6 designline MID2.25

### Picture

- Screen diameter: 32"/82cm
- Visible screen size: 76cm
- Picture tube: Blackline-S Ultra Flat 16:9
- Image stability: 100Hz Digital Scan
- S-Video display
- Smart Picture control (5 modes)
  - Soft, Natural, Rich, Sport, Personal
- Brightness, contrast, tint, sharpness, colour control

### Sound

- Sound system: 3 speaker HiFi stereo
- Output (total): 80W music output
- NICAM stereo
- Frequency response: 20Hz-15kHz, +1/-3dB (ampl.)
- Loudspeakers:
  - 2 squeeeter 50x90mm
  - 1x subwoofer 4"
- Smart Sound control
  - Movie, Speech, Music, Personal
- Balance / treble / bass control

### Operation

- Easy menu-driven installation and operation, direct access menu's and cursor control
- Selection of 12 menu languages
- 100 preselections
- Multi-function RC handset controlling - TV, VCR, Sat, DVD
- On screen status display on programmes and functions (OSD)
- Sleep timer up to 180 minutes
- Electronic lock for parental control

Release date : August 1998  
Predecessor(s) :  
Date of issue : December 1998

- Favourite programme selection
- Programme title display (transmitted by TXT)
- On screen menu display:
  - Picture, Sound, Features, Headphone, Program list, Message, Timer, Installation, Program name giving, Language and country selection
- TXT/NexTView DualScreen
- Dealer message and demo modes
- Dealer Link: wireless communication for installation and service.

### Reception

- Tuning system: 100 fold PLL
- Colour transmission systems
  - Off-air:
    - /05, /19 PAL B/G/I + SECAM B/G/L/L'
    - /12 PAL B/G + SECAM B/G/L + NTSC M
    - /58 PAL + SECAM B/G/D/K
  - A/V connections:
    - PAL B/G
    - PAL I (UK only)
    - SECAM B/G
    - NTSC video play back
- Channel selections: 120 channels
  - VHF, UHF, S-Channels, Hyperband
- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)
- VCR preselections: 0; 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

### Teletext

- EasyText (level 2.5): fast access to preferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
  - Habit watch, preferred page and subcode page lists
  - Page look up table
- Program independent subtitles

### Remote Control


- RC type: RC 2009
- touch cursor and AV system control

### Connections

- Front
  - S-Video in
  - video CVBS-in (cinch)
  - audio L/R-in (cinch) with automatic mono switching
  - headphone jack 3.5mm
- Rear
  - Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
  - Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
  - Euro A/V connector (CVBS-in)
  - 2 audio-out (cinch) Constant level

### Miscellaneous

- Ambient temperature : +5/+45°C
- Mains : AC 220-240V ± 10%
- Power consumption: <111W; Stand by: <2W
- Weight : 50kg (excl. packaging)
- Dimensions (wxhxd): 86.0x52.6x55.3cm (excl. connections)



RC 2001

Features and specifications subject to change without notice

## Product highlights

- **100 Hz Digital Scan**  
Offers a flickerfree picture.
- **CrystalClear-III Pro with Dynamic Contrast**  
Scavem, Comb filter and LTP (Luminance Transient Processing) offers a crisp and natural picture (with SECAM notch for /39)
- **WideScreenplus** line interpolation  
for enhanced resolution and picture quality.
- **Incredible Surround**  
For enhanced stereo effect.
- **NEXTVIEW Program Guide** (type 2c)  
Direct access of program info of all programs (1 week) and automatic programming of VCR (in /32 and /39)
- **Page link program guide**  
Easy acces of program info of selected channel (/25, /95)
- **TXT/NexTView DualScreen**  
Picture + TXT or picture + NexTView
- **440 Pages EasyText teletext** (level 2.5)
- **Active Control**  
Automatic Digital Noise Reduction, Auto Sharpness, Auto Format (black bar detection), Smart Controls, Automatically offers the best picture setting.
- **Improved Graphical User interface**
- **Matching 'silver shadow' stand and VCR**

## Supporting Features

- Blackline-S Ultra Flat picture tube
- Colour Transient Improvement (CTI)
- Picture freeze and strobe
- Viewing modes: 4:3, Movie Expand 14:9 & 16:9 (scroll), Subtitle zoom (scroll), Super Zoom (scroll), Wide Screen.
- EasyTune (auto store, ACI and ATS)
- EasyLink +
- Low power standby
- 80W music output
- Dynamic Bass Enhancement
- 3 Loadspeakers
- Independent headphone volume control

## Technical specifications

### Chassis

- Type: FL6 designline MID2.25

### Picture

- Screen diameter: 32"/82cm
- Visible screen size: 76cm
- Picture tube: Blackline-S Ultra Flat 16:9
- Image stability: 100Hz Digital Scan
- S-Video display
- Smart Picture control (5 modes)
  - Soft, Natural, Rich, Sport, Personal
- Brightness, contrast, tint, sharpness, colour control

### Sound

- Sound system: 3 speaker HiFi stereo
- Output (total): 80W music output
- NICAM stereo
- Frequency response: 20Hz-15kHz, +1/-3dB (ampl.)
- Loudspeakers:
  - 2 squeeeter 50x90mm
  - 1x subwoofer 4"
- Smart Sound control
  - Movie, Speech, Music, Personal
- Balance / treble / bass control

### Operation

- Easy menu-driven installation and operation, direct access menu's and cursor control
- Selection of 12 menu languages
- 100 preselections
- Multi-function RC handset controlling - TV, VCR, Sat, DVD
- On screen status display on programmes and functions (OSD)
- Sleep timer up to 180 minutes
- Electronic lock for parental control

- Favourite programme selection
- Programme title display (transmitted by TXT)
- On screen menu display:
  - Picture, Sound, Features, Headphone, Program list, Message, Timer, Installation, Program name giving, Language and country selection
- TXT/NexTView DualScreen
- Dealer message and demo modes
- Dealer Link: wireless communication for installation and service.

### Reception

- Tuning system: 100 fold PLL
- Colour transmission systems
- Off-air:
  - /05, /19 PAL B/G/I + SECAM B/G/L/L'
  - /12 PAL B/G + SECAM B/G/L + NTSC M
  - /58 PAL + SECAM B/G/D/K
- A/V connections:
  - PAL B/G
  - PAL I (UK only)
  - SECAM B/G
  - NTSC video play back
- Channel selections: 120 channels
  - VHF, UHF, S-Channels, Hyperband
- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)
- VCR preselections: 0; 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

### Teletext

- EasyText (level 2.5): fast access to preferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
  - Habit watch, preferred page and subcode page lists
  - Page look up table
- Program independent subtitles

### Remote Control


- RC type: RC 2009
- touch cursor and AV system control

### Connections

- Front
  - S-Video in
  - video CVBS-in (cinch)
  - audio L/R-in (cinch) with automatic mono switching
  - headphone jack 3.5mm
- Rear
  - Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
  - Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
  - Euro A/V connector (CVBS-in)
  - 2 audio-out (cinch) Constant level

### Miscellaneous

- Ambient temperature : +5/+45°C
- Mains : AC 220-240V ± 10%
- Power consumption: <111W; Stand by: <2W
- Weight : 50kg (excl. packaging)
- Dimensions (wxhxd): 86.0x52.6x55.3cm (excl. connections)



RC 2001

Release date : August 1998  
Predecessor(s) :  
Date of issue : December 1998

Features and specifications subject to change without notice



## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>