

Philips
Surge protector

Slimline

7 outlets

SPPI181WC



Personal Computer

2520 Joules

Versatile styling allows the Slimline to be used in the tower position against a wall or flat on a desktop. Pure Power filters out noise and surges keeping your equipment safe, picture sharp and sound crisp.

Ideal for dial-up, DSL and coax

- Phone line protection

Ideal for home theater systems

- Power blocker

High performance design

- 8 child-safe outlets
- V3 Advanced Surge Technology
- 40 dB EMI/RFI noise filtration
- \$250,000 connected equipment warranty

Built-in convenience

- 6 ft power cord
- Offset right-angle plug
- Protection indicator light
- Dual cord management systems

PHILIPS
sense and simplicity

Surge protector
Slimline 7 outlets

Specifications

Outer Carton

- Gross weight: 11.48 lb
- Outer carton (L x W x H):
15.625 x 5.875 x 15.5 inch
- Nett weight: 10.56 lb
- Tare weight: .92 lb

Packaging dimensions

- Packaging dimensions (W x H x D):
5.375 x 15.875 x 2.5 inch
- Gross weight: 2.238 lb
- Nett weight: 1.76 lb
- Tare weight: .478 lb

SPPI181WC/17

Product highlights

Phone line protection

These connectors accommodate an RJ11 cord, routing the telephone line through the surge protector to guard against spikes and surges.

Power blocker

This automatic shutdown technology senses when the device has reached capacity and automatically shuts down electricity to your equipment. It protects against subsequent surges, even if you are not present.

8 child-safe outlets

Safety slides provide a protective barrier that block the outlet so small objects cannot get in. Keeps children safer.

V3 Advanced Surge Technology

This new surge protection technology provides 27% greater surge protection capacity and better heat dissipation for safe, more reliable and longer lasting surge protection.

40 dB EMI/RFI noise filtration

Built-in filtering technology ensures the best performance from your components. It guards against signal interference and loss of data. The higher the dB rating the better the noise reduction.

\$250,000 equipment warranty

Protects your connected equipment for the life of the product.

6 ft power cord

Provides power to the unit which can be 6 feet from the AC outlet.

Offset right-angle plug

This flat and angled design conveniently directs the cord away from the lower outlet and allows furniture to sit more closely to the wall.

Protection indicator light

This LED alert lights up to indicate the surge protector is working properly.

Dual cord management systems

Collects the power cords and directs them away from the device in an organized fashion to keep the area clutter-free.



Issue date 2008-08-19

Version: 1.0.2

12 NC: 8670 000 42171
UPC: 6 09585 15996 9

© 2008 Koninklijke Philips Electronics N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips
Electronics N.V. or their respective owners.

www.philips.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>