

Philips Surge protector

Slimline

8 outlets

SPP1183WC

Computer workstation

3400 Joules

Versatile styling allows the Slimline to be used in the tower position against a wall or flat on a desktop. Pure Power filters out noise and surges keeping your equipment safe, picture sharp and sound crisp.

Ideal for broadband, dial-up, DSL and CAT5

- I-line splitter
- Coax line protection
- Phone line protection

High performance design

- V3 Advanced Surge Technology
- 58 dB EMI/RFI noise filtration
- \$350,000 connected equipment warranty
- 7 child-safe outlets
- · Power blocker

Built-in convenience

- Offset right-angle plug
- · Protection indicator light
- · Dual cord management systems
- 6 ft power cord



Surge protector Slimline 8 outlets

Specifications

Outer Carton

- · Gross weight: 18.5 lb
- · Nett weight: 15.384 lb
- Tare weight: 3.116 lb
- Outer carton (L x W x H): 14.875 x 8.625 x 13.125 inch

Packaging dimensions

- Gross weight: 2.9 lb
- Nett weight: 2.564 lb
- Tare weight: .336 lb
- Packaging dimensions (W x H x D): 8.125 x 13.5 x 2.375 inch

SPP1183WC/17

Product highlights

V3 Advanced Surge Technology

This new surge protection technology provides 27% greater surge protection capacity and better heat dissipation for safe, more reliable and longer lasting surge protection.

58 dB EMI/RFI noise filtration

Built-in filtering technology ensures the best performance from your components. It guards against signal interference and loss of data. The higher the dB rating the better the noise reduction.

Offset right-angle plug

This flat and angled design conveniently directs the cord away from the lower outlet and allows furniture to sit more closely to the wall.

Protection indicator light

This LED alert lights up to indicate the surge protector is working properly.

Dual cord management systems

Collects the power cords and directs them away from the device in an organized fashion to keep the area clutter-free.

\$350,000 equipment warranty

Protects your connected equipment for the life of the product.

I-line splitter

These connectors route the telephone line through the surge protector and split the line to allow two devices to be connected. It offers the convenience of leaving two devices connected constantly even though they may not be used simultaneously

6 ft power cord

Provides power to the unit which can be 6 feet from the AC outlet.

7 child-safe outlets

Safety slides provide a protective barrier that block the outlet so small objects cannot get in. Keeps children safer.

Coax line protection

Connectors route the coaxial signal through the surge protector to protect against surges and spikes.

Phone line protection

These connectors accommodate an RJII cord, routing the telephone line through the surge protector to guard against spikes and surges.

Power blocker

This automatic shutdown technology senses when the device has reached capacity and automatically shuts down electricity to your equipment. It protects against subsequent surges, even if you are not present



Issue date 2008-08-19

© 2008 Koninklijke Philips Electronics N.V. All Rights reserved.

Version: 4.0.5

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

12 NC: 8670 000 42173 UPC: 6 09585 15998 3

www.philips.com

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com