



Philips
Surge protector

Home office

8 outlets

SPP3201WC

Protect your home office system

3240 joules

Designed to perform and protect, this surge protector features advanced technologies to keep equipment safe from electrical surges. Power Blocker® circuitry automatically shuts down power to your system to protect against subsequent surges.

Ideal for broadband and dial-up

- Data line/phone protection
- 1-line splitter
- 8 ft power cord
- 2 sets gold coax protection
- Power blocker

High performance design

- 8 child-safe outlets
- 58 dB EMI/RFI noise filtration
- V3 Advanced Surge Technology

Built-in convenience

- Right angle plug
- Protection indicator light
- Cord management system
- \$300,000 connected equipment warranty

PHILIPS
sense and simplicity

Surge protector
Home office 8 outlets

Specifications

Outer Carton

- Gross weight: 6.17 lb
- Nett weight: 4.54 lb
- Tare weight: 1.63 lb
- Outer carton (L x W x H): 8.875 x 5.125 x 13 inch

Packaging dimensions

- Gross weight: 2.9 lb
- Nett weight: 2.27 lb
- Tare weight: .63 lb
- Packaging dimensions (W x H x D): 8.312 x 13.5 x 2.25 inch

SPP3201WC/17

Product highlights

Data line/phone protection

These connectors accommodate either an RJ45 or an RJ11 cord. They route either line through the surge protector to guard against spikes and surges that may occur in the data or phone lines.

1-line splitter

These connectors route the telephone line through the surge protector and split the line to allow two devices to be connected. It offers the convenience of leaving two devices connected constantly even though they may not be used simultaneously

8 ft power cord

Provides power to the unit which can be 8 feet from the AC outlet.

2 sets gold coax protection

Gold-plated connectors route the coaxial signal through the surge protector to protect the line from surges and spikes. Allows two cable devices to be plugged into the same unit. Gold connectors act to reduce noise (snow, vertical lines, etc) in picture and keep data safer from devices with cable modems.

Power blocker

This automatic shutdown technology senses when the device has reached capacity and automatically shuts down electricity to your equipment. It protects against subsequent surges, even if you are not present

8 child-safe outlets

Safety slides provide a protective barrier that block the outlet so small objects cannot get in. Keeps children safer.

58 dB EMI/RFI noise filtration

Built-in filtering technology ensures the best performance from your components. It guards against signal interference and loss of data. The higher the dB rating the better the noise reduction.

V3 Advanced Surge Technology

This new surge protection technology provides 27% greater surge protection capacity and better heat dissipation for safe, more reliable and longer lasting surge protection.

Right angle plug

This flat design allows for more positioning options and lets furniture sit more closely to the wall.

Protection indicator light

This LED alert lights up to indicate the surge protector is working properly.

Cord management system

Collects the power cords and directs them away from the device in an organized fashion to keep the area clutter-free.

\$300,000 equipment warranty

Protects your connected equipment for the life of the product.



Issue date 2008-08-19

Version: 3.0.4

12 NC: 8670 000 42178
UPC: 6 09585 16003 3

© 2008 Koninklijke Philips Electronics N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips
Electronics N.V. or their respective owners.

www.philips.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>