

Philips  
Headphone extension  
cable

6 m

3.5 mm (M) - 3.5 mm (F) Coiled

SWA2086W



## Ensure a reliable connection

with this headphone extension cable

Depend on this cable to provide you with a reliable audio connection between components.

### Enjoy good audio quality

- High purity copper conductor for reliable signal transfer

### Protects against signal loss

- Bare copper shielding

### Easy installation

- Color coded connectors for instant recognition
- Non-slip ergonomic grip for easy use

### Enjoy extended durability

- Molded plug for secure connections
- Flexible PVC jacket
- Rubber strain relief

**PHILIPS**  
sense and simplicity

Headphone extension cable  
6 m 3.5 mm (M) - 3.5 mm (F) Coiled

## Specifications

### Packaging Data

- Quantity: 1
- EAN/UPC/GTIN: 87 10895 98995 4
- Gross weight: 3 kg
- Net weight: 1 kg
- Tare weight: 2 kg

### Inner Carton

- EAN/UPC/GTIN: 87 10895 99818 5
- Quantity: 4
- Length: 245 mm
- Width: 155 mm
- Height: 105 mm
- Gross weight: 0.76 kg
- Net weight: 0.56 kg
- Tare weight: 0.20 kg

### Outer Carton

- EAN/UPC/GTIN: 87 10895 99819 2
- Quantity: 24
- Length: 340 mm
- Width: 340 mm
- Height: 265 mm
- Gross weight: 5.10 kg
- Net weight: 3.36 kg
- Tare weight: 1.74 kg

### Dimensions

- Product length: 23.5 cm
- Product dimensions (W x H): 95 x 37 mm
- Gross weight: 0.18 kg
- Net weight: 0.16 kg
- Tare weight: 0.02 kg

SWA2086W/I0

## Product highlights

### High purity copper

*This copper conductor provides high accuracy in signal transfer with minimal resistance.*

### Bare copper shielding

*Bare copper shielding protects against signal loss.*

### Color-coded connectors

*Color coded connections make it easy to install your cable into the correct inputs and outputs*

### Easy grip

*This non-slip grip makes connecting your components easy and ergonomically comfortable.*

### Molded plug

*Molded plugs ensure secure connections between components and offer extended durability.*

### Flexible PVC Jacket

*Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.*

### Rubber strain relief

*Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.*



Issue date 2008-04-13

Version: 2.0.6

12 NC: 9082 100 09507  
EAN: 87 10895 98995 4

© 2008 Koninklijke Philips Electronics N.V.  
All Rights reserved.

Specifications are subject to change without notice.  
Trademarks are the property of Koninklijke Philips  
Electronics N.V. or their respective owners.

[www.philips.com](http://www.philips.com)

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>