

Philips
Stereo audio cable

12 ft

SWA2104W



Ensure a reliable connection

with this stereo audio cable

Depend on this cable to provide you with a reliable audio connection between components.

Enjoy good audio quality

- Nickel-plated connectors for reliable contact

Protects against signal loss

- Bare copper shielding

Easy installation

- Color coded connectors for instant recognition
- Non-slip ergonomic grip for easy use
- Plug and play for easy use

Enjoy extended durability

- Molded plug for secure connections
- Flexible PVC jacket
- Rubber strain relief

Environmentally friendly

- Environmentally friendly lead-free construction

PHILIPS
sense and simplicity

Stereo audio cable
12 ft

Specifications

Packaging dimensions

- **Packaging dimensions (W x H x D):**
13.3 x 19.7 x 7.6 cm
- **Packaging dimensions (W x H x D):**
5.25 x 7.75 x 3 inch
- **Nett weight:** 0.080 kg
- **Nett weight:** 0.176 lb
- **Gross weight:** 0.090 kg
- **Gross weight:** 0.198 lb
- **Tare weight:** 0.010 kg
- **Tare weight:** 0.022 lb
- **UPC:** 6 09585 16303 4
- **Number of products included:** 1
- **Packaging type:** Blister

Outer Carton

- **Outer carton (L x W x H):** 43.2 x 28.6 x 41.9 cm
- **Outer carton (L x W x H):** 17 x 11.25 x 16.5 inch
- **Nett weight:** 5.748 kg

- **Nett weight:** 12.672 lb
- **Gross weight:** 7.521 kg
- **Gross weight:** 16.58 lb
- **Tare weight:** 1.773 kg
- **Tare weight:** 3.908 lb
- **GTIN:** 1 06 09585 16303 1
- **Number of consumer packagings:** 72

Inner Carton

- **Inner carton (L x W x H):** 20.3 x 13.7 x 12.4 cm
- **Inner carton (L x W x H):** 8 x 5.4 x 4.9 inch
- **Nett weight:** 0.479 kg
- **Nett weight:** 1.056 lb
- **Gross weight:** 0.553 kg
- **Gross weight:** 1.22 lb
- **Tare weight:** 0.074 kg
- **Tare weight:** 0.164 lb
- **GTIN:** 2 06 09585 16303 8
- **Number of consumer packagings:** 6

SWA2104W/27

Product highlights

Color-coded connectors

Color coded connections make it easy to install your cable into the correct inputs and outputs

Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.

Plug and play

Plug and play offers easy installation of components without time-consuming installations.

Bare copper shielding

Bare copper shielding protects against signal loss.

Molded plug

Molded plugs ensure secure connections between components and offer extended durability.

Nickel-plated connectors

Nickel-plated connectors establish a clean contact between the cable and connector for a reliable connection.

Flexible PVC Jacket

Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.

Rubber strain relief

Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.



Issue date 2008-09-24

Version: 1.1.3

12 NC: 8670 000 47873
UPC: 6 09585 16303 4

© 2008 Koninklijke Philips Electronics N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips
Electronics N.V. or their respective owners.

www.philips.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>