

Philips Stereo Y cable

3.5 mm (F) - 2 RCA (M)

## SWA2159W



# Ensure a reliable connection

with this stereo "Y" cable

Depend on this cable to provide you with a reliable audio connection between components.

### Enjoy good audio quality

- Nickel-plated connectors for reliable contact
- Crafted with quality construction

### **Protects against signal loss**

· Bare copper shielding

### **Easy installation**

- Non-slip ergonomic grip for easy use
- Color coded connectors for instant recognition

### **Enjoy extended durability**

- Molded plug for secure connections
- Flexible PVC jacket
- · Rubber strain relief



## Specifications

### **Inner Carton**

- Gross weight: .206 kg
- Inner carton (L x W x H): 16.5 x 10.5 x 11.5 cm
- Nett weight: .096 kg • Tare weight: .11 kg
- **Outer Carton**
- Gross weight: 1.5 kg
   Outer carton (L x W x H): 32.8 x 18 x 24.9 cm
- Nett weight: .576 kg • Tare weight: .924 kg

### **Packaging dimensions**

- Packaging dimensions (W x H x D): 9.5 x 11.5 x 3 cm
- Gross weight: .026 kg • Nett weight: .016 kg Tare weight: .01 kg

# **Highlights**

### **Nickel-plated connectors**

Nickel-plated connectors establish a clean contact between the cable and connector for a reliable connection.

### **Quality construction**

Quality construction uses only top grade materials to create products of extended durability.

### **Bare copper shielding**

Bare copper shielding protects against signal loss.

**Easy grip**This non-slip grip makes connecting your components easy and ergonomically comfortable.

### **Color-coded connectors**

Color coded connections make it easy to install your cable into the correct inputs and outputs

### **Molded plug**

Molded plugs ensure secure connections between components and offer extended durability.

Flexible PVC Jacket
Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.

### Rubber strain relief

Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.



Issue date 2009-04-11

© 2009 Koninklijke Philips Electronics N.V. All Rights reserved.

Version: 1.0.3

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

12 NC: 8670 000 39259 EAN: 87 12581 41513 6

www.philips.com

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com