

Philips  
Stereo Y cable

1,5 m

3.5 mm (F) - 2 RCA (M)

SWA2510



## Ensure a reliable connection

with this stereo "Y" cable

Depend on this cable to provide you with a reliable audio connection between components.

### Enjoy good audio quality

- Nickel-plated connectors for reliable contact

### Protects against signal loss

- Bare copper shielding

### Easy installation

- Color coded connectors for instant recognition
- Non-slip ergonomic grip for easy use
- Plug and play for easy use

### Enjoy extended durability

- Molded plug for secure connections
- Flexible PVC jacket
- Rubber strain relief

### Environmentally friendly

- Environmentally friendly lead-free construction

**PHILIPS**  
sense and simplicity

Stereo Y cable  
1,5 m 3.5 mm (F) - 2 RCA (M)

## Specifications

### Inner Carton

- EAN/UPC/GTIN: 87 10895 97426 4
- Quantity: 6
- Gross weight: .36 kg
- Tare weight: .12 kg
- Net weight: .24 kg
- Length: 208 mm
- Width: 108 mm
- Height: 165 mm

### Outer Carton

- EAN/UPC/GTIN: 87 10895 98106 4
- Quantity: 72

- Gross weight: 7.22 kg
- Tare weight: .50 kg
- Net weight: 6.72 kg
- Length: 430 mm
- Width: 345 mm
- Height: 350 mm

### Dimensions

- Gross weight: .06 kg
- Tare weight: .02 kg
- Net weight: .04 kg
- Product length: 7.88 cm
- Product dimensions (W x H): 37.5 x 10 mm

SWA2510/93

## Product highlights

### Nickel-plated connectors

Nickel-plated connectors establish a clean contact between the cable and connector for a reliable connection.

### Bare copper shielding

Bare copper shielding protects against signal loss.

### Color-coded connectors

Color coded connections make it easy to install your cable into the correct inputs and outputs

### Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.

### Plug and play

Plug and play offers easy installation of components without time-consuming installations.

### Molded plug

Molded plugs ensure secure connections between components and offer extended durability.

### Flexible PVC Jacket

Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.

### Rubber strain relief

Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.

### Lead-free construction

Lead-free construction of environmentally friendly materials.



Issue date 2008-04-18

Version: 2.0.5

12 NC: 9082 100 07458  
EAN: 87 10895 95199 9

© 2008 Koninklijke Philips Electronics N.V.  
All Rights reserved.

Specifications are subject to change without notice.  
Trademarks are the property of Koninklijke Philips  
Electronics N.V. or their respective owners.

[www.philips.com](http://www.philips.com)

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>