

Philips  
Stereo Y cable

3.0 m

3.5 mm(M) - 2 RCA(M)

SWA2520T



## Ensure a reliable connection

with this stereo audio cable

Depend on this cable to provide you with a reliable audio connection between components.

### Enjoy good audio quality

- High purity copper conductor for reliable signal transfer
- Nickel-plated connectors for reliable contact

### Easy installation

- Color coded connectors for instant recognition
- Non-slip ergonomic grip for easy use

### Enjoy extended durability

- Molded plug for secure connections
- Flexible PVC jacket
- Rubber strain relief

### Minimum packaging material

- On a hang tab

**PHILIPS**  
sense and simplicity

Stereo Y cable  
3.0 m 3.5 mm(M) - 2 RCA(M)

## Specifications

### Packaging dimensions

- **Packaging dimensions (W x H x D):**  
4 x 19.5 x 2 cm
- **Nett weight:** .059 kg
- **Gross weight:** .06 kg
- **Tare weight:** .001 kg

### Outer Carton

- **Outer carton (L x W x H):** 27.9 x 20.9 x 16.5 cm
- **Nett weight:** 2.832 kg
- **Gross weight:** 3.08 kg
- **Tare weight:** .248 kg

SWA2520T/10

## Product highlights

### High purity copper

*This copper conductor provides high accuracy in signal transfer with minimal resistance.*

### Color-coded connectors

*Color coded connections make it easy to install your cable into the correct inputs and outputs*

### Easy grip

*This non-slip grip makes connecting your components easy and ergonomically comfortable.*

### Molded plug

*Molded plugs ensure secure connections between components and offer extended durability.*

### Flexible PVC Jacket

*Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.*

### Rubber strain relief

*Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.*

### On a hang tab

*Products on a hang tab use minimal packaging materials and offer alternate display options.*

### Nickel-plated connectors

*Nickel-plated connectors establish a clean contact between the cable and connector for a reliable connection.*



Issue date 2009-01-21

Version: 1.1.2

12 NC: 8670 000 35362  
EAN: 87 12581 37852 3

© 2009 Koninklijke Philips Electronics N.V.  
All Rights reserved.

Specifications are subject to change without notice.  
Trademarks are the property of Koninklijke Philips  
Electronics N.V. or their respective owners.

[www.philips.com](http://www.philips.com)

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>