

Philips  
Stereo Y adapter

RCA (M)-2 RCA (F)

SWA2553



## Ensure a reliable audio connection

with this stereo "Y" cable

Depend on this connector to convert stereo audio to mono audio.

### Enjoy good audio quality

- Nickel-plated connectors for reliable contact

### Protects against signal loss

- Bare copper shielding

### Easy installation

- Color coded connectors for instant recognition
- Non-slip ergonomic grip for easy use

### Enjoy extended durability

- Molded plug for secure connections
- Flexible PVC jacket
- Rubber strain relief

**PHILIPS**  
sense and simplicity

Stereo Y adapter  
RCA (M)-2 RCA (F)

## Specifications

### Dimensions

- **Gross weight:** .036 kg
- **Tare weight:** .008 kg
- **Net weight:** .028 kg
- **Product length:** 14.6 cm
- **Product dimensions (W x H):** 70 x 27 mm

### Inner Carton

- **EAN/UPC/GTIN:** 87 10895 96063 2
- **Quantity:** 6
- **Gross weight:** .257 kg
- **Tare weight:** .089 kg
- **Net weight:** .0168 kg

- **Length:** 206.4 mm
- **Width:** 92.1 mm
- **Height:** 76.2 mm

### Outer Carton

- **EAN/UPC/GTIN:** 87 10895 96111 0
- **Quantity:** 12
- **Gross weight:** .58 kg
- **Tare weight:** .25 kg
- **Net weight:** .33 kg
- **Length:** 197 mm
- **Width:** 98.4 mm
- **Height:** 171.5 mm

SWA2553/10

## Product highlights

### Nickel-plated connectors

*Nickel-plated connectors establish a clean contact between the cable and connector for a reliable connection.*

### Bare copper shielding

*Bare copper shielding protects against signal loss.*

### Color-coded connectors

*Color coded connections make it easy to install your cable into the correct inputs and outputs*

### Easy grip

*This non-slip grip makes connecting your components easy and ergonomically comfortable.*

### Molded plug

*Molded plugs ensure secure connections between components and offer extended durability.*

### Flexible PVC Jacket

*Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.*

### Rubber strain relief

*Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.*



Issue date 2008-01-19

Version: 2.0.7

12 NC: 9082 100 06121  
EAN: 87 10895 93283 7

© 2008 Koninklijke Philips Electronics N.V.  
All Rights reserved.

Specifications are subject to change without notice.  
Trademarks are the property of Koninklijke Philips  
Electronics N.V. or their respective owners.

[www.philips.com](http://www.philips.com)

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>