

Philips
PAL coax cable

5 m

Male-Female White

SWV7114W



Ensure a reliable connection

with this pal coaxial cable

Depend on this cable to provide you with a reliable video connection between components.

Protects against signal loss

- Bare copper shielding

Easy installation

- Non-slip ergonomic grip for easy use

Enjoy extended durability

- Flexible PVC jacket

PHILIPS
sense and simplicity

PAL coax cable
5 m Male-Female White

Specifications

Packaging dimensions

- **Packaging dimensions (W x H x D):**
9.5 x 23.5 x 3.7 cm
- **Net weight:** 0.15 kg
- **Gross weight:** 0.33 kg
- **Tare weight:** 0.18 kg

Outer Box

- **Outer carton (L x W x H):** 35 x 25.8 x 15.5 cm

- **Net weight:** 1.8 kg
- **Gross weight:** 2.9 kg
- **Tare weight:** 1.1 kg

Inner Box

- **Inner carton (L x W x H):** 24.1 x 14.3 x 10.2 cm
- **Net weight:** 0.6 kg
- **Gross weight:** 1.384 kg
- **Tare weight:** 0.784 kg

SWV7114W/10

Product highlights

Flexible PVC Jacket

Flexible PVC jacket provides protection to the delicate core of the cable. It also offers extended durability and ease of installation.

Bare copper shielding

Bare copper shielding protects against signal loss.

Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.



Issue date 2009-02-16

Version: 1.0.8

12 NC: 8670 000 39505
EAN: 87 12581 41940 0

© 2009 Koninklijke Philips Electronics N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips
Electronics N.V. or their respective owners.

www.philips.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>