

- Contrast Plus
- Sleeptimer
- 5 page TOP/FLOF Teletext (1554 only)
- Sharpness control
- Autostore
- Front connectors
- Smart Picture
- Smart Sound
- Plug and Play Installation



















- **Contrast Plus**
- Sleeptimer
- 5 page TOP/FLOF Teletext (1554 only)
- **Sharpness control**
- **Autostore**
- Front connectors
- **Smart Picture**
- **Smart Sound**
- Plug and Play Installation

















- **Contrast Plus**
- Sleeptimer
- 5 page TOP/FLOF Teletext (1554 only)
- **Sharpness control**
- **Autostore**
- Front connectors
- **Smart Picture**
- **Smart Sound**
- Plug and Play Installation



















- Contrast Plus
- Sleeptimer
- 5 page TOP/FLOF Teletext (1554 only)
- Sharpness control
- Autostore
- Front connectors
- Smart Picture
- Smart Sound
- Plug and Play Installation

















- Contrast Plus
- Sleeptimer
- 5 page TOP/FLOF Teletext (1554 only)
- Sharpness control
- Autostore
- · Front connectors
- Smart Picture
- Smart Sound
- Plug and Play Installation

















- **Contrast Plus**
- Sleeptimer
- 5 page TOP/FLOF Teletext (1554 only)
- **Sharpness control**
- **Autostore**
- Front connectors
- **Smart Picture**
- **Smart Sound**
- Plug and Play Installation















Colour Television 14/20PT1354 20PT1554

- Contrast Plus
- · Sleeptimer
- 5 page TOP/FLOF Teletext (1554 only)
- Sharpness control
- Autostore
- · Front connectors
- Smart Picture
- Smart Sound
- Plug and Play Installation



















- **Contrast Plus**
- Sleeptimer
- 5 page TOP/FLOF Teletext (1554 only)
- **Sharpness control**
- **Autostore**
- Front connectors
- **Smart Picture**
- **Smart Sound**
- Plug and Play Installation


















- Contrast Plus
- Sleeptimer
- 5 page TOP/FLOF Teletext (1554 only)
- Sharpness control
- Autostore
- · Front connectors
- Smart Picture
- Smart Sound
- Plug and Play Installation

















- Contrast Plus
- Sleeptimer
- 5 page TOP/FLOF Teletext (1554 only)
- Sharpness control
- Autostore
- · Front connectors
- Smart Picture
- Smart Sound
- Plug and Play Installation















- Contrast Plus
- Sleeptimer
- 5 page TOP/FLOF Teletext (1554 only)
- Sharpness control
- Autostore
- · Front connectors
- Smart Picture
- Smart Sound
- Plug and Play Installation

















- **Contrast Plus**
- Sleeptimer
- 5 page TOP/FLOF Teletext (1554 only)
- **Sharpness control**
- **Autostore**
- Front connectors
- **Smart Picture**
- **Smart Sound**
- Plug and Play Installation

















Picture

14" (37 cm) Screen size

20" (51 cm)

Picture tube 14" Black HiBri

20" Black Matrix

Viewing area 34 cm (14")

48 cm (20")

Iron Mask Contrast Plus Sharpness Control

Colour Temperature Control

Noise Reduction

Smart Picture modes soft, naturel, rich, personal

4:3 Expand

Sound

Sound output 1 x 2 Watts RMS Loudspeakers Full Range Speakers Smart Sound modes Movie, Music, Speech,

Personal

Smart Listening (Delta Volume)

Reception

Tuning system PLL digital tuning UV, S and Hyperband Tuner Channel selection 80 presets 75 Ohm Coaxial Aerial input TV systems See table

Stereo systems See table Plug and Play Installation

Teletext (20PT1554 only)

Reception standards TOP / FLOF (Fastext)

5 page memory

Connectors

Headphone out (3.5 mm) Front

Video CVBS In + Audio mono In

Cinch

Rear Ext 1: Scart CVBS In / Out + RGB In

Operation

Remote control for

• 14 / 20PT1354 - RC 282401/00

• 20PT1554 - RCL9ED/00

No. of RC buttons

· 24 buttons (RC 282601/00)

• 35 buttons (RCL9EA/00)

Multi language on-screen display

Cursor Control Personal Preference

Program Information Line (1554 only)

Sleeptimer (240 minutes)

Smart Clock Wake Up Clock

Measurements

220 - 240V, 50 Hz Mains

41 Watts 14" Power consumption

58 Watts 20"

10 Watts (Standby)

Net weight

14" – 10 kg (approx.)

• 20" – 19 kg (approx.)

Gross weight

14" – 11 kg (approx.)

• 20" - 20 kg (approx.) Gross weight incl. stand

• 14" - 16 kg (approx.)

• 20" – 25 kg (approx.)

Set dimension

• 14" - 360 x 370 x 357 (W x D x H mm)

• 20" - 514 x 487 x 494 (W x D x H mm)

Box dimension

• 14" - 440 x 439 x 445 (W x D x H mm)

• 20" – 583 x 546 x 556 (W x D x H mm)

Box dimension incl. stand

• 14" - 440 x 439 x 513 (W x D x H mm) • 20" – 583 x 546 x 624 (W x D x H mm)

Product Highlights

Black Matrix picture tube

The Black Matrix picture tube improves the contrast of images even when viewing in daylight conditions.

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

The Sleeptimer automatically turns the TV off at a preset time of up to 240 minutes from the time the feature is activated. Sleeptimer settings are programmed in 15, 30 and 60-minute increments.

Smart Picture

A touch of the SMART PICTURE button on the remote control provides the option of selecting one of four preset positions (Soft, Natural, Rich, Personal) to enjoy excellent viewing under different lighting conditions. Select the desired option and all important picture elements are instantly adjusted to optimize viewing pleasure. 'Rich' for bright daylight conditions, 'Soft' for dark room settings, 'Natural' for normal ambient conditions and 'Personal' for individual preference.

Smart Sound

A touch of the SMART SOUND button on the remote control provides the option of selecting one of four preset positions (Theatre, Music, Voice, Personal) to optimize each individual sound preference when viewing different programs or sources.

Plug and Play

No problem anymore to install your new TV. You choose the language you are more famliar with, the country you are in and the TV will install automatically all available programs.

version		transmission system							stand supplied in the
		PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		box (20" only)
14", 20" /5	58	•	•		•	•			

: 14PT1352, 20PT1353/1553 Predecessor

Chassis : L9SS Release date (TTM) : August 1999









Picture

14" (37 cm) Screen size

20" (51 cm)

Picture tube 14" Black HiBri

20" Black Matrix

Viewing area 34 cm (14")

48 cm (20")

Iron Mask Contrast Plus **Sharpness Control** Colour Temperature Control

Noise Reduction

Smart Picture modes soft, naturel, rich, personal

4:3 Expand

Sound

Sound output 1 x 2 Watts RMS Loudspeakers Full Range Speakers Smart Sound modes Movie, Music, Speech,

Personal

Smart Listening (Delta Volume)

Reception

Tuning system PLL digital tuning UV, S and Hyperband Tuner Channel selection 80 presets Aerial input 75 Ohm Coaxial TV systems See table Stereo systems See table

Plug and Play Installation

Teletext (20PT1554 only)

Reception standards TOP / FLOF (Fastext)

5 page memory

Connectors

Headphone out (3.5 mm) Front

Video CVBS In + Audio mono In

Cinch Rear

Ext 1: Scart CVBS In / Out + RGB In

Operation

Remote control for

• 14 / 20PT1354 - RC 282401/00

• 20PT1554 - RCL9ED/00

No. of RC buttons

· 24 buttons (RC 282601/00)

• 35 buttons (RCL9EA/00)

Multi language on-screen display

Cursor Control Personal Preference

Program Information Line (1554 only)

Sleeptimer (240 minutes)

Smart Clock Wake Up Clock

Measurements

220 - 240V, 50 Hz Mains

41 Watts 14" Power consumption

58 Watts 20" 10 Watts (Standby)

Net weight

14" – 10 kg (approx.)

• 20" – 19 kg (approx.)

Gross weight

14" – 11 kg (approx.)

• 20" - 20 kg (approx.) Gross weight incl. stand

• 14" - 16 kg (approx.)

• 20" – 25 kg (approx.)

Set dimension

• 14" - 360 x 370 x 357 (W x D x H mm)

• 20" - 514 x 487 x 494 (W x D x H mm)

Box dimension

• 14" - 440 x 439 x 445 (W x D x H mm)

• 20" – 583 x 546 x 556 (W x D x H mm)

Box dimension incl. stand

• 14" - 440 x 439 x 513 (W x D x H mm) • 20" – 583 x 546 x 624 (W x D x H mm)

Product Highlights

Black Matrix picture tube

The Black Matrix picture tube improves the contrast of images even when viewing in daylight conditions.

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

The Sleeptimer automatically turns the TV off at a preset time of up to 240 minutes from the time the feature is activated. Sleeptimer settings are programmed in 15, 30 and 60-minute increments.

Smart Picture

A touch of the SMART PICTURE button on the remote control provides the option of selecting one of four preset positions (Soft, Natural, Rich, Personal) to enjoy excellent viewing under different lighting conditions. Select the desired option and all important picture elements are instantly adjusted to optimize viewing pleasure. 'Rich' for bright daylight conditions, 'Soft' for dark room settings, 'Natural' for normal ambient conditions and 'Personal' for individual preference.

Smart Sound

A touch of the SMART SOUND button on the remote control provides the option of selecting one of four preset positions (Theatre, Music, Voice, Personal) to optimize each individual sound preference when viewing different programs or sources.

Plug and Play

No problem anymore to install your new TV. You choose the language you are more famliar with, the country you are in and the TV will install automatically all available programs.

	version		transmission system							stand supplied in the
			PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		box (20" only)
Γ	14", 20"	/58	•	•		•	•			

: 14PT1352, 20PT1353/1553 Predecessor

Chassis : L9SS Release date (TTM) : August 1999







Picture

Screen size 14" (37 cm)

20" (51 cm)

Picture tube 14" Black HiBri

20" Black Matrix No. of I

Viewing area 34 cm (14")

48 cm (20")

Iron Mask Contrast Plus Sharpness Control Colour Temperature

Colour Temperature Control

Noise Reduction

Smart Picture modes soft, naturel, rich, personal

4:3 Expand

Sound

Sound output 1 x 2 Watts RMS Loudspeakers Full Range Speakers Smart Sound modes Movie, Music, Speech,

Personal

Smart Listening (Delta Volume)

Reception

Tuning system
Tuner
Channel selection
Aerial input
TV systems
Stereo systems
PLL digital tuning
UV, S and Hyperband
80 presets
75 Ohm Coaxial
See table
See table

Plug and Play Installation

Teletext (20PT1554 only)

Reception standards TOP / FLOF (Fastext)

5 page memory

Connectors

Front Headphone out (3.5 mm)

Video CVBS In + Audio mono In

Cinch

Rear Ext 1: Scart CVBS In / Out + RGB In

Operation

Remote control for

• 14 / 20PT1354 - RC 282401/00

20PT1554 – RCL9ED/00

No. of RC buttons

• 24 buttons (RC 282601/00)

• 35 buttons (RCL9EA/00)

Multi language on-screen display

Cursor Control Personal Preference

Program Information Line (1554 only)

Sleeptimer (240 minutes)

Smart Clock Wake Up Clock

Measurements

Mains 220 - 240V, 50 Hz

Power consumption 41 Watts 14"

58 Watts 20"

10 Watts (Standby)

Net weight

14" – 10 kg (approx.)

• 20" – 19 kg (approx.)

Gross weight

• 14" – 11 kg (approx.)

• 20" – 20 kg (approx.)

Gross weight incl. stand • 14" – 16 kg (approx.)

• 20" – 25 kg (approx.)

Set dimension

• 14" - 360 x 370 x 357 (W x D x H mm)

• 20" – 514 x 487 x 494 (W x D x H mm)

Box dimension

• 14" – 440 x 439 x 445 (W x D x H mm)

• 20" – 583 x 546 x 556 (W x D x H mm)

Box dimension incl. stand

14" - 440 x 439 x 513 (W x D x H mm)
20" - 583 x 546 x 624 (W x D x H mm)

Product Highlights

Black Matrix picture tube

The Black Matrix picture tube improves the contrast of images even when viewing in daylight conditions.

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Sleeptimer

The Sleeptimer automatically turns the TV off at a preset time of up to 240 minutes from the time the feature is activated. Sleeptimer settings are programmed in 15, 30 and 60-minute increments.

Smart Picture

A touch of the SMART PICTURE button on the remote control provides the option of selecting one of four preset positions (Soft, Natural, Rich, Personal) to enjoy excellent viewing under different lighting conditions. Select the desired option and all important picture elements are instantly adjusted to optimize viewing pleasure. 'Rich' for bright daylight conditions, 'Soft' for dark room settings, 'Natural' for normal ambient conditions and 'Personal' for individual preference.

Smart Sound

A touch of the SMART SOUND button on the remote control provides the option of selecting one of four preset positions (Theatre, Music, Voice, Personal) to optimize each individual sound preference when viewing different programs or sources.

Plug and Play

No problem anymore to install your new TV. You choose the language you are more familiar with, the country you are in and the TV will install automatically all available programs.

	version		transmission system							stand supplied in the
			PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		box (20" only)
Γ	14", 20"	/58	•	•		•	•			

Predecessor : 14PT1352, 20PT1353/1553

Chassis : L9SS Release date (TTM) : August 1999







Picture

Screen size 14" (37 cm)

20" (51 cm)

Picture tube 14" Black HiBri

20" Black Matrix

Viewing area 34 cm (14") 48 cm (20")

Iron Mask Contrast Plus Sharpness Control

Colour Temperature Control

Noise Reduction

Smart Picture modes soft, naturel, rich, personal

4:3 Expand

Sound

Sound output 1 x 2 Watts RMS Loudspeakers Full Range Speakers Smart Sound modes Movie, Music, Speech,

Personal

Smart Listening (Delta Volume)

Reception

Tuning system
Tuner
Channel selection
Aerial input
TV systems
Stereo systems
PLL digital tuning
UV, S and Hyperband
80 presets
75 Ohm Coaxial
See table
See table

Plug and Play Installation

Teletext (20PT1554 only)

Reception standards TOP / FLOF (Fastext)

5 page memory

Connectors

Front Headphone out (3.5 mm)

Video CVBS In + Audio mono In

Cinch

Rear Ext 1: Scart CVBS In / Out + RGB In

Operation

Remote control for

• 14 / 20PT1354 - RC 282401/00

20PT1554 – RCL9ED/00

No. of RC buttons

• 24 buttons (RC 282601/00)

• 35 buttons (RCL9EA/00)

Multi language on-screen display

Cursor Control Personal Preference

Program Information Line (1554 only)

Sleeptimer (240 minutes)

Smart Clock Wake Up Clock

Measurements

Mains 220 - 240V, 50 Hz

Power consumption 41 Watts 14"

58 Watts 20"

10 Watts (Standby)

Net weight

• 14" – 10 kg (approx.)

20" – 19 kg (approx.)

Gross weight

14" – 11 kg (approx.)

20" – 20 kg (approx.)
 Gross weight incl. stand

• 14" – 16 kg (approx.)

• 20" – 25 kg (approx.)

Set dimension

• 14" – 360 x 370 x 357 (W x D x H mm)

• 20" – 514 x 487 x 494 (W x D x H mm)

Box dimension

• 14" - 440 x 439 x 445 (W x D x H mm)

• 20" – 583 x 546 x 556 (W x D x H mm)

Box dimension incl. stand

• 14" - 440 x 439 x 513 (W x D x H mm)

• 20" – 583 x 546 x 624 (W x D x H mm)

Product Highlights

Black Matrix picture tube

The Black Matrix picture tube improves the contrast of images even when viewing in daylight conditions.

Contrast Plu

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Sleeptimer

The Sleeptimer automatically turns the TV off at a preset time of up to 240 minutes from the time the feature is activated. Sleeptimer settings are programmed in 15, 30 and 60-minute increments.

Smart Picture

A touch of the SMART PICTURE button on the remote control provides the option of selecting one of four preset positions (Soft, Natural, Rich, Personal) to enjoy excellent viewing under different lighting conditions. Select the desired option and all important picture elements are instantly adjusted to optimize viewing pleasure. 'Rich' for bright daylight conditions, 'Soft' for dark room settings, 'Natural' for normal ambient conditions and 'Personal' for individual preference.

Smart Sound

A touch of the SMART SOUND button on the remote control provides the option of selecting one of four preset positions (Theatre, Music, Voice, Personal) to optimize each individual sound preference when viewing different programs or sources.

Plug and Play

No problem anymore to install your new TV. You choose the language you are more familiar with, the country you are in and the TV will install automatically all available programs.

	version		transmission system							stand supplied in the
			PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		box (20" only)
Γ	14", 20"	/58	•	•		•	•			

Predecessor : 14PT1352, 20PT1353/1553

Chassis : L9SS Release date (TTM) : August 1999







Picture

Screen size 14" (37 cm)

20" (51 cm)

Picture tube 14" Black HiBri

20" Black Matrix No. of R

Viewing area 34 cm (14")

48 cm (20")

Iron Mask
Contrast Plus
Sharpness Control
Colour Temperature

Colour Temperature Control

Noise Reduction

Smart Picture modes soft, naturel, rich, personal

4:3 Expand

Sound

Sound output 1 x 2 Watts RMS Loudspeakers Full Range Speakers Smart Sound modes Movie, Music, Speech,

Personal

Smart Listening (Delta Volume)

Reception

Tuning system
Tuner
Channel selection
Aerial input
TV systems
Stereo systems
PLL digital tuning
UV, S and Hyperband
80 presets
75 Ohm Coaxial
See table
See table

Plug and Play Installation

Teletext (20PT1554 only)

Reception standards TOP / FLOF (Fastext)

5 page memory

Connectors

Front Headphone out (3.5 mm)

Video CVBS In + Audio mono In

Cinch

Rear Ext 1: Scart CVBS In / Out + RGB In

Operation

Remote control for

• 14 / 20PT1354 - RC 282401/00

20PT1554 – RCL9ED/00

No. of RC buttons

· 24 buttons (RC 282601/00)

• 35 buttons (RCL9EA/00)

Multi language on-screen display

Cursor Control Personal Preference

Program Information Line (1554 only)

Sleeptimer (240 minutes)

Smart Clock Wake Up Clock

Measurements

Mains 220 - 240V, 50 Hz

Power consumption 41 Watts 14"

58 Watts 20"

10 Watts (Standby)

Net weight

14" – 10 kg (approx.)

• 20" – 19 kg (approx.)

Gross weight

• 14" – 11 kg (approx.)

• 20" – 20 kg (approx.)

Gross weight incl. stand

14" – 16 kg (approx.)
20" – 25 kg (approx.)

Set dimension

• 14" – 360 x 370 x 357 (W x D x H mm)

• 20" – 514 x 487 x 494 (W x D x H mm)

Box dimension

• 14" - 440 x 439 x 445 (W x D x H mm)

• 20" – 583 x 546 x 556 (W x D x H mm)

Box dimension incl. stand

• 14" - 440 x 439 x 513 (W x D x H mm)

• 20" – 583 x 546 x 624 (W x D x H mm)

Product Highlights

Black Matrix picture tube

The Black Matrix picture tube improves the contrast of images even when viewing in daylight conditions.

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Sleeptimer

The Sleeptimer automatically turns the TV off at a preset time of up to 240 minutes from the time the feature is activated. Sleeptimer settings are programmed in 15, 30 and 60-minute increments.

Smart Picture

A touch of the SMART PICTURE button on the remote control provides the option of selecting one of four preset positions (Soft, Natural, Rich, Personal) to enjoy excellent viewing under different lighting conditions. Select the desired option and all important picture elements are instantly adjusted to optimize viewing pleasure. 'Rich' for bright daylight conditions, 'Soft' for dark room settings, 'Natural' for normal ambient conditions and 'Personal' for individual preference.

Smart Sound

A touch of the SMART SOUND button on the remote control provides the option of selecting one of four preset positions (Theatre, Music, Voice, Personal) to optimize each individual sound preference when viewing different programs or sources.

Plug and Play

No problem anymore to install your new TV. You choose the language you are more famliar with, the country you are in and the TV will install automatically all available programs.

	version		transmission system							stand supplied in the
			PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		box (20" only)
ĺ	14", 20"	/58	•	•		•	•			

Predecessor : 14PT1352, 20PT1353/1553

Chassis : L9SS Release date (TTM) : August 1999







Picture

14" (37 cm) Screen size

20" (51 cm)

Picture tube 14" Black HiBri

20" Black Matrix

Viewing area 34 cm (14")

48 cm (20") Iron Mask

Contrast Plus **Sharpness Control**

Colour Temperature Control

Noise Reduction

Smart Picture modes soft, naturel, rich, personal

4:3 Expand

Sound

Sound output 1 x 2 Watts RMS Loudspeakers Full Range Speakers Smart Sound modes Movie, Music, Speech,

Personal

Smart Listening (Delta Volume)

Reception

Tuning system PLL digital tuning UV, S and Hyperband Tuner Channel selection 80 presets 75 Ohm Coaxial Aerial input

TV systems See table Stereo systems See table

Plug and Play Installation

Teletext (20PT1554 only)

Reception standards TOP / FLOF (Fastext)

5 page memory

Connectors

Headphone out (3.5 mm) Front

Video CVBS In + Audio mono In

Cinch

Rear Ext 1: Scart CVBS In / Out + RGB In

Operation

Remote control for

• 14 / 20PT1354 - RC 282401/00

• 20PT1554 - RCL9ED/00

No. of RC buttons

· 24 buttons (RC 282601/00)

• 35 buttons (RCL9EA/00)

Multi language on-screen display

Cursor Control Personal Preference

Program Information Line (1554 only)

Sleeptimer (240 minutes)

Smart Clock Wake Up Clock

Measurements

220 - 240V, 50 Hz Mains

41 Watts 14" Power consumption

58 Watts 20"

10 Watts (Standby)

Net weight

14" – 10 kg (approx.)

• 20" – 19 kg (approx.)

Gross weight

14" – 11 kg (approx.)

• 20" - 20 kg (approx.)

Gross weight incl. stand • 14" - 16 kg (approx.)

• 20" – 25 kg (approx.)

Set dimension

• 14" - 360 x 370 x 357 (W x D x H mm)

• 20" - 514 x 487 x 494 (W x D x H mm)

Box dimension

• 14" - 440 x 439 x 445 (W x D x H mm)

• 20" – 583 x 546 x 556 (W x D x H mm)

Box dimension incl. stand

• 14" - 440 x 439 x 513 (W x D x H mm) • 20" – 583 x 546 x 624 (W x D x H mm)

Product Highlights

Black Matrix picture tube

The Black Matrix picture tube improves the contrast of images even when viewing in daylight conditions.

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

The Sleeptimer automatically turns the TV off at a preset time of up to 240 minutes from the time the feature is activated. Sleeptimer settings are programmed in 15, 30 and 60-minute increments.

Smart Picture

A touch of the SMART PICTURE button on the remote control provides the option of selecting one of four preset positions (Soft, Natural, Rich, Personal) to enjoy excellent viewing under different lighting conditions. Select the desired option and all important picture elements are instantly adjusted to optimize viewing pleasure. 'Rich' for bright daylight conditions, 'Soft' for dark room settings, 'Natural' for normal ambient conditions and 'Personal' for individual preference.

Smart Sound

A touch of the SMART SOUND button on the remote control provides the option of selecting one of four preset positions (Theatre, Music, Voice, Personal) to optimize each individual sound preference when viewing different programs or sources.

Plug and Play

No problem anymore to install your new TV. You choose the language you are more famliar with, the country you are in and the TV will install automatically all available programs.

version		transmission system							stand supplied in the
		PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		box (20" only)
14", 20" /5	58	•	•		•	•			

: 14PT1352, 20PT1353/1553 Predecessor

Chassis : L9SS Release date (TTM) : August 1999









VIS_20PT1354_FTL1.EPS

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com