




Philips
Pure water on tap



WP3822

Pure water made easy

Micro X-Clean filter

Pure Water

- removes bacteria, harmful organic compound, lead & bad odors

Made Easy

- Hi-Flow allows maximum flow rate of 2 litres per minute
- QuickFit tap adapters for easy installation on kitchen tap
- QuickTwist mechanism for easy filter replacement
- Electronic PureProtect alert on LCD display

PHILIPS
sense and simplicity

Specifications

General specifications

- **Water Selection:** Filtered spray, Unfiltered spray, Unfiltered stream
- **Replacement Filter Cartridge:** WP3922
- **Accessories:** 8 QuickFit tap-mounting adapters, Colour coded PureProtect Alert

Technical Specifications

- **Major Filter Components:** Polysulfone hollow fibre membrane, Granular activated carbon, Ion exchanger
- **Max. Input Water Temperature:** 50 °C
- **Input Water Pressure:** 70 - 350 kPa
- **Initial Water Flow Rate:** 1.6 Litres/min, Water pressure @ 100kPa, Water temperature @ 20°C
- **Turbidity Reduction Capacity:** 1500 Litres (density @ 2 NTU)
- **Chlorine Reduction Capacity:** 1500 Litres (density @ 2 ppm)
- **Soluble lead reduction capacity:** 1500 Litres (concentration @ 0.01 mg/L or less)
- **Pesticide (CAT) reduction capacity:** 1500 Litres (concentration @ 0.0006 mg/L or less)
- **VOC (Volatile Organic Compound) reduction capacity:** 1500 Litres (concentration @ 0.04 mg/L or less)
- **Filter Lifetime:** Approx. 3 months

Dimensions and weight

- **Product dimensions (LxVxH):** 93 x 144 x 112 mm
- **Product weight:** 390 g
- **F-box dimensions (LxVxH):** 88 x 170 x 140 mm
- **F-box weight:** 510 g
- **A-box dimensions (LxVxH):** 360 x 450 x 165 mm
- **A-box weight:** 5.9 kg

Logistic data

- **EAN F Box:** 87 10103 40053 0
- **EAN A Box:** 87 10103 40054 7
- **Quantity per A Box:** 10 pcs
- **Country of Origin:** Japan

Product highlights

Hi-Flow

This compact water purifier has a maximum flow rate of two litres per minute, which makes little change to the normal flow rate of unfiltered water. By simply rotating the water selection lever, you also have a choice of either a stream or a spray of unfiltered water or sprayed filtered water.

Micro X-Clean filter

The Micro X-Clean is multi-filtration system. It consists of (1) a hi-tech hollow-fibre membrane, which contains more than 300 billion micro-pores for the efficient removal of 99.99% of all bacteria, (2) an ion exchanger to remove harmful soluble lead, (3) fine granular activated carbon to remove the harmful chlorination by-products, harmful industrial pollutants such as volatile organic chemicals, and agricultural pollutants such as the pesticide CAT. It also removes unpleasant chlorine, bad taste and odors. The filter preserves the good minerals in drinking water that are vital for human health

QuickFit tap adapters

The appliance comes with a number of tailor-made QuickFit tap adapters, making sure it will fit on almost any type of kitchen tap

QuickTwist filter change

The QuickTwist filter change mechanism makes changing the filter quick, easy and secure.

Electronic PureProtect alert on LCD display

The LCD display on the water purifier shows the actual remaining filter capacity. A blinking signal warns you when the filter needs replacing.



Issue date 2008-01-20

Version: 1.0

© 2008 Koninklijke Philips Electronics N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>