

Halogená® Indoor Flood and Spot

The long life alternative to standard incandescent flood and spots



***Ideal for recessed and track fixtures
and other commercial applications***

▶ Easy-To-Grip Shape

- There is room for your fingers between the bulb and the fixture
- Quick installation and removal

▶ Superior Light Quality

- Provides a bright white light
- Maintains a high light quality when dimmed

▶ Lasts 2 Years¹

- Fewer light bulb changes means less hassle
- Great for hard-to-reach fixtures

▶ Replaces 65W R and BR Incandescent Reflectors

- Equal or greater light output
- Saves energy

1) Lasts 2 years based on 4 hours average usage per day/7 days per week.



PHILIPS

Philips Lighting Company
 200 Franklin Square Drive
 P.O. Box 6800
 Somerset, NJ 08875-6800
 1-800-555-0050

www.philips.com

Philips Lighting
 281 Hillmount Road
 Markham, Ontario
 Canada L6C 2S3
 1-800-555-0050
 A Division of Philips Electronics Ltd.

A Division of Philips Electronics North America Corporation
 Printed in USA 07/05 P-5557-B

Halogená® Indoor Flood and Spot

Electrical, Technical and Ordering Data (Subject to change without notice)

Product Number	Product Description	Product Name	Beam Description	Nominal Watts	Bulb	Base Type	Volts	Initial Lumens	M.O.L. (In.)	Color Temp.	Rated Avg. Life, Hours ¹	Life, Years ²
38849-6	60BR30/HAL/FL	Reflector	Flood	60	BR30	Medium	120	700	5 3/8	2815	3000	2
38875-1	60BR30/HAL/SP	Reflector	Spot	60	BR30	Medium	120	700	5 3/8	2815	3000	2
39174-8	60BR40/HAL/FL	Reflector	Flood	60	BR40	Medium	120	750	6 1/2	2815	3000	2

Shipping Data (Subject to change without notice)

Product Number	Product Description	UPC Code (0 46677-)	Case Bar Code (5 00 46677-)	Case Qty.	SKU Dimensions (W x H x D)(In.)	Case Dimensions (W x H x D)(In.)	Case Cube (cu. ft.)	Case Wt (lbs.)	SKUs Per Layer	No. of Layers	Cases Per Pallet	Pallet Dimensions (W x H x D)(In.)
38849-6	60BR30/HAL/FL	38849 2	38849 7	6/1	3.7 x 3.7 x 6.1	8.6 x 12.3 x 6.6	0.41	2.30	96	7	112	49.2 x 34.7 x 45.9
38875-1	60BR30/HAL/SP	38875 1	38875 6	6/1	3.7 x 3.7 x 6.1	8.6 x 12.3 x 6.6	0.41	2.30	96	7	112	49.2 x 34.7 x 45.9
39174-8	60BR40/HAL/FL	39174 4	39174 9	6/1	5.0 x 5.0 x 7.5	11.0 x 15.9 x 7.8	0.79	3.70	60	6	60	47.8 x 37.9 x 46.5

1) Rated average life is the length of operation (in hours) at which point an average of 50% of the lamps will still be operational and 50% will not.

2) Lasts 2 years based on 4 hours average usage per day/7 days per week.



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>