





Product dimensions



TCW097	1xTL'D 18W	1xTL'D 36W	1xTL'D 58W
	1xTL'S 14W	1xTL'S 28W	1xTL'S 35W
A	660	1270	1570
B	100	100	100
C	676	1276	1586
D	417	880	590

TCW097	2xTL'D 18W	2xTL'D 36W	2xTL'D 58W
	2xTL'S 14W	2xTL'S 28W	2xTL'S 35W
A	660	1270	1570
B	150	150	150
C	676	1276	1586
D	417	880	590

Measurements in mm

Ordering data

For TL'D Lamps	Lamp	Gross weight (kg)	Packing dimensions (mm)	Quantity per box	Ordering number
TCW097 1XTL-D18W HFE	1 x TL'D 18W	2	664 x 108 x 99	1	9104 019 83680
TCW097 1XTL-D18W I	1 x TL'D 18W	2.1	664 x 108 x 99	1	9104 019 83880
TCW097 1XTL-D18W IC	1 x TL'D 18W	2.1	664 x 108 x 99	1	9104 019 84080
TCW097 1XTL-D36W HFE	1 x TL'D 36W	2.8	1274 x 108 x 99	1	9104 019 84680
TCW097 1XTL-D36W I	1 x TL'D 36W	2.9	1274 x 108 x 99	1	9104 019 84880
TCW097 1XTL-D36W IC	1 x TL'D 36W	2.9	1274 x 108 x 99	1	9104 033 20080
TCW097 1XTL-D58W HFE	1 x TL'D 58W	4.8	1574 x 108 x 99	1	9104 033 20280
TCW097 1XTL-D58W I	1 x TL'D 58W	4.9	1574 x 108 x 99	1	9104 033 20480
TCW097 1XTL-D58W IC	1 x TL'D 58W	4.9	1574 x 108 x 99	1	9104 033 20680
TCW097 2XTL-D18W HFE	2 x TL'D 18W	2.4	664 x 158 x 99	1	9104 033 21080
TCW097 2XTL-D18W I	2 x TL'D 18W	2.6	664 x 158 x 99	1	9104 033 21280
TCW097 2XTL-D18W IC	2 x TL'D 18W	2.6	664 x 158 x 99	1	9104 033 21480
TCW097 2XTL-D36W HFE	2 x TL'D 36W	4.6	1274 x 158 x 99	1	9104 033 22080
TCW097 2XTL-D36W I	2 x TL'D 36W	4.8	1274 x 158 x 99	1	9104 033 22380
TCW097 2XTL-D36W IC	2 x TL'D 36W	4.8	1274 x 158 x 99	1	9104 033 22480
TCW097 2XTL-D58W HFE	2 x TL'D 58W	6	1574 x 158 x 99	1	9104 033 22680
TCW097 2XTL-D58W I	2 x TL'D 58W	6.2	1574 x 158 x 99	1	9104 033 22880
TCW097 2XTL-D58W IC	2 x TL'D 58W	6.2	1574 x 158 x 99	1	9104 033 23080
For TL'S Lamps					
TCW097 1XTLS-14W HFA	1 x TL'S 14W	2	664 x 108 x 99	1	9104 019 83480
TCW097 1XTLS-28W HFA	1 x TL'S 28W	2.8	1274 x 108 x 99	1	9104 019 84280
TCW097 1XTLS-35W HFA	1 x TL'S 35W	4.8	1574 x 108 x 99	1	9104 019 84480
TCW097 2XTLS-14W HFA	2 x TL'S 14W	2.4	664 x 158 x 99	1	9104 033 20880
TCW097 2XTLS-28W HFA	2 x TL'S 28W	4.6	1274 x 158 x 99	1	9104 033 21680
TCW097 2XTLS-35W HFA	2 x TL'S 35W	6	1574 x 158 x 99	1	9104 033 21880

Note I = electromagnetic ballast IC = electromagnetic ballast + capacitor HFE = electronic ballast (EB-S) for TL'D lamps HFA = electronic ballast for TL'S lamps
Standard products with electromagnetic ballast are for 220V 50Hz system (Specification subject to change without prior notice)

32 1-B27 3 002-01

www.lighting.philips.com/apr

© Koninklijke Philips Electronics N.V. 2003

All rights reserved, reproduction in whole or in part without permission is prohibited.

PHILIPS



TCW097 Pacific II

waterproof luminaires



- Excellent water and dust protection
- Impact-resistant
- Optimum light distribution and performance
- Easy installation and maintenance

lighting solutions that really last

waterproof luminaires

The demands placed on lighting in wet and dusty conditions in terms of flexibility, efficiency and ease of maintenance are vital for many industrial environments. Luminaires should be protected against the ingress of foreign bodies and be easy to clean while delivering the best possible light.

Philips is proud to introduce the new TCW097 waterproof luminaires. Specially designed to withstand dusty and humid conditions, the high


performance TCW097 meets the stringent IP66 classification for greater resistance against moisture and dust. Besides being easy to install and maintain, TCW097 comes available with either TL'D lamps or the slim and efficient TL'S lamps.



TCW097 for wet and dusty environments
In humid and dirty industrial conditions, luminaires offering protection against the ingress of water and dust are crucial. Effective lighting in such environments not only maximizes productivity but also helps minimize accidents and promote the comfort and well being of the worker. TCW097 waterproof luminaires are especially designed for use in industrial environments such as the food and beverage industry, power plants, sawmills, cement plants, slaughterhouses and other industries where the level of dust and humidity is abnormally high. Its IP66 classification as well as a robust structure and design delivers optimal light output necessary to maintain good working conditions.



TCW097 for general interiors
Uniform lighting is essential for large areas with a high density of human and traffic, such as car parks, passageways and warehouses. Fluorescent luminaires are the best solution to illuminate these areas to enhance safety and security. TCW097 comes with a choice of either TL'D or TL'S lamps which combines a pleasant light color with natural color rendering, high efficacy and a long life. Its sturdy polycarbonate framework delivers durability and makes this luminaire impact-resistant. Moreover, only basic tools are needed to install TCW097 making installation quick and easy.



Optimum light distribution and performance

Designing TCW097 with quality materials helps deliver good light output necessary for many industrial conditions. Its excellent light distribution requires fewer luminaires to be installed, thus saving energy and electrical costs.



Easy installation and maintenance

TCW097's polycarbonate structure ensures durability. Installation and maintenance are made easy with only the use of basic tools, saving on installation time and cost.




Excellent water and dust protection

TCW097's specially designed gasket and stainless steel toggles attain an IP66 classification guaranteeing resistance against ingress of water and dust. It delivers the best possible light even in extremely humid and dusty conditions.

Application guide

Top view arrangement



Car park (20-50 lux)

Spacing	A	B
Mounting height 2.5m	6.0m	6.0m
3.5m	5.5m	5.5m
4.5m	5.0m	5.0m

Note: Lighting level ≥ 20 lux with 1x18W, ≥ 50 lux with 1x36W

General industrial area (150-300 lux)

Spacing	A	B
Mounting height 3.0m	4.5m	4.5m
5.0m	4.2m	4.2m
7.0m	3.7m	3.7m

Note: Lighting level ≥ 150 lux with 2x28W and 2x36W, ≥ 200 lux with 2x35W and 2x58W

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>