

VSX-1016TXV-K

7.1 Channel A/V Receiver
Featuring 1080p HDMI



POWER AND SOUND

- › 110 Watts x 7 Direct Energy Amplification (20Hz - 20kHz, 8 ohms, .09% THD - FTC)
- › Stream Direct Mode

A/V PROCESSING

- › **Audio**
 - Dual 48-Bit Freescale DSP
 - Auto MCACC with 5 band EQ
 - Phase Control Technology
 - Sound Retriever for enhanced play back from portable audio devices
 - XM-HD with Neural Surround
 - 192 kHz / 24-Bit Audio Digital to Analog Conversion
 - THX® Select 2 Processing & Certification
 - Dolby Digital® EX, DTS-ES, DTS 96/24, & WMA-9 Decoders
 - Advanced Concert and Cinema Surround (8 Modes)
 - Bass Management
 - Virtual Surround Back / Midnight / Dialog / Headphone Surround
- › **Video**
 - TBC Digital Video Conversion Converts S-Video, Composite to Component
 - Video Signal Selector

CONNECTIVITY

- › 2 HDMI Inputs / 1 HDMI Output - 1080P Compatible (Pass-Through)
- › 3 Component Video Inputs / 1 Output
- › 5 S-Video Inputs / 1 Output - Includes Front Input
- › 5 Composite A/V Inputs - Includes Front A/V Input
- › 3 Audio Inputs - Includes Tuner
- › XM®-HD Ready with On-Screen Display
- › 6 Digital Inputs - 2 Coaxial, 3 Optical, 1 Front Optical Inputs
- › 1 Optical Output
- › 7.1 Channel Preamp Outputs
- › iPod® Player Audio, Photo and Video Compatible with Pioneer iPod A/V Dock (Sold Separately - IDK-01)

CUSTOM FEATURES

- › On-Screen Display
- › Assignable Surround Back Speaker for 2nd Zone or Front Bi-Amp
- › SR+ System Remote
- › LCD Preset / Learning Remote with Preset Multi-Operation

PRODUCT DIMENSIONS

- › W x H X D: 16.54" x 6.81" x 18.35"
- › Weight: 35.3 lbs.

CARTON DIMENSIONS

- › W x H X D: 22.1" x 12.02" x 20.45"
- › Weight: 40.48 lbs.


UPC

- › 00012562810911

7.1 Channel A/V Receiver Featuring 1080p HDMI

CONNECTIONS

Rear Panel



INTEGRATED TECHNOLOGIES



- * XM Connect-and-Play antenna and subscription service (each sold separately) required to receive XM and XM-HD radio.
- Specifications and design subject to modification without notice.
- HDMI connection may not allow transmission of copyright-protected material, depending on the capability of the signal source.
- Use a monitor compatible with an HDMI/DVI-input resolution of 480i or 576i.
- PIONEER, the Pioneer logo and the Elite logo are registered trademarks of Pioneer Corporation.

- THX and the THX logo are trademarks of THX Ltd., which may be registered in some jurisdictions.
- DOLBY, PRO LOGIC, and the double-D symbol are registered trademark of Dolby Laboratories.
- DTS, DTS-ES, DTS 96/24 and Neo:6 are registered trademarks of Digital Theater Systems, Inc.
- HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing, LLC.

- i.LINK and the i.LINK logo are trademarks of Sony Corporation.
- XM is a registered trademark of XM Satellite Radio Inc.
- The XM Connect-and-Play design is a trademark of XM Satellite Radio Inc.
- Microsoft, Windows Media and the Windows logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>