

VSX-917V-K

**XM® Satellite Ready and SIRIUS®
Satellite Ready 7-Channel
A/V Receiver Featuring HDMI**



PIONEER-EXCLUSIVE INNOVATIONS

- › **Phase Control** (Bass Management System Ensures Precision Low Frequency Output)
- › **Sound Retriever** for Improved Sound Quality of Compressed Music Files
- › **Auto MCACC Setup** with 5-band EQ
- › **Advanced Direct Energy Power Amplifier**
- › **Front Stage Surround Advance**

FEATURES FOR SUPERIOR SOUND QUALITY

- › Equal High Power for All Seven Channels (110 Watts x 7, 1 kHz, 1.0 % THD, 8 ohms)
- › New Freescale 180MIPS Processing DSP
- › 192 kHz/24-bit DAC
- › XM® HD Surround Powered by Neural Audio®

SURROUND SOUND TECHNOLOGIES

- › Built-in DTS-EST™/DTS® 96/24/DTS® NEO:6/ Dolby® Digital EX/Dolby® Pro Logic IIx Decoders
- › WMA9 Pro Decoder
- › Advanced Surround (14 modes, including Front Stage Surround Advance)
- › Dialogue Enhancement
- › Auto Surround
- › Stream Direct for Pure and Unprocessed Digital Sound

ENHANCED CONVENIENCE

- › XM® Satellite Radio Ready with OSD
- › SIRIUS® Satellite Ready with OSD
- › Pre-programmed LCD Remote Control Unit
- › Digital Video Converter (up to Component)
- › FL Dimmer (4 steps)

TERMINALS

- › HDMI Video Switching
- › A 3.5 mm Audio Jack Input on the Front Panel
- › 5.1-Channel Input
- › 5 Digital Inputs (2 Coaxial, 3 Optical) and 1 Digital Output
- › Component Video Terminal (3 Inputs, 1 Output)
- › S-Video Terminal (3 Inputs, 2 Outputs)
- › Front A/V Inputs with Optical Digital Input
- › Audio (Tuner Included)/Video Inputs: 5A/4AV
- › Audio/Video Outputs: 1A/1AV + 1V
- › SR+ (Smart Remote)
- › Large Speaker Terminals (FL/FR/C/SR/SL/SBR/SBL)


SPECIFICATIONS

- › Power Requirements: AC 120 V/60 Hz
- › Power Consumption: 405 Watts
- › Standby Power Consumption: 0.5 Watts
- › **Dimensions** (W x H x D):
16-9/16 x 6-1/4 x 13-7/8 inches (420 x 158 x 352.5 mm)
- › **Weight:** 20 lbs. 4 oz. (9.2 kg)

XM[®] Satellite Ready and SIRIUS[®] Satellite Ready 7-Channel A/V Receiver Featuring HDMI

CONNECTIONS

Rear Panel



CONNECTION DESCRIPTIONS

- A.** HDMI Switching (2 in/1 out)
- B.** SR+ Plasma Control
- C.** 3 Composite A/V and 3 S-Video Inputs for Cable TV/ Satellite/VCR/DVD-Player/DVD-Recorder/Digital Video Conversion
- D.** XM[®] Input and On-Screen Menus
- E.** SIRIUS[®] Input and On-Screen Menus
- F.** 3 Component Video Inputs for HD Video Sources – Cable/ Set-Top box/Game Console
- G.** 4 Assignable Digital Inputs for DVD Player/Recorder/ Satellite/Cable

Also available in silver



VSX-917V-S

INTEGRATED TECHNOLOGIES



- Specifications and design subject to modification without notice.
- Surround: 90 W per channel (20 Hz-20 kHz, 0.07 % THD, 8 ohms) (front); 90 W (20 Hz-20 kHz, 0.07 % THD, 8 ohms) (center); 90 W (20 Hz-20 kHz, 0.07 % THD, 8 ohms) (surround); 90 W (20 Hz-20 kHz, 0.07 % THD, 8 ohms) (surround back); 90 W (20 Hz-20 kHz, 0.07 % THD, 8 ohms) (surround back); 90 W (20 Hz-20 kHz, 0.07 % THD, 8 ohms) (surround back); 90 W (20 Hz-20 kHz, 0.07 % THD, 8 ohms) (surround back); 90 W (20 Hz-20 kHz, 0.07 % THD, 8 ohms) (surround back)
- Measured pursuant to the Federal Trade Commission's Trade Regulation Rule on Power Output Claims for Amplifiers.
- The impedances indicated are actual values that speakers can present to an amplifier while playing back music. They do not refer to the nominal rated impedances of speakers you use.

- Stereo: Continuous average power output of 110 watts at 8 ohms, from 20 Hz to 20 kHz with no more than 0.2 % total harmonic distortion.
- HDMI connection may not allow transmission of copyright protected material, depending on the capability of the signal source.
- PIONEER and the Pioneer Logo are registered trademarks of Pioneer Corporation
- "DTS", "DTS ES/Neo:6" are registered trademarks of DTS, Inc. "96/24" is a trademark of DTS, Inc.
- Dolby, Pro Logic, Dolby Digital, Surround EX and the double-D symbol are registered trademarks of Dolby Laboratories.
- HDMI and the HDMI logo are registered trademarks of HDMI Licensing, LLC.

- "SIRIUS" and the SIRIUS dog logo are registered trademarks of SIRIUS Satellite Radio, Inc.
- XM is a registered trademark of XM Satellite Radio Inc.
- Windows Media[®] Audio 9 Professional, Microsoft, Windows Media and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries. Proprietary driver is required for WMA9 Pro playback on computer.
- ENERGY STAR[®] and the ENERGY STAR certification mark are registered U.S. marks.
- Neural Audio is a trademark of Neural Audio Corporation.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>