

### HTZ-575DV

# 5.1 SURROUND SOUND SYSTEM FEATURING DVD PLAYER WITH HDMI<sup>®</sup> VIDEO OUTPUT

COMPLETE YOUR HOME THEATER SYSTEM WITH RICH, POWERFUL SURROUND SOUND. IT'S THE PERFECT COMPLEMENT TO YOUR FLAT PANEL TELEVISION.



#### DVD/CD RECEIVER: XV-DV385

#### VIDEO FEATURES

- Dual-Layer DVD-R\* / DVD / DVD-R\* / DVD-RW\*\* / DVD+R (Video Mode) / DVD+RW (Video Mode) Compatible
- > SVCD / VCD / CD / CD-R / CD-RW Compatible
- > HDMI Terminal for Digital Audio/Video Out (with DVD Sources)
- > HDMI Upscaling (to 720p/1080p)
- > Official DivX® Certified Product
- ➤ Compatible with DivX® Video with Standard Playback of DivX® Media Files
- > 108 MHz / 12-bit Video DAC
- > PureCinema 2:3 Progressive Scan
- > JPEG PhotoViewer
- USB Connection for JPEG "Slideshow with Music" (JPEG / WMA / MP3 / MPEG-4 AAC Playback)

#### AUDIO FEATURES

- MCACC Auto Calibration
- > Front Stage Surround Advance (Focus 5.1/Wide 5.1)
- > Sound Retriever
- > Dual Center Speaker
- > Optical Input for STB & Game
- Advanced Surround Mode 8 Modes: Action, Unplugged, Expanded, TV Surround, Sports, Advanced Game, Virtual Surround, Extended Stereo
- > USB Input for Compressed Music Playback
- WMA (Windows Media® Audio) / MP3 / MPEG-4 AAC\*\*\* Compressed Music Playback (DRM content not supported)

- Front/Center/Surround, 100 Hz for Subwoofer)
- > Continuous Power Output (FTC)
  - Front/Center/Surround: 15 Watts per Channel (200 Hz-20 kHz, 1 % THD,  $4\Omega$ )
  - **Subwoofer:** 20 Watts (45 Hz-200 Hz, 1 % THD, 4Ω)
- > Built-in DTS® / Dolby® Digital / Dolby® Pro Logic / Dolby® Pro Logic II Decoders
- ) 6 SFC Modes (ACTION, DRAMA, ROCK, POP, HALL, LIVE)
- > Extra Power (Pioneer Original Sound Mode)
- > FM/AM Presets (30 Stations)

#### TERMINALS

- > 1 HDMI Terminal
- > 1 USB Input (A Type)
- > 1S-Video Output
- > 1 Video Output
- Component Video Output
- > 1 Analog Audio Input

#### SPECIFICATIONS

- > Power Requirements: AC 120 V / 60 Hz
- > Power Consumption: 45 Watts
- > Standby Power Consumption: 0.25 Watts

#### SPEAKER SYSTEM: S-DV385

- Front/Center/Surround: 2-19/32 inches (6.6 cm) Cone, Magnetically Shielded
- > Subwoofer: 6-5/16 inches (16 cm) Cone, Bass-Reflex Type
- > Built-in 6-Channel Amplifier: 60 Watts Downfload from Www.Siornartuals.com. All Manuals Search And Download.



### HTZ-575DV

# 5.1 SURROUND SOUND SYSTEM FEATURING DVD PLAYER WITH HDMI® VIDEO OUTPUT

#### RECEIVER DIMENSIONS

- **W x H x D: 16-9/16 x 2-3/8 x 13-3/16 inches** (420 x 60 x 335 mm)
- > Weight: 6 lbs. 3 oz. (2.8 kg)

#### SPEAKER DIMENSIONS

- > Front/Center/Surround: 3-25/32 x 3-25/32 x 3-25/32 inches (96 x 96 x 96 mm)
- **> Subwoofer: 8-1/2 x 15-3/8 x 15-15/32 inches** (216 x 391 x 393 mm)
- > Weight:

Front: 1 lbs. (0.44 kg)
 Center: 1 lbs. (0.44 kg)
 Surround: 1 lbs. (0.44 kg)

- **Subwoofer: 12 lbs. 2 oz.** (5.5 kg)

## INTEGRATED TECHNOLOGIES

















WMA/MP3







#### CONNECTIONS

Rear Panel





PIONEER and the Pioneer Logo are registered trademarks of Pioneer Corporation.

Specifications and design subject to modification without notice.

"DTS" and "DTS Digital Surround" are registered trademarks of DTS, Inc.

Dolby, Pro Logic, and the double-D symbol are registered trademarks of Dolby Laboratories. DivX, DivX Certified, and associated logos are trademarks of DivX, Inc., and are used under license. HDMI connection may not allow transmission of copyright protected material, depending on the capability of the signal source.

HDMI and the HDMI logo are registered trademarks of HDMI Licensing, LLC.

is a trademark of DVD Format/Logo Licensing Corporation.

Regional Code: DVD players and DVD discs have Regional Code classifications that determine their market area and compatibility. Discs must have matching codes with players to ensure compatibility in playback.

Unfinalized discs cannot be played.

CPRM copy protection technology with scramble system allows recording of copy-once broadcast programs, but not copying of such recordings. CPRM recordings can only be made on DVD-RW, DVD-R, and Dual-Layer DVD-R discs in VR mode, and can only be played on CPRM-compatible players. DVD-R and Dual-Layer DVD-R discs compatible with VR mode (CPRM).

Compatible with CD-R and CD-RW music discs in music CD and Video CD format (unfinalized discs cannot be played). However, the pickup may not be able to play some CD-R or CD-RW discs, depending on the condition of discs and pickup.

Compatible with MPEG1 Audio Layer3 32 kHz, 44.1 kHz and 48 kHz formats.

MP3 file name requires MP3 or mp3 as an extension.

This unit may not be able to play back discs that have been recorded on other units due to the recording conditions, mode, surface dirt or scratches.

This label indicates playback compatibility with DVD-RW discs recorded in VR mode (Video Recording format). However, for discs recorded with a record-only-once encrypted program, playback can only be achieved using the CPRM compatible device.

Compatible with sampling rate of 32, 44.1, or 48 kHz. Not compatible with lossless-encoding or variable bit-rate (VBR) WMA files. WMA files encoded with DRM (Digital Rights Management) copy protection will not play. [DRM copy protection: DRM (Digital Rights Management) copy protection is a technology designed to prevent unauthorized copying by restricting playback, etc. of material on devices other than the PC (or other WMA recording equipment) used to record it. For detailed information, please see the instruction manuals or help files that came with your PC (or other WMA recording equipment) and/or software.]

This player is compatible with MPEG-4 AAC files with M4A or m4a as an extension. Compatible with sampling rate of 32, 44.1 or 48 kHz.

Up to 299 folders and 648 folders and files combined (MP3, WMA and MPEG-4 AAC) in total can be played.

This player is compatible with FUJICOLOR CD format, as well as CD-R/RW/ROMs containing JPEG files (up to 648 files).

lites (up to 646 inles).

Baseline JPEG and EXIF 2.2 (File format used by digital still cameras) still image files up to 6 megabixels are supported.

The CD-R/RW/ROMs containing JPEG files must be ISO 9660 Level 2 compliant.

CD physical format: Mode 1, Mode 2 XA Form 1.

ENERGY STAR® and the ENERGY STAR certification mark are registered U.S. marks. FUJICOLOR and the FUJICOLOR logo are trademarks of FUJI PHOTO FILM Co., Ltd.

- \* DVD-R and Dual-Layer DVD-R (Video Mode, Video Recording Mode, CPRM)
- \*\* DVD-RW (Video Mode, Video Recording Mode, CPRM)
- \*\*\* Direct playback of MP4 files encoded with DRM (Digital Rights Management), such as files purchased online, is not supported. MP4 files burned to audio CDs are compatible.

© 2007 Pioneer Electronics (USA) Inc.

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com