

2008 Equipment Price List

- Second Edition -

Effective 07/01/08

For additional copies, please visit www.pitco.com



TABLE OF CONTENTS

Description	Page
Gas Fryers	
Solstice High Efficiency Supreme Series	2
Stand Alone Gas Fryers	
Solstice Filter Drawer Filtration System	
Solstice Gas Fryers	
Solstice Gas Prepackaged Systems	6
Economy, Solstice Counter Fryer, Solstice Stand Alone, Solstice Drop-In	
Donut & High Volume Fryers - Gas & Electric	12
Flat Bottom Fryers	13
MEGAFRY - High Volume, High Efficiency	13
Electric Fryers	
Solstice Electric Prepackaged Systems	7
Solstice Filter Drawer Filtration System	8
Solstice Electric Fryers	9
Donut & High Volume Fryers - Gas & Electric	12
Filtration Systems	
Solstice Filter Drawer Filtration System - Battery and SoloFilter4	1, 8
Portable Filtration4	1, 8
Prepackaged Systems Gas	6
Prepackaged Systems Electric	7
Pasta Cookers - Gas & Electric	10
Solstice Rethermalizer - Gas & Electric	11
Basket and Wire Goods	16
Options and Accessories	15
Casters, Gas Lines, Cleaning, Filtering Accessories, Covers, BNB Cabinets	
Institutional Packages	15
Ordering Information	17
Shipping Information	18

How to contact Pitco: Tel: 603-225-6684 Fax: 603-225-8472 www.pitco.com For Literature: Tel: 603-230-5553 Fax: 603-230-5554

E-mail: literature@pitco.com

It's 3p.m. (E.S.T.) Do you know where your fryer is?

If it's a Pitco fryer....

it's on its way to you. That's because we guarantee next business day shipment on fax or phone orders received by 3 P.M. E.S.T., or we'll

send you a check for \$100.

So we don't just have the best fryers and the best service. We have the best delivery, too.

THE PITCO PLEDGE

AVAILABLE MODELS Mix and match up to 4 fryers.

Frying Systems - Natural Gas Only - Rear 'T' Manifold and Casters

SG14S/FD-FFB(BNB)	\$21,076
SG14RS/FD-FF	\$21,888

Portable Filtration

P14 w/o Heater	\$3,728
----------------	---------

Economy Fryers

35C+S	\$3,244
45C+S	\$4,240

Free Standing Floor Fryers

SG14	\$3,618
SG14S	\$4,950
SG14RS	\$6,250
SG18S	\$6,832

REQUIREMENTS

- 1. Program good for ultimate destination within the United States only.
- 2. For authorized Pitco Dealers only.
- If order is called in after 3:00 P.M. E.S.T., shipment will be made on the second business day.
- Customer must be in good credit standing.
- 5. Natural or propane models available.
- Guaranteed Next Day Shipment using Pitco house carriers.
- 7. Specify **Pitco Pledge Program** when ordering.
- 8. For elevations of 2,000 ft or less.

Solstice Supreme High Efficiency

GAS



MIX AND MATCH



Models Available With Or Without Filtration

All SSH Gas Fryer Systems standard with rear "T" manifold and 9" legs. Casters available below.

Model Number	Oil Capacity (Lbs.)	BTU's	Suffix S Stainless Tank Stainless Front/Door Sides	Suffix SS Stainless Tank Stainless Front/Door Sides and Back	Approx Ship Wt. (Lbs.)	Approx Cubic Feet	Basket Lifts (see Note 1)
Solid State The switch, self-clean b						nition, drain va	lve interlock
SSH55-SSTC	40-50	80,000	\$7,074	\$7,484	230	17	
SSH55R-SSTC	40-50	100,000	\$7,898	\$8,308	230	17	
SSH55T-SSTC	20-25ea	40,000ea	\$8,246	\$8,656	250	17	
SSH75-SSTC	75	105,000	\$7,494	\$7,904	275	17	
SSH75R-SSTC	75	125,000	\$8,318	\$8,728	275	17	

Digital Contro) ** - stan	dard with two	count down time	rs, melt cycle, boil-	out capability	, matchless ig	nition, drain
valve interlock swit	ch, self-clea	an burner (pate	ent pending), and	downdraft protec	tion (patent p	ending).	
SSH55-D	40-50	80,000	\$7,290	\$7,700	230	17	\$2,402
SSH55R-D	40-50	100,000	\$8,114	\$8,524	230	17	\$2,402
SSH55T-D	20-25ea	40,000ea	\$8,624	\$9,034	250	17	\$2,402
SSH75-D	75	105,000	\$7,710	\$8,120	275	17	\$2,402
SSH75R-D	75	125,000	\$8,534	\$8,944	275	17	\$2,402

Computerized	d Contro	🔰 ** - standar	d with twelve cou	ınt down timers w	ith elastic "fle	x time" for mor	e
product consistency	y. Melt cycl	e, boil-out cap	ability, matchless	ignition, drain va	lve interlock s	witch, self-clea	an burner
(patent pending), a	nd downdra	aft protection (patent pending).				
SSH55-C	40-50	80,000ea	\$8,382	\$8,792	230	17	\$2,402
SSH55R-C	40-50	100,000	\$9,206	\$9,616	230	17	\$2,402
SSH55T-C	20-25ea	40,000ea	\$10,284	\$10,694	250	17	\$2,402
SSH75-C	75	105,000	\$8,802	\$9,212	275	17	\$2,402
SSH75R-C	75	125,000	\$9,626	\$10,036	275	17	\$2,402

Supreme Ser	ies SSH	Filter Sys	stem with Uniqu	ue Filter Drawer D	esign (/FD)		Approx.
			or Twin Tanks ir Tanks when pri	n System cing Filter Drawer			Weight lbs
FD-SSH	SoloFilter	2	3	4	5	6	150
	\$8,290	\$9,072	\$9,854	\$10,636	\$11,418	\$12,200	150

^{**} Solid state backup controller can be added to any fryer that uses a Digital or Computerized Control. Add \$434 for full fryers, \$652 for twin fryers

Note: Filter paper and other accessories available on pages 14 and 15.

Note: 9" casters available for \$316 per set. Batteries require 1/2 set per cabinet, minimum 1 set.

Note 1: To meet AGA/CGA/CSA specification, all gas fryers with basket lifts must be ordered with casters and installed with flexible gas connector with restraining device. Basket lifts add 3-7/8" to overall depth of fryer.

SSH Frying Systems Prepackaged With Filter System





	Solid State Control (-SSTC)	Digital Control (-D)	Computer Control (-C)	Approx. Ship Wt. (Lbs.)	Approx. Cubic Feet
SSH55/FD-FF	\$23,220	\$23,652	\$25,836	570	52
SSH55/FD-FFF	\$31,076	\$31,724	\$35,000	800	70
SSH55/FD-FFFF	\$38,932	\$39,796	\$44,164	1,030	91
SSH55/FD-FT	\$25,174	\$25,768	\$28,520	590	52
SSH55/FD-FFT	\$33,030	\$33,840	\$37,684	820	70
SSH55/FD-FFFT	\$40,886	\$41,912	\$46,848	1,050	91
SSH55/FD-FTT	\$34,984	\$35,956	\$40,368	840	70
SSH55/FD-FFTT	\$42,840	\$44,028	\$49,532	1,070	91

Note: 9" casters available for \$316 per set. Batteries require 1/2 set per cabinet, minimum 1 set.

Stand Alone Gas FryersGAS

Models not available with filtration. See page 4 for portable filter systems.

Model Number	Oil Capacity (Lbs.)	BTU's	Mild Steel Tank, Stainless Steel Front/Door	Suffix S Stainless Steel Tank/Front/Door	Suffix SS Stainless Steel Tank/Exterior	Approx. Ship Wt. (Lbs.)	Approx. Cubic Feet
Economy	Fryers -	Free Stand	ling, stand alone f	ryer only			
35C+	35-40	90,000	\$2,472	\$3,244		161	17
45C+	42-50	122,000	\$3,170	\$4,240		181	17

Solstice (Mild Steel Tank, Stainless Steel Sides/Front	Suffix S Stainless Steel Tank/Front/Sides	Suffix SS Tank/Exterior		
SGC	35	75,000		\$4,992		150	17
Calatian	Eloor Em	10.110 O1					
				stems and/or with	filtration. See p	ages 6-7.	
Solstice Millivolt contr SG14*				stems and/or with \$4,950	filtration. See p \$5,360	ages 6-7. 200	17
Millivolt cont	ol only. Sols	tice fryers a	re available in sys				17 17
Millivolt conti SG14*	ol only. Sols	tice fryers a	re available in sys \$3,618	\$4,950	\$5,360	200	

Solstice D Standard million	•	•	inet. Drop-in fryer	rs are AGA appro	ved.			Cutout Dimensions
SG14DI	40-50	110,000		\$4,630		150	17	15"W x 32-1/8"L
SG14RDI	40-50	122,000		\$5,494		155	17	15"W x 32-1/8"L
SG14TDI	20-25ea	50,000ea		\$6,534		175	17	15"W x 32-1/8"L
SG18DI	70-90	140,000		\$5,880		175	23	19"W x 32-1/8"L

Casters, covers and other accessories available on pages 14-15.

*Free standing, stand alone fryer only (SPECIAL PRICE)







Model SG18 Model SG14DI

Solstice Filter Drawer Filtration System

For Use With Gas Or Electric Fryers



Make a SoloFilter by combining a single fryer with a filter drawer or make a system with up to six fryers.

Model		Number o	of fryers in sys	stem. Add filte	r price to frye	pricing.	
Sizes	SoloFilter	2	3	4	5	6	

Filter Drawer Filtration System

For Use With Solstice Fryers Only - for twin tanks add price for two fryers.

Solstice filter requires separate power connection on all gas fryers and electric fryers of 400 or 440 volt.

FD Solstice \$8,2	290 \$9,072	\$9,854	\$10,636	\$11,418	\$12,200
---------------------	---------------	---------	----------	----------	----------

Filter Drawer Filtration System With Optional BNB Dump Station

For Use With Solstice Fryers Only - for twin tanks add price for two fryers.

Solstice filter requires separate power connection on all gas fryers and electric fryers of 400 or 440 volt.

FD-Solstice \$	9,002	\$9,784	\$10,566	\$11,348	\$12,130	\$12,912
------------------	-------	---------	----------	----------	----------	----------

Flush Hose \$390 - Filter Heater \$418

Special Piping Charges For All Filter Systems

Piping charge for fryer to add to existing Solstice Battery Filter Drawer or SoloFilter, and piping through a BNB Dump Station.

\$782

Rules Of Thumb:


- Filter Drawer when pricing twin tank fryers in a filter system, add for two fryers.
 Example: Filter Drawer for two full tank and two twin tank fryers would use the 6 fryer pricing.
 Two full tank = two fryers; two twin tanks = four fryers.
- All filters for gas fryers are available in 115vac -60hz. All single phase. For other voltages, please contact factory.
- 3. All filters for electric fryers are wired at the factory for the fryer voltage on models from 208-240v. All 440-480v units require an additional 115v supply to power the filter system.
- 4. All systems standard with filter cover and channel strip.
- 5. All multiple tank gas filter systems come standard with rear "T" manifolds.
- 6. Shipping weight 150 lbs. Add 15 pounds for each filter piping.
- 7. Tie into a remote oil system with waste oil piping option, fuse with Solstice Filter Drawer in a battery of two or more fryers \$824



Solstice Filter Drawer



Model P14 Portable Filter



SoloFilter

Portable Filtration

Filter requires		ower connection. c fryers.			
Filter Model No.	Oil Capacity Lbs.	Filter mounted on 2" casters (P6071062) For use with:	List Price	Approx. Ship Wt. Lbs.	Filter Heater (add-on)
P14	55	All 14 size fryers	\$3,728	131	\$418
P18	75	All 18 size fryers	\$4,396	156	\$418
P24	160	All 24 fryers	\$5,084	181	\$418
RP14	55	All 14 size fryers (Reversible Pump)	\$3,930	131	\$418
RP18	75	All 18 size fryers (Reversible Pump)	\$4,604	156	\$418
P34	210	All 34 size fryers	\$5,084	206	\$418

4

Solstice Gas Fryers

For Use In A System Or Stand Alone GAS

All Solstice Gas Systems standard with rear "T" gas manifold and 9" legs. For prepackaged systems see page 6.

Model Number	Oil Capacity (Lbs.)	BTU's	Suffix S Stainless Steel Tank, Front and Sides	Suffix SS Stainless Steel Tank, Front Sides and Back	(Lbs)	Approx. Cubic Feet	Back-up T-Stat	Basket Lifts (See Note 1)
Millivolt Th	nermost	at						
SG14	40-50	110,000	\$5,384	\$5,794	200	17		
SG14R	40-50	122,000	\$6,250	\$6,660	208	17		
SG14T	20-25ea	50,000ea	\$7,538	\$7,948	230	17		
SG18	70-90	140,000	\$6,832	\$7,242	226	23		

Solid State capability, mate							
SG14-SSTC	40-50	110,000	\$6,092	\$6,502	200	17	
SG14R-SSTC	40-50	122,000	\$6,958	\$7,368	208	17	
SG14T-SSTC	20-25ea	50,000ea	\$8,600	\$9,010	230	17	
SG18-SSTC	70-90	140,000	\$7,540	\$7,950	226	23	

Digital Col boil-out capabi			vo count down t and drain valve i					
SG14-D	40-50	110,000	\$6,286	\$6,696	200	17	\$434	\$2,402
SG14R-D	40-50	122,000	\$7,152	\$7,562	208	17	\$434	\$2,402
SG14T-D	20-25ea	50,000ea	\$8,946	\$9,356	230	17	\$652	\$2,402
SG18-D	70-90	140,000	\$7,734	\$8,144	226	23	\$434	\$2,402

Computeri with elastic "fle capability, mate	x time" for	more produc	t consistency. N	Melt cycle, boil-				
SG14-C	40-50	110,000	\$7,464	\$7,874	200	17	\$434	\$2,402
SG14R-C	40-50	122,000	\$8,330	\$8,740	208	17	\$434	\$2,402
SG14T-C	20-25ea	50,000ea	\$10,738	\$11,148	230	17	\$652	\$2,402
SG18-C	70-90	140,000	\$8,912	\$9,322	226	23	\$434	\$2,402

Solstice Bread And Batter - BNB Dump Station

Standard with 4-5/8" recessed pan and screen. Scooped pan liner available at no additional cost in lieu of screen. Additional BNB accessories on page 15.

BNB-SG14	\$1,762	\$2,172	150	17
BNB-SG18	\$1,762	\$2,172	150	23

Note 1: To meet AGA/CGA/CSA requirements, all fryers with basket lifts must be ordered with casters and installed with a FLEXIBLE GAS CONNECTOR with restraining device. Add 100 lbs to fryer weight. Basket lifts add 3-7/8" to overall depth of fryer.



Model SG14 with Optional Computer and Casters



Model SG14R with Optional Casters

Solstice Gas Prepackaged SystemsGAS

Select From These Prepackaged Systems Or Build Your Own On Pages 4 - 5.

All Solstice Gas Fryer Systems standard with rear "T" manifold and 9" legs. Casters available below.

# of Fryers	Line-up	Model SG14S	Model SG14RS	Model SG18S	Suffix SS Stainless Back	Back-up T-stat	Basket Lifts (See Note 2)
Millivolt	Thermostat						
1	SoloFilter	\$13,674	\$14,540	\$15,122	\$410		
2	/FD-FF	\$19,840	\$21,572	\$22,736	\$820		
3	/FD-FFF	\$26,006	\$28,604	\$30,350	\$1,230		
4	/FD-FFFF	\$32,172	\$35,636	\$37,964	\$1,640		
5	/FD-FFFFF	\$38,338	\$42,668	\$45,578	\$2,050	1	
6	/FD-FFFFF	\$44,504	\$49,700	\$53,192	\$2,460		

Solid State Thermostat - standard with melt cycle, boil-out capability, matchless ignition, and drain valve interlock switch.

1	SoloFilter	\$14,382	\$15,248	\$15,830	\$410
2	/FD-FF	\$21,256	\$22,988	\$24,152	\$820
3	/FD-FFF	\$28,130	\$30,728	\$32,474	\$1,230
4	/FD-FFFF	\$35,004	\$38,468	\$40,796	\$1,640
5	/FD-FFFFF	\$41,878	\$46,208	\$49,118	\$2,050
6	/FD-FFFFF	\$48,752	\$53,948	\$57,440	\$2,460

Digital Control - standard with two count down timers, melt cycle, boil-out capability, matchless ignition, and drain valve interlock switch.

	1	SoloFilter	\$14,576	\$15,442	\$16,024	\$410	\$434	\$2,402	
	2	/FD-FF	\$21,644	\$23,376	\$24,540	\$820	\$868	\$4,804	
	3	/FD-FFF	\$28,712	\$31,310	\$33,056	\$1,230	\$1,302	\$7,206	
	4	/FD-FFFF	\$35,780	\$39,244	\$41,572	\$1,640	\$1,736	\$9,608	
	5	/FD-FFFFF	\$42,848	\$47,178	\$50,088	\$2,050	\$2,170	\$12,010	
	6	/FD-FFFFF	\$49,916	\$55,112	\$58,604	\$2,460	\$2,604	\$14,412	

Computerized Control - standard with twelve count down timers with elastic "flex time" for more product consistency. Melt cycle, boil-out capability, matchless ignition, and drain valve interlock switch.

consistency. Men cycle, boil-out capability, matchiess ignition, and drain valve interlock switch.								
1	SoloFilter	\$15,754	\$16,620	\$17,202	\$410	\$434	\$2,402	
2	/FD-FF	\$24,000	\$25,732	\$26,896	\$820	\$868	\$4,804	
3	/FD-FFF	\$32,246	\$34,844	\$36,590	\$1,230	\$1,302	\$7,206	
4	/FD-FFFF	\$40,492	\$43,956	\$46,284	\$1,640	\$1,736	\$9,608	
5	/FD-FFFFF	\$48,738	\$53,068	\$55,978	\$2,050	\$2,170	\$12,010	
6	/FD-FFFFF	\$56,984	\$62,180	\$65,672	\$2,460	\$2,604	\$14,412	

Dptions BNB Dump Station (see Note 1) \$762 Filter Heater \$418 Flush Hose \$390

Casters	Casters (1/2 set per cabinet, minimum 1 set)								
# of	Price	# of	Price						
Fryers		Fryers							
1	\$316	4	\$632						
2	\$316	5	\$790						
3	\$474	6	\$948						

Approx. Shipping Weight Chart Lbs.

	SG14S	SG14RS	SG18S
/FD-FF	550	566	602
/FD-FFF	765	789	843
/FD-FFFF	980	1,012	1,084
/FD-FFFFF	1,195	1,235	1,325
/FD-FFFFF	1,410	1,458	1,566

Note 1: Special price applies to BNB when used in a Solstice Filter Drawer system. For each additional BNB, the standard price of \$1,762 applies. For Suffix SS Stainless Back add \$410. If BNB is added between two fryers, an additional \$782 piping charge will apply. Note 2: To meet AGA/CGA/CSA specification, all gas fryers with basket lifts must be ordered with casters and installed with flexible gas connector with restraining device. Basket lifts add 3-7/8" to overall depth of fryer.

For systems with SG14TS Twin Tank fryers or mix and match configurations, please contact your Pitco representative or call the factory for pricing assistance.

Solstice Electric Prepackaged Systems ELECTRIC

Select From These Prepackaged Systems Or Build Your Own On Pages 8-9.

All Solstice Electric Fryer Systems standard with 9" legs. Casters available below.

# of Fryers	Line-up	Model SE14X (14kW)	Model SE14S (17kW)	Model SE14RS (22kW)	Model SE18S (17kW)	Model SE18RS (22kW)	Suffix SS Stainless Back	Back-up T-stat	Basket Lifts (See Note 2)
Solid State Thermo		mostat - sta	andard with n	nelt cycle, boi	l-out capabili	ty, and drain	valve interl	ock switch	า.
1	SoloFilter	\$14,360	\$15,380	\$16,168	\$17,004	\$17,806	\$410		
2	/FD-FF	\$21,212	\$23,252	\$24,828	\$26,500	\$28,104	\$820		
3	/FD-FFF	\$28,064	\$31,124	\$33,488	\$35,996	\$38,402	\$1,230		
4	/FD-FFFF	\$34,916	\$38,996	\$42,148	\$45,492	\$48,700	\$1,640		
5	/FD-FFFFF	\$41,768	\$46,868	\$50,808	\$54,988	\$58,998	\$2,050		
6	/FD-FFFFF	\$48,620	\$54,740	\$59,468	\$64,484	\$69,296	\$2,460		

_	Digital Control - standard with two count down timers, melt cycle, boil-out capability, and drain valve interlock switch.									
1	SoloFilter	\$14,646	\$15,666	\$16,454	\$17,290	\$18,092	\$410	\$434	\$2,402	
2	/FD-FF	\$21,784	\$23,824	\$25,400	\$27,072	\$28,676	\$820	\$868	\$4,804	
3	/FD-FFF	\$28,922	\$31,982	\$34,346	\$36,854	\$39,260	\$1,230	\$1,302	\$7,206	
4	/FD-FFFF	\$36,060	\$40,140	\$43,292	\$46,636	\$49,844	\$1,640	\$1,736	\$9,608	
5	/FD-FFFFF	\$43,198	\$48,298	\$52,238	\$56,418	\$60,428	\$2,050	\$2,170	\$12,010	
6	/FD-FFFFF	\$50,336	\$56,456	\$61,184	\$66,200	\$71,012	\$2,460	\$2,604	\$14,412	

Computerized Control - standard with twelve count down timers with elastic "flex time" for more product consistency. Melt cycle, boil-out capability, and drain valve interlock switch.									uct
1 SoloFilter \$16,440 \$17,460 \$18,248 \$19,084 \$19,886 \$410 \$							\$434	\$2,402	
2	/FD-FF	\$25,372	\$27,412	\$28,988	\$30,660	\$32,264	\$820	\$868	\$4,804
3	/FD-FFF	\$34,304	\$37,364	\$39,728	\$42,236	\$44,642	\$1,230	\$1,302	\$7,206
4	/FD-FFFF	\$43,236	\$47,316	,316 \$50,468 \$53,812	\$53,812	\$57,020 \$1,640	\$1,736	\$9,608	
5	/FD-FFFFF	\$52,168	\$57,268	\$65,388	\$69,398	\$2,050	\$2,170	\$12,010	
6	/FD-FFFFF	\$61,100	\$67,220	\$76,964	\$81,776	\$2,460	\$2,604	\$14,412	

Options	
BNB Dump Station (see Note 1)	\$762
Filter Heater	\$418
Flush Hose	\$390

Caste	Casters (1/2 set per cabinet, minimum 1 set)							
# of		# of						
Fryers		Fryers						
1	\$316	4	\$632					
2	\$316	5	\$790					
3	\$474	6	\$948					

Approx. Shipping Weight Chart Lbs.

	SE14XSE14/SE14R	SE18S/SE18R
/FD-FF	550	602
/FD-FFF	765	843
/FD-FFFF	980	1,084
/FD-FFFFF	1,195	1,325
/FD-FFFFF	1,410	1,566

^{*}For BNB dump station, add 150 lbs to above weight.

Note 1: Special price applies to BNB when used in a Solstice Filter Drawer system. For each additional BNB, the standard price of \$1,762 applies. For Suffix SS Stainless Back add \$410. If BNB is added between two fryers, an additional \$782 piping charge will apply.

Note 2: Basket Lifts add 3-7/8" to overall depth of fryer. Basket lifts are wired at the factory for the fryer voltage on 208-240v units. All 440-480v models require an additional 115v supply to power the basket lifts.

For systems with SE14TS, SE14TRS Twin Tank fryers or mix and match configurations, please contact your Pitco representative or call the factory for pricing assistance.

^{*}For basket lifts, add 100 lbs per fryer to above weight.

Solstice Filter Drawer Filtration System

For Use With Gas Or Electric Fryers



Make a SoloFilter by combining a single fryer with a filter drawer or make a system with up to six fryers.

Model	Number of fryers in system. Add filter price to fryer pricing.									
Sizes	SoloFilter	2	3	4	5	6				

Filter Drawer Filtration System

For Use With Solstice Fryers Only - for twin tanks add price for two fryers.

Solstice filter requires separate power connection on all gas fryers and electric fryers of 400 or 440 volt.

FD Solstice	\$8.290	\$9.072	\$9.854	\$10.636	\$11.418	\$12.200

Filter Drawer Filtration System With Optional BNB Dump Station

For Use With Solstice Fryers Only - for twin tanks add price for two fryers.

Solstice filter requires separate power connection on all gas fryers and electric fryers of 400 or 440 volt.

FD-Solstice \$	9,002	\$9,784	\$10,566	\$11,348	\$12,130	\$12,912
------------------	-------	---------	----------	----------	----------	----------

Flush Hose \$390 - Filter Heater \$418


Special Piping Charges For All Filter Systems

Piping charge for fryer to add to existing Solstice Battery Filter Drawer or SoloFilter, and piping through a BNB Dump Station.

\$782

Rules Of Thumb:

- Filter Drawer when pricing twin tank fryers in a filter system, add for two fryers.
 Example: Filter Drawer for two full tank and two twin tank fryers would use the 6 fryer pricing.
 Two full tank = two fryers; two twin tanks = four fryers.
- All filters for gas fryers are available in 115vac -60hz. All single phase.
 For other voltages, please contact factory.
- 3. All filters for electric fryers are wired at the factory for the fryer voltage on models from 208-240v. All 440-480v units require an additional 115v supply to power the filter system.
- 4. All systems standard with filter cover and channel strip.
- 5. All multiple tank gas filter systems come standard with rear "T" manifolds.
- 6. Shipping weight 150 lbs. Add 15 pounds for each filter piping.
- 7. Tie into a remote oil system with waste oil piping option, fuse with Solstice Filter Drawer in a battery of two or more fryers \$824



Solstice Filter Drawer



Model P14 Portable Filter



SoloFilter

Portable Filtration

Filter requires For use with		ower connection. ic fryers.			
Filter Model No.	Oil Capacity	Filter mounted on 2" casters (P6071062)	List Price	Approx. Ship Wt.	Filter Heater
	Lbs.	For use with:		Lbs.	(add-on)
P14	55	All 14 size fryers	\$3,728	131	\$418
P18	75	All 18 size fryers	\$4,396	156	\$418
P24	160	All 24 fryers	\$5,084	181	\$418
RP14	55	All 14 size fryers (Reversible Pump)	\$3,930	131	\$418
RP18	75	All 18 size fryers (Reversible Pump)	\$4,604	156	\$418
P34	210	All 34 size fryers	\$5,084	206	\$418

Solstice Electric Fryers

For Use In A System Or Stand Alone ELECTRIC

All Solstice Electric Systems standard with 9" legs. For prepackaged systems see page 7. Electric fryers available 208, 220, 230 or 240VAC, 1 or 3 phase. Add \$592 for 480VAC service.

For other voltages please consult factory

Model	Oil	Power	Suffix S	Suffix SS	Approx.	Approx.	Back-up	Basket
Number	Capacity	kW	Stainless Steel	Stainless Steel	Ship Wt.	Cubic	T-Stat	Lifts
	(Lbs.)		Tank, Front,	Tank,Front,	(Lbs)	Feet		(See Note 1)
			and Sides	Sides and Back				
Solid State	Thermo	etat _{- eta}	ndard with malt	cycle hoil-out				
capability and di	rain vaive ii	nteriock sw	itch. Add \$592	ior 480VAC sei	vice.			
SE14X-SSTC	40-50	14	\$6,070	\$6,480	200	17		
SE14-SSTC	40-50	17	\$7,090	\$7,500	200	17		
SE14R-SSTC	40-50	22	\$7,878	\$8,288	208	17		
SE14TX-SSTC	20-25ea	7ea	\$7,280	\$7,690	230	17		
SE14T-SSTC	20-25ea	8.5ea	\$8,860	\$9,270	230	17		
SE14TR-SSTC	20-25ea	11ea	\$9,648	\$10,058	230	17		
SE18-SSTC	70-90	17	\$8,714	\$9,124	226	23		
SE18R-SSTC	70-90	22	\$9,516	\$9,926	226	23		

	Digital Control - standard with two count down timers, melt cycle, boil-out capability and drain valve interlock switch. Add \$592 for 480VAC service.												
SE14X-D 40-50 14 \$6,356 \$6,766 200 17 \$434 \$2,402													
SE14-D	40-50	17	\$7,376	\$7,786	200	17	\$434	\$2,402					
SE14R-D	40-50	22	\$8,164	\$8,574	208	17	\$434	\$2,402					
SE14TX-D	20-25ea	7ea	\$7,852	\$8,262	230	17	\$652	\$2,402					
SE14T-D	20-25ea	8.5ea	\$9,432	\$9,842	230	17	\$652	\$2,402					
SE14TR-D	20-25ea	11ea	\$10,220	\$10,630	230	17	\$652	\$2,402					
SE18-D	70-90	17	\$9,000	\$9,410	226	23	\$434	\$2,402					
SE18R-D	70-90	22	\$9,802	\$10,212	226	23	\$434	\$2,402					

with elastic "flex	Computerized Control - standard with twelve count down timers with elastic "flex time" for more product consistency. Melt cycle, boil-out capability and drain valve interlock switch. Add \$592 for 480VAC service.												
SE14X-C	40-50	14	\$8,150	\$8,560	200	17	\$434	\$2,402					
SE14-C	40-50	17	\$9,170	\$9,580	200	17	\$434	\$2,402					
SE14R-C	40-50	22	\$9,958	\$10,368	208	17	\$434	\$2,402					
SE14TX-C	20-25ea	7ea	\$9,420	\$9,830	230	17	\$652	\$2,402					
SE14T-C	20-25ea	8.5ea	\$11,000	\$11,410	230	17	\$652	\$2,402					
SE14TR-C	20-25ea	11ea	\$11,788	\$12,198	230	17	\$652	\$2,402					
SE18-C	70-90	17	\$10,794	\$11,204	226	23	\$434	\$2,402					
SE18R-C	70-90	22	\$11,596	\$12,006	226	23	\$434	\$2,402					

Solstice Bread And Batter - BNB Dump Station

Standard with 4-5/8" recessed pan and screen. Scooped pan liner available at no additional cost in lieu of screen. Additional BNB accessories available on page 17.

BNB-SE14	\$1,762	\$2,172	150	17
BNB-SE18	\$1,762	\$2,172	175	23

Note 1: Basket lifts add 3-7/8" to overall depth of fryer. Add 100 lbs to fryer weight. Basket lifts are wired at the factory for the fryer voltage on 208-240v units. All 440-480v models require an additional 115v supply to power the basket lifts.

Pasta Cookers - Gas & Electric

	a Cool om The Pre					_		_	_										
		po.ogo	o, o					/	/ /	/ /.	//	Old Fallship	, (e)) /	/ /	/ /	/ /	/ /	"00"0" "00"0"
Model	Power	Water	All	Approx.	Approx.	1				N. Serinosta,		I Falls	Manifoli	8/			[/ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
Number	BTU's/kW	Capacity	Stainless	Ship Wt.	Cubic		/		//	£ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	30/4/16		20	/ /,		- /i	<u>﴾</u> ﴿	& /	/g/
		(Gallons)	Steel	(Lbs)	Feet		/3	~ <u>*</u>	12	Z	20	Q /			[\displays	A	/6	/_	/03/
				-		_ /.	96,0	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	<u>@</u> /	And And	& (S	3/5	/ /	\mathred{\partial}{\partia	&/.	Ş/;	Ç/.	5%	§ /
Pasta Per	fect Systen	n				18	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		(A) (A)	Pinal Ring			6	Lar Bull	P. 96 B.	Rono 4.5		\Q^0	./
GAS SYSTE	M - Includes coo	ker with aut	omatic lift(s), rinse sta	tion,														
hot/cold fauce	et, tube rack, sin	gle drain att	achment co	nnecting b	ottom														
and overflow	drain.																		
PPG14D-L	77,500 BTU	12	\$13,506	335	55	S	-	S	0	0	S	s	0	О	0	О	0	0	
PPG14D-LL	77,500 BTU	12	\$14,700	335	55	-	S	S	0	0	S	S	0	0	0	0	0	0	
GAS COOKE	:R																		
PG14D	77,500 BTU	12	\$8,118	190	17	0	0	S	0	-	-	-	0	0	0	0	0	0	
GAS RINSE	STATION - Stan	dard with fa	ucet																
RS14D			\$3,976	140	17	-	-	-	-	0	S	-	0	0	0	0	0	0	

S = Standard O = Optional -= Not Available

station, hot/co	YSTEM - Included bld faucet, singled drain.	drain attac	hment conn	ecting bott															
PPE14D-L	12.5 kW	12	\$11,730	315	55	S	-	S	0	0	S	S	-	0	0	0	0	-	0
PPE14D-LL	12.5 kW	12	\$12,924	315	55	-	S	S	0	0	S	S	- 1	2	-	0	0	-	0
ELECTRIC C																			
PE14D	12.5 kW	12	\$6,444	171	17	0	0	S	0	-	-	-	- 1	<u>Э</u>	0	0	0	0	0
	INSE STATION	- Standard																	
RSE14D			\$3,836	136	17	-	-	-	-	O	S	**	1	⊃ د	o	0	0	0	O

ELECTRIC COUNTER PASTA UNIT

CPE14	5.5 - 6kW*	7	\$5,898	80	10	-	-	S	0	-	-	**	0	-	0	0	-	0
RSC14	Rinse Station	7	\$3,012	80	10	-	-	-	-	0	S	**	0	-	0	0	-	0

^{*220 - 5}kW / 200 & 230 - 5.5kW / 208 & 240 - 6kW

OPTIONS

Single Basket Lift	\$1,264
Dual Basket Lift	\$2,402
Manual Water Fill	\$566
Rinse Tank Insulation	\$866
Drain "T" Manifold (specify when ordering)	n/c
Hot/Cold Swivel Faucet (for PG14D/PE14D*)	\$324

*Faucet not available on PE14 with basket lifts.

Round Basket - 4-5/8" or 6-1/4" for use with gas or electric. Standard or fine mesh available.

For cooking of various types of pasta or reconstituting of small portions.



Individual Portion Cups and Rack (9) 4"x4" cups for use in gas or electric.

For cooking or reconstituting of single





Bulk Baskets

Small 13-1/4" x 13-1/4" x 9" for use with gas or electric. Small bulk loads up to 5 lbs of dry pasta. Can also be used with single

Large 16" x 13-1/4" x 10" for use with gas units only. Large bulk loads up to 12 lbs of dry pasta. Can also be used with single basket

Oblong Basket - 15-3/4" x 6" x 7" for use with any pasta cooker except CPE14. Can also be used with dual basket lift.

For cooking of smaller portions. Can be used as holding rack for small round baskets, 2 ea.




^{**} Drain "T" manifold not available for single units

SOLSTIGE
Solstice Combustion System For Improved Gas Efficiency
Convenience Over Range Top Application
Reduces Kitchen Labor and Training
Exceptional Product Quality
Improves Kitchen Safety
Reduces Energy Usage







GAS

Standard with Digital Thermostat, electronic ignition, automatic water fill, auxiliary manual fill, common drain/overflow, stainless steel hinged tank cover(s), tube rack, 6" legs. Supplied with cord and plug.

SRTG14 (Single)	55,000 BTU	17.5	\$8,496	\$8,904	220 lbs.
SRTG14-2 (Dual)	55,000 BTU ea	17.5 ea	\$14,626	\$15,444	477 lbs.

ELECTRIC

Standard with Digital Thermostat, automatic water fill, auxiliary water fill, common drain/over flow, stainless steel hinged tank cover(s), element rack, 6" legs. No power cord supplied. Electric service must be hardwired by a licensed electrician.

SRTE14 (Single)	8 kW *	16.5	\$7,386	\$7,796	220 lbs,
SRTE14-2 (Dual)	8 kW ea*	16.5 ea	\$12,990	\$13,808	477 lbs.
CRTE	6 kW	6	n/a	\$3,012	60 lbs

FLOOR MODEL OPT	TIONS AND ACCESSORIES	Per Tank
Automatic Water Fill	Allows for automatic water fill of tank - manual bypass standard	Standard
Common Drain/Overflow	Manifolds overflow and drain to a single point connection	Standard
Computer Controller I-8	8 button programmable computerized control	\$2,078
Digital Thermostat	Monitors and maintains temperature	Standard
Food Product Suitcase	Sized for prepackaged food pouch - Narrow B4511101	\$86
Food Product Suitcase	Sized for prepackaged food pouch - Wide B45133301	\$212
Vertical Food Rack	Wire rack - supports food product suitcase in tank B4513302	\$138
Water Quick Disconnect	Self closing single hand operation water supply hose	\$310
1/3 Pan Rails	Holds various sizes of hotel pans to keep foods warm.	
	Set of 2 for single tank	\$196
	Set of 3 for dual tank	\$294

NOTE: Casters available for \$316 per set.

Donut & High Volume Fryers - Gas & Electric GAS

Models not available with filtration except 24RUFM. See page 8 for portable filter systems. All models standard with stainless steel tank and exterior.

	Model Number	Oil Capacity	BTU's	Select Thermostat Type		Approx. Ship Wt.	Approx. Cubic	Dropper Bracket Stainless
l		(Lbs.)		Mechanical	Solid State	(Lbs.)	Feet	(see Note 1)
Т								

Donut Fryer With UFM Filter - Price includes filtration. Without UFM deduct \$2,800 per unit. Solid State thermostat, melt cycle, boil out capability, standing pilot, On/Off switch, indicating lights, drainboard, submerger, filter heater, flush hose and Under Fryer Filter. Electronic ignition available \$724.

24RUFM	117	72.000	 \$19.772	510	45	\$236
		,	Ψ.σ,			V-00

Donut Fryers - Standard with submerger and drainboard. Electric thermostat available in lieu of Mechanical Thermostat at no additional cost.							
24P	150	120,000	\$11,004	\$11,712	375	45	\$236
34P	210	110,000	\$12,818	\$13,526	495	69	\$236

Food/Chicken/Fish Fryers - High Volume 1-1/2" full port drain valve standard. Electric thermostat available in lieu of Mechanical Thermostat at no additional cost.									
Low Splasi	Low Splashback, Food/Fish Grid								
24F	150	150,000	\$10,406	\$11,114	330	45	\$686 ea		
34F	210	190,000	\$12,132	\$12,840	490	69	\$686 ea		
High Splas	High Splashback, Drainboard, Submerger, Food/Fish Grid.								
24FF	150	150,000	\$10,810	\$11,518	330	45	\$686 ea		
34FF	210	190,000	\$12,548	\$13,256	490	69	\$686 ea		

ELECTRIC

All models standard with stainless steel tank and exterior.

Model Number	Oil Capacity (Lbs.)	Power kW	Electric Thermostat	Solid State Thermostat	Approx. Ship Wt. (Lbs.)	Approx. Cubic Feet	Dropper Bracket Stainless (see Note 1)		
Donut Fryers - Standard with submerger and drainboard Electric thermostat, On/Off switch, indicating lights.									
E24	150	18.0	\$11,728		400	55	\$236		
E34	210	24.0		\$13,160	450	69	\$236		
Note: Add \$	Note: Add \$592 for 480 Volt Service								

Note 1: Dropper bracket price includes flanged, bolt-down leg assembly.





MEGAFRY

Sm Basket

Flush Hose

Filter Heater



- * Mix and match any of the MEGAFRY models to make the battery you need.
 - High Efficiency & High Production
 - Standard with solid state control
 - Standard with stainless steel tank, front, sides and splashback
 - Optional filtration system
 - Upgrade controls available

Model	Size	Solid State	Digital Control	Computer Control	Approx Ship
		(-SSTC)	(-D)	(-C)	Wt. (Lbs)
SGM34	34" x 24"	\$12,500	\$12,728	\$13,874	495
SGM24	24" x 24"	\$10,726	\$10,954	\$12,100	375
SGM18x24	18" x 24"	\$8,712	\$8,940	\$10,086	250
Accessories					
Lg Basket	10"x23-1/4"	\$330 ea	1		

Filter Drawer Filtration System For MEGAFRY or Flat Bottom Fryer								
Number of fryers in system	1	2	3	4				
FD-MEGA or FD-Flat Bottom	\$8,532	\$9,314	\$10,096	\$10,878				
(Filter must be under largest fryer in the hattery)								

\$295 ea

\$390

\$418

Flat Bottom Fryer

5-3/4"x23-1/4"

As shown:

SGFB24x24, SGFB24x24, FD-Flat Bottom with optional casters

Model	Size	Solid State (Standard)	Approx Ship Wt (Lbs)
FBG24	24"x24"	\$10,080	315
FBG18	18"x24"	\$9,348	270

Flat Bottom Filter Drawer (see above)

Perfect for free float frying, no tubes

No combustion blower

24" x 24" and 18" x 24" sizes

Optional filter system

Standard stainless steel front, sides and splashback Standard mild steel tank

Options and Accessories	Price
Solid State Temperature Control	Standard
Matchless Ignition	Standard
Automatic Melt Cycle	Standard
Boil Out Mode	Standard
Marine Front Edge	Standard
9" Legs	Standard
9" Casters	\$316/set
Crumb Tray - rear mount	\$398
Perforated Pan Divider	\$416
Tank Cover (18x24)	\$304
Tank Cover (24x24)	\$432
Flue Splash Guard	\$124
Channel Strip	n/c

Options and Accessories

Casters Set of 4 - 4", 6", 7", 8", 9" or 11" Adjustable Casters Assembly. Includes 2 With Brakes. **Caster Chart** # of Units Including Dump Station 2 3 6 8 # of Sets Required 1 1-1/22 2-1/2 3 3-1/24

	Part#	Price
6" Swivel	B3901501	\$316 Set
7" Swivel	B3901502	\$316 Set
8" Swivel	B3901503	\$316 Set
9" Swivel	B3901504	\$316 Set
9" Rigid/non lkg	B3902302	\$79 ea
9" Rigid/lkg	B3902304	\$79 ea
10" Rigid/non lkg	B3902301	\$79 ea
10" Rigid/lkg	B3902303	\$79 ea
11" Swivel	B3901505	\$316 Set
-	•	

Caster Rules:

- 1. Chicken/Food/Fish/Donut fryers require one set per unit.
- 2. 8" caster assembly needed if Chicken/Food/Fish/Donut fryers are used with Portable Filter.
 - . 9" caster assembly for use on Solstice fryers no more than six units.
- 4. 10" caster assembly for use on Solstice SoloFilter in place of legs.
- 5. 11" caster optional for Solstice Platform only.

Flexible Connectors (Gas Quick Disconnect)

Gas quick disconnect couplings with flexible hose, restraining device and thermal shut-off.

Gas Connector Size	Disconnec	t BTU Capacity	Part#	Price
	Single Units	Multiple Units		
3/4" x 36"	240,000		B8003102	\$562
3/4" x 48"	240,000		B8003103	\$634
1" x 36"		390,000	B8003105	\$694
1" x 48"		390,000	B8003106	\$792
1-1/4" x 36"		575,000	B8003108	\$942
1-1/4" x 48"		575,000	B8003109	\$1,056

Fryers - Cleaning Accessories			Part#	Price
Clean Out Rod	Used to clean fryer drain line		A3301001	\$34
Cleaner - 25 Lbs.	Extends the life of the fryer and shorte	ening	P6071397	\$234
Cleaning Brush	High temperature, Teflon cleaning bru	ısh	PP10056	\$54
Crumb Scoop	Designed to fit between tubes and elemen	ts	Std - B7490701	\$58
	for removal of heavy sediment.		in,SE - B5008101	\$58
Fat Vat	Convenient, safe oil transport system	(Qty 1-50)	D9109105	\$868
	holds 40 pounds (5.3 gallons) (Qty 51-150)		D9109105	\$838
Skimmer	Used for removing food particles from the oil		PP10725	\$40
	surface.			

Filter Accessor	es		
Crumb Catch	For use with Solstice Filter Drawer Only		\$300
Filter Crumb Scoop	Used to remove debris from filter pan	B7404801	\$42
Powder	Filter powder - 120, 8 oz. packets	PP10733	\$124
Paperless Filter	(Priced as substitute for standard assembly in new		\$312
assembly	filter system.)		

Filter Paper					
Part#	Туре	Gauge	Size	Model Numbers	Price
PP10613	Envelope	Heavy Duty	18-1/2" x 20-1/2"	Solstice Filter Drawer	\$238
A6667104	Envelope	Heavy Duty	10" x 20-1/2"	Solstice SoloFilter 14	\$144
A7025301	Envelope	Heavy Duty	14" x 22"	Solstice SoloFilter 18	\$188
P5045157	Envelope	Standard	11" x 13"	24RUFM	\$144
PP10617	Envelope	Heavy Duty	11" x 13"	24RUFM	\$226
P6071371	Flat	Standard	13-1/2" x 24"	P14	\$144
PP10612	Flat	Heavy Duty	13-1/2" x 24"	P14	\$188
P6071373	Flat	Standard	17-1/2" x 28"	P18/P24/P34	\$188
PP10606	Flat	Heavy Duty	17-1/2" x 28"	P18/P24/P34	\$246
A6667103	Envelope	Heavy Duty	20-1/2" x 14-1/4"	RP14/RP18	\$226

Options and Accessories

Options and Acce	<u> </u>	
Tank Cover Chart		
Model Numbers	18 Gauge	Price
	Cover	Each
With Out Basket Lifts		
SG14, SG14R, BNB-SG14, SSH55/55T	B2101501	\$214
SG14T	B2101501	\$214
SG18, SE18, BNB-SG18, SGM18x24, SSH75	B2101502	\$286
SE14/14R/14T/14TR	B2101505	\$214
SE18/18R	B2101506	\$286
FBG18	B2101510	\$304
FBG24	B2101511	\$432
SGM24	B2101512	\$432
SGM34	B2101513	\$432
24P, 24FF, 24R, E24, E24FF	B2100204	\$426
34P, 34FF, E34, E34FF	B2100210	\$426
35C+	B3307401	\$214
45C+	B3304501	\$214
With Basket Lifts		
SG14/14R/14T, SSH55/55T	B2101603	\$214
SG18, SSH75	B2101604	\$286
SE14/14R/14T/14TR	B2101605	\$214
SE18/18R	B2101606	\$286
Portable Filter Covers		
P14, RP14	B6604902	\$214
P18, RP18	B6604904	\$286
P24, P34	B6609406	\$426

BNB Dump Station - Standard with 4-5/8 Approximate shipping weight 150 pounds.	3" recessed top/screen. Matches dimensions of fryer.	
Bread and Batter Dump Station		\$1,762
All Stainless Steel (Add Suffix SS)		\$2,172
PFW-1 Built-in Foodwarmer, 750watt		\$932
PFW-2 Free Standing Foodwarmer, 500watt		\$696
Scooped Pan Liner (in lieu of screen)	No Additional Cost - Specify at Point of Order	
Flat Worktop	Call factory for availability	n/c
Flush Worktop	Call factory for availability	n/c
Cut-outs (w/Flat or Flush Worktop)	Call factory for availability	
Splashguard - Mounts on tank side to prevent splash	ing of oil from one unit to another. Consult factory for other height requirer	nents
-	6"	\$140
	10" (Economy Fryers Only)	\$158
	12"	\$188
	18"	\$282
Workshelves	Call factory for specifications and availability.	\$686

SG14S/14RS/14TS SE14S/14RS/14T/14RT	SG18S SE18S	MegaFry	FD Filter Drawer	BNB
Required	Required		-	Required
Required	Required		-	Required
Required	Required		-	Required
Required	Required		-	Required
\$1,194	\$1,265	\$1,454	See Note 1	\$1,000
\$1,327	\$1,405	n/a	See Note 1	\$1,136
	Required Required Required Required Required Required Required \$1,194	SE14S/14RS/14T/14RT SE18S Required Required Required Required Required Required Required Required \$1,194 \$1,265	SE14S/14RS/14T/14RT SE18S MegaFry Required Required Required Required Required Required Required Required \$1,194 \$1,265 \$1,454	SE14S/14RS/14T/14RT SE18S MegaFry FD Filter Drawer Required Required - Required Required - Required Required - Required See Note 1

⁻Locks and keys to be supplied by end user

⁻Not available with institutional package: Basket Lifts, Filter Flush Hose, Quick Disconnects, Casters, Fat Vat

NOTE 1: No modifications required for institutional packages on this product

⁻All exposed fasteners meet or exceed requirements set forth by the American Correctional Food Service association (Std. No. 1, section 1401)

Basket and Wire Goods

<u>Basket and Wire</u>	<u> </u>	<u>u5</u>			
Description	Part	Size	Type of	Quantity	List
Pasta Wire Goods	Number		Handle(s)	per Tank	Each
	D4510000	10 1/4" × 10 1/4" × 0"	Cidoo	4	ФООО
Small Bulk Basket - Stainless Large Bulk Basket - Stainless (gas only)	B4510202 B4512702	13-1/4" x 13-1/4" x -9" 16" x 13-1/4" x 10"	Sides Sides	1	\$300 \$300
Round Basket 4-5/8"- Stainless (gas only)	B4512702 B4510002	4-1/2" I.D.	Front	6	\$178
Round Basket 4-5/8"- Stainless 1 life Mesh	B4510002	4-1/2 I.D. 4-1/2" I.D.	Front	6	\$170
Round Basket 6-1/4" Stainless	B4509901	6-1/4" I.D.	Front	4	\$122
Oblong Basket Stainless	B4509801	15-3/4" x 6" x 7"	Front	2	\$204
Individual Serving Baskets With Rack	B9010006	9 Individual Baskets w/Rack		1	\$184
Individual Serving Basket Only	P6071998	Single 4" x 4" Basket		6	\$26
Element Rack - Electric	B7611202			1	\$126
Tube Rack - Gas	B4510101			1	\$288
Solstice Fryer, Donut, Food and					
Twin Baskets - Regular Mesh (shipped sta					
35/45C+, SG14/14R, SE14/14R, SSH55	P6072145	13-1/2" x 6-1/2" x 5-1/2" deep	Front	2	\$94_
SG14T, SE14T/14TR, SSH55T	P6072145	13-1/2" x 6-1/2" x 5-1/2" deep	Front	1	\$94
SG18, SE18/18R, SSH75	P6072184	17-1/4" x 8-1/2" x 5-3/4" deep	Front	2	\$184
Twin Baskets - Fine Mesh	I _				
35/45C+, SG14/14R, SE14/14R, SSH55	P6072146		Front	2	\$190
SG14T, SE14T/14TR, SSH55T	P6072146	13-1/2" x 6-1/2" x 5-1/2" deep	Front	1	\$190
SG18, SE18/18R, SSH75	P6072188	17-1/4" x 8-1/2" x 5-3/4" deep	Front	2	\$230
Square/Full Size Basket - Regular Mesh (o					
35/45C+, SG14/14R, SE14/14R, SSH55	P6072143	13-1/2" x 13-1/2" x 5-1/2" deep	Front	1	\$190
SG18, SE18/18R, SSH75	P6072181	17" x 17" x 5-3/4" deep	Front/Back	1	\$336
SG18, SE18/18R, SSH75	P6072180	17" x 17" x 5-3/4" deep	Sides	1	\$322
Square/Full Size Basket - Fine Mesh 35/45C+, SG14/14R, SE14/14R, SSH55	P6072144	13-1/2" x 13-1/2" x 5-1/2" deep	Front	1	\$280
Triple Size Baskets					
35/45C+, SG14/14R, SE14/14R, SSH55	P6072147	13-1/2" x 4-1/4" x 5-1/2" deep	Front	3	\$192
SG18, SE18/18R, SSH75	P6072185	17" x 5-5/8" x 5-3/4" deep	Front	3	\$230
Tank Rack					
35C+	PP10434	13-1/2" x 11-1/2"		1	\$62
SG14/14R, 45C+	A4500601	13-1/4" x 13-1/4"		1	\$62
SG14T, SSH55T	B4511801	13-1/2" x 6"		1	\$62
SG18, SSH75	B4511901	17-1/2" x 17 - 1/2" Reversible		1	\$62
SE18/18R, SSH75/75R	P6073186	17-1/2" x 17-1/2"		1	\$62
SE14/14R, SSH55/55R	A4500601	13-1/2" x 13-1/2"		1	\$62
SE14T/14TR	B4512401	13-1/2" x 6-3/4"		1	\$62
Tank Screen - Mesh			+	· · · · · · · · · · · · · · · · · · ·	
SG14/14R, SSH55	A4500201	13-1/4" X 13-1/4"		1	\$76
SG18	P6072186	17-1/2" x 17-1/2"		1	<u>\$76</u>
SE14, SE14R, SSH55/55R	A4500201	13-1/2" x 13-1/2"		1	\$76
SE14T, SSH55T	B4512501	13-1/2" x 6" 17-12" x 17-1/2"		1	\$76
SE18/18R, SSH75/75R 24	A4514801 P6072402	23-1/2" x 23-1/2"		1	\$76 \$134
34	P6072342	23-1/2 x 23-1/2 23-1/2" x 33"		1	\$172
Donut Screen	1 0072042	20 1/2 x 00		•	Ψ172
24P. 24R. E24	P6072401	23" x 23"	Side	1	\$172
24P, 24R, E24	P6072404	23" x 23"		1	\$136
34P, E34	P6072341	23" x 33"	Side	1	\$218
34P, E34	P6072344	23" x 33"		1	\$190
Detachable Handles For Donut Screens	B7441101				\$50
Submerger - Crueller	-				,
24P	B4506824				\$272
24R	B4507401				\$272
Submerger Screen Handle w/Hardware	B4506901				\$126
Drain Screen for Bread and Batter Cabinet		ion)			
BNB-SG14	B4508108				\$136
BNB-SG18	B4508107				\$172
BNB-SE14	B4508111				\$136
BNB-SE18	B4508110				\$172
Fish Grids					
SG14/14R, SSH55	B7425301	13-1/4" x 13-1/4"			\$354
SG18, SE18/18R, SSH75	B7425401	17-1/2" x 17-1/2"			\$400
24	B7425601	23" x 23"			\$454
34	B7425602	23" x 33"			\$520
24	B7425601	23" x 23"			\$45

Ordering Information

HOW TO WRITE A PITCO SPEC - HOW TO SPECIFY PITCO ...

Gas				
Model No.	Tank and Exterior	Control Type	Filter	Line-Up
Examples:	•	•	•	•
SG14	S	-D	/FD	-FFF
SF-SG14	S	-C	/FD	-F
Electric				
Examples:		·		
SE14	S	-D	/FD	-FFF

Please provide the following information

Complete Bill to/Ship to addresses

Please note ultimate destination of equipment

Purchase order number

Requested ship date and carrier

Please note any special instructions

Please indicate mark for CE approval required

Information for equipment:

Gas type (natural or propane)

Voltage/phase

Altitude requirements (gas)

Model number

Type of tank and exterior

Fryer/Filter line-up

NOTE: Fryers not available for curb mounting.

TERMS and CONDITIONS

Prices are LIST PRICES, F.O.B. factory, Concord, NH and do not include freight charges or installation.

Minimum Order: \$50.00 net.

Payment Terms: NET 30 Days to customers on open account.

Cancelled or Changed Orders: Subject to a 15% charge.

Special Orders: Require 20% non-refundable deposit at time of order.

Prices and specifications are subject to change without notice.

RETURNS

Returns will not be accepted without prior approval. Please contact Customer Service.

Returned Goods Authorization (RGA) must accompany all returns. All returns must be shipped prepaid within 30 days of authorization and must be in proper crating.

Restocking charge: 25% on standard items, 30% on special items.

INTERNATIONAL ORDERS

In an ever expanding international marketplace it is necessary for a domestic dealer in limited situations to become involved in an opportunity that will result in a contractual sale. In this instance Pitco Frialator must respond to its domestic dealer and, while recognizing the importance of our international distributor, ultimately ensure proper service to the customer after the sale.

Pitco Frialator in limited instances where a domestic dealer involvement requires us to ship equipment into the international marketplace will require pricing to US dealer at published dealer net plus 10%. In CE countries a surcharge of 20% for 35C+, 4.5%-Gas Models and 4.5%-Electric Models. Not all models are available, please contact the Customer Service Department for specific details.

Shipping Information



How to Estimate Freight/Handling Cost

(Minimum charge - \$125.00)

I. FREIGHT RATE: Locate state/rate on map you are shipping to

(NOTE: Separate rates for less or more than 1,000 lbs.)

MULTIPLIER: Total weight of shipment ÷ 100.
 FREIGHT COST: FREIGHT RATE X MULTIPLIER

EXAMPLE: RATE = \$36.00

WEIGHT = 345 lbs.

MULTIPLIER = $345 \div 100 = 3.45$ COST = $$36.00 \times 3.45 = 124.20

Effective 07.01.08

NOTES: Rates ONLY apply if:

- Freight ships from Pitco/ MagiKitch'n warehouse location.
- 2. Pitco/MagiKitch'n chooses freight carrier.
- Pitco/MagiKitch'n must pre-pay and add freight to invoice.
- 4. Minimum freight charge = \$125.00
- 5. Includes Standard delivery to all points (additional charges for "Call Before Delivery," "Lift Gate," "Inside Delivery," and "Construction Site Delivery").

*FREE SHIPPING

Receive free shipping if your order is 5 or more pieces or totals at least \$7,500 net

ADDITIONAL CHARGES

Call Before Delivery = \$50.00 Inside Delivery = \$75.00 Lift Gate Delivery = \$125.00 Construction Site Delivery = \$105.00 All other requests, call for pricing.

NOTES

US & CANADA REPRESENTATIVE LOCATOR

	LOCATOR				
	State Re	an .			
	Code	·Ρ			
	Zip				
	Alabama	07			
	Alaska	18			
	Arizona				
	Arkansas	11			
	California				
	900-908				
	910-928				
	930-935 936-937				
	939-941				
	943-961				
	Colorado				
	Connecticut				
S	060-063	02			
Т	0641-0642				
	0643				
	0644-0648				
	0649				
4	065 066, 068-069	02			
7	Delaware				
	District of Columbia	22			
4	Florida				
	324-325	07			
S	All other zip codes	08			
П	Georgia				
œ	Government				
	HawaiiIdaho				
П	Illinois	10			
	600-606	12			
	609-619				
	620, 622	14			
Ш	623				
	624				
	625-628				
	629	14			
5	Indiana 463-464	12			
	All other zip codes				
	lowa				
	Kansas				
	Kentucky				
	Louisiana				
	Maine				
	Maryland				
	Massachusetts				
	Michigan Minnesota				
	Mississippi				
	Missouri				
	Montana				
	Nebraska				
	Nevada				
	890-891				
	893-898				
	New Hampshire	02			

0	1	

The McCall Group

4902 E Cholla Street Scottsdale, AZ 85254 *Tel*: (602) 795-7304 *Fax*: (602) 795-7338



C.R. Peterson Associates, Inc.

31 Eastman Street
Easton, MA 02334 *Tel:* (800) 257-4040 *Fax:* (508) 238-3647

www.crpeterson.com



Benchmark Sales

3 Townline Circle
Rochester, NY 14623

Tel: (585) 295-8200

Fax: (585) 295-8299

www.benchmarksales.com



Pecinka Ferri Associates

49 Sindle Avenue
Little Falls, NJ 07424 *Tel:* (973) 812-4277 *Fax:* (973) 812-4284

www.pecinkaferri.com



Schmid Dewland Associates

138 Haddonfield-Berlin Road Gibbsboro, NJ 08026 *Tel:* (856) 783-3400 *Fax:* (856) 783-7375 www.schmiddewland.com



Griffin Marketing Group

P.O. Box 867 Irmo, SC 29063 *Tel:* (803) 407-7373 *Fax:* (803) 407-7395 www.griffinreps.com



PMR Inc.

6079 Oakbrook Parkway Norcross, GA 30093 *Tel:* (770) 441-3100 *Fax:* (770) 449-6834 www.pmreps.com



Finn Marketing Group, Inc.

14605 McCormick Drive
Tampa, FL 33626 *Tel:* (813) 925-1122 *Fax:* (813) 925-1607

www.finnmarketing.com



DRC Marketing Group, Inc.

251 Outerbelt Street Columbus, OH 43213 *Tel:* (877) 372-5866 *Fax:* (614) 367-1450 www.drcmktg.com



Stiefel Associates, Inc.

3125 Pine Tree Road Ste 3C Lansing, MI 48911 *Tel*: (517) 393-3019 *Fax*: (517) 393-3023 www.stiefelrep.com



Tatlock-Ordoyne & Assciates

84 River Bluff Drive
Madisonville, LA 70447 *Tel:* (985) 485-4656 *Fax:* (985) 845-0262

www.tatlock-ordoyne.com



The Jay Mark Group

175 Lively Blvd.
Elk Grove Village, IL 60007

Tel: (847) 545-1918

Fax: (847) 545-1932

www.jaymark.net



North Star Agency, Inc.

1405 Lilac Drive North Ste 108
Minneapolis, MN 55422 *Tel:* (763) 545-1400 *Fax:* (763) 545-7158

www.northstaragencyinc.com



Kain-McArthur, Inc.

2000 E. Prairie Circle
Olathe, KS 66062 *Tel:* (913) 829-3700 *Fax:* (913) 829-0000

www.kainmcarthur.com



Ettinger Rosini & Associates

11114 Grader Street
Dallas, TX 75238 *Tel:* (214) 343-2548 *Fax:* (214) 343-2727

www.ettros.com



Johnson Pike & Associates, I

Denver, CO 80204

Tel: (303) 572-0084

Fax: (303) 572-8152

740 Umatilla Street

US & CANADA REPRESENTATIVE **LOCATOR** Rep

State

Code
Zip
New Jersey
070-079 04
080-086 05
087-089 04
New Mexico21
New York
100-119 04
All other zip codes 03
North Carolina 06
North Dakota13
Ohio09
Oklahoma 15
Oregon 18
Pennsylvania
150-168 09
All other zip codes 05
Rhode Island 02
South Carolina06
South Dakota13
Tennessee
380-38311
All other zip codes 07
Texas
798-799 21
All other zip codes 15
Utah16
Vermont 02
Virginia22
Washington18
West Virginia 09
Wisconsin
530-539 17
540 13
541-546 17
547-548 13
549 17
Wyoming
CANADA
Alberta 30
British Columbia 31
Manitoba &

Specialized	Marketing
-------------	-----------

2236 Bluemound Road Unit B Waukesha, WI 53186 Tel: (262) 798-1533 Fax: (262) 798-1536

W.D. Colledge

W.D. Colledge

2 Huppe Bay

W.D. Colledge 82 white Oak Terrace

W.D. Colledge

W.D. Colledge 3579 Leamn Street

329 North Road Co

Coquitam, BC V3K 6Z8

Tel: (604) 522-1964

Fax: (604) 522-3050

Winnipeg, Manitoba R3X 1H3

Tel: (204) 257-7180

Fax: (204) 255-0441

Moncton, New Brunswick Tel: (506) 859-4127

Fax: (506) 852-4002

3220 Orlando Drive, Unit 3

Mississauga, Ontario

Tel: (905) 677-4428

Fax: (905) 677-5357

Halifax, Nove Scotia B3K 3Z8

Tel: (902) 477-4562

Fax: (902) 477-0243

www.specmktgwi.com

18

GFR Inc.

8557 154th Avenue NE Bldg. B Redmond, WA 98052 Tel: (425) 284-3358 Fax: (425) 885-5957 www.gfr2000.com

Marketsmart

6900 Koll Center Parkway Ste. 406 Pleasanton, CA 94566

Tel: (925) 846-6237 Fax: (925) 846-4465 www.marketsmartinc.com

Fischer Group

1636 North Brian Street Orange, CA 92867 Tel: (714) 921-2660 Fax: (714) 921-2544 www.fischergroup.com

Annabelle Systems, Inc.

1010 4th St. N.W. Albuquerque, NM 87102

Tel: (505) 842-5724 Fax: (505) 842-5731

The Schmid Wilson Group, Inc.

11409 Cronhill Drive Ste K Owings Mills, MD 21117 Tel: (410) 998-9191 Fax: (410) 998-9195

Gill Marketing

www.theswg.com

1904 W. Parkside Lane Ste 100 Phoenix, AZ 85027

Tel: (602) 943-7700 Fax: (602) 943-2500 www.gillmarketing.com

W.D. Colledge

1104 Deer River Circle, SE Calgary, Alberta T2J 7A3 Tel: (403) 278-3901

Fax: (403) 278-3903

Saskatchewan 32

New Brunswick 33

Ontario......34

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com