

DELTA - TABLESAWS

Delta X⁵ 10" Unisaw

- 50" Biesemeyer commercial fence
- **LEFT-TILT** blade
- 3 HP, 1 phase, 230V motor
- Two cast iron wings
- Includes: 50 tooth carbide blade, right extension table, steel support legs, miter gauge & 4" dust connector
- Weight: 642 lbs.



DELTA

#36-L31X-BC50\$1,849.00*

RIGHT-TILT version of above saw:

#36-R31X-BC50\$1,849.00*

* Buy this **Delta X5** tool and get your choice of a mobile base, a Delta CL144 cordless drill, a Porter-Cable BN125A brad nailer, a Porter-Cable 690LR router, or \$50 after mail-in rebate.

Delta X⁵ 10" Unisaw

- 50" Biesemeyer commercial fence
- **LEFT-TILT** blade
- 5 HP, 1 phase, 230V motor
- Two cast iron wings
- Includes: 50 tooth carbide blade, right extension table, steel support legs, miter gauge & 4" dust connector
- Weight: 642 lbs.



DELTA

#36-L51X-BC50\$2,099.00*

* Buy this **Delta X5** tool and get your choice of a mobile base, a Delta CL144 cordless drill, a Porter-Cable BN125A brad nailer, a Porter-Cable 690LR router, or \$50 after mail-in rebate.

Delta X⁵ 10" Contractor-Style Table Saw

- 30" Biesemeyer commercial T-Square fence
- **RIGHT-TILT** blade
- 1-1/2 HP, 1 phase, 115/230V motor
- One cast iron wing
- Includes: 50 tooth carbide blade, right extension table, miter gauge, & support legs
- Weight: 295 lbs.



DELTA

#36-507X.....\$1,045.00*

* Buy this **Delta X5** tool and get your choice of a mobile base, a Delta CL144 cordless drill, a Porter-Cable BN125A brad nailer, a Porter-Cable 690LR router, or \$50 after mail-in rebate.

Optional Accessories

#34-254Dado insert - right tilt Unisaws only\$23.95
 #34-154Standard table insert - right tilt Unisaws only\$28.95
 #34-264Dado insert for 7" & 8" dado blades\$22.95
 #50-277Delta mobile base\$ 89.95
 #50-285Base extension for 30" fence with legs\$59.95
 #50-354Dust collector connector - 4" outlet\$31.95

Delta X⁵ 10" Unisaw

- 50" Unifence saw guide
- **LEFT-TILT** blade
- 3 HP, 1 phase, 230V motor
- Two cast iron wings
- Includes: 50 tooth carbide blade, right extension table, steel support legs, miter gauge & 4" dust connector
- Weight: 642 lbs.



DELTA

#36-L31X-U50\$1,799.00*

RIGHT-TILT version of above saw:

#36-R31X-U50\$1,799.00*

* Buy this **Delta X5** tool and get your choice of a mobile base, a Delta CL144 cordless drill, a Porter-Cable BN125A brad nailer, a Porter-Cable 690LR router, or \$50 after mail-in rebate.

Delta 10" Unisaw

- 50" Biesemeyer commercial fence
- **RIGHT-TILT** blade
- 5 HP, 3 phase, 230/460V motor
- One cast iron wing
- Includes steel support legs & miter gauge
- Weight: 544 lbs.



DELTA

* Shown with optional rt. ext. table and mobile base

#36-R53L-BC50\$2,149.00

LEFT-TILT version of above saw:

#36-L53L-BC50\$2,149.00

Right-Tilt Unisaw Accessories

#34-254Dado insert - right tilt Unisaws only\$23.95
 #34-154Standard table insert - right tilt Unisaws only\$28.95
 #34-453Molding insert - right tilt Unisaws only\$23.95
 #50-355Dust collector connector - 4" outlet\$42.95
 #78-852WRight extension table\$139.95
 #50-289Delta mobile base for Unisaw with 50" fence\$179.95

Delta 10" Cabinet Saw

- 50" Delta industrial T-Square fence
- **RIGHT-TILT** blade
- 3 HP, 1 phase, 230V motor
- Two cast iron wings
- Includes: 10" carbide blade, miter gauge & 4" dust port
- Weight 525 lbs.



DELTA

#36-730.....\$1,195.00

Redmond also has one of the largest selections of Factory Reconditioned Delta machines in the country. See pages 11-13 for just some of the Factory Reconditioned units currently available.

DELTA - SANDERS

Delta Shopmaster 1" x 42" Belt & 8" Disc Sander

- 1/3 HP, 1 phase, 115V motor
- Belt speed: 3,000 FPM
- Disc speed: 1,725 RPM
- Tilting tables for belt and disc
- 1-1/2" dust chute outlet
- Includes miter gauge
- Weight: 68 lbs.



DELTA ShopMaster.

#SA180\$109.00

Delta 6" x 48" Belt & 12" Disc Sanding Center

- 1-1/2 HP, 1 phase, 120/240V motor
- Belt speed: 3,000 FPM
- Disc speed: 2,100 RPM
- Vertical to horizontal belt head position
- Tilting tables for belt and disc
- Power take-off spindle for mounting accessories for a wide variety of extra jobs
- 4" dust chute outlet
- Weight: 290 lbs.



DELTA

#31-300\$679.00

Delta X⁵ 18-36" Single Drum Sander

- 1-1/2 HP, 1 phase, 120V main motor
- Variable speed conveyor motor (1 to 12 FPM)
- One 18" drum
- Maximum sanding width: 36" (in two passes)
- One 4" dust hood outlet
- Power take-off spindle accommodates accessory pneumatic drums for contour sanding
- Includes 5 - 80 grit sanding wraps, 4 - 120 grit sanding wraps and steel stand
- Weight: 190 lbs.



DELTA

#31-255X\$899.00*

* Buy this Delta X⁵ tool and get your choice of a mobile base, a Delta CL144 cordless drill, a Porter-Cable BN125A brad nailer, a Porter-Cable 690LR router, or \$50 after mail-in rebate.

Optional Accessories

- #31-281Long ext. for mounting pneu. sanding drums\$73.95
- #31-2653"x9" pneumatic sanding drum\$62.95
- #31-2694"x9" pneumatic sanding drum\$69.95
- #50-389Infeed and outfeed table extensions\$87.95
- #31-8154ea) 36 grit pre-cut abrasive strips\$26.95
- #31-8164ea) 60 grit pre-cut abrasive strips\$26.95
- #31-8174ea) 80 grit pre-cut abrasive strips\$26.95
- #31-8184ea) 100 grit pre-cut abrasive strips\$26.95
- #31-8194ea) 120 grit pre-cut abrasive strips\$26.95
- #31-8204ea) 180 grit pre-cut abrasive strips\$26.95
- #31-8214ea) 220 grit pre-cut abrasive strips\$26.95

Delta 6" x 48" Belt & 12" Disc Sander

- 1-1/2 HP, 1 phase, 230V motor
- Belt speed: 3,000 SFPM
- Disc speed: 2,100 SFPM
- Vertical to horizontal belt head position
- Tilting tables for belt and disc
- Power take-off spindle for mounting accessories for a wide variety of extra jobs
- 4" dust port can be used with the 5 micron bag provided or can be attached to a standard 4" dust collection system
- Closed stand features built-in casters
- Weight: 350 lbs.



DELTA

#31-735A\$999.00

6" x 48" Sanding Belts

Part No.	Grit	Price Each	Price 5-9	Price 10+
6X48X40X	40	\$8.75	\$7.75	\$6.75
6X48X50X	50	\$8.05	\$7.05	\$6.05
6X48X60X	60	\$7.55	\$6.55	\$5.55
6X48X80X	80	\$7.05	\$6.05	\$5.05
6X48X100X	100	\$6.75	\$5.75	\$4.75
6X48X120X	120	\$6.75	\$5.75	\$4.75
6X48X150X	150	\$6.75	\$5.75	\$4.75
6X48X180X	180	\$6.75	\$5.75	\$4.75
6X48X220X	220	\$6.75	\$5.75	\$4.75

12" Sanding Discs

Part No.	Grit	Price Each	Price 5-9	Price 10+
12X80X	80	\$5.95	\$4.95	\$3.95
12X100X	100	\$5.45	\$4.95	\$4.45
12X120X	120	\$5.45	\$4.95	\$4.45

Delta 6" x 108" Oscillating Horizontal Edge Sander

- 3 HP, 1 phase, 220V motor
- One 12" x 35-3/8" table
- Platen tilting: 0 to 90°
- End sanding table allows for curved sanding
- Belt speed: 3,150 FPM
- 3/4" belt oscillation
- 4" dust chute outlet
- Includes sanding drum kit with 1-1/2", 2" and 3" x 4" long sanding drums & miter gauge
- Weight: 500 lbs.



DELTA

#31-396\$1,829.00

6" x 108" Sanding Belts

Part No.	Grit	Price Each	Price 5-9	Price 10+
6X108X80X	80	\$17.95	\$15.95	\$13.95
6X108X100X	100	\$16.95	\$14.95	\$12.95

DELTA - RADIAL ARM SAWS

Delta 18" Radial Arm Saw

- Max. crosscut: 29"
- Max. rip capacity: 41"
- Max. depth of cut: 4-7/8"
- Includes steel blade
- Weight: 745 lbs.



#33-4205 HP, 1 phase, 230V motor\$5,899.00

#33-4217-1/2 HP, 3 phase, 230/460V motor\$5,655.00

Delta 16" Radial Arm Saw

- Max. crosscut: 29"
- Max. rip capacity: 41"
- Max. depth of cut: 4-1/2"
- Includes steel blade
- Weight: 740 lbs.



#33-4103 HP, 1 phase, 230V motor\$5,189.00

#33-4115 HP, 3 phase, 230/460V motor\$5,095.00

Delta 14" Radial Arm Saw

- Max. crosscut: 29"
- Max. rip capacity: 41"
- Max. depth of cut: 4"
- Includes steel blade
- Weight: 725 lbs.



#33-4003 HP, 1 phase, 230V motor\$5,099.00

#33-4015 HP, 3 phase, 230/460V motor\$4,799.00

Optional Accessories

- #78-980 ...Biesemeyer radial saw table set, 8'L x 6'R x 12" wide\$599.95
- #78-981 ...Biesemeyer radial saw table set, 8'L x 6'R x 16" wide\$609.95
- #33-619 ...4' long roller extension table w/ (4) 18" wide rollers\$299.95
- #733471 ...Retractable leaf guard for 18" radial arm saw\$187.95
- #733456 ...Retractable leaf guard for 16" radial arm saw\$187.95
- #733449 ...Retractable leaf guard for 14" radial arm saw\$187.95
- #50-291 ...Dust hood for 18", 16", & 14" radial arm saws\$87.95
- #733814 ...Blade flange for dado - for 18" radial arm saw only\$59.95

Delta X⁵ 12" Radial Arm Saw

- 2 HP, 1 phase, 230V motor
- Max. crosscut: 14-3/8"
- Max. rip capacity: 24-1/4"
- Max. depth of cut: 3-3/4"
- Unique turret arm action permits saw blade to rotate 360° above work table
- Includes steel blade
- Weight: 300 lbs.



#33-895X\$1,879.00*

* Buy this Delta X5 tool and get your choice of a mobile base, a Delta CL144 cordless drill, a Porter-Cable BN125A brad nailer, a Porter-Cable 690LR router, or \$50 after mail-in rebate.

Delta 12" Radial Arm Saw

- 2 HP, 3 phase, 230/460V motor
- Max. crosscut: 14-3/8"
- Max. rip capacity: 24-1/4"
- Max. depth of cut: 3-3/4"
- Unique turret arm action permits saw blade to rotate 360° above work table
- Includes steel blade
- Weight: 300 lbs.



#33-892.....\$2,285.00

Delta 10" Radial Arm Saw

- 1-1/2 HP, 1 phase, 115/230V motor
- Max. crosscut: 16"
- Max. rip capacity: 26-1/2"
- Max. depth of cut: 2-3/4"
- Includes steel blade
- Weight: 166 lbs.



#RS830\$749.00

Optional Accessories

- #78-980 ...Biesemeyer radial saw table set, 8'L x 6'R x 12" wide\$599.95
- #78-981 ...Biesemeyer radial saw table set, 8'L x 6'R x 16" wide\$609.95
- #33-619 ...4' long roller extension table w/ (4) 18" wide rollers\$299.95
- #50-283 ...Delta Mobile Base for RS830\$99.95
- #33-967 ...Moulding/shaping guard\$259.95
- #34-813 ...Heavy-duty moulding cutterhead & knife set\$159.95
- #33-723 ...Cutterhead return attachment\$129.95
- #733594 ...Retractable leaf guard for 12" radial arm saw\$92.95
- #50-291 ...Dust hood for 12" radial arm saw\$87.95

DELTA - MITER SAWS

Delta 12" Dual Bevel Compound Miter Saw

- Front bevel lock for making quick and accurate compound cuts
- 15 AMP, 120V motor
- Crosscuts: 2-1/2" x 9" @ 90°
2-1/2" x 6-1/2" @ 45° miter
1-1/2" x 9-1/4" @ 45° bevel (L)
- 1" arbor
- Electric brake
- Includes: 60 tooth carbide blade, dust bag
- Weight: 63 lbs.



#36-412\$419.95

Delta Shopmaster 10" Miter Saw

- 13 AMP, 120V motor
- Crosscuts: 2-1/4" x 5-3/4" @ 90°
2-1/4" x 4-1/8" @ 45°
- Electric Brake
- 5/8" arbor
- Includes: 40T carbide blade
- Weight: 28 lbs.



#MS210\$99.95

Universal Miter Saw Table Systems

This system will make most motorized miter saws more accurate, more productive, and more economical to use. Features include saw dust slot to eliminate build-up of dust and chips. Accessory inside and outside miter stops are available. Purchase table for right side, left side, or both. Measuring tapes not included.



- #78-8044' miter table for 10" saws\$129.95
- #78-8066' miter table for 10" saws\$159.95
- #78-8088' miter table for 10" saws\$209.95
- #79-8033' miter table for 12" saws or 10" slide saws\$114.95
- #79-8044' miter table for 12" saws or 10" slide saws\$149.95
- #79-8066' miter table for 12" saws or 10" slide saws\$179.95
- #79-8088' miter table for 12" saws or 10" slide saws\$229.95

T-Square Cut-Off Saw Stop


To eliminate the need for cumbersome C-clamps and hand-held tapes. Precise to 1/64". Dual pointer for use on either side of machine. Works with fences from 1-1/2" to 2" wide. Does not include adhesive-backed measuring tape.



- #78-989Dual pointer cut-off saw stop\$97.95
- #78-992Dual pointer flip stop\$149.95

Delta 12" TwinLaser Compound Miter Saw

- Bright laser cut lines clearly indicate both sides of the blade kerf
- 15 AMP, 120V motor
- Crosscuts: 2-1/2" x 8" @ 90°
2-1/2" x 5-3/4" @ 45° miter
2-1/2" x 6-1/2" @ 45° bevel (L)
- 1" arbor
- Electric brake
- Includes: 40 tooth carbide blade, dust bag
- Weight: 63 lbs.



#36-255L\$369.95

Delta 12" Compound Miter Saw


- Large rear cutout for cutting up to 7-1/2" crown molding or 6-1/2" baseboard
- 15 AMP, 120V motor
- Crosscuts: 2-1/2" x 8" @ 90°
2-1/2" x 5-3/4" @ 45° miter
2-1/2" x 6-1/2" @ 45° bevel (L)
- 1" arbor
- Electric brake
- Includes: 40 tooth carbide blade, dust bag
- Weight: 46 lbs.



#36-312\$319.95

Delta Universal Miter Saw Stand

- Versatile mounting rails accommodate any manufacturers miter saw, compound miter saw or dual compound slide saw
- Aluminum fence and table extension with stock stop simplify repetitive cut-off work
- Adjustable roller work supports will handle extra-long stock
- Rugged 13" diameter wheels maneuver easily around the job site even up and down steps



#50-155\$245.95

Adhesive-Backed Measuring Tapes

Precision steel, ready to mount on cut-off fences, table saws, or work benches. Tapes can be easily cut to shorter lengths. In 6' or 12' lengths, 1/2" or 3/4" wide, reading left-to-right or right-to-left.



- #79-05612'R 1/2" Metric/English\$13.95
- #79-05712'L 1/2" Metric/English\$13.95
- #79-06112'R 1/2" English\$13.95
- #79-06212'L 1/2" English\$13.95
- #79-06512'R 3/4" English\$18.95
- #79-06612'L 3/4" English\$18.95
- #79-0686'R 3/4" English\$12.95
- #79-0706'L 1/2" English\$12.95

DELTA - BANDSAWS

Delta 18" Woodcutting Band Saw

- 2 HP, 1 phase, 230V motor
- Blade speed: 3,200 SFPM
- 12" height capacity
- 1-1/4" max blade width
- 136" blade length
- Two 4" dust chute outlets
- Includes rip fence
- Weight: 397 lbs.



#28-682\$1,249.00



Delta 14" Woodcutting Band Saw

- 1 HP, 1 phase, 120V motor
- Two blade speeds: 2,500 / 3,300 SFPM
- 6-1/4" height capacity
- 3/4" max blade width
- 93-1/2" blade length
- One 4" dust chute outlet
- Includes Quick release tension lever
- Weight: 201 lbs.



#28-206\$614.95



Optional Accessories:

#50-941Delta mobile base\$63.63

Delta 14" Metal/Wood Cutting Band Saw

- 1-1/2 HP, 1 phase, 115V motor
- Eight cutting speeds from 40 to 3,000 SFPM
- 6-1/4" capacity under guide
- 16" x 16" tilting table
- Blade length: 93-1/2"
- 1/8" to 3/4" blade widths
- Weight: 224 lbs.



#28-348\$1,889.00



Optional Accessories:

#34-895Miter gauge\$69.95
 #28-984Height attachment, increases to 12-1/4"\$109.95
under the guide. Must use 105" blades\$109.95
 #50-274Delta mobile base\$95.95
 #25-858Lamp attachment (bulb not included)\$43.95
 #28-856Rip fence with 12" rip capacity\$109.95
 #28-858Rip fence with 24" rip capacity\$135.95

Delta X⁵ 14" Woodcutting Band Saw

- 1-1/2 HP, 1 phase, 115/230V motor
- Blade speed: 3,000 SFPM
- 6-1/4" height capacity
- 3/4" max blade width
- 93-1/2" blade length
- One 4" dust chute outlet
- Includes Quick release tension lever
- Weight: 275 lbs.



#28-475X\$899.00*



* Buy this Delta X⁵ tool and get your choice of a mobile base, a Delta CL144 cordless drill, a Porter-Cable BN125A brad nailer, a Porter-Cable 690LR router, or \$50 after mail-in rebate.

Delta 14" Woodcutting Band Saw

- 3/4 HP, 1 phase, 115V motor
- Blade speed: 3,300 SFPM
- 6" height capacity
- 3/4" max blade width
- 93-1/2" blade length
- One 4" dust chute outlet
- Includes Quick release tension lever
- Weight: 201 lbs.



#28-276\$419.00



Optional Accessories:

#34-895Miter gauge\$69.95
 #28-984Height attachment, increases to 12-1/4"\$109.95
under the guide. Must use 105" blades\$109.95
 #50-941Delta mobile base\$63.95
 #25-858Lamp attachment (bulb not included)\$43.95
 #28-856Rip fence with 12" rip capacity\$109.95
 #28-858Rip fence with 24" rip capacity\$135.95

Circle Cutting Attachment

Attaches to most band saws with 3/8" x 3/4" miter grooves to provide professional circle cutting capability. Cut perfect circles from 3" to 50" in diameter. Features all-metal construction, sturdy support leg, and extension wings for extra support of large diameter circles.



#28-197Circle Cutting Attachment\$92.95

Magnetic Work Light

Illuminate your work! The powerful magnetic base adheres to any steel surface providing extra light in hard-to-reach work areas. Features include a flexible 14" arm and an extra-long 8' cord. Uses up to a 50-watt track light bulb (not included).



#25-869Magnetic Work Light\$19.95

Check us out on the web!


www.redmondmachinery.com



DELTA - SHAPERS & WOOD LATHES

Delta X⁵ Heavy Duty Shaper

- 3 HP, 1 phase, 230V motor
- 2 spindle speeds, 7,000 & 10,000 RPM
- Reversing
- 3/4" spindle
- Extra large, 27" x 40" table
- Miter slot
- Weight: 436 lbs.



#43-495X.....\$1,749.00*

* Buy this Delta X⁵ tool and get your choice of a mobile base, a Delta CL144 cordless drill, a Porter-Cable BN125A brad nailer, a Porter-Cable 690LR router, or \$50 after mail-in rebate.

Optional Shaper Accessories

- #50-273Delta mobile base\$95.95
- #43-188Delta Sliding Shaper Jig\$124.95
- #34-895Miter Gauge\$68.95
- #43-8081" Spindle\$169.95
- #43-800Router chuck\$169.95

Delta Shopmaster 10" 6-Speed Mini Wood Lathe

- 1/2 HP, 1 phase, 115V motor
- 6-Speeds: 500, 800, 1,250, 1,800, 2,650, & 3,700 RPM
- 14-1/2" between centers
- 37" between centers with optional bed extension
- 1"x8 spindle thread
- Includes: spur center, 3" face plate, 6" tool rest, & knockout bar
- Weight: 85 lbs.



#LA200.....\$299.95

Optional Accessories

- #46-855Bed extension (increases to 37" between centers)\$56.95

Delta X⁵ 16" VS Wood Lathe

- 2 HP, 1 phase, 120V motor
- 3 speed settings: 0-1,100, 0-2,200, & 0-3,200 RPM
- 42" between centers
- 1-1/4"x8 spindle threads
- Includes: drive center, live center, 4" face plate, 12" tool rest, & knockout bar
- Weight: 354 lbs.



#46-765X.....\$1,999.00

* Buy this Delta X⁵ tool and get your choice of a mobile base, a Delta CL144 cordless drill, a Porter-Cable BN125A brad nailer, a Porter-Cable 690LR router, or \$50 after mail-in rebate.

Optional Lathe Accessories

- #25-857Lamp attachment\$56.95
- #46-896Lathe guard\$284.95

Delta Heavy Duty Shaper

- 2 spindle speeds, 7,000 & 10,000 RPM
- Reversing
- 1-1/4" fixed spindle
- Extra large, 27" x 40" table
- Miter slot
- Weight: 456 lbs.



#43-4555 HP, 1 phase, 230V motor\$1,899.00

#43-4605 HP, 3 phase, 230/460V motor\$2,109.00

Delta Heavy Duty Shaper

- 5-Speeds; 3000, 4000, 6000, 8000 & 10,000 rpm
- Reversing
- Spindle diameters, 3/4" & 1-1/4"
- Max. height above table
 - With 3/4" spindle - 7"
 - With 1-1/4" spindle - 9"
- Capacity under nut
 - With 3/4" spindle - 3-7/8"
 - With 1-1/4" spindle - 4-7/8"
- Sliding table with 37-1/2" of travel
- Automatic spindle brake



#43-7927.5 HP, 3 phase, 230/460V motor\$5,260.00

#43-791Same as above without sliding table\$4,572.00

Delta 16" VS Wood Lathe

- 1-1/2 HP, 1 phase, 120V motor
- 3 speed settings: 0-1,100, 0-2,200, & 0-3,200 RPM
- 42" between centers
- 1-1/4"x8 spindle threads
- Includes: drive center, live center, 4" face plate, 12" tool rest, & knockout bar
- Weight: 354 lbs.



#46-745.....\$1,999.00

Delta Lathe Duplicator

- Includes basic unit with aluminum bed and carriage, hardware for mounting to Delta 12" Lathes, high-speed steel cutter and instruction manual.
- 36" Max duplicating length
- 36" Max duplicating diameter
- Rack and pinion drive system



#46-408Delta lathe duplicator\$645.95

DELTA - JOINTERS & PLANERS

Delta X⁵ 8" Jointer

- 1-1/2 HP, 1 phase, 120/240V motor
- 3 knife cutterhead
- Table length 76-1/2"
- Cutterhead Speed: 5,500 RPM
- Weight: 394 lbs.



#37-365X.....\$1,669.00*



* Buy this Delta X5 tool and get your choice of a mobile base, a Delta CL144 cordless drill, a Porter-Cable BN125A brad nailer, a Porter-Cable 690LR router, or \$50 after mail-in rebate.

Optional Accessories:

- #37-355Set of 3 HSS 8" replacement knives\$89.95
 #50-276Delta mobile base\$95.95

Delta 8" Professional Jointer

- 1-1/2 HP, 1 phase, 120/240V motor
- 3 knife cutterhead
- Table length 72-3/4"
- Cutterhead Speed: 5,600 RPM
- Weight: 414 lbs.



#37-380.....\$1,099.00*




Optional Accessories:

- #37-307Set of 3 HSS 8" replacement knives\$75.95
 #50-296Delta mobile base\$95.95

Delta 13" Two-Speed Portable Planer

- 2 knife cutterhead
- 15 AMP, 120V motor
- 2-speed material feed rate system:
 - Dimensioning speed (30 FPM) to quickly reach desired thickness
 - Finishing speed (20 FPM) for an ultra smooth surface on final pass
- Cutterhead speed: 10,000 RPM
- 6-1/2" max planing thickness
- Cutterhead lock helps reduce snipe
- Weight: 97 lbs.

#22-580.....\$449.00



Optional Accessories for 22-580:

- #22-549Set of 2 HSS 13" replacement knives\$44.95
 #50-446Reversible dust hood with 4" port\$25.95
 #50-326Planer stand to convert to floor model unit\$59.95
 #22-563Replacement drive belt\$19.95

Delta X⁵ 6" Jointer

- 1 HP, 1 phase, 120/240V motor
- 3 knife cutterhead
- Table length 46"
- Cutterhead Speed: 4,800 RPM
- Weight: 225 lbs.



#37-275X.....\$579.00*



* Buy this Delta X5 tool and get your choice of a mobile base, a Delta CL144 cordless drill, a Porter-Cable BN125A brad nailer, a Porter-Cable 690LR router, or \$50 after mail-in rebate.

Optional Accessories:

- #37-658Set of 3 HSS 6" replacement knives\$59.95
 #50-333Delta mobile base\$95.95

Delta X⁵ 15" Planer

- 3 knife cutterhead
- 3 HP, 1 phase, 230V motor
- 2 Feed speeds: 16 & 30 FPM
- Cutterhead speed: 5,000 RPM
- 6-1/2" max planing thickness
- 12" min planing length
- Includes steel stand with extension rollers
- Weight: 340 lbs.



#22-780X.....\$1,239.00*



* Buy this Delta X5 tool and get your choice of a mobile base, a Delta CL144 cordless drill, a Porter-Cable BN125A brad nailer, a Porter-Cable 690LR router, or \$50 after mail-in rebate.

Optional Accessories:

- #22-677Set of 3 HSS 15" replacement knives\$129.95
 #22-678Dust hood, 4-7/8" outside diameter\$33.95
 #50-324Delta mobile base\$95.95

Delta Shopmaster 12-1/2" Portable Planer

- 2 knife cutterhead
- 15 AMP, 120V motor
- One feed speed: 26 FPM
- Cutterhead speed: 8,000 RPM
- 6" max planing thickness
- Cutterhead lock helps reduce snipe
- Includes stand
- Weight: 65 lbs.



#TP400LS.....\$345.00



Optional Accessories for TP400LS:

- #22-562Set of 2 HSS 12-1/2" replacement knives\$37.95
 #50-445Dust hood with 4" outlet\$17.95
 #22-563Replacement drive belt\$19.95
 #50-322Universal planer stand\$79.95

DELTA - DRILLING MACHINES

Delta 13-Spindle Single Row Line Drill

- 3/4 HP, 1 phase, 115V motor
- 32mm spindle centers
- (1) 13-spindle drill head
- 7-right hand & 6-left hand, 10mm fixed collets
- Top-down drilling for easy visibility
- Manually operated
- Panel indexing pins
- 30" back fence with (2) stops
- Telescoping handle extends from 16" to 23" for increased leverage
- Tooling not included
- Weight: 108 lbs.

* Shown with optional stand and tooling



#32-325.....\$1,095.00

Optional Accessories

#32-331Steel Stand.....\$179.95

Delta X⁵ 16-1/2" VS Floor Model Drill Press

- 3/4 HP, 1 phase, 120/240V motor
- Two variable speed ranges:
150 to 1,100 RPM
500 to 3,200 RPM
- 1/2" chuck size
- 6" spindle travel
- 14 x 14" table
- Weight: 230 lbs.



#17-990X.....\$829.00*

* Buy this Delta X⁵ tool and get your choice of a mobile base, a Delta CL144 cordless drill, a Porter-Cable BN125A brad nailer, a Porter-Cable 690LR router, or \$50 after mail-in rebate.

Delta 20" 9-Speed Floor Model Drill Press

- 1 HP, 1 phase, 115/230V motor
- Speed range: 150 to 2,200 RPM
- 5/8" chuck size
- 4-3/4" spindle travel
- 18-3/8" x 16-1/8" production table
- Weight: 345 lbs.



#70-200.....\$699.00*



Redmond also has one of the largest selections of Factory Reconditioned Delta machines in the country. See pages 11-13 for just some of the Factory Reconditioned units currently available.

Delta Hollow Chisel Mortiser

- 1/4" to 1/2" chisel capacity
- 5/8" chisel shank capacity
- 5" maximum chisel stroke
- 13-1/2" x 16-1/4" table size
- 3/8" chuck capacity
- Spindle speed: 1725 RPM
- 1/2 HP, 1 phase, 120V motor
- Includes riser block and four mortising chisels & bits
- Weight: 55 lbs.



#14-651.....\$269.00

Mortising Chisel and Bit Sets

Delta Professional Quality Chisel & Bit Sets

For use with mortising attachments or dedicated mortisers. Includes one chisel and one bit. Chisels have 5/8" shank. Drill bits are 7" long.

- #17-9081/4" x 1/4" bit set\$44.95
- #17-9095/16" x 5/16" bit set\$44.95
- #17-9103/8" x 3/8" bit set\$48.95
- #17-9111/2" x 1/2" bit set\$54.95



Delta 16-1/2" 16-Speed Floor Model Drill Press

- 3/4 HP, 1 phase, 115/230V motor
- Speed range: 215 to 2,720 RPM
- 5/8" chuck size
- 4-7/8" spindle travel
- 14" x 14" table
- Weight: 195 lbs.



#17-965.....\$429.00

Optional Accessories

- #17-935Mortising Attachment\$44.95
- #17-924Deluxe mortising attachment w/ 4 bit set\$79.95

Delta 16-1/2" VS Floor Model Drill Press

- 3/4 HP, 1 phase, 120/240V motor
- Variable speed range: 200 to 2,500 RPM
- 1/2" chuck size
- 6" spindle travel
- 14 x 14" table
- Includes Work lamp and tool tray
- Weight: 230 lbs.



#17-968.....\$519.00

DELTA - DUST MANAGEMENT

Delta 3 HP Dust Collector

- 2,100 CFM
- One 8" or four 4" connections
- 5 micron bag filtration
- Weight: 200 lbs.



3 HP, 1 phase, 220V motor
#50-853\$729.00

3 HP, 3 phase, 220V motor
#50-852\$729.00



Optional Accessories:

- #50-5325 micro top bag for 50-852 & 50-853\$82.95
- #50-8361 micron upper filter bag for 50-852 & 50-853\$64.95
- #50-8371 micron lower filter bag for 50-852 & 50-853\$64.95
- #50-83830 micron lower filter bag for 50-852 & 50-853\$26.95
- #50-83930 micron upper filter bag for 50-852 & 50-853\$35.95
- #50-3666mm plastic chip bag for 50-852 & 50-853\$19.95

Delta 1-1/2 HP Dust Collector

- 1-1/2 HP, 1 phase, 115/230V motor
- 1,200 CFM
- Two 4" connections
- 5 micron bag filtration
- Weight: 100 lbs.



#50-850\$295.00



Optional Accessories:

- #50-830 1 ea. upper bag, 1 ea. lower bag, 1 micron\$99.95
- #50-3625 micron filter bag for 50-850\$32.95
- #50-3646mm plastic chip bag for 50-850\$14.95

Delta 3-Speed Air Cleaner

- 1/5 HP, 1 phase, 115V motor
- 3 speeds
- CFM: 540, 730, & 1,200
- Filter cycle: 20'x20'x8' room: 10, 14, & 22 times an hour
- Includes remote control
- Weight: 50 lbs.



#50-875\$275.00



Optional Accessories:

- #50-857 Charcoal filter\$47.95
- #50-858 Pleated outer filter (2 pack)\$25.95
- #50-859 3 pocket inner filter\$55.95
- #50-865 Electrostatic outer filter\$49.95

Delta 2 HP Dust Collector

- 2 HP, 1 phase, 230V motor
- 1,500 CFM
- Three 4" connections
- 5 micron bag filtration
- Weight: 175 lbs.



#50-851\$525.00



Optional Accessories:

- #50-3635 micron top bag for 50-851\$49.95
- #50-3656mm plastic chip bag for 50-851\$16.95
- #50-8321 micron upper filter bag\$65.95
- #50-8331 micron lower filter bag\$53.95
- #50-83530 micron top bag for 50-851\$49.95

Delta Shopmaster 1 HP Dust Collector

- 1 HP, 1 phase, 115/230V motor
- 650 CFM
- One 4" connector
- Includes: 4" diameter 5' hose
- 5 micron bag filtration
- Weight: 90 lbs.



#AP400\$159.00



Optional Accessories:

- #50-3675 micron upper or lower bag for AP400\$76.95
- #50-84130 micron replacement bag for 50-840\$37.95
- #50-8435 micron top bag for 50-480\$26.95

Delta Shopmaster Air Cleaner with Work Light

- 3 AMP, 1 phase, 120V motor
- 400 CFM
- Filter system includes coarse pre-filter, 5 micron inner filter.
- Uses 2ea 18" x 1" dia bulbs (Not Included)
- Weight: 40 lbs.



#AP100\$189.00



**Larger dust collection systems also available.
Contact a Redmond sales representative for
more information.**

DELTA - FACTORY RECONDITIONED

Delta X⁵ 10" Unisaw

- 50" Biesemeyer commercial fence
- **LEFT-TILT** blade
- 3 HP, 1 phase, 230V motor
- Two cast iron wings
- Includes: 50 tooth carbide-blade, right extension table, steel support legs, miter gauge & 4" dust connector
- Weight: 642 lbs.



#36-L31X-BC50R (Factory Reconditioned)\$1,499.00

RIGHT-TILT version of above saw:

#36-R31X-BC50R (Factory Reconditioned)\$1,499.00

Delta X⁵ 10" Unisaw

- 50" Unifence saw guide
- **LEFT-TILT** blade
- 3 HP, 1 phase, 230V motor
- Two cast iron wings
- Includes: 50 tooth carbide blade, right extension table, steel support legs, miter gauge & 4" dust connector
- Weight: 642 lbs.



#36-L31X-U50 (Factory Reconditioned)\$1,449.00*

RIGHT-TILT version of above saw:

#36-R31X-U50 (Factory Reconditioned).....\$1,449.00*

Delta 10" Radial Arm Saw

- 1-1/2 HP, 1 phase, 115/230V motor
- Max. crosscut: 16"
- Max. rip capacity: 26-1/2"
- Max. depth of cut: 2-3/4"
- Includes steel blade
- Weight: 166 lbs.



#RS830R (Factory Reconditioned).....\$599.00

Delta X⁵ Heavy Duty Shaper

- 3 HP, 1 phase, 230V motor
- 2 spindle speeds, 7,000 & 10,000 RPM
- Reversing
- 3/4" spindle
- Extra large, 27" x 40" table
- Miter slot
- Weight: 436 lbs.



#43-495XR (Factory Reconditioned).....\$1,399.00

Delta Heavy Duty Shaper

- 2 spindle speeds, 7,000 & 10,000 RPM
- Reversing
- 1-1/4" fixed spindle
- Extra large, 27" x 40" table
- Miter slot
- Weight: 456 lbs.



#43-455R5 HP, 1 phase, 230V motor (Fac. Recon.)\$1,539.00

#43-460R5 HP, 3 phase, 230/460V motor (Fac. Recon.) ..\$1,699.00

Delta X⁵ 12" Radial Arm Saw

- 2 HP, 1 phase, 230V motor
- Max. crosscut: 14-3/8"
- Max. rip capacity: 24-1/4"
- Max. depth of cut: 3-3/4"
- Unique turret arm action permits saw blade to rotate 360° above work table
- Includes steel blade
- Weight: 300 lbs.



#33-895X (Factory Reconditioned) .\$.1,529.00*

Delta 12" Radial Arm Saw

- 2 HP, 3 phase, 230/460V motor
- Max. crosscut: 14-3/8"
- Max. rip capacity: 24-1/4"
- Max. depth of cut: 3-3/4"
- Unique turret arm action permits saw blade to rotate 360° above work table
- Includes steel blade
- Weight: 350 lbs.



#33-892R (Factory Reconditioned) .\$.1,859.00

Don't see the machine you're looking for?

We can special order any machine or accessory from the manufacturers we represent.

DELTA - FACTORY RECONDITIONED

Delta 13-Spindle Single Row Line Drill

- 3/4 HP, 1 phase, 115V motor
- 32mm spindle centers
- (1) 13-spindle drill head
- 7-right hand & 6-left hand, 10mm fixed collets
- Top-down drilling for easy visibility
- Manually operated
- Panel indexing pins
- 30" back fence with (2) stops
- Telescoping handle extends from 16" to 23" for increased leverage
- Tooling not included
- Weight: 108 lbs.

* Shown with optional stand and tooling



#32-325R (Factory Reconditioned)\$889.00

Delta 16-1/2" VS Floor Model Drill Press

- 3/4 HP, 1 phase, 120/240V motor
- Variable speed range: 200 to 2,500 RPM
- 1/2" chuck size
- 6" spindle travel
- 14 x 14" table
- Includes Work lamp and tool tray
- Weight: 230 lbs.



#17-968R (Factory Reconditioned)\$399.00

Delta Hollow Chisel Mortiser

- 1/4" to 1/2" chisel capacity
- 5/8" chisel shank capacity
- 5" maximum chisel stroke
- 13-1/2" x 16-1/4" table size
- 3/8" chuck capacity
- Spindle speed: 1725 RPM
- 1/2 HP, 1 phase, 120V motor
- Weight: 55 lbs.



#14-651R (Factory Reconditioned)\$219.00

Delta X⁵ 18-36" Single Drum Sander

- 1-1/2 HP, 1 phase, 120V main motor
- Variable speed conveyor motor (1 to 12 FPM)
- One 18" drum
- Maximum sanding width: 36" (in two passes)
- One 4" dust hood outlet
- Power take-off spindle accommodates accessory pneumatic drums for contour sanding
- Includes 5 - 80 grit sanding wraps, 4 - 120 grit sanding wraps and steel stand
- Weight: 190 lbs.



#31-255XR (Factory Reconditioned) ..\$699.00*

Delta 16-1/2" 16-Speed Floor Model Drill Press

- 3/4 HP, 1 phase, 115/230V motor
- Speed range: 215 to 2,720 RPM
- 5/8" chuck size
- 4-7/8" spindle travel
- 14" x 14" table
- Weight: 206 lbs



#17-965R (Factory Reconditioned)\$319.00

Delta 16-1/2" VS Floor Model Drill Press

- 3/4 HP, 1 phase, 120/240V motor
- Two variable speed ranges:
150 to 1,100 RPM
500 to 3,200 RPM
- 1/2" chuck size
- 6" spindle travel
- 14 x 14" table
- Weight: 230 lbs.



#17-925R (Factory Reconditioned).....\$659.00*

Delta Shopmaster 1" x 42" Belt & 8" Disc Sander

- 1/3 HP, 1 phase, 115V motor
- Belt speed: 3,000 FPM
- Disc speed: 1,725 RPM
- Tilting tables for belt and disc
- 1-1/2" dust chute outlet
- Includes miter gauge
- Weight: 68 lbs.



#SA180R (Factory Reconditioned)\$88.00

Delta 6" x 108" Oscillating Horizontal Edge Sander

- 3 HP, 1 phase, 220V motor
- One 12" x 35-3/8" table
- Platen tilting: 0 to 90°
- End sanding table allows for curved sanding
- Belt speed: 3,150 FPM
- 3/4" belt oscillation
- 4" dust chute outlet
- Includes sanding drum kit with 1-1/2", 2" and 3" x 4" long sanding drums & miter gauge
- Weight: 500 lbs.



#31-396R (Factory Reconditioned)\$1,489.00

DELTA - FACTORY RECONDITIONED

Delta 14" Woodcutting Band Saw

- 1HP, 1 phase, 115/230V motor
- Blade speed: 3,000 SFPM
- 6-1/4" height capacity
- 3/4" max blade width
- 93-1/2" blade length
- Includes FREE Rip Fence!
- Weight: 275 lbs.

* Shown with optional mobile base



#28-299R (Factory Reconditioned)\$489.00

Delta X⁵ 6" Jointer

- 1 HP, 1 phase, 120/240V motor
- 3 knife cutterhead
- Table length 46"
- Cutterhead Speed: 4,800 RPM
- Weight: 225 lbs.



#37-275XR (Factory Reconditioned)\$429.00

Delta 8" Professional Jointer

- 1-1/2 HP, 1 phase, 120/240V motor
- 3 knife cutterhead
- Table length 72-3/4"
- Cutterhead Speed: 5,600 RPM
- Weight: 414 lbs.



#37-380 (Factory Reconditioned)\$895.00*

Delta X⁵ 8" Jointer

- 1-1/2 HP, 1 phase, 120/240V motor
- 3 knife cutterhead
- Table length 76-1/2"
- Cutterhead Speed: 5,500 RPM
- Weight: 394 lbs.



#37-365XR (Factory Reconditioned)\$1,369.00

Delta X⁵ 14" Woodcutting Band Saw

- 1-1/2 HP, 1 phase, 115/230V motor
- Blade speed: 3,000 SFPM
- 6-1/4" height capacity
- 3/4" max blade width
- 93-1/2" blade length
- One 4" dust chute outlet
- Includes Quick release tension lever
- Weight: 275 lbs.



#28-475XR (Factory Reconditioned)\$749.00

Delta 14" Woodcutting Band Saw

- 3/4 HP, 1 phase, 115V motor
- Blade speed: 3,300 SFPM
- 6-1/4" height capacity
- 3/4" max blade width
- 93-1/2" blade length
- One 4" dust chute outlet
- Includes Quick release tension lever
- Weight: 201 lbs.



#28-276R (Factory Reconditioned)\$339.00

Delta X⁵ 15" Planer

- 3 knife cutterhead
- 3 HP, 1 phase, 230V motor
- 2 Feed speeds: 16 & 30 FPM
- Cutterhead speed: 5,000 RPM
- 6-1/2" max planing thickness
- 12" min planing length
- Includes steel stand with extension rollers
- Weight: 340 lbs.



#22-780XR (Factory Reconditioned)\$999.00

Delta 13" Two-Speed Portable Planer

- 2 knife cutterhead
- 15 AMP, 120V motor
- 2-speed material feed rate system:
 - Dimensioning speed (30 FPM) to quickly reach desired thickness
 - Finishing speed (20 FPM) for an ultra smooth surface on final pass
- Cutterhead speed: 10,000 RPM
- 6-1/2" max planing thickness
- Cutterhead lock helps reduce snipe
- Weight: 97 lbs.



#22-580 (Factory Reconditioned)\$349.00

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>