## Universal Short-Throw Projector Arm



Premier Mounts' universal short-throw projector arm is crafted to support all of the latest short-throw projectors on the market today.

Designed with unique features such as a wall-mounted GearBox<sup>™</sup> to hold a small PC, Mac Mini or other control device (Crestron, Extron etc.), the UNI-EXT offers many conveniences for both installer and end-user.

Offering more adjustability than any other projector arm on the market, the UNI-EXT adjusts from 37" to 67" from the wall (also available for throw distances from 7"-27" [model: UNI-STA]).

Unlike lesser models, the UNI-EXT does not require a stud to be located in the center of the whiteboard/screen. It can mount to single or dual studs (16", 18" and 24" OC), as well as concrete and steel stud construction and features integrated lateral shift for finite adjustment to center of screen.

## **Features**

- Supports projectors up to 75 lbs.
- Adjusts from 37"-67" from the wall
- Includes wall-mounted storage box
- Integrated cable management
- Mounts to single and dual studs, steel studs and concrete
- Includes universal projector mounts (Model: PDS-PLUSW)
- Also available in black (UNI-STB)
- +/-16.5° tilt
- +/-7.5° roll
- 360° yaw
- Lifetime Warranty





## MAX DIST. MIN DIST. 4.70 [119 ] 37.00 [940 ] 67.00 [1702 ] 4.00 [102 ] 4.00 [102 ] 4.00 31.56 [802] 3.53 [90] 26.15 [664] 10.69 [272 ] 2.06 [52] 16.00 [406 26.04 [661] 24.00 [610 3.00 <del>||o:</del> 9.60 [244]

3.53 [90]

Universal Short-Throw Projector Arm Model: UNI-STA

Download from Www.Somanuals.com. All Manuals Search And Download.

10.69 [272] Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com