

HD 212 Pro

Headphones | DJ & Studio Headphones

Cat. No. 005180

General Description

The HD 212 Pro closed dynamic hi-fi stereo headphones have a balanced sound image with a slight emphasis on the bass response. DJs will like their excellent attenuation of ambient noise and the soft, comfortable ear pads.



Technical Data

Frequency response	12–19,000 Hz (–3 dB/1 kHz)
Transducer principle.....	dynamic, closed
Nominal impedance	32 Ω
Characteristic SPL	112 dB (at 1 kHz, 1 V _{rms})
THD	< 0.2 %
Ear coupling	supra-aural
Weight (without cable).....	approx. 130 g
Connector	3.5 mm Ø stereo mini jack plug with adaptor to 1/4" (6.3 mm) stereo jack plug
Connection cable.....	3 m, detachable, OFC copper cable

Features

- Closed, supra-aural, dynamic hi-fi stereo headphones
- Ideal for DJs
- Good attenuation of ambient noise
- Earcups can be removed from the headband
- Specially designed damping perforation ensures powerful bass response
- Lightweight diaphragm material with "turbine" embossing for extremely low bass
- Extra-thin diaphragm for precise trebles
- Well defined mid-band and spatial sound reproduction due to foam damping element
- High levels and powerful bass for modern rhythm-driven music
- Extremely comfortable to wear due to ultra-lightweight design, even for extended listening
- 3 m detachable highly conductive OFC copper cable
- Replaceable leatherette ear pads

Recommended Accessories

- HZR 62 stereo volume control



Cat. No. 005248

Replacement Parts

- Ear pads (1 pair)
- Connection cable

Cat. No. 085709

Cat. No. 083380



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>