

POCKET RECORDER

POCKETRAK 2G



**1.7 oz (49 grams):
lightweight and
pocket size.**



**2 GB memory:
3 hours PCM recording
with tilt-up stereo
microphone.**



**Long-lasting
rechargeable
battery included
(19 hours consecutive
MP3 recording).**



Built-in speaker.



**CUBASE AI software
included.**



**Direct USB 2.0
computer connection.**



Light Weight

1.7 oz (49g) including battery

Thin

1/2 inch (13 mm)

(Actual size)



FRONT PANEL



RIGHT SIDE PANEL



REAR PANEL



Advanced Recording Capability In Your Pocket

There are so many compelling reasons to record band rehearsals or music lessons for later review that a portable recorder is an essential item. Recording conferences and meetings has become a matter of course too. Naturally, the smaller and lighter that recorder is, while delivering top-class sound quality, the better. Weighing only 1.7 ounces (49 grams) complete with battery, the Yamaha POCKETRAK 2G Pocket Recorder is an unbeatable choice. It's only a half-inch (13 millimeters) thick and will slip unobtrusively into a shirt pocket. But this diminutive, lightweight package contains a large 2-gigabyte memory plus advanced digital audio technology that lets you record and play back with outstanding quality.

In addition to a CD-quality linear PCM recording mode that lets you record up to 3 hours of music, there are a number of MP3 modes that provide significantly longer recording times. The supplied long-lasting rechargeable battery can keep the POCKETRAK 2G running for up to 19 hours continuously when recording in MP3 mode. Slide out the built-in USB connector and connect the POCKETRAK directly to your computer to transfer files back and forth, and use the bundled CUBASE AI digital audio workstation software to edit and enhance your recordings with pro-level control.

If sound is important to you, there's simply no reason not have a Yamaha POCKETRAK 2G Pocket recorder with you at all times.

Download from [Www.Somanuals.com](http://www.somanuals.com). All Manuals Search And Download.

Only 1.7 Ounces and 1/2 Inch Thick —Take it Everywhere!

The POKETRAK 2G is so light and compact that there's no reason not to take it with you wherever you go. In addition to recording rehearsals and lessons for later review and study, you'll always be prepared to capture the sounds of nature or the city, samples for audio production, meetings, lectures, and much more.

2 GB Memory for High Audio Quality and Extended Recording Times

The POKETRAK 2G features a capacious 2 gigabytes of memory built in so that it can deliver outstanding sound quality as well as extended recording times as required. When you want maximum sonic quality in stereo you can record using the linear PCM mode for up to 3 hours and 10 minutes with full CD quality (44.1 kHz, 16 bits).

Linear PCM and MP3 Recording Times

Record Mode	Frequency (Hz)	File Extension	Compression	Data Size (per min.)	Application
Linear PCM	40-20000	.WAV	None	Approx. 12MB	Original CD production.
MP3	XHQ	.MP3	Low	Approx. 1MB	Rehearsals and practice.
	HQ		Medium	Approx. 0.5MB	High-quality for meetings.
	SP		High	Approx. 0.25MB	Standard quality for meetings.


Note: Due to the characteristics of the internal memory, recording times may be slightly shorter in some cases.

High-sensitivity Tilt-up Microphone

In addition to superior basic performance, the built-in stereo microphone can be tilted upward when the POKETRAK 2G is placed on a desk or table to minimize sound degradation due to reflection from the surface as well as pickup of mechanically transmitted noise. This high-performance microphone delivers excellent sound quality and signal-to-noise performance in a variety of recording situations.



S/N Comparison with Conventional Voice Recorder



Level Meters and ALC for Optimum Record levels

For maximum quality when recording music you'll want to set the record level manually. In manual mode the record level can be adjusted in 31 steps (0-30), and the POKETRAK 2G has level meters and a peak indicator that make setting optimum levels quick and easy. For speech you can let the POKETRAK 2G set the record level for you automatically by simply switching the ALC (Automatic Level Control) function ON. When ALC is ON the POKETRAK 2G will automatically maintain the best recording level for maximum clarity and intelligibility.



Download from [Www.Somanuals.com](http://www.Somanuals.com). All Manuals Search And Download.

Long-lasting Rechargeable Battery

The POCKETRAK 2G comes supplied with an advanced Sanyo "eneloop" rechargeable battery that can power the unit for up to 19 hours of continuous MP3 recording. To recharge the battery simply plug the POCKETRAK 2G directly into a USB port on your computer.



Thanks to advanced Sanyo technology the eneloop battery can be recharged up to 1,000 times, and does not suffer from the self-discharge problems of similar batteries so it will be ready for use at any time. You can also use a standard alkaline battery to power the POCKETRAK 2G, but the supplied eneloop battery is probably the only battery you'll ever need.

Details about Sanyo eneloop technology and trademark information can be found at:
http://www.overseas.sanyo.com/products_catalog/products/batteries/batteries/eneloop.html

DRM10 Playback Support and Comprehensive Playback Functions

In addition to being a superb recorder, the POCKETRAK 2G functions as a high-quality digital audio player as well! DRM10-encoded WMA or MP3 files that you have encoded from CDs you own or have purchased from online music sites can be transferred from your computer and played on the POCKETRAK 2G. And like any accomplished audio player the POCKETRAK 2G has a range of playback features that can make listening more flexible and enjoyable.



Other Features

- Built-in speaker provides a quick and convenient way to check your recordings.
- Variable playback speed lets you speed up play back by 20% for faster review, or slow it down by 25% for improved intelligibility (MP3 and WMA only).
- Record via the built-in microphone or via the line input when recording from other playback devices.



Direct USB 2.0 Computer Connection

To transfer files to or from your computer and/or charge the battery, slide out the built-in USB connector and connect the POKETRAK 2G directly to a USB port. The POKETRAK 2G is USB 2.0 compatible for maximum data transfer speed: an hour of recorded sound can be transferred to your computer in approximately 10 seconds. Transfer recordings to your computer and email them right after they've been recorded!



You might also want to transfer recordings to your computer for post-production using the supplied CUBASE AI digital audio workstation software, or simply for backup and storage.

CUBASE AI Digital Audio Workstation Software Included

The CUBASE AI software bundled with the POKETRAK 2G Pocket Recorder harnesses the power of the Steinberg CUBASE 4 digital audio workstation to provide a set of advanced software tools that are easy to use while delivering extensive recording and production capabilities. CUBASE AI makes it easy to use material recorded with the POKETRAK 2G as a basis for further recording and production, or for creating podcasts with extraordinary creative control and flexibility. In addition to advanced audio recording and editing, CUBASE AI offers a range of MIDI sequencing capabilities, an entire suite of VST effect plug-ins, and a HALionOne sample player featuring selected waves from the famed Yamaha MOTIF synthesizers.



CUBASE AI Features

- CUBASE 4 audio engine.
- 48 audio tracks and up to 64 MIDI tracks.
- 25 VST effect plug-ins, including 15 new VST3 plug-in effects.
- HALionOne software sample player with selected MOTIF waves.
- Plug and Play VST/MIDI setup.
- Studio Connections Integration.
- File Interchange between Steinberg software and Yamaha hardware.
- 20 MIDI music styles and 480 audio drum loops included.

CUBASE AI System Requirements

Windows®

- OS** Windows XP Home or XP Professional (both with Service Pack 1 installed)
- CPU** Pentium 1.4 GHz or better
- RAM** More than 512 MB
- HDD** Free disk space of 1 GB or more

Macintosh®

- OS** Mac OS X Version 10.4 or higher
- CPU** Power Mac G4 1 GHz / Core Solo 1.5 GHz or better
- RAM** More than 512 MB
- HDD** Free disk space of 1 GB or more

Download from [Www.Somanuals.com](http://www.Somanuals.com). All Manuals Search And Download.

SPECIFICATIONS

Hardware

Body	DimensionS (W x H x D)	1 1/4 inch (34.2 mm) x 4 5/8 inch (119.7 mm) x 1/2 inch (13 mm)
	Weight	1.7 oz (49 g) including battery
Memory	Capacity	2 GB
Battery	Available Battery	AAA alkali battery x 1/AAA enloop rechargeable battery x 1
	enloop Battery Measurement	yes
	enloop Recharge	yes (90 minutes)
Battery Life	AAA Alkali	MP3: 25 h, PCM: 9 h
	AAA Ni-MH	MP3: 19 h, PCM: 8 h 30 m
Playback	AAA Alkali	MP3: 22 h, PCM: 9 h 30 m (Earphone), MP3: 14 h, PCM: 6 h (Speaker)
Battery Life	AAA Ni-MH	MP3: 17 h, PCM: 9 h 30 m (Earphone), MP3: 11 h, PCM: 6 h (Speaker)
LCD	LCD Type	Dot matrix, backlit display
	Language	English
Others		Internal Stereo Microphone, Internal Speaker, Ext. Mic. Input (stereo recording available), LINE IN Recording (microphone input switchable)

Recording

Recording Format		Linear PCM, MP3
Recording Configuration		Internal Microphone, Ext. Mic. Input, LINE IN (Automatic song divide available)
Recording Time/	PCM stereo	3 h 10 m, 40 – 20 kHz, 44.1kHz, 16 bit, 1411 kbps
Frequency Response/	XHQ stereo	35 h 20 m, 40 – 15 kHz, 44.1kHz, 128 kbps
Sampling Frequency/	HQ stereo	71 h, 40 – 7.5 kHz, 22.05 kHz, 64 kbps
Bit Rate	SP stereo	142 h, 40 – 3.5 kHz, 11.025 kHz, 32 kbps
	LP mono	284 h, 40 – 3.5 kHz, 16 kHz, 16 kbps
Other Functions		Voice Automatic Recording System, ALC (Auto Level Control) ON/OFF, ALC sensitivity select (High/Middle/Low), Level meter display (ALC OFF 31 steps/peak hold/LED peak), Security function, Timer rec, Time stamp, Rec monitor, File delete confirmation

Playback

Playback Format		MP3, WMA, WAVE, DRM10-WMA
Clear Voice Function		yes
Repeat		ONE, ALL, Random, Count down (five seconds)
Musical Function		EQ (NOR/POP/ROCK/JAZZ), BASS
Playback Speed		Slow PB (75%), Normal (100%), Fast PB (120%)
Other Functions		Title display (ID3 Tag), Play list (m3u format), Alarm PB (Beep/FOLDER)

Computer connection

Data Transfer	Connection	USB direct (slide connector)
	Transfer Speed	USB 2.0 High Speed, 1500 kbps
Connection	Mass Storage Class	yes

Accessories

USB cable (for PC connection), AAA enloop rechargeable battery, Stereo earphone (inner ear type), Carrying leather case, DVD-ROM

* Continuous recording time will depend on the type of battery used as well as the battery's manufacturer, the conditions under which the battery is being used, and the condition under which it has been stored. Proper operation cannot be guaranteed when a battery other than the supplied enloop battery or an alkaline battery from a reliable manufacturer is used.

System Requirements

Computer	Windows-based computer with built-in USB interface
OS	Windows Vista / Windows XP

*Specifications and appearance subject to change without notice.

*All trademarks and registered trademarks are property of their respective owners.

For details please contact:



YAMAHA

YAMAHA CORPORATION
P.O. BOX 1, Hamamatsu Japan

www.yamahasyth.com

Printed in Japan



Download from Www.Somanuals.com - All Manuals Search And Download.



P10620369

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>