
RS2768i



It's important to read this instruction prior to using your new product

for the first time.

IMPORTANT SAFETY INSTRUCTIONS

- contain customer serviceable components.
- Main plug is used as disconnect device and it should remain readily operable during intended use. In order to disconnect the apparatus from the mains completely, the mains plug should be disconnected from the mains socket

following precautions:

- NiMH etc) batteries
- an attempt is made to charge a battery not intended to be recharged. D. Discard leaky batteries immediately. Leaking batteries can cause skin burns or other personal injury. When discarding batteries, be sure to dispose of them in the proper manner, according to your state/provincial and local regulations.

-5-

E. Battery shall not be exposed to excessive heat such as sunshine, fire

accept any interference received. including interference that may cause undesired operation.

> This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio nications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

FCC information

This device complies with part 15 of

the FCC Rules Operation is subject

to the following two conditions: (1)

This device may not cause harmful interference, and (2) this device must



Increase the separation between

the equipment and receiver. Connect the equipment into an outlet on a circuit different from that to which the receiver is

Consult the dealer or an experienced radio/TV technician for help.

WARNING: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

with Canadian ICES-003



This Audio System has earned the ENERGY STAR



CALITION: TO DEDILICE THE DICK OF ELECTRIC BACK), NO USERSERVICEABLE PARTS INSIDE REFER SERVICING TO QUALIFIED SERVICE

Caution:

-2-

This product utilizes a laser Use of controls or adjustments or performance of procedures other than those specified may result in hazardous radiation exposure. Do not open covers and do not repair yourself. Refer servicing to qualified





power laser device.

THE LIGHTNING FLASH AND ARROWHEAD For your safety WITHIN THE TRIANGLE IS A WARNING SIGN ALERTING YOU OF "DANGEROUS VOLTAGE" INSIDE THE PRODUCT.

THE EXCLAMATION POINT WITHIN THE TRIANGLE IS A WARNING SIGN ALERTING YOU OF IMPORTANT INSTRUCTIONS ACCOMPANYING THE PRODUCT.

WARNING: TO PREVENT FIRE OR ELECTRICAL SHOCK HAZARD, DO NOT EXPOSE THIS PRODUCT TO RAIN

CAUTION: USE OF CONTROLS OR ADJUSTMENTS OR PERFORMANCE
OF PROCEDURES OTHER THAN
THOSE SPECIFIED MAY RESULT IN HAZARDOUS RADIATION EXPOSURE CAUTION: DANGER OF EXPLOSION Product: 5 Disc Audio System IF BATTERY IS INCORRECTLY

REPLACED. REPLACE ONLY WITH THE SAME OR EQUIVALENT TYPE. WARNING: MAINS PLUG IS USED AS DISCONNECT DEVICE AND IT SHOULD REMAIN READILY OPERABLE DURING INTENDED USE. IN ORDER TO DISCONNECT THE MAINS PLUG FROM MAINS COMPLETELY, THE MAINS PLUG SHOULD BE DISCONNECTED FROM THE MAINS SOCKET OUTLET COMPLETELY.

The AC power plug is polarized (one blade is wider than the other) and only fits into AC power outlets one way. If the plug won't go into the outlet completely, turn the plug product: however as with any over and try to insert it the other electronic product, precautions way. If it still won't fit, contact should be observed during a qualified electrician to change nandling and use. the outlet, or use a different one Do not attempt to bypass this safety feature.

CAUTION: TO PREVENT FLECTRIC SHOCK, MATCH WIDE BLADE OF • Do not use this apparatus near PLUG TO WIDE SLOT, FULLY INSERT.

Technical information

Model: RS2768i Power Supply: 120V ~ 60Hz Power Consumption: 240 Watts

Service information

This product should be serviced only by those specially trained in appropriate servicing techniques. For instructions on how to obtain service, refer to the warranty included in this Guide

IMPORTANT SAFETY INSTRUCTIONS Some of the following information safety. If the provided plug does may not apply to your particular

PLEASE READ AND SAVE THIS FOR FUTURE REFERENCE

not fit into your outlet, consult an electrician for replacement of the obsolete outlet. Protect the power cord from

being walked on or pinched particularly at plugs, convenience receptacles, and the point where they exit from the apparatus.

Only use attachments/accessories specified by the manufacturer.

Use only with the cart. stand. tripod, bracket, or table specified by the manufacturer or sold with the apparatus. When a cart is used, use caution when moving the cart/apparatus combination to avoid injury from tip-over.



Unplug this apparatus during lightning storms or when unused for long periods of time.

Refer all servicing to qualified service personnel. Servicing is required when the apparatus

General Controls

has been damaged in any way such as power-supply cord or nlug is damaged liquid has been lled or objects have fallen into the apparatus, the apparatus has been exposed to rain or moisture, does not operate normally, or has been dropped.

ADDITIONAL SAFETY INFORMATION

Apparatus shall not be exposed to dripping or splashing and no objects filled with liquids such as vases, shall be placed on the apparatus

Always leave sufficient space around the product for ventilation. Do not place product in or on a bed, rug, in a bookcase or cabinet that may prevent air flow through vent

Do not place lighted candles cigarettes, cigars, etc. on the

Connect power cord only to AC power source as marked on the nroduct

Care should be taken so that objects do not fall into the product

- Do not attempt to disassemble the cabinet. This product does not

IF YOUR PRODUCT OPERATES ON BATTERIES, adhere to the

- A Do not mix old and new hatteries
- B. Do not mix alkaline, standard (carbon-zinc), or rechargeable (NiCd, C. Any battery may leak electrolyte or explode if disposed of in fire or

Important Information

Precautions

- This compact disc player uses a laser to read the music on the disc. The laser mechanism corresponds to the cartridge and stylus of a record player Although this product incorporates a laser pickup lens, it is completely safe when operated according to directions.
- Discs rotate at high speed inside the player. Do not use damaged, warped, or cracked
- Do not touch the pick-up lens which is located inside the disc compartment. To keep dust from collecting on the pick-up lens, do not leave the compartment door open for an extended period of time. If the lens become dirty, clean it with a soft brush, or use an air blower brush designed for camera lenses.

Headset safety

- Have a Blast-Just Not in your eardrums! Make sure you turn down the volume on the unit before you put on headphones. Increase the volume to the desired level only after headphone are in
 - Do not play your headset at high volume. Hearing experts warn against extended highvolume play.
 - If you experience ringing in vour ears, reduce volume or discontinue use. You should use with extreme caution or temporarily
 - discontinue use in potentially hazardous situations Even if your headset is an open-air designed to let you to hear outside sounds, do not turn up the volume so high that you are unable to hear what is around you.
 - Excessive sound pressure from earphones and headphone can cause hearing loss.

Getting Started

Unpacking the system

- · one remote control
- one AM loop antenna one user manual

Connections Back view

- - 2. FM pigtail antenna 3. Speaker jacks

- You should have the following: · one main unit (with 2 speak-

- 1. AM loop antenna jack

sible, the higher the better). You'll also need to connect the AM antenna loop to the back of the unit if you listen to AM stations. Rotate the AM loop antenna for better reception

Using FM and AM antennas

Before you use your audio system,

you'll want to make sure both

the FM and AM antennas are po-


sitioned properly. Uncoil the FM

antenna at the back of the unit,

making sure it is fully extended

(you may even want to tape it to

the wall behind the unit if pos-




-7-

Getting Started

Connecting speakers

Each speaker has a black/red wire and a black/purple wire. When connecting the speakers, match the red/purple wires to the red/ nurple jacks and the black wires to the black jacks on the main unit.





NOTE: Make sure the insulation is completely removed from the ends of the speaker wires at all

Release tab to

lock wire in the

Installation

Read these instructions

Keep these instructions.

Clean only with dry cloth

Do not block any ventilation openings. Install in accordance

· Do not install near any heat

sources such as radiators, heat

registers, stoves, or other

apparatus (including amplifiers)

Do not defeat the safety

purpose of the polarized

or grounding-type plug. A polarized plug has two blades

with one wider than the other

A grounding type plug has two

blades and a third grounding

prong. The wide blade or the

third prong is provided for your

with the manufacturer's

Follow all instructions

hat produce heat.

Heed all warnings

water


instructions

To ensure sufficient ventilation keep the spacing shown below free from other surfaces:



Front view

Main Unit



ON/STANDBY - To turn power on or off (STANDBY mode).

AUTO PROG•BAND - To toggle between AM and FM. Also used to auto-preset radio stations in FM mode

SOURCE – To select among CD player, TUNER, iPod, LINE IN and ALIX sources

PROGRAM – To enter program mode for CD and tuner.

TIMER - To turn the timer on/ off: press and hold to enter the timer setting mode.

enter clock setting mode

DIMMER•DEMO - To turn the

CLOCK - To show time and

to adjust display brightness. SLEEP - To select the time

DISC SKIP - To skip to the next

VOLUME - To increase/decrease

I → I – To tune radio frequency; to skip CD track: to fast search

General Controls

PRESET
/ ▶ - To select the Remote control previous or next preset stations in tuner mode

SHUFFLE - To turn on/off random playback. PLAY MODE - To cycle between

different play mode.

LINE IN - Ø3.5mm jack for external audio sources

AUX IN•L/R - Jacks for external audio sources. BASS - To turn BASS on or off.

EQ - To select the equalizer ♂ - To turn power on or off

∩ - Jack for connecting **CD** - To select the CD player.

(STANDRY mode)

RСЛ

ÖÖ

A Q

INFO - To select among disc display information.

change the radio band

iPod - To select iPod playback

General Controls

FM ST. - To switch between FM output on and off modes

LINE IN/ AUX - To select the external sound input from LINE IN/ AUX IN iacks. **DISC SKIP** - To skip to next CD in

VOL+ / VOL- - To increase/ decrease the volume.

►II - To play and pause the of each track. current CD.

fast search through the CD. OPEN/CLOSE - To open and

TUNER - To select the tuner and STOP - To stop playing CD.

close CD disc tray.

CD mode

PLAY MODE - To cycle between different play mode.

IX – To mute and restore audio

SHUFFLE - To turn on/off random playback.

MENU - To display iPod menu; and return to previous menu. SELECT - To confirm iPod menu

INTRO - To turn INTRO mode on or off to play the first 10 seconds

◆ PRESET ▶ - To select previous PREV/I⊶, NEXT/I→I – To tune radio / next tuner preset station; to frequency; to skip CD track; to navigate the iPod menu list.


SLEEP - To select the time

interval in minutes before the

unit turns off.

The remote control must be inserted with 2 "AAA" batteries prior to use


CD tray status: Lights when loaded



activated SLEEP - sleep mode activated

Product Demonstration mode Press **DIMMER•DEMO** to turn on/off demonstration mode. The demonstration scrolls through all display operations

Flashes for the current disc Animates when playing



vated EO - preset equalizer activated Display brightness


1. Press and hold **DIMMER•DEMO**

for more than 2 seconds. desired level (DIM 1-3).

- the hour flashes on the
- display. 2. Press ⋈ / ₩ to set the hour and then press ${f CLOCK}$ to
- 3. Press ₩ / ₩ to set the minute
- **CLOCK** to display the current time - it will display time for about 2
- turn off to save power

Setting the timer • For RADIO timer, tune in to a

- For CD timer, insert a CD into the unit.
 - ON (timer on time) appears
 - with the hour flashing. 2. For setting time, press | I ▶ to set the hour and then
 - Press ₩ / ₩ to set the minute
 - setting 5. Press TIMER to select the
 - Sleep is automatically devolume. Adjust the timer volume by ⋈ I → to select



feature demonstration on or off:

interval in minutes before the unit turns off ▲ - To open or close the disc tray.

-4-

CD in the tray in CD mode.

the volume.

►II - To play or pause CD.

■ - To stop CD playback

through the CD.

Sound Features

Bass boost Press BASS to turn on/off boosting the bass frequency. The BASS icon lights on the display

when it is activated. Muting audio

Using preset equalizer curves Press EQ on the unit to select among FLAT, ROCK, POP, JAZZ,

CLASSIC and CUSTOM. The dis-

play shows your selection briefly.

Press ax on the remote control

and 5 minutes. The sleep icon lights on the display when Creating a Custom Curve

1. Press **EQ** on the unit to select the CUSTOM mode

the displayed BASS and TREB range levels

between -10 - +10.

-12-Download from Www.Somanuals.com. All Manuals Search And Download.

Display

BASS - bass boost activated **PROG** – program playback mode STEREO – FM stereo mode acti

> 2. While "DIM" is displayed, press **DIMMER • DEMO** repeatedly to select the

Clock and Timer

Setting the clock 1. Press and hold **CLOCK** until

- shift to minute digits.
- 4. Press CLOCK to save settings. When system is ON, you can tap
- seconds When the system is OFF (standby), the display will

desired station.

For iPod timer, insert your iPod into the connector. Press and hold TIMER until

- press **TIMER** to shift to the minute digits.
- Press TIMER to change to OFF (timer off time) with hour flashing. Repeat steps 2 & 3 for timer off time
- source. Press ⋈ / ▶ to select among TUNER, CD or iPod. 6. Press TIMER to set the
 - activated when the unit is turned off

Clock and timer the desired volume level.

Sleep mode

automatically

1. Press **SLEEP** to select among

sleep mode is activated.

the sleep time.

OFF, 120, 90, 60, 45, 30, 15, 10

When sleep is activated, press

SLEEP once to view remaining

sleep time. Press SLEEP again

when the remaining sleep

7. Press **TIMER** to save settings. Activating the timer

Tap TIMER to turn on/off the timer. The timer is active when the clock icon (2) is lit.

to cut or restore the sound. You can select the time interval in minutes before the unit turns off

2. While CUSTOM is displayed, press ⋈ / ▶ to cycle among

time is displayed to change 3. While BASS or TREB is displayed, adjust the volume to set the associated gain

4. Press EQ to exit.

CD Playback

This unit is compatible with CD-RW/ CD-R discs for playback.

Notes on CD-R/RW Disc:

- Do not affix any type of labels to either side (recordable or labeled side) of a CD-R/RW disc as this may result in the unit malfunctioning
- To avoid damages to the CD-R/RW disc, do not open the disc compartment door while the disc is being read.
- · Do not load an unrecorded CD-R/RW disc into the unit. This may take a longer time to read the disc.
- · Playback capability for CD-RW discs may vary due to variations in the quality of the CD-RW disc and the recorder used to create the

-15

- Please take care when loading or unloading discs in the disc drawer. Read below for details.
- Remove all discs from the disc drawer before moving or transporting the unit. Do not put discs in the
- trays of the disc drawer when they are still movina.
- Do not push or force the rotation of the disc travs. Always use the DISC SKIP button
- Do not put discs in any unexposed disc trays. Only put disc in tray that is fully exposed. If an error occurs and the

disc drawer does not close,

empty all disc trays and

select CD mode 2. Press **OPEN/CLOSE** or **▲** to

CD Playback

- open the drawer. 3. Insert up to five discs with label face up. (Press DISC SKIP to rotate the disc carrier)
- 4. Press OPEN/CLOSE or ▲ to close the drawer Loaded disc position icon lights.

Selecting discs Press **DISC SKIP** to skip discs.

Plaving discs

Radio

recovered

Using presets

- Press ► II to begin or pause Play mode playback, and ■ to stop playback.
- Press ₩ / ₩ to select a specific track.

by pressing any button, but

the erased stations cannot be

Press **◄ PRESET** ► to access the

previous or next preset station.

The display first shows the preset

program number and after a few

seconds, the frequency will be

displayed. (e.g. P 01 is preset 1)

Suppressing stereo signal

Press FM ST. to select between

ST ON and ST OFF for stereo FM

Loading discs Searching through a CD 1. Press **SOURCE** repeatedly to Press and hold ₩ / ₩ to search through a CD while it is

Shuffling play order Press SHUFFLE to turn on/ off the playing of tracks in random order

Sampling tracks

Press **INTRO** to play the first 10 seconds of each track on the current disc, all discs in the tray, or turn INTRO mode off.

-16-

You can stop the automatic scan Play external sound

system

Press PLAY MODE to cycle between Repeat 1, Repeat 1 Disc, Repeat All Discs, 1 Disc, and All Discs.

LINE IN/ AUX

through the speaker

Press **SOURCE** on the unit re-

peatedly to select LINE IN or AUX

Or press LINE IN/AUX on the re-

mote control to change to LINE

IN mode from CD_TLINER or iPod

mode; press LINE IN/AUX again

Ø3.5mm LINE IN jack

AUX IN jacks for auxiliary

equipment such as DVD.

to change to AUX mode

Suggest using

for mp3 player and

VCR or PC.

CD Plavback

playback

• Press INFO repeatedly to view elapsed track time, 1. While the CD player is track remain time and disc remain time during

-17-

not on

lected

• Use CD lens cleaner.

Clean the disc.

CD sound skips

Clean the disc.

move the system

main unit

Try another CD.

 You may also press PLAY MODE to select 1 disc or all discs before activating INTRO & SHUFFLE functions

Troubleshooting Tips

Check power cord for a se-

Unplug the unit for a mo-

Check the outlet by plugging

Increase the volume setting.

· Check connection to speak-

Check that you have selected

the appropriate function: CD,

TUNER, iPod, LINE IN/AUX.

Check antenna connection.

· Turn off nearby electrical ap-

pliances, such as hair dryer,

vacuum cleaner, microwave,

Make sure mute is off

not plugged in.

Move antenna

Poor radio reception

fluorescent lights

CD does not play

ment, and then plug into •

System will not turn on

nower source again.

in another device.

cure connection

CD Program

You can program the CD player to play up to any 32 tracks on the CDs in the tray.

- stopped, press PROGRAM to enter program mode. The system displays the next available program number: - - P 01." with "- -" flashing, prompts you for the first
- track in the program list. 2. Press (◄◄ / ►►) to select a track (Press DISC SKIP to select a track from a different disc).
- 3. Immediately press PROGRAM to assign the selected track to the program number. You are prompted for the next track in the program list. (In CD program mode, PROG icon will be lit.)

· Check that CD label is facing

• Check that PAUSE mode is

Check that CD function is se-

Check disc for warping,

Check if something is causing

the system to vibrate. If so.

at least 3 feet away or on a

different surface from the

CD button will not respond.

or does not change discs

Switch to another function

(TUNER, iPod, LINE IN/AUX)

when you press DISC SKIP

and then back to CD.

scratches, or other damage.

CD Program

Playing a program List While in PROGRAM mode, press

Displaying the program List

- 1. While the CD player is stopped, press PROGRAM to enter PROGRAM mode
- 2. Press PROGRAM repeatedly to list each track assignment in the program list.

Deleting program List While in PROGRAM mode.

press and hold • for 3 seconds. The unit displays the message "CLEAR".

iPod Plavback

Compatible iPod Types iPod touch (1st generation)

- 8GB 16GB 32GB
- iPod touch (2nd generation)
- 8GB, 16GB, 32GB iPod classic 80GB 120GB. 160GF
- Removing an iPod Dock iPod 5th generation (video) Adapter 30GB, 60GB, 80GB
- iPod nano 4th generation Remove the iPod Dock Adapter (video) 8GB, 16GB as illustrated. iPod nano 3rd generation
- (video) 4GB, 8GB iPod nano (2nd generation)
- 2GB, 4GB, 8GB iPod nano (1st generation) 1GB, 2GB, 4GB

Note: also supports iPhone when iPhone is set to "airplane mode".

Installing an iPod Dock Adapter

1. Choose the iPod Dock Adapter that fits your iPod, we recommend using the adapter that was supplied with your iPod.

performing any maintenance.

Clean the exterior of the system

with a laser. It must be opened

by only a qualified technician.

Additional

using a soft dust cloth.

Cleaning

CD Player

-18

Troubleshooting Tips nformation

Check that the batteries are from the power source before

- properly installed
- Replace weak hatteries Check the system is plugged
- into power source. Point the remote directly at
- the system's front panel.
- Move closer to the system.
- Remove any obstacles be- CAUTION! This system operates tween the remote and the

iPod does not respond to the speaker system

- Remove your iPod from the dock and check for obstruction on the connectors in the dock and on your iPod.
- Make sure that your iPod is working properly before docking into the unit. Please refer to your iPod manual for details

Handling CDs

Do not touch the signal surfaces. Hold CDs by the edges, or by one edge and the hole. Do not affix labels or adhesive tapes to the label surfaces. Do not scratch or damage the label. CDs rotate at high speeds inside the player. Do not use damaged (cracked or warped) CDs.

Cleaning CDs

· Dirty CDs can cause poor sound quality. Always keep

-23-

Limited Warranty

No person, agent, distributor, dealer or company is authorized to change, modify or extend the terms of these warranties in any manner whatsoever. The time within action must be commenced to enforce any obligation of AVC arising under the warranty or under any statute, or law of the United States or Canada or any state thereof, is hereby limited to one year from the date of purchase. This limitation does not apply to implied warranties arising under state law.

This warranty gives you specific legal rights and you may also have other rights, which may vary, from state to state. Some states do not allow limitation on how long an implied warranty lasts, when an action may be brought, or the exclusion or limitation of incidental or consequential damages, so the above provisions may not apply

For more information on other products and services, please visit our

web site at www.RCAav.com

iPod Plavback

(dock adapter is not included

2. Insert your iPod Dock Adpater

into the dock until it sits firmly

Listening to your iPod Insert your iPod into the connector in the dock.

 Press iPod button on remote control, or press SOURCE repeatedly on the unit to select iPod mode.

Additional Information

CDs clean by wiping them Technical specifications gently with a soft cloth from the inner edge toward the outer perimeter.

- If a CD becomes dirty, wet a soft cloth in water, wring it out well, wipe the dirt away gently, and then remove any water drops with a dry cloth.
- Do not use record cleaning sprays or antistatic agents on CDs. Also, never clean CDs with benzene, thinner, or

CD Lens Care

sound quality of your system. For instructions on cleaning the CD lens, refer to the ones accompanying the lens cleaner.

Power supply: 120V~60Hz Dimensions (WxDxHinches): Unit size - 11 0 x 17 5 x 12 0 Main Speaker - 9.4 x 8.5 x 12.2 Main unit weight: 16.06 lbs CD player: Response curve (+/ 2dB): 60Hz to 15 kHz Rating Plate: Look for it at the back of the set.

• Use the controls and screen

Use the VOLUME, BASS and

Your iPod will

automatically

and powered off.

vou wish

just the sound.

it is docked.

of the iPod to pick the music

EQ controls of the unit to ad-

be charged

(until fully charged) once

iPod charging function is

inactive when the main

unit is on standby position

To prevent interference to

AM radio signals, please

switch off the iPod while

listening to AM Radio

The descriptions and characterother volatile solvents which istics given in this document are may cause damage to disc given as a general indication and not as a guarantee. In order to provide the highest quality product possible, we reserve the right When your CD lens gets dirty to make any improvement or it can also cause the system to modification without prior nooutput poor sound quality. To tice. The English version serves clean the lens you will need as the final reference on all to purchase a CD lens cleaner products and operational details which can maintain the output should any discrepancies arise in other languages

-24-

Limited Warranty

Important: Also keep your "Bill of Sale" as proof of purchase

Product name Type of set. Serial no. Invoice no. Date purchased

FOR SUPPORT, SERVICE AND REPAIR, PLEASE VISIT www.RCAav.com Specifications and external appearance are subject to change without

Radio

remote control to select TUNER.

Selecting tuner band Press AUTO PROG•BAND on the unit or TUNER on the remote control to select between AM and FM radio bands.

Tuning to a station

Press ₩ / ₩ to select frequencies. Press and hold to start auto searching for the next available station.

Preset and tune modes

The tuner can be in either The stations will then be stored TUNER or PRESET mode. When as preset channels, A maximum in PRESET mode, the PROG of 32 stations can be stored. indicator is on

Presetting stations

Manually setting presets 1. Press ⋈ / ▶ to access the desired frequency

Press SOURCE or TUNER on the 2. Press PROGRAM button The most recently accessed program location will be displayed

- 3. If a different program location is preferred, press I → I to select the desired preset number (1-32).
- 4. Press **PROGRAM** to store the selected frequency at that

Auto preset programming (FM only)

Press and hold **AUTO** PROG•BAND for 2 seconds to scan stations in the FM band.

Beware of your preset channels being erased accidentally because the scanning and storing process is automatic upon pressing and holding the button for 2 seconds.

Limited Warranty

AVC MULTIMEDIA ("AVC") makes the following limited warranty. This limited warranty extend to the original consumer purchaser and is limited to non-commercial use of the product.

-20-

One Year Parts & Labor Warranty

AVC products purchased in the United States or Canada are warranted to be free from defects in materials or workmanship for a period of one year from the date of their original retail purchase. If the unit fails to conform to this warranty, we will service the product using new or refurbished parts and products, at AVC's sole discretion.

During a period of one year from the effective warranty date, AVC will provide, when needed, service labor to repair a manufacturing defect at its designated Service Center. To obtain warranty service in the United States or Canada, you must first call our Customer Support Center at 1-800-506-5746 or 1-877-252-6873, during the hours listed in the box below. The determination of service will be made by AVC Customer Support. PLEASE DO NOT RETURN YOUR UNIT TO AVC WITHOUT PRIOR AUTHORIZATION. New or remanufactured replacements for defective parts or products will be used for repairs by AVC at its designated Service Center for one year from the effective warranty date. Such replacement parts or products are warranted for an additional one year from the date of repair or replacement. The Customer will be required to ship the unit to the Service Center indicated at the time Customer Support is contacted to make the necessary repairs. The customer is responsible for all transportation charges to the service facility.

Limited Warranty

Packaging and Shipping Instruction When you send the product to the **AVC** service facility you must use the original carton box and packing material or an equivalent as

- (1) You must retain the original sale receipt to provide proof of
- These warranties are effective only if the product is purchased and operated in the United States or Canada.
- (3) Warranties extend only to defects in material or workmanship, and do not extend to any product or parts which have been lost or discarded, or damage to product or parts caused by misuse, accident, improper operation or maintenance, or use in violation of instructions provided with the product, or to product which has been altered or modified without authorization of AVC, or to products or parts thereof which have had the serial number removed or changed.

designated by AVC.

-21-

Your Responsibility

Check that CD is in the tray. **Limited Warranty**

Out of Warranty In the event your product requires repair after the limited warranty period has expired, please contact our Customer Support Center at 1-800-506-5746, 1-877-252-6873 or

Make sure headphones are • Make sure the speakers are

www.RCAav.com

Hours: Monday-Thursday: 9am-7pm, Friday: 9am-5pm, Saturday: 9am-NOON Eastern time

You are responsible for any transportation, shipping or insurance relative to the return of product to our Product Returns

All warranties implied by state law, including the implied warranties of merchantability and fitness for a particular purpose, are expressly limited to the duration of the limited warranties set forth above. With the exception of any warranties implied by state law as hereby limited, the foregoing warranty is exclusive and in lieu of all other warranties, guarantees, agreements and similar obligations of manufacturer or seller with respect to the repair or replacement of any parts. In no event shall AVC be liable for consequential or incidental damages.

Download from Www.Somanuals.com. All Manuals Search And Download.

811-268E91W040 © 2009 AVC MULTIMEDIA Printed in China

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com