

This is rocket science.

Revolutionary temperature control

The Digital Velocity doesn't produce steam with the soleplate heat like traditional irons, but generates it within the iron, so you can adjust the soleplate temperature to the exact needs of the fabric you are pressing. No need for damp towels and other tricks to achieve optimum results. No water sputtering and spitting. At last, steam and low temperature are compatible.

Concentrated steam gets the job done

More holes won't make an iron more powerful but their arrangement and diameter will. The Velocity soleplate surface has an exclusive design with steam holes concentrated at the tip. This prepares fabric with a constant and abundant outflow of steam for quicker ironing. A flawless finish is achieved by grooves that help smooth and dry the garment.

Advantages that can be seen...

The Velocity is equipped with an innovative digital control system with LCD display, which allows for easier, more accurate and safer regulation of the iron functions.

The panel displays:

- Temperature level selected and when effectively reached
- Amount of steam selected
- Auto shut-off indicator
- · Water tank refilling indicator
- · Anti-scaling system replacement indicator

...and heard

The Velocity has an acoustic warning device that beeps when the desired temperature is reached, when the auto shut-off safety system is activated and each time you press a selection button.





POWER 1500 W MAX



PROFESSIONAL INOX SOLEPLATE





PRESSURIZED STEAM POWER

ANTI-SCALE SYSTEM
Download from Www.Somanuals.com. All Manuals Search And Download.



produces more continuous steam than conventional irons. This guarantees a

professional finish to your garments.

Model	V95
Electrical	110V
Compact Vapor Generator	V
Power	1500W
Continuous maximum steam	30 g/min
Maximum steam at point	V
Steam outlets	Professional type
Stainless steel soleplate	V
Water capacity	300ml / 1.27 cups
Water spray	V
Soft touch grip	V
Non-drip	V
Renewable anti-scale system	V
Auto shut-off	V

Safety thermal fuses	2
LCD Display	V
Water tank refilling indicator	٧
360° swivel cord	V
ON/OFF pilot light	Information on LCD Display
Temperature pilot light	Information on LCD Display
Water filling indicator	Information on LCD Display
Cord length	2.5m / 8.2'
Iron weight	1.81 kg / 4 lbs
Shipping packaging units	4
Unit box weight	2.10 kg / 4.7 lbs
Unit box dimensions	33×14.5×19.5 cm / 13"×6"×7.5"
Electrical Approval	ETL
UPC Code	885885000013





Reliable Corporation 100 Wingold Avenue, Unit 5 Toronto, Ontario Canada M6B 4K7 www.reliablecorporation.com

P 416 785 0200 F 416 785 7038 TF 800 268 1649 sales@reliablecorporation.com Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com