

# Ricoh GX3000s/GX3000SF/GX3050SFN Specifications

## Engine Specifications

<b>Configuration</b>	Desktop multifunctional printer
<b>Technology</b>	Piezo inkjet system
<b>Printing Speed*</b>	29 ppm in B&W and full-color
<b>Laser Quality Printing**</b>	18 ppm in B&W and full-color
<b>First Print Speed</b>	8 seconds or less (B&W or full-color)
<b>Print Resolution</b>	True 1200 x 1200 dpi, 600 x 600 dpi, 600 x 300 dpi, 300 x 300 dpi (Max. 3600 x 1200 dpi equivalent)
<b>Paper Capacity</b>	250-Sheet Standard Paper Tray 500-Sheet Paper Feed Unit 100-Sheet Multi-Bypass Tray 850 sheets
<b>Max. Paper Capacity</b>	150 sheets (face up)
<b>Output Capacity</b>	ARDF: 30 sheets
<b>Paper Sizes</b>	Standard tray: Plain Paper (Letter, Legal, Half Letter, Executive, F, Foolscap, Folio & Custom Size: 3.55" x 5.5" - 8.5" x 14"), Envelopes (C5, C6, DL, Com10, Monarch), Postcards Paper Feed Unit: Plain Paper (Letter, Legal, Half Letter, Executive, F, Foolscap, Folio & Custom Size: 5.83" x 8.27" - 8.5" x 14") Multi-Bypass: Plain Paper (Letter, Legal, Half Letter, Executive, F, Foolscap, Folio & Custom Size: 2.2" x 8.5" - 5" x 51"), Envelopes (C5, C6, DL, Com10, Monarch) Duplex: Letter, Half Letter, Executive, 8.5" x 5.5" - 8.5" x 11"
<b>Paper Weight</b>	Standard Tray: 16 - 42 lb. Bond (60 - 163 g/m <sup>2</sup> ) 500-Sheet PFU: 16 - 28 lb. Bond (60 - 105 g/m <sup>2</sup> ) Multi-Bypass: 16 - 68 lb. Bond (60 - 255 g/m <sup>2</sup> ) (140 lb. Index equivalent) ARDF: 13 - 28 lb. Bond (50 - 110 g/m <sup>2</sup> )
<b>Acceptable Paper Types</b>	Plain Paper, Inkjet Plain Paper, Recycled Paper, Thick Paper, Glossy Paper for Laser, Inkjet OHP Sheet, Color Paper, Envelopes, Postcards (via Multi-Bypass Tray)
<b>Auto Duplex</b>	Standard
<b>Dimensions (WxDxH)</b>	GX3000S: 17.1" x 19.3" x 14.4" (436 x 490.5 x 366 mm) (Main Units only) GX3000SF/GX3050SFN: 17.1" x 19.3" x 16.9" (436 x 490.5 x 431 mm)
<b>Weight</b>	GX3000S: 45.2 lbs. (20.5 kg) GX3000SF: 51.8 lbs. (23.5 kg) GX3050SFN: 52.2 lbs. (23.7 kg)
<b>Warm-Up Time</b>	35 seconds or less
<b>Power Consumption</b>	GX3000S: 50W or less GX3000SF: 60W or less GX3050SFN: 65W or less
<b>Energy Saver Mode</b>	GX3000S: 10.2W or less GX3000SF: 10.3W or less GX3050SFN: 10.8W or less

<b>Power Source</b>	100 - 120 V, 50/60Hz
<b>Safety Regulations</b>	UL/CSA60950, FCC Class B, Energy Star compliant
*Speed depends on type of document and print mode selected. Duplex printing speed is approximately 75% of simplex speed. **Laser Quality Printing speed is measured with Ricoh original test pattern based on standard driver setting.	
<b>Controller Specifications</b>	
<b>CPU</b>	TMP R4956CXBG-400 @ 400MHz
<b>Memory</b>	GX3000S: 32 MB RAM standard/maximum GX3000SF: 96 MB RAM standard/maximum GX3050SFN: 96 MB RAM standard/maximum
<b>Printer Languages</b>	GX3000S: Ricoh RPCS Raster GX3000SF: Ricoh RPCS Raster GX3050SFN: Ricoh RPCS Raster, PCL 5c/6
<b>Fonts</b>	58 PCL fonts standard (GX3050SFN only)
<b>Standard Interfaces</b>	GX3000S: USB 2.0 High Speed GX3000SF: USB 2.0 High Speed GX3050SFN: USB 2.0 High Speed, Ethernet 10/100Base-TX
<b>Optional Interface</b>	Ethernet 10/100Base-TX (for GX3000S/GX3000SF)
<b>Network Protocols</b>	TCP/IP, SNMP, IPP, LPR, SMTP, POP3, HTTP 1.1, LDAP v2
<b>Operating Systems*</b>	Windows® 98SE/Me/NT4.0/2000/XP 32-bit/Server 2003/Vista® 32-bit/Mac OS 10.3.3 or higher***
<b>Bundled Software Utilities</b>	SmartDeviceMonitor for Admin, SmartDeviceMonitor for Client, DeskTopBinder V2 Lite, Device Setting Utility**, TWAIN Driver, PC Fax Driver**, Page Manager
*UNIX/Citrix environments are not supported. **Available for GX3000SF and GX3050SFN only. ***Mac OS X Server is not supported. IntelMac, Mac OS 10.4.5 or later is supported. No "Level Color" mode for Mac.	
<b>Scanner Specifications</b>	
<b>Scanning Mode</b>	Full-color, B&W, Grayscale, TWAIN Scanning
<b>Scanning Resolution</b>	Max. 1200 x 1200 dpi
<b>Scan-To Functions</b>	Scan-to-Email w/LDAP, Scan-to-FTP (requires Ethernet interface)
<b>Scan Area</b>	Via Flatbed: Up to 8.5" x 11.7" Via ARDF (GX3000SF/GX3050SFN only): Up to 8.5" x 14" (simplex and duplex)
<b>Utilities and Drivers</b>	TWAIN driver, Web management utility
<b>Copier Specifications</b>	
<b>Copy Speed*</b>	Max. 29 pages-per-minute in B&W and color (simplex)
<b>First Copy Speed*</b>	13 seconds or less
<b>Multiple Copies</b>	Up to 99
<b>Default Scan Resolution</b>	300 x 300 dpi
<b>Zoom</b>	25% - 400% in 1% increments
<b>Original Size</b>	Flatbed: 8.5" x 11" ARDF: 8.5" x 14"
<b>Duplex</b>	Standard
*Measured with Ricoh test charts.	

<b>Facsimile Specifications (GX3000SF/GX3050SFN only)</b>	
<b>Compatibility</b>	Super G3 transceiver
<b>Modem Speed</b>	33.6 Kbps with Auto Fallback to 2400 bps
<b>Transmission Speed</b>	3.0 seconds
<b>Compression Types</b>	MH, MR, MMR, JBIG
<b>Resolutions</b>	200 x 100 dpi, 200 x 200 dpi, 200 x 400 dpi
<b>Original Size</b>	Letter, Legal (with ARDF), A4
<b>One-Touch Dials</b>	30 locations (15 x 2)
<b>Speed Dials</b>	90
<b>Broadcasting</b>	Up to 130 destinations
<b>Auto Redial</b>	Up to 10 times at intervals of 2-99 minutes
<b>Auto Answer</b>	Selectable between 1 - 16 rings
<b>Memory Transmission</b>	Available/Pages stored will differ based on originals
<b>Internet Fax</b>	T.37 Simple Mode supported
<b>PC Fax</b>	Transmission only
<b>Options and Supplies</b>	
<b>Network Interface Type GX4 (For GX3000S/GX3000SF)</b>	Order# 405569 Provides Ethernet 10/100Base-TX interface for shared use
<b>Paper Feed Unit TY1020</b>	Order# 405568 Paper Capacity: 500 sheets Paper Size: Letter, Legal, Half Letter, Executive, F, Foolscap, Folio & Custom Size: 5.83" x 8.27" - 8.5" x 14" Paper Weight: 16 - 28 lb. Bond (60 - 105 g/m <sup>2</sup> )
<b>Multi-Bypass Tray BY1000</b>	Order# 405529 Paper Capacity: 100 sheets Paper Size: Letter, Legal, Half Letter, Executive, F, Foolscap, Folio & Custom Size: 2.2" x 8.5" - 5" x 51", Envelopes (C5, C6, DL, Com10, Monarch) Paper Weight: 16 - 68 lb. Bond (60 - 255 g/m <sup>2</sup> ), (140 lb. Index)
<b>Consumables*</b>	Yellow Cartridge (Regular Yield**): 1,000 pages @ 5% coverage Magenta Cartridge (Regular Yield**): 1,000 pages @ 5% coverage Cyan Cartridge (Regular Yield**): 1,000 pages @ 5% coverage Black Cartridge (Regular Yield**): 1,500 pages @ 5% coverage Ink Collector Unit (for GX3000 Series): Order# 405660
*All models ship with starter ink cartridges containing sufficient supply for a limited number of prints @ 5% coverage. Total print volume depends on type of document and print mode selected. **Yields are approximate and are based on Standard (Speed Priority) mode. The drivers, utilities, and other software for Windows 98/Me 4.0 with those models will be supported until March 31, 2008. For maximum performance and yield, we recommend using genuine Ricoh parts and supplies.	

## Ricoh GX3000s/GX3000SF/GX3050SFN Desktop Color MFP Vibrant Color in a Flexible Design



versatile



multifunctional



productive



**RICOH**  
www.ricoh-usa.com

Ricoh America Corporation, Five Dedrick Place, West Caldwell, NJ 07006  
RicoH® and the Ricoh Logo are registered trademarks of Ricoh Company, Ltd. Windows® and Windows® 98/2000/NT4.0/XP/2003/Vista are registered trademarks of Microsoft Corporation. Adobe® is a registered trademark of Adobe Systems, Inc. PCL® is a registered trademark of Hewlett-Packard Company. All other trademarks are the property of their respective owners. Print speed may be affected by network, application or PC performance. Specifications and external appearances are subject to change without notice. Products are shown with optional features.



R2646

## Innovative Technology for Multifunctional Performance.

The speed of laser. The convenience of inkjet. All-in-one capabilities. And the vivid business color of GelSprinter™ technology. Now you can have it all with the RICOH® GX3000s/GX3000sF/GX3050sFN desktop color MFPs. These three incredibly cost-effective systems bring all the advantages of full-color performance to small offices and workgroups — in a flexible design that boosts your personal productivity.



## Powerful Desktop Performance

Make your work life easier when you replace up to four separate devices. These do-everything systems integrate color copying, printing and scanning with faxing\* and embedded network connectivity\*\*.

- Finish critical jobs quickly. Print or copy up to 29 pages-per-minute for color or black & white documents up to 8.5" x 14". Get your first color print in less than 8.0 seconds, and your first color copy in less than 13 seconds.
- Produce bold, attractive color graphics on plain paper. All three models deliver 1200 x 1200 dpi, 2-bit resolution, up to an equivalent of 3600 x 1200 dpi.
- Expect crisper images on every page with 2 picoliter viscous-ink droplets that minimize spreading and eliminate bleed-through.
- Highlight color pages without smearing. Pigment-based inks are waterproof and sun-resistant, so they are ideal for real estate marketing materials, student handouts, construction plans and many other documents.
- Digitize hardcopy with full-color scanning up to 1200 dpi. You can also deliver documents electronically via Scan-to-Email or Scan-to-FTP (requires Ethernet).
- Transmit fax documents rapidly with a Super G3 modem\*.

## Reduce Total Cost of Ownership


Beyond their overall affordability, these versatile systems help budget-conscious users keep total cost of ownership as low as possible.

- Cut color costs dramatically with Level Color Mode, which reduces ink density up to 65% for graphics and images without affecting the readability of text. Best of all, this mode makes your color cost-per-page the same or less than black & white.
- Minimize supplies costs. These systems deliver outstanding color quality on normal copy paper. Viscous-ink cartridges offer higher yields than other dye-based ink cartridges to reduce cost-per-page. And the printhead never needs to be replaced.

## Designed for Convenience

Count on these reliable color systems for the user-friendly features you need to keep workflow moving.

- Use one system to create all your color documents. The optional 100-Sheet Multi-Bypass Tray handles a wide range of paper stocks and sizes.
- Resolve errors proactively via remote monitoring with the @Remote utility.
- Reduce downtime with e-mail notices that are sent to administrators when supplies are running low.
- Protect confidential documents from unauthorized copying or scanning with an embedded masking pattern.



Use Level Color Mode to print in color for the same or less than the cost-per-page for black & white.



Handle any task — including full-color scanning and faxing\* — with a single system.

## Your Environmental Partner



Ricoh continues its long-standing commitment to developing office solutions with environmentally friendly and superior energy- and supply-saving features, without compromising productivity, including:

- Power-Saving Sleep Mode
- Duplex and Combine Copy Modes
- Minimal Ozone Emissions

\*Not available on GX3000S  
\*\*Optional on GX3000S and GX3000SF

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>