## Ricoh Aficio MP C2500/C3000 Series

Color Multifunctional Systems Any Job. Any Time. Any Place.





## **Ricoh Aficio MP C2500/C3000 Series**

What would you look for in a document imaging system? It would have to be as fast and productive in Color as it is in Black & White. Finished documents would need to look as if they had been outsourced. Finally, security of both documents and the network—would be the highest priority.

Meet the RICOH® AFICIO® MP C2500/C3000 Series of Color Multifunctional Systems. These go-to systems are capable of meeting all the demands of any person, in any department, in any business—your business.

Download from Www.Somanuals.com. All Manuals Search And Download.

Aficio


100

20

enorthis

## **Extreme Capabilities for an Extreme Era**

### The versatility and capability to produce what you need, when you need it.



# Match your specific need and budget and configure the Ricoh Aficio MP C2500/C3000 Series *your way*.



Experience total document production and communication in a space-saving design.

Workgroups with light finishing needs can choose 50-sheet stapling with the optional 500-sheet Finisher. Also shown with the Two-Tray Paper Bank. Staple documents up to 50 pages with the 1,000-sheet Finisher and maximize paperfeeding capacity with the 2,000-sheet Large Capacity Tray to support a total of 3,100 sheets.

## **VersatileProductiveReliableColor**

### Any Schedule, Any Deadline

Fast and productive, the Ricoh Aficio MP C2500/C3000 Series is designed to meet the tightest deadlines and toughest production schedules. Eliminate waiting and maximize productivity—even for those last-minute projects that seem to slip into even the most carefully planned schedules.

- Output speeds of up to 30 pages per minute for both high-quality Black & White *and* Full-Color mean you no longer have to reserve color for important documents.
- Warm-up times are short and first-copy times fast, so you get that all-important look at your work without the wait.
- Scanning times are quick, so sharing documents and files is not only cost free, but fast.
- Network traffic remains streamlined, fast and efficient thanks to PDF Direct Print technology, which sends PDF files directly to the system.

### **Any User**

#### From people who embrace technology to those who don't, the Ricoh Aficio MP C2500/C3000 Series is designed to be easy to use for everyone in your organization.

- Walk-up users will appreciate the oversized, Full-Color LCD panel along with its bigger and brighter font sizes—and the larger, more comfortable keys that make programming your jobs a snap.
- Everyone who fills the paper trays will enjoy the easy-to-grip tray handles that allow for restocking paper even when jobs are printing.
- IT will appreciate the easy connectivity, which includes Ethernet, USB and optional wireless, so they can get your systems up and running quickly.
- Anyone who likes to experiment with new applications will appreciate the print driver support that ensures documents are processed no matter what program they were created in.
- Web Image Monitor and SmartDeviceMonitor allow users to view job queues and check supply levels, and allow administrators to adjust network settings and modify user rights and more—all from their desktops.

## **Any Project**

On any given day, there are projects and then there are PROJECTS. With the Ricoh Aficio MP C2500/C3000 Series, no matter how important your work is; no matter how important the person who will see it is; the end result will be the most professional possible.

- Ricoh patented PxP™ Toner technology ensures that your color documents don't just meet, but set the standards for quality color today—ending once and for all the never-ending debate about whether or not you need a dedicated color output device.
- Now all your documents can benefit from stunning color, getting your point across in a way that only Full-Color output can.



Access all paper drawers quickly and easily from the front of the Ricoh Aficio MP C2500/C3000. Easy-to-grip tray handles make restocking a snap even while jobs are running.



A number of standard and optional features are provided to limit device access, track usage and protect confidential information stored in memory.



The Ricoh Aficio MP C2500/C3000 Series provides an array of document management capabilities from printing and copying to scanning and faxing.

## **PrintCopyScanFax**

### **Any Destination**

Today, documents are as likely to be sent around the globe as handed off to someone down the hallway. To keep up, your document distribution system needs to be flexible and dynamic.

- Send *any* document—financial reports, legal briefs, new product designs, patient lab results—instantly, securely and at no cost to any network destination through the powerful Ricoh Scan-to technology.
- Store and retrieve documents on-site with the built-in Document Server for re-printing, re-faxing, editing, and more.
- Fax directly from your PC and eliminate outdated and misdialed numbers by pulling in existing addresses from your company's directory.
- Create new reports and presentations from existing work by placing images and text from any source into your new documents without having to recreate them.
- Print photos right from a digital camera, without having to use a computer.

### **Any Format**

Wouldn't it be great if you could finish your documents exactly the way you want to instead of having to accept whatever your current output device can produce? That's the vision behind the Ricoh Aficio MP C2500/C3000 Series.

- Produce documents with multiple media types, weights and orientations from the high capacity 3,100-sheet paper supply.
- Output onto letterhead, transparencies and special stocks up to 12" x 18" and create durable document covers, heavyweight signage and postcards in-house—up to 140 lb. index through the bypass tray and up to 120 lb. Index from the paper trays.
- Choose from a variety of professional finishing options, giving you hole-punched, folded and even saddle-stitched output.

## **Any Security Level**

The amount and type of security you need may vary by your work group, location and job. That's why the Ricoh Aficio MP C2500/C3000 Series is designed with multiple levels of security to satisfy the entire spectrum of document and network security requirements.

- Control access to system functions with User Authentication.
- Restrict color usage and other system capabilities to only those users who need it, helping control your costs and simplify management.
- Enhance the security of latent hard drive data with the optional Ricoh DataOverwriteSecurity System (DOSS), which automatically overwrites information after each copy, scan, fax and print job.

## Your Partner in Environmental Solutions



RICON

Aficio

110

200

These systems meet ENERGY STAR<sup>®</sup> guidelines. Ricoh continues the longstanding commitment to developing a full line of office solutions with superior energy and supply-saving features, including:

- Quick Start Up (QSU) Technology
- Power-saving Sleep Modes
- Duplex and Combine Copy Modes
- Internal Toner Recycling Mechanism
- Low Noise Levels
- Minimal Ozone Emissions

## **Ricoh Aficio MP C2500/C3000 Series**



🚯 Bluetooth

٩

lava

**System Specifications** 

| General Specifications: C2500, C3000,<br>C2500 SPF, C3000 SPF (SPF version includes Fax Option) |   | Utilities:  | SmartDeviceMonitor for<br>Admin and Client; Web                          | Large Capacity Tray (LCT)<br>Paper Capacity:   | * 2,000 sheets (1,000 x 2)  |
|---|---|---|--|--|---|
|   |   |   | SmartDeviceMonitor; Web Image  | Paper Sizes:   | 8.5" x 11"  |
| Printing Process:   | Dry Electrostatic Transfer with<br>Dual Component Development;<br>4-Drum Method |   | Monitor; DeskTopBinder Lite; Print<br>Utility for MAC (w/Adobe PS3 opt.) | Paper Weights:   | 16–57 lb. Bond/120 lb. Index<br>(60–216 g/m²)   |
| Output Speed:   | C2500: 25-ppm B&W and Full-Color  | Security Specifications   |  | FAC30 Cabinet* *Please note either Cabinet Stand or a paper option must be selected. |   |
|   | C3000: 30-ppm B&W and Full-Color  | DataOverwriteSecurity System (DOSS) Type D (Optional):            |  | 1,000-sheet Booklet Finisher (SR3000)*   |   |
| Warm-up Time:   | Less than 45 seconds  | Security feature that overwrites latent data on the system's hard |  | Paper Sizes: 5.5" x 8.5"–11" x 17", 12" x  |   |
| First Copy Time:  | Full-Color: 9.7 secs; B&W 6.7 secs  | drive after copy, scan, fax ar                                    | nd print jobs.   | Paper Weights:   | Upper Proof Tray: 14–28 lb. Bo  |
| Copy/Print/Scan Resolution:   |   | Copy Data Security Unit T   | ype A (Optional): Copies of prints                                       | raper weights.   | (52–105 g/m <sup>2</sup> ); Lower Shift Tray  |
| Document Feeder:  | Automatic Reversing Document  | made with this feature will be blacked out or embedded with a     |  |  | 14–68 lb. Bond / 140 lb. Index  |
| (standard)  | Feeder (ARDF)   | watermark to deter illegal co                                     | opying.  |  | (52–256 g/m <sup>2</sup> )  |
|   | Original Capacity: 50 sheets  | Other Security Features: S  | NMP v3 Authentication and Data   | Paper Capacity:  | Upper Proof Tray: 100 sheets  |
|   | Paper Size: 5.5" x 8.5"-11" x 17"   | Encryption (password/addres                                       | ss book encryption); PDF Direct Print                                    | ruper cupucity.  | (8.5" x 11" or smaller), 50 sheet   |
|   | Paper Weight: Simplex: 11 lb.–34  | Password Protection; Locked                                       | Password Protection; Locked (Secure) Print; User Codes; User             |  | (8.5" x 14" or larger); Lower Sh  |
|   | lb. Bond (40–128 g/m <sup>2</sup> ); Duplex:                                    | Authentication; WPA (Wi-Fi Protect Access Support)                |  |  | Tray: 1,000 sheets (8.5" x 11"  |
|   | 14 lb28 lb. Bond (52-105 g/m <sup>2</sup> )<br>Dimensions: 21.7" x 19.3" x 4.7" |   |  |  | smaller), 500 sheets (8.5" x 14   |
|   | (550 x 491 x 120mm)   | Scanner Specificatio  |  |  | or larger)  |
| Exposure Glass:   | Up to 11" x 17"   | Scanner Resolution:   | Monochrome Mode: 100–600 dpi   | Staple Capacity:   | 50 sheets (8.5" x 11" or smalle   |
| Multiple Copies:  | Up to 999 copies  |   | (1200 dpi for TWAIN)   |  | 30 sheets (8.5" x 14" or larger   |
| Copy Size:  | 11" x 17" max (full bleed on  |   | Full-Color Mode: 100–600 dpi   |  | Saddle Stitch: 10 sheets (up to   |
| copy size.  | 12" x 18")  |   | Default Setting: 200 dpi   |  | 40 pages)   |
| Input Capacity:   | Standard: 2 x 500 sheets + 100-   | Scanning Speed:   | 50-ipm Black & White; 35-ipm   | Staple Paper Sizes:  | 8.5" x 11" to 11" x 17"   |
| Output Capacity:  | sheet Bypass Tray   |   | Full-Color (200 dpi via ARDF)  | Staple Positions:  | 1 stpl/2 position; 2 stpl/3 position  |
|   | Maximum: 3,100 sheets (with LCT)  | Scan Area:  | Main Scan: 11.7" (297mm),  | 2/3-Hole Punch Unit Option avai  | lable for Booklet Finisher  |
|   | Standard: 500 sheets Face Down;   |   | Sub Scan: 17" (432mm)  | 500-sheet Finisher (SR30   | 10)*  |
|   | Max: 1,500 sheets (with 1,000-  | Scan Size:  | Glass: 11" x 17", 8.5" x 14",  | Paper Sizes:   | 5.5" x 8.5"–11" x 17"   |
|   | sheet Finisher)   |   | 8.5" x 11"   | Paper Weights:   | 14–34 lb. Bond (52–128 g/m <sup>2</sup> )   |
| Paper Sizes:  | First Paper Tray: 8.5" x 11"  | Cours Manday  | ARDF: 5.5" x 8.5"-11" x 17"  | Stack Capacity:  | 500 sheets (8.5" x 11" or smal  |
| raper sizes.  | Second Paper Tray/Paper Bank:   | Scan Mode:  | Standard: BW Text, BW OCR, BW  |  | 250 sheets (8.5" x 14"-11" x 1  |
|   | 7.25" x 10.5"–11" x 17"   |   | Text/Photo, BW Photo, BW   | Staple Capacity:   | 50 sheets (8.5" x 11" or smalle   |
|   | Bypass Tray: Width: 3.5"–12",   |   | Grayscale, FC Photo, FC Text   |  | 30 sheets (8.5" x 14" or larger)  |
|   | Length: 5.8" x 18" (12" x 18" max)  | Compression Method:   | Opt: ACS (w/Opt. File Converter)   | Staple Positions:  | 1 stpl/ 2 position; 2 stpl/1 positi   |
|   | Large Capacity Tray: 8.5" x 11"   | compression method:   | Black & White: TIFF (MH, MR,   | 1,000-sheet Finisher (SR7  | 90)*  |
| Paper Weights:  | Standard Trays/Paper Bank/Large   | Scan to Modes supported   | MMR), Grayscale, Full-Color: JPEG  | Paper Sizes:   | 5.5" x 8.5"-12" x 18"   |
|   | Capacity Tray: 16–57 lb. Bond;  | scan-to wodes supported   | : Scan-to-Email (with LDAP support)<br>Scan-to-Folder (SMB/FTP/NCP)      | Paper Weights:   | Shift Tray: 17–43 lb. Bond /90 l  |
|   | 120 lb. Index (60–216 g/m <sup>2</sup> )  |   | Scan-to-URL  |  | Index (64–163 g/m <sup>2</sup> ); Proof Tray  |
|   | Bypass Tray: 14–67 lb. Bond;  |   | Network TWAIN scanning   |  | 14-68 lb. Bond / 140 lb. Index  |
|   | 140 lb. Index (60–253 g/m <sup>2</sup> )  |   | Network TWAIN scanning   |  | (52–256 g/m²)   |
|   | (Source for Labels, OHP)  | Document Server Sc  | ecifications (Standard)  | Stack Capacity:  | Proof Tray: 250 sheets (8.5" x 1  |
|   | Duplex Unit: 17–45 lb. Bond;  | Capacity:   | 40GB (shared w/other functions)  |  | or smaller), 50 sheets (8.5" x 14   |
|   | 90 lb. Index (64–169 g/m²)  |   | 1,000 documents  |  | or larger); Shift Tray: 1,000 shee  |
| Paper Types:  | Plain paper, laser printer qualified  | Max. Pages/Document:  | 2,000 pages  |  | (8.5" x 11" or smaller), 500  |
|   | transparencies, labels, envelopes   | Max. Stored Pages:  | 2,000 pages  |  | sheets (8.5" x 14" or larger)   |
| Auto Duplex:  | Standard  |   |  | Staple Capacity:   | 50 sheets (8.5" x 11" or smalle   |
| Zoom:   | 25%-400% in 1% increments   | Facsimile Specifications (Optional)                               |  |  | 30 sheets (8.5" x 14" or larger)  |
| Preset Reduction Ratios:  | 93%, 85%, 78%, 73%, 65%,  | Fax Option Type C30   | 000:   | Staple Paper Sizes:  | 8.5" x 11"-12" x 18"  |
|   | 50%, 25%  | Туре:   | ITU-T (CCITT) G3, Additional G3  | Staple Positions:  | 1 stpl/2 position; 2 stpl/3 position  |
| Preset Enlarge Ratios:  | 400%, 200%, 155%, 129%, 121%  | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,                           | (optional)   | *Requires Bridge Unit  |   |
| Dimensions (WxDxH):   | 25.6" x 25.9" x 29.1" (650 x 659  | Circuit:  | PSTN, PBX  | Internal Shift Sort Tray*  |   |
|   | x 740mm) Standard Configuration   | Resolution:   | 200 x 100 dpi, 200 x 200 dpi,  | Paper Sizes:   | 5.5" x 8.5"-12" x 17"   |
| Weight:   | <264.5 lb. (120kg) with ARDF  |   | 400 x 400 dpi (with optional   | Paper Capacity:  | 250 sheets (8.5" x 11" or smal  |
| Power Requirements:   | 120V, 12A, 60Hz   |   | SAF memory)  | B  | 125 sheets (8.5" x 14" or large   |
| Power Consumption:  | 1,440 Watts maximum   | Modem Speed:  | 33.6K–2,400bps w/Auto Fallback   | Paper Weights:   | 14–67 lb. Bond/140 lb. Index  |
| Printer Controller So   | ecifications (Standard)   | Compression Method:   | MH, MR, MMR, JBIG  |  | (52–253 g/m <sup>2</sup> )  |
| CPU:  | RM7035C @ 600MHz, Embedded  | Transmission Speed:   | G3: Approximately 2  | *Internal Shift Sort Tray cannot I   | pe installed with a finisher  |
| Memory:   | 1GB RAM & 40GB HDD Standard   |   | seconds/page (w/JBIG)  | Inner One-Bin Tray   |   |
|   | (Shared)  |   | G3: Approximately 3  | Paper Sizes:   | 5.5" x 8.5"-11" x 17"   |
| Max. Print Speed:   | C2500: 25-ppm B&W & Full-Color  |   | seconds/page (w/MMR)   | Bin Capacity:  | 125 sheets  |
| Page Description  | C3000: 30-ppm B&W & Full-Color  | Scan Speed:   | 0.7 seconds/page (standard/  | Paper Weights:   | 16-45 lb. Bond/90 lb. Index   |
|   | PCL 5c, PCL 6, RPCS (Standard)  |   | Detail Mode)   |  | (60–169 g/m <sup>2</sup> )  |
| Languages:  | Genuine Adobe® Postscript®3™,   |   | 1.3 seconds/page (Super Fine   | Additional Accessories:  |   |
|   | includes PDF Direct Print (Optional)  |   | Mode)  |  | D; Key Counter Bracket Type H;  |
| Max. Print Resolution:  | 2400 dpi equivalent x 600 dpi   | Auto Dialing:   | 2,000 Quick Dials, 100 Group   |  | Unit Type A; Browser Unit Type B  |
| Standard Interfaces:  | 10BaseT/100BaseTX Ethernet  | -   | Dials (500 locations each)   |  | d Type C for Embedded Software  |
|   | (RJ-45), USB 2.0  | Memory Capacity:  | 4MB (approximately 320 pages);   | Architecture Application; C  | amera Direct Print Card Type A  |
| Optional Interfaces:  | IEEE 802.11b Wireless LAN   |   | Maximum 28MB (2,240 pages)   | Supplies & Consum  | ables   |
|   | Interface Type H; Bluetooth   | Additional Modes:   | Internet Fax by E-mail (T.37);   |  |   |
|   | Wireless Board Type 3245; IEEE  |   | IP Fax (T.38); LAN Fax; Fax Forward                                      |  | s; Cyan, Magenta, Yellow Toner  |
|   | 1284 Parallel Interface Type A; IEEE  |   | to E-mail/Folder; LDAP Support   |  | vields based on 5% coverage);   |
|   | 1394; USB Host Interface Type A*  | Options:  | Additional G3 Lines (up to 3);   | Waste Toner Bottle   |   |
| *Required with optional Camera D  |   |   | Fax SAF Memory (32MB SD-RAM);  |  |   |
|   | Windows 95/98SE/NT4.0/2000/   |   | Telephone Handset  |  |   |
|   | Me/XP/Server 2003   |   |  |  |   |
| Network/OS:   |   | Hardware Accessorie   | es   |  |   |
| Network/OS:   | Novell NetWare 3 12 3 2 / 1   |   |  | 1  |   |
| Network/OS:   | Novell NetWare 3.12, 3.2, 4.1,<br>4 11 5 0 5 1 6 6 5                            | Two-Tray Paper Bank*  |  |  |   |
| Network/OS:   | 4.11, 5.0, 5.1, 6, 6.5  |   | 1,000 sheets (500 x 2)   | Print speeds may be impacted by  | network, applications or PC performance   |
| Network/OS:   | 4.11, 5.0, 5.1, 6, 6.5<br>UNIX filters for Sun Solaris,                         | Two-Tray Paper Bank*  | 1,000 sheets (500 x 2)<br>7.25" x 10.5"–11" x 17"                        |  |   |
| Network/OS.   | 4.11, 5.0, 5.1, 6, 6.5  | <b>Two-Tray Paper Bank*</b><br>Paper Capacity:                    |  | Specifications and external appea  | network, applications or PC performance<br>rrances are subject to change without not<br>I features. For maximum performance and |



Ricoh Corporation, Five Dedrick Place, West Caldwell, NI 07006 Ricoh" is a registered trademark of Ricoh Corporation. Windowst" and Windowst" 95/98/Me/NT4 0/2000/XP are registered trademarks of Microsoft Corporation. Machtosh," Mact" OS and AppleTalk" are registered trademarks of Apple Computer, Inc. Abdem" and PostScript" are registered trademarks of Adobe Systems, Inc. PCL" is a registered trademark of Hewlett-Packard Company, RPCS" is a trader Ricoh Company, Ltd. All other trademarks are the property of their respective owners. Printed in U.S.A. on recycled paper. Print speed may be affected by network, application or PC performance. Specifications and external appearances are subject to change without notice. Products are shown with optional features. CA-0522

WIFi

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com