Ricoh Aficio SP 4100SF/ SP 4110SF/SP 4100SFL



...

Aficio

-

(Tail)

. 🖬 🧖

Desktop Laser MFP Big Productivity, Small Footprint

convenient

EXCEL -



Download from Www.Somanuals.com. All Manuals Search And Download.

productive

Ricoh Aficio SP 4100SF/SP 4110SF/SP 4100SFL

Multifunctionality in a compact, economical system. The RICOH[®] Aficio[®] SP 4100SF Series empowers small offices and workgroups with high-speed black & white printing, copying, faxing and advanced color scanning. Powerful, yet compact, this multifunction system improves productivity through electronic distribution tools and capabilities that integrate seamlessly with your workflow. Built upon Ricoh's award-winning laser printer technology, the Ricoh Aficio SP 4100SF Series delivers outstanding reliability and performance.



PrintConnectSpeedPerform

Convenient Multifunctional Performance

From the range of output choices to information management capabilities, this workflow and document hub adapts to your needs.

- Work with fewer interruptions—one optional 500-Sheet Paper Feed Unit increases capacity to 1,100 sheets.
- Expand your possibilities with versatile output options—copy and print up to 8.5" x 14", use up to 90 lb. Index stock, even print envelopes with the optional Envelope Feeder.
- Be more efficient with the standard 50-Sheet Automatic Document Feeder's fast, convenient multi-page scanning and copying.
- Increase your source material options—the platen cover makes it easy to copy stapled documents, books, three-dimensional objects and small originals such as drivers licenses and insurance cards.
- Maximize peer-to-peer and network printing with standard 10/100Base-TX Ethernet.

Robust Document Scanning and Distribution

The Ricoh Aficio SP 4100SF Series is exceptionally versatile, with powerful management and workflow features typically reserved for larger enterprises.

- Save time and expense by scanning documents, photos and other originals, up to 8.5" x 14", directly to e-mail.
- Easily distribute and store documents for the workgroup via Scan-to-Email, Scan-to-Folder, and more.
- Streamline the document reviewing process by sending scanned forms, applications, reports and other documents to a designated folder on the network.
- Scan directly to a PC using network TWAIN scanning, so documents can be easily opened in an application for editing.
- Give your small office more advanced network connectivity options for wireless printing and Gigabit Ethernet support.

Maximized Workgroup Productivity

Ideas take shape faster and are shared more effectively with highly productive communications tools.

- Get documents faster—the Ricoh Aficio SP 4100SFL & SP 4100SF print at 31 ppm and the SP 4110SF at 36 ppm with print quality up to 1200 x 600 dpi.
- Fax faster with 200 Speed Dials and a 33.6 Kbps high-speed modem.
- Spend less time at the copier with speeds up to 25 copies-per-minute through the ADF.
- Conserve costs with two-sided printing through the optional Duplexing Unit.
- Use PDF Direct Print to output PDFs without opening Adobe Acrobat[™].

Security and Efficiency*

Maintain the integrity of critical business information through sophisticated, convenient encryption and monitoring technologies.

- Remotely monitor your network settings, fax settings, copy settings, system usage and supply status through Ricoh's Web Image Monitor™.
- Save administrators' time with automated meter reading and reporting via the Ricoh @Remote Intelligent Management System.
- Print securely with the Locked Print feature by holding documents in memory until a PIN number is entered (Optional HDD required).
- Protect against information theft with Network Protection Data Unit.

*Available security and efficiency features will be dependent on individual network environments.



Sharing color documents from multiple hardcopy originals is fast and efficient through the standard 50-Sheet Automatic Document Feeder.



To access the All-In-One Print Cartridge, simply open the front cover to expose the All-In-One cartridge and slide in a new one.

Your Environmental Partner



Ricoh continues its long-standing commitment to developing office solutions with environmentally friendly and superior energy- and supply-saving features, without compromising productivity, including:

- Quick Start-Up (QSU) Technology
- Power-Saving Sleep Mode
- Combine Copy Modes
- Internal Toner Recycling Mechanism
- Low Noise Levels
- Minimal Ozone Emissions
- Restriction of Hazardous Substances (RoHS) Compliant

Ricoh Aficio SP 4100SF/SP 4110SF/SP 4100SFL Aficio

Specifications

Scanner and Printer*		PDL	RPCS, PCL5e, PCL6, Genuine Adobe®Postscript®3™,	-		r Copying, TWAIN 10/100Base-TX	
IS800C Image Scanner with rack	402938	Resolution	PDF Direct Print 1200 x 600 dpi/600 x 600 dpi/		Ethernet (R Scanning	J-45) for Network	
RICOH Aficio SP 4100NL	403068		300 x 300 dpi	Scanning Capabilities	TWAIN Sca	nning, Scan-to-Email	
RICOH Aficio SP 4100N	402799	Network Protocols	Simultaneous auto-sensing/	w/LDAP, Scan-to-Folder			
RICOH Aficio SP 4110N	402803		auto-switching TCP/IP, Novell IPX/SPX, AppleTalk, & SMB	Facsimile Specifications (Standard)			
*Both the IS800C Image Scann be ordered.	er and selected mainframe must	Operating Systems	Windows 2000/XP/Server 2003/	Type Super G3 Transceiver, Single		Transceiver, Single line	
			Vista/Netware 3.12, 3.2, 4.1,	Circuit	PSTN/PBX		
Engine Specifications			4.11, 5.0, 5.1, 6, 6.5; Unix* (using Ricoh UNIX filter); Mac OS	Compatibility Resolution	ITU, G3 Received: 1	200 x 100, 200 x 200,	
Printer Imaging Process	Laser beam scanning electro- photographic printing using		8.6 or later, OS X 10.1 or later	Resolution	200 x 400		
dry, monocomponent toner		*For UNIX support, visit www.ricoh-usa.com/downloads		Send: 200		x 100, 200 x 200 dpi	
	development	Printer Features	User Codes (200), Optional	Compression	MH, MR, M	ИMR	
Scanner Reading	Flatbed scanner with full-color		HDD DataOverWriteSecurity	Modem Speed	33.6 Kbps		
Element Configuration	CIS array image-sensor Desktop		System, Locked Print (requires optional HDD), PDF Direct Print	Transmission Speed Page Memory	3 seconds- 2.5 MB in		
Resolution	1200 x 600 dpi	Utilities	Web Image Monitor™,	Fax Features		(20), Speed Dial	
	600 x 600 dpi		SmartDeviceMonitor, Font			r Correction Model,	
C	300 x 300 dpi		Manager 2000, Printer Utility			Control Levels,	
Grayscale Document Feeding	256 levels Standard 50-Sheet Automatic	Conton Crostificatio	for Mac, DeskTopBinder Lite			rror Diffusion, beaker, On-Hook Dial,	
bocument recurry	Document Feeder (ADF)	Copier Specificatio		Pause, Busy Tone Detection			
	Width: 4.5" x 8.5"	Warm-Up Time First Copy Speed	Less than 45 seconds 16 seconds or less			tomatic/Manual),	
	Length: 5.5" x 14"	Copy Speed	SP 4100SFL/SP 4100SF: 31 cpm		-	ansmission, ng (200), Clear	
Duplex	Paper Weight: 16 – 28 lb. Bond Optional Automatic Duplexing		SP 4110SF: 36 cpm			ansmission File,	
Paper Supply (Std.)	500-Sheet Paper Tray;	Multi-Copy Speed (ADF)		Auto Answer Delay Time, Dial Tone Detection			
	100-Sheet Bypass Tray	Quantity Indicator Original Type	1 – 99 Sheet/Book	Controllor Ontions		Detection	
Ontional Danas County	(Total 600 sheets)	Original Size	Up to 8.5" x 11.69" (Platen);	Controller Options		414525	
Optional Paper Supply	Paper Feed Unit – 500 sheets x 1 Maximum: 1,100 sheets	og	Up to 8.5" x 14" (ADF)	IEEE 802.11b Wireless LA SDRAM 128MB Type C	м туре м	414525 001179MIU	
Paper Weights	Paper Trays: 16 – 34 lb. Bond	Copy Size	Standard Paper Trays and	SDRAM 256MB Type C		001180MIU	
	Bypass Tray: 16 – 43 lb. Bond/		Optional Paper Feed Unit: All standard sizes from 5.6" x 8.5"	HDD Type 2650		003276MIU	
	90 lb. Index		– 8.5" x 14" (statement to	Gigabit Ethernet Board	Гуре А	402547	
Media Types	Paper Tray and Paper Feed Unit: Plain paper, Recycle paper		legal) (All standard metric sizes	VM Card Type D		402704	
	Bypass Tray: Plain paper,		from A5 – A4)	Data Storage Card Type A HDD Overwrite Security		402627 402550	
	Recycle, Thick paper, Envelopes,		Custom sizes: Width from 5.6" – 8.5" – Length from	(*This option must be installed by technician)			
Output Tray Capacity	Transparencies 250 sheets (face down),		5.6" – 14"				
output hay capacity	Internal Tray		Bypass Tray : All standard sizes	BB-HPL10A-R HD-PCL 100123FNG			
Power Source	120V, 60Hz, 4.5A		from 2.6" x 5.6" – 8.5" x 17" (All standard metric sizes from	Ethernet Adaptor			
Dimensions (WxDxH)	17 5 4 4 6 2 4 4 6 7 4 (4 4 4 4 4 4		Al – A6)	Optional Paper Handling			
IS800C with ADF	17.5" x 16.2" x 10.7" (444mm x 412mm x 272mm)	Reproduction/	25%, 50%, 78%, 127%,	Paper Feed Unit Type Tk		402807	
SP 4100NL/	15.3" x 17.7" x 13.6" (388mm	Zoom Ratios	200%	Envelope Feeder Type 400)	400939	
SP 4100N/SP 4110N	x 450mm x 345mm)		ADF: 25% – 400%, in 1% increments	Duplex Unit AD 1000		402808	
IS800C with Rack and Printer	20.2" x 19.5" x 29.8" (512.8mm x 495.3mm x 756.2mm)		Platen: 20 – 200% in 1%	IS800C Image Scanner 402938			
Weights	x 495.5mm x 750.2mm		increments	Note: Scanner can be purchase SP 4100N, and SP 4110N B/W		or the SP 4100NL,	
IS800C with ADF	44 lb. (20 kg)	Copier Features	Density Control (1-7 levels), Edge Erase, Margin Shift,				
and Scanner Rack			Paper Saving (N-up),	Supplies	Ricoh Part	# Yield	
SP 4100NL/ SP 4100N/SP 4110N	38.6 lb. (17.5 kg)		Collate (Sort/Stack)	SP 4100SFL AIO	403073	7,500* prints	
Safety Regulations	UL UL60950-1, FCC Part 15	Scanner Specificati	ions (Standard)	Print Cartridge			
	Class B device, EnergyStar	Scanning Type	Flatbed color image scanner	SP 4100SF/SP 4110SF/	402809	15,000* prints	
	compliant		with Automatic Document Feeder	AIO Print Cartridge SP 4100SFL/SP 4100SF/	402815	90,000 prints	
Printer Controller Specifications (Standard)		Resolution	Optical: 600 dpi	SP 4110SF Maintenance		30,000 prints	
Print Speed	SP 4100SFL/SP 4100SF: 31 ppm	Scanning Speeds	Monochrome: 8 ipm	IS800C Maintenance Kit			
Interface	SP 4110SF: 36 ppm USB 2.0, 10/100Base-TX,		Color: 8 ipm	SP 4100SFL ships with starter All-In-One Print Cartridges at 3,000 prints. SP 4100SF/SP 4110SF ships with starter All-In-One Print			
	IEEE 1284	Grayscale	256 levels	Cartridges at 6,000 prints; all other consumables ship at full yield.			
CPU	RM5231-400MHz	Compatibility	Network and TWAIN standard	*Declared yield value in accordance with ISO/IEC 19752.			
Memory	Standard: 192 MB/	Scan Modes Max. Original Size	Black & White; Grayscale; Color Platen: 8.5" x 11.7";	Please note: AIO Print Cartridges for the SP 4100SFL and AIO Print Cartridges for the SP 4100SF/SP4100SF are not interchangeable.			
Maximum: 384 MB			ADF: 8.5" x 14"		Ricoh Consumables: For maximum performance and yield, we		
DICO				recommend using genuine Ricc	h parts and su	upplies.	

RICOH www.ricoh-usa.com

Bringing Ricoh Value to Your Organization Ricoh technology offers a diverse portfolio of solutions to help your organization stay competitive and move ahead. Let Ricoh show you how to empower your business to improve critical processes, keep information secure, ensure compliance and promote environmental sustainability while reducing the total cost of ownership. Printed in U.S.A. on recycled paper because Ricoh cares.

Ricoh Americas Corporation, Five Dedrick Place, West Caldwell, NJ 07006 Ricoh^{*} and the Ricoh Logo are registered trademarks of Ricoh Company, Ltd. All other trademarks are the property of their respective owners. Print speed may be affected by network, application or PC performance. Specifications and external appearances are subject to change without notice. Products are shown with optional features.



Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com