Ricoh FAX3320L Facsimile The Ideal Fax System for Small Businesses

RICOH



Ricoh FAX3320L

Streamline Workflow and Increase Efficiency with this Powerful Facsimile System.

In any organization, you need productive document communication systems to maximize efficiency and keep workflow moving. For independent businesses or smaller workgroups, cost-efficiency is equally important. The RICOH° FAX3320L is a versatile yet affordable fax system that meets both needs. This powerful system combines essential fax features with convenience copying and optional laser printing — so it can handle a wide range of jobs. Its compact footprint allows you to place it with ease, and its user-friendly design ensures smooth operation, even for first-time users.

Download from Www.Somanuals.com. All Manuals Search And Download.

G3

CompactAffordableDependable

Superior Versatility

To help you complete every office task quickly and easily, the Ricoh FAX3320L offers standard G3 faxing and 15 page-per-minute digital copying, as well as 15 pageper-minute printing via the Printer Option.

- Expect outstanding 600 dpi output quality for incoming fax documents, digital copies or printed files.
- With the optional Printer Controller, choose from PCL 5e, PCL 6 and PostScript 2 compatibility to ensure superior printing.

Exceptional Efficiency

Whether you are faxing, copying or printing, the Ricoh FAX3320L offers the convenient, time-saving features you need to complete your document tasks quickly and move on to more critical activities.

- Quickly distribute documents anywhere in the world with a 33.6 Kbps Super G3 Modem, featuring a 3.0 seconds-per-page transmission speed that helps minimize long-distance costs.
- Ensure flawless, unattended transmission of contracts, proposals and other large, multi-page documents with the 50-sheet Automatic Document Feeder, which achieves scan rates as fast as 2.8 seconds-per-page.
- With standard 8 MB fax memory (640 pages) and a 12-hour battery backup, mission-critical documents are stored if paper trays are empty or a power loss occurs.
- Memory Transmission enables users to scan fax documents, walk away with the originals, and allow the Ricoh FAX3320L to take over. It waits for the line to be free if the fax was already in use, or redials if the receiver was busy all without user intervention.
- Speed transmission even more with Parallel Memory Transmission, which dials and starts sending your fax as soon as you scan the first page.

Intuitive, User-friendly Operation


The Ricoh FAX3320L features simple operation and straightforward design, so it is easy for users to navigate the system's wide variety of functions.

- Find exactly what you need with an easy-to-read Control Panel that guides you through any function.
- Simplify complex functions such as transaction journal printing or duplex faxing by assigning them to one of five programmable one-touch User Function Keys.
- Keep informed of the status of the Ricoh FAX3320L at-a-glance with Status Indicator Lights. Green indicates a transmission or reception is in process, while red indicates a communication error or the need to replace paper or toner.
- Send fax documents to your most frequently called recipients with one-touch convenience using 30 Quick Dials and 100 Speed Dials.

Compact, Affordable Design

In its relatively small footprint, the Ricoh FAX3320L offers just as much versatility as many larger fax systems — yet it fits easily in space-restricted areas.

- Maximize productivity with a total paper capacity of up to 850 sheets (with all options).
- Reduce cost-per-page and simplify supply replacement with separate toner and developer units.



Expand functionality with the Printer Option.



Print or copy onto labels, overhead transparencies, postcards and other unique stocks with the 100-sheet Bypass Tray.

Your Environmental Partner



Ricoh continues its Iong-standing commitment to developing office solutions with environmentally friendly and superior energyand supply-saving features, without compromising productivity, including:

- Power-Saving Sleep Mode
- Duplex and Combine Copy Modes
- Minimal Ozone Emissions
- Restriction of Hazardous Substances Compliant (RoHS)

Ricoh FAX3320L

Specifications

Specifications

Туре Recording Method ITU-T Compatibility Modem Speed Maximum Transmit Speed Data Compression . Scan Speed (standard resolution) **Dual Access** Standard Document Memory Optional Document Memory AutoDialer

User Function Keys Document Memory Backup Auto Document Feed Capacity Maximum Document Width/Scan Width Document Length Scan Resolution

Halftone

Maximum Print Speed Maximum Print Resolution 600 dpi Resolution Enhancement Maximum Recording Width Maximum Recording Paper Size Standard Paper Capacity

Optional Paper Capacity LCD Display Size

Power Consumption Power Requirements Environment Dimensions (WxDxH)

Weight Optional PFU (WxDxH) Weight

General Features

Auto Collation Auto Document Auto Document Feeder Auto Start Initial Setup Clock With Auto Daylight Savings Time Direct Fax Number Entry Dual Access Energy Saver Mode Fax Number Entry Before Loading Document File List Group Dial Group Dial List Report Halftone with Error Diffusion Help on Demand Keystroke Programs Label Registration for Quick/Speed Dials LCD Prompts Memory Storage Report Ozone Emission-Free Personal Codes and Code List Report Pin Code Security Print Quick Dial Labels Program List Report

Desktop Facsimile Laser Group 3 (V.34); ECM 33.6 Kbps with Auto Fallback 3 seconds MH/MR/MMR/JBIG 2.8 seconds-per-page**

Standard 8 MB (640 pages**)

40 MB (1,500 pages**) 30 Quick Dials, 100 Speed Dials,

5 Groups 5 Dedicated Keys 12 Hour (standard memory)

50 sheets

8.5"/8.4" 23.7" Standard: 200 x 100 dpi Detail: 200 x 200 dpi Fine: 200 x 400 dpi 64 shades of gray with Error Diffusion 15 pages-per-minute Super Smoothing HQ™ 8.4"

8.5" x 14"

250-sheet Cassette Tray 100-sheet Bypass Tray 500 sheets 2 Lines (22 Characters) Energy Saver Mode: 1.2W and lower (without options) 115 VAC, 60Hz 59 to 77°F, 30 to 70% RH 17.6" x 19.5" x 16.2" (without options) 40.8 lbs. (without options) 17.0" x 16.1" x 5.5" 10.6 lbs.

Copy Features

Copy up to 99 copies Copy at 15 pages-per-minute

Transmission Result Report

Reception Features

Authorized Reception Auto or Manual Reception Closed Network Confidential Reception with ID Confidential Reception Report Continuous Polling Document Separation Mark (Checkered) Memory Lock (All or By Address) Multi-Polling Reception Page Separation & Length Reduction Poll Later Polling Reception (With and Without ID) Reception Mode Selection (Auto/Manual) Reception Time Printing Specified Cassette Selection Substitute Reception

Quick Dial Keys and Quick Dial List Report

Specified Cassette Selection List Report

Speed Dial Codes and Speed Dial List Report

Remaining Memory Indicator

Scanner Cleaning Notification

Resolution Control

. Telephone Connection

User Function List Report

User Parameter List Report

Communication Features

Answering Machine Interface

Chain Dialing Communication Failure Report

Automatic Fax/Tel Change

Distinctive Ring Detection

Error Correction Mode

Busy Tone Detection

Telephone Directory

Usage Counter

Wild Card

AI Redial

Error Report

Monitor Speaker On Hook Dialing

Power Failure Report

Pulse/Tone Selection

Redial (Auto/Manual)

Transmission Features

Confidential Transmission with ID

Immediate or Memory Transmission

Memory Transmission Result Report

Quick (Parallel) Memory Transmission

Transmission Confirmation Report

Serial Broadcasting (Immediate and Later)

Memory Transmission Immediate Stop

Blank Document Detection

Shortened Protocol

Batch Transmission

Closed Network

Fax Header (TTI)

Label Insertion

Page Count

Send Later

Page Retransmission

Forwarding

Restricted Access

Printer Features

(Optional with Printer Interface) 15 ppm at 600 dpi with Edge Smoothing Bi-Directional Parallel Port Collated Printing Font Download Network Connectable (Requires Opt. NIB)(Ethernet) Network OS - Novell NetWare 3.x, 4.x, and 5.x - MS Windows 95/98/Me/NT 4.0/2000/XP/Vista*** - Mac OS 8.x, 9.x, and X (Mac OS X (Classic) is supported) PCL 5e/6 Compatibility - MS Windows 95/98/Me/NT 4.0/2000/XP/Vista*** PostScript 2 Compatibility (Optional) - MS Windows 95/98/Me/NT 4.0/2000/XP/Vista*** - Macintosh Driver Printer Driver Features

- Custom Paper Size

- Layout
- Page Protect
- Page Order** - Paper Selection
- Slip Sheet**
- Toner Saver
- User ID
- User Code
- Watermarks
- **Resident Fonts**
- PCL Fonts = 10 TrueType / 35 Intellifonts
- PS Fonts = 80 (Only available with PS2 Opt.) - 10/100 Base-T Network Interface Board (Opt.)

Options

Feature (Memory) Expander Card Type 300 (40 MB) (non volatile) Printer Interface Type 1013 (see Printer Features) Telephone Handset Type 1018 Type 1018 PS2 Compatible Kit 10/100 Base-T Network Interface Board Type 1018 32 MB/64 MB/128 MB Printer Memory 500-sheet Paper Feed Unit

*Approximately 3 seconds-per-page at 33.6 Kbps is dependent on optimal line quality, and customer performance may vary by location. Current systems used by the Public Switched Telephone Network (PSTN) generally support 28.8 Kbps modem speeds or lower. *Based on ITU-T Test Chart #1 in standard resolution.

***Windows Vista will be available after launch. Please check our website for release dates

****Not available for PS2/Macintosh

RICOH www.ricoh-usa.com



Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com