Ricoh Aficio SP 3300D/SP 3300DN

B/W Laser Printer
Powerful, Affordable Business Printing.





Ricoh Aficio SP 3300D/SP 3300DN



Compact Size, Big Value

Designed to deliver high-quality black & white output, the RICOH® Aficio SP 3300D/SP 3300DN laser printers offer exceptional productivity and reliability for small business, home office and mid-size workgroup environments. Depend on these compact, cost-effective printers for fast speeds, ample processing power and helpful printing capabilities as well as outstanding value.

Highly Productive Performance

The Aficio SP 3300D/SP 3300DN laser printers are ideal for organizations that want fast results, seamless processing and robust, reliable operation.

- Complete print jobs quickly with crisp, clean image quality. Both systems print 30 pages-per-minute with resolutions up to 1200 x 1200 dpi.
- Save paper costs and minimize the need for filing space with standard duplexing.
- Ensure fast job processing. Each printer features a 400 MHz processor and 32 MB RAM standard. Optional memory up to 160 MB accommodates workgroups.
- Send print jobs directly to any Windows-based PC or Mac. The SP 3300D offers a standard USB 2.0 interface for peer-topeer connectivity.
- Deploy productive network printing in mid-size offices and workgroups with the SP 3300DN, which features a built-in Ethernet card.

Versatile and Expandable

Look to the Aficio SP 3300D/SP 3300DN for strong feature sets that cover all the essentials, with flexible options that enhance usability even more.

- Print a variety of familiar documents with support for paper sizes up to 8.5" x 14".
- Do more than just print. These systems let you scale images from many pages to one, create posters, add watermarks, and much more.
- Enjoy simple paper handling. The Aficio SP 3300D/SP 3300DN come standard with a 250-Sheet Paper Tray. An optional 250-Sheet Paper Feed Unit is also available.
- Diversify your paper stocks with the standard 1-Sheet Bypass Tray, which handles envelopes, transparencies, labels and other media.
- Minimize reloading with a total paper capacity of 501 sheets.

Streamlined and Affordable

Compact and cost-effective, these printers make smart investments.

- Expect low total cost of ownership and a high duty cycle.
- Place the printers virtually anywhere small footprints make it easy.
- Expect fast and easy maintenance with the 5,000-page single cartridge system.

Engine Specifications

Configuration Desktop Technology

Laser diode unit with electrophotography nonmagnetic, single-component contact method

Resolution Up to 1200 x 1200 dpi Printing Speed 30 pages-per-minute (Letter) First Print Speed 8.5 seconds or less

14.3" x 14.5" x 8.25"/364 x 369 x 209.6 mm Dimensions (WxDxH)

Weiaht 19.4 lbs./8.81 kg 22 seconds Warm-Up Time Power Source 110 - 127V, 50/60Hz Power Consumption

500W or less (11W or less standby) Standard Paper Capacity 250-Sheet Paper Tray, 1-Sheet Bypass Tray Optional Paper Capacity 250-Sheet Paper Feed Unit

Maximum Paper Capacity

Acceptable Paper Sizes Std./Opt. Trays: A4 (8.3" x 11.7"), A5 (5.83" x 8.27"), Letter (8.5"

Statistic Hays. Art (6.5 x 11.7), A3 (3.63 x 6.27), Lettlef (8.5 x 11"), Legal (8.5" x 14"), EXE (7.25" x 10.5"), Folio (8.5" x 13.5"), ISO B5 (6.9" x 9.8"), IS B5 (7.17" x 10.12")

Bypass Tray: A4 (8.3" x 11.7"), A5 (5.83" x 8.27"), A6 (4.13" x 5.83"),

Letter (8.5" x 11"), Legal (8.5" x 14"), EXE (7.25" x 10.5"), Folio (8.5" x 13"), Oficio (8.5" x 13.5"), ISO B5 (6.9" x 9.8") JIS B5 (7.17" x 10.12"), Envelopes (Com10, Monarch, C6, C5, DL),

Custom Size Range (3" x 5" to 8.5" x 14")

Standard & Optional Trays: 16 – 28 lb. Bond (60 – 105 g/m²) Duplex: 20 – 24 lb. Bond (75 – 90 g/m²) Paper Weight

Bypass: 16 - 43 lb. Bond/90 lb. Index (60 - 163 g/m²)

Output Capacity 150 sheets (face down) Maximum Duty Cycle 50,000 pages/month

Controller Specifications

ARM1020E @ 400 MHz CPU

32 MB RAM standard/160 MB RAM maximum Memory

PCL6. PostScript 3 emulation Language

45 PCL fonts, 1 bitmap, PS3: 136 PostScript **Fonts** Standard Interfaces SP 3300D: USB 2.0 SP 3300DN: USB 2.0, 10/100Base-TX Ethernet

Network Protocols TCP/IP, EtherTalk, SNMP, HTTP1.1

Print Utilities Set IP (SP 3300DN only), Status Monitor*, Printer Settings Utility,

@Remote, Print Director, SmartDeviceMonitor, Web SmartDeviceMonitor, Web Image Monitor, Web Based Driver Installer, DeskTopBinder Lite Windows 2000/XP (32/64 bits), Server 2003 (32/64 bits), Vista (32/64 bits); Macintosh** OS 8.6 – 9.2, OS X 10.1 – 10.5

Standard Features Toner Save Mode, Print Quality Option, Poster Printing

(Windows PCL 6 only), Multiple Pages per Sheet (N-up), Fit to Page Printing, Scale Printing, Watermark (Windows PCL 6 only), Overlay (Windows PCL 6 only)

*Status Monitor is not supported for Mac OS. **Macintosh OS is supported by LAN and USB connection.

Memory Options

Operating Systems

Part #: 003785MIU 128 MB Memory Unit

Accessories and Supplies

Paper Feed Unit TK1070 Part #: 406205

Paper Size A4 (8.3" x 11.7"), A5 (5.83" x 8.27"), Letter (8.5" x 11"), Legal (8.5" x 14"), Executive (7.25" x 10.5"), Folio (8.5" x 13")

Oficio (8.5" x 13.5"), ISO B5 (6.9" x 9.8"), JIS B5 (7.17" x 10.12") Paper Weight Plain Paper (16 - 28 lb. Bond, 60 - 105 g/m 2) for simplex Plain Paper (20 - 24 lb. Bond, 75 - 90 g/m²) for duplex

Paper Capacity 250 sheets

Consumables

All-In-One Black Print 5,000 prints @ 5% coverage** (Part # 406212)

Cartridge Type SP 3300A **Yields are approximate

The SP 3300D/SP 3300DN ships with a starter All-In-One cartridge that yields 2,000 pages

For maximum performance and yield, we recommend using genuine Ricoh parts and supplies.









Ricoh Americas Corporation, Five Dedrick Place, West Caldwell, NI 07006
Ricoh and the Ricoh Logo are registered trademarks of Ricoh Company, Ltd. Windows and Windows 2000/AP/Server 2003/Vista are registered trademarks of Microsoft Corporation Macrisch is a registered trademark of Apple Computer, Inc. Adobe and PostScript are registered trademark of Apple Computer, Inc. Adobe and PostScript are registered trademark of Apple Computer, Inc. Adobe and PostScript are registered trademark of Apple Computer, Inc. Adobe and PostScript are registered trademarks of Adobe Systems, Inc.PCL is a registered trademark of Hewlett-Packard Company, All other trademarks are the property of their respective owners Print speed may be affected by network, application or PC performance. Specifications and external appearances are subject to change without notice. Products are shown with optional features.



Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com