Ricoh Aficio SP C231N/SP C232DN

Color Laser Printer Small In Size, Large In Value

RICOH



Ricoh Aficio SP C231N/SP C232DN

You don't have to spend a lot to look good on paper. What does the quality of your documents say about your business? Large or small, Ricoh knows that every business wants to maximize image quality at minimal cost. After all, you only get one chance to make a first impression. That's where the RICOH® Aficio® SP C231N and SP C232DN come in. Stylish and compact, these easy-to-use color laser printers provide professional full-color quality that allows you to express your business in its best light. Featuring vibrant color output at 21 pages-per-minute and a low total cost of ownership, you can focus on enhancing your image while Ricoh focuses on saving you money. That's an investment that looks good on paper.

RICOH

SpeedQualityAffordableColor

Big on Productivity

Fast speeds, impeccable image quality, plus a host of productivity-enhancing features make the Ricoh Aficio SP C231N/SP C232DN a smart business decision.

- Print at equal speeds of up to 21-ppm for both full-color and black & white pages for maximum productivity—even when creating mixed documents. Minimize waiting with a fast first print speed of just 14 seconds.
- Produce vivid color graphics and crisp text at enhanced resolutions of up to 2400 x 600 dpi without any loss in speed or productivity.
- Network-ready to support multiple users immediately upon installation.
- Accurately process complex print jobs from all connected users with PCL or PostScript emulation. The powerful 300MHz controller offers expandable memory to support job spooling and high resolution printing in multi-user environments.
- Seamlessly integrate these printers into your office with standard Windows and Macintosh compatibility with automatic PDL switching.
- Expand your capabilities with a PictBridge[™] interface for simple digital camera printing (SP C232DN only).

Low on Cost

Surprisingly affordable, the Ricoh Aficio SP C231N/ SP C232DN works to save you even more over the life of your investment.

- Minimize total cost of ownership with High Yield All-In-One print cartridge technology for rock-bottom per-page costs.
- Reduce printing costs further with smart Auto Color Sensing (ACS) technology to stretch supply yields.
- Reduce paper use, filing space and postage costs with standard automatic duplexing (SP C232DN only).

Small on Size and Upkeep

Easy to install and maintain, the Ricoh Aficio SP C231N/ SP C232DN comfortably fits on your desk or anywhere space is limited while offering total front access in a compact design.

- Streamline supply purchasing and inventory with long-lasting, All-In-One print cartridge technology.
- Easily exchange the top-loading All-In-One print cartridges in seconds for fast, mess-free replacement by any user.
- Increase paper supply to 751 sheets without increasing footprint. The optional 500-Sheet Paper Feed Unit installs beneath the printer to expand capacity without occupying more space.
- Execute printer set-up and maintenance tasks, graphically view supply status, and easily correct error conditions at the device with the user-friendly control panel.
- Manage printer network settings and check supply levels remotely with Web Image Monitor, the printer's embedded web page.



Versatile enough to handle all media types with maximum efficiency and image quality including heavy stocks, labels and envelopes.



Easily replace All-In-One print cartridges in seconds for maximum uptime with do-it-yourself convenience, and then return depleted cartridges for recycling at no cost to you.

The Total Green Office Solution



Ricoh continues its longstanding commitment to developing office solutions with environmentally friendly and superior energy- and supply-saving features, without compromising productivity.

Ricoh Aficio SP C231N/SP C232DN



Specifications

Main Unit Specifi Aficio SP C231N	Part # 406505	
Aficio SP C232DN	Part # 406506	
Configuration	Desktop	
Technology	Laser beam scanning, color electro-	
	photographic printing with mono-	
	component toner development	
	4 tandem drum method	
Resolution	600 x 600 dpi (Default)	
	(Speed mode)	
	1200 x 600 dpi equivalent	
	(Standard mode)	
	2400 x 600 dpi equivalent	
	(Fine mode)	
Print Speed (Letter)	Black & white: 21 pages-per-minute	
	(All modes)	
	Full-color: 21 pages-per-minute	
First Print Speed	(All modes) 14 seconds or less	
Warm-Up Time	48 seconds or less	
Maximum Paper Size		
Standard Paper	250-Sheet Tray + 1-Sheet Bypass Tray	
Supply		
Optional Paper	500-Sheet Paper Feed Unit	
Supply		
Maximum Paper Capacity	751 sheets	
Output Capacity	150 sheets (Face down)	
Duplex	SP C231N: Manual	
	SP C232DN: Automatic	
	(Approx. 60% productivity)	
Paper Sizes	Standard Tray and Bypass Tray:	
	Letter (8.5" x 11"), A4 (8.3" x 11.7"), EXE (7.25" x 10.5"), B5 (6.9" x 9.8"),	
	Legal (8.5" x 14"), Half Letter	
	(5.5" x 8.5"), A5 (5.8" x 8.3"),	
	A6 (4.2" x 5.8"), B6 (5.0" x 6.9"),	
	Custom (Width: 3.5" – 8.5",	
	Length: 5.8" – 14")	
	Optional Paper Feed Unit: Letter	
	(8.5" x 11"), A4 (8.3" x 11.7")	
Paper Weight	Standard Tray and Bypass Tray:	
Paper Weight	16 – 40 lb. Bond/83 lb. Index	
Paper Weight	16 – 40 lb. Bond/83 lb. Index (60 – 160 g/m ²)	
Paper Weight	16 – 40 lb. Bond/83 lb. Index (60 – 160 g/m²) Optional Paper Feed Unit:	
	16 – 40 lb. Bond/83 lb. Index (60 – 160 g/m ²) Optional Paper Feed Unit: 16 – 28 lb. Bond (60 – 105 g/m ²)	
Acceptable Paper	16 – 40 lb. Bond/83 lb. Index (60 – 160 g/m ²) Optional Paper Feed Unit: 16 – 28 lb. Bond (60 – 105 g/m ²) Standard Tray and Bypass Tray:	
	16 – 40 lb. Bond/83 lb. Index (60 – 160 g/m ²) Optional Paper Feed Unit: 16 – 28 lb. Bond (60 – 105 g/m ²) Standard Tray and Bypass Tray: Plain Paper, Recycle Paper, Envelopes,	
Paper Weight Acceptable Paper Types	16 – 40 lb. Bond/83 lb. Index (60 – 160 g/m ²) Optional Paper Feed Unit: 16 – 28 lb. Bond (60 – 105 g/m ²) Standard Tray and Bypass Tray: Plain Paper, Recycle Paper, Envelopes, Thick Paper, Labels, Thin Paper,	
Acceptable Paper	16 – 40 lb. Bond/83 lb. Index (60 – 160 g/m ²) Optional Paper Feed Unit: 16 – 28 lb. Bond (60 – 105 g/m ²) Standard Tray and Bypass Tray: Plain Paper, Recycle Paper, Envelopes, Thick Paper, Labels, Thin Paper, Color Paper, Preprinted Paper,	
Acceptable Paper	16 – 40 lb. Bond/83 lb. Index (60 – 160 g/m ²) Optional Paper Feed Unit: 16 – 28 lb. Bond (60 – 105 g/m ²) Standard Tray and Bypass Tray: Plain Paper, Recycle Paper, Envelopes, Thick Paper, Labels, Thin Paper, Color Paper, Preprinted Paper, Pre-punched Paper, Letterhead,	
Acceptable Paper	16 – 40 lb. Bond/83 lb. Index (60 – 160 g/m ²) Optional Paper Feed Unit: 16 – 28 lb. Bond (60 – 105 g/m ²) Standard Tray and Bypass Tray: Plain Paper, Recycle Paper, Envelopes, Thick Paper, Labels, Thin Paper, Color Paper, Preprinted Paper, Pre-punched Paper, Letterhead, Bond Paper & Card Stock	
Acceptable Paper	16 – 40 lb. Bond/83 lb. Index (60 – 160 g/m ²) Optional Paper Feed Unit: 16 – 28 lb. Bond (60 – 105 g/m ²) Standard Tray and Bypass Tray: Plain Paper, Recycle Paper, Envelopes, Thick Paper, Labels, Thin Paper, Color Paper, Letterhead, Bond Paper & Card Stock Optional Paper Feed Unit:	
Acceptable Paper Types	16 – 40 lb. Bond/83 lb. Index (60 – 160 g/m ²) Optional Paper Feed Unit: 16 – 28 lb. Bond (60 – 105 g/m ²) Standard Tray and Bypass Tray: Plain Paper, Recycle Paper, Envelopes, Thick Paper, Labels, Thin Paper, Color Paper, Preprinted Paper, Pre-punched Paper, Letterhead, Bond Paper & Card Stock	

50.7 lb. (23 kg) Including consumables Weight Power Requirements 120V, 60Hz Max. Power 1,300W or less Consumption Energy Saver Mode 15W or less Safety Regulations UL60950-1, FCC Part 15 Class B ENERGY STAR: Color Printer - Tier 1 (SP C232DN only) **Print Controller Specifications** CPU 300MHz 128 MB RAM standard, Memory 640 MB RAM maximum Standard Interfaces SP C231N: USB 2.0, Ethernet 10/100Base-TX SP C232DN: USB 2.0, Ethernet 10/100Base-TX, USB Host Interface for PictBridge™ Optional Interface* IEEE 802.11b/g Wireless Fonts 80 HP fonts Network Protocols TCP/IP, AppleTalk, IPX/SPX Printer Languages/ PCL 5c, PCL 6, PostScript 3 Drivers emulation Supported Windows 2000, XP, Vista, Environments Server 2003/2008

Mac OS X v.10.2.8 - 10.5 Novell NetWare v. 4.x+ Citrix MetaFrame UNIX (Ricoh Filter Phase 11)

Software Utilities Web Image Monitor Smart Organizing Monitor

Please note the optional Wireless Adaptor SX-2500CG and wired 10/100Base-TX interface cannot operate simultaneously.

Controller Options

256 MB Memory Unit	Type F	Part # 003310MIU	
512 MB Memory Unit	Type F	Part # 003311MIU	
Wireless Adaptor		Part # 100118FNG	
SX-2500CG			
Network Interface	10/100Base-TX (Auto detection)		
Wireless LAN Type	IEEE 802.11 b/g		
Protocol Support	TCP/IP		
Wireless Security	WEP (64/128), SSID,		
	WPA-PSK (TKIP/AES),		
	WPA2-PSk	(AES)	
Configuration	Via Web Browser		
Dimensions (WxDxH)	5.4" x 4.4" x 1.4"		
	(138 mm	x 114 mm x 36 mm)	
Weight	6 oz. (170 g)		
Power Source	AC Adapter (100 - 240V,		
	50/60Hz)		

Hardware Accessories

Paper Feed Unit	Part # 406019
Type TK1010	
Capacity	500 sheets
Paper Size	Letter, A4 (8.3" x 11.7")
Paper Weight	16 – 28 lb. Bond (60 – 105 g/m ²)
Dimensions (WxDxH)	16" x 18" x 5.08"
	(400 mm x 450 mm x 127 mm)
Weight	13.2 lb. (6 kg)

Consumables & Yields*

compannables a me			
Black All-In-One	2,500 pages*	Part # 406344	
Cartridge SP C310A			
Cyan All-In-One	2,500 pages*	Part # 406345	
Cartridge SP C310A			
Magenta All-In-One	2,500 pages*	Part # 406346	
Cartridge SP C310A			
Yellow All-In-One	2,500 pages*	Part # 406347	
Cartridge SP C310A			
Black All-In-One	6,500 pages*	Part # 406475	
Cartridge SP C310HA			
Cyan All-In-One	6,000 pages*	Part # 406476	
Cartridge SP C310HA			
Magenta All-In-One	6,000 pages*	Part # 406477	
Cartridge SP C310HA			
Yellow All-In-One	6,000 pages*	Part # 406478	
Cartridge SP C310HA			
Waste Toner Bottle	25,000 pages	Part # 406043	
Type 220			
*Declared yield value in accordance with ISO/IEC 19798.			

Declared yield value in accordance with ISO/IEC 19798. Actual yields may vary based on images printed and other factors.

The Ricoh Aficio SP C231N and SP C232DN ship with a set of four starter All-In-One print cartridges yielding 1,000 pages each.

All other consumables ship at full yield. For maximum performance and yield, we recommend using genuine Ricoh parts and supplies. Specifications subject to change without notice.

Warranty

The Ricoh Aficio SP C231N and SP C232DN are under warranty against defects for a period of one year from the date of purchase. Consumables are under warranty for a period of 90 days from the date of purchase or until depleted, whichever comes first. Please refer to warranty documents shipped with the product for more details.



Bringing Ricoh Value to Your Organization Ricoh technology offers a diverse portfolio of solutions to help your organization stay competitive and move ahead. Let Ricoh show you how to empower your business to improve critical processes, keep information secure, ensure compliance and promote environmental sustainability while reducing the total cost of ownership.

(400 mm x 450 mm x 320 mm)

Ricoh Americas Corporation, Five Dedrick Place, West Caldwell, NJ 07006 Ricoh⁺ and the Ricoh Logo are registered trademarks of Ricoh Company, Ltd. All other trademarks are the property of their respective owners. Print speed may be affected by network, application or PC performance. Specifications and external appearances are subject to change without notice. Products are shown with optional features. R3038



Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com