24 Press the top of the filter towards the spout, to lock the upper hook in place.

Descale regularly, at least monthly.

- 25 Descale the appliance at least monthly with a proprietary descaler.
- 26 Follow the instructions on the package of descaler.
- * Products returned under guarantee with faults due to scale will incur a repair charge.



Russell Hobbs descaler, formulated specially for our products, is available from Customer Service (see opposite). Documentation, packaging, and product specifications may change without notice.

Your statutory rights are not affected.

CUSTOMER SERVICE

If you ring, have the Model No. to hand, as we won't be able to help without it. It's on the rating plate (usually underneath the product). The product isn't user-serviceable. If it isn't working, read the instructions, check the plug fuse and main fuse/circuit breaker. If it's still not working, consult your retailer. If that doesn't solve the problem, ring

Customer Service for advice If they tell you to return the product to us, pack it carefully, include a note with your name, address, day phone number, and what's wrong. If under guarantee, say where and when purchased, and include proof of purchase (till receipt). Send it to:

Customer Service, Spectrum Brands (UK) Ltd, Fir Street, Failsworth, Manchester M35 0HS email: support@russellhobbs.com telephone: 0845 658 9700 (local rate number)

₩ ONLINE

2-642

www.russellhobbs.co.uk for more products

REGISTER ONLINE FOR –

■婦心 £10,000 prize draw EXTRA year quarantee FREE rewards gallery Visit www.productregister.co.uk/rhobbs

You must register within 28 days of purchase.





instructions

recovered, reused, or recycled. **GUARANTEE**

722-5000583 Defects affecting product functionality appearing within two years of first retail purchase will be corrected by replacement or repair provided the product is used and maintained in accordance with the instruction who ad from Www.Somanuals.com. All Manuals Search And Downlog


ENVIRONMENTAL PROTECTION

To avoid environmental and health

of with unsorted municipal waste, but

problems due to hazardous substances in electrical and electronic goods, appliances

marked with this symbol mustn't be disposed



Read the instructions, keep them safe, pass them on if you pass the kettle on. Remove all packaging before use.

Follow basic safety precautions, including:

This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been supervised/instructed and understand the hazards involved. Children shall not play with the appliance.

Cleaning and user maintenance shall not be done by children unless they are older than 8 and supervised.

Keep the appliance and cable out of reach of children under 8 years.

- Don't fill above max, or the kettle may spit boiling water.
- Use the kettle only with the stand supplied (and vice versa).
- If the cable is damaged, return the kettle, to avoid hazard.
- The surfaces of the appliance will get hot.
- Don't put the kettle, stand, cable, or plug in liquid.
- 1 Keep the kettle, stand, and cable away from the edges of worktops.
- 2 Unplug the stand when not in use.
- 3 Use the kettle only for heating water.
- 4 Don't use it if it's damaged or malfunctions.

household use only

☆ BEFORE FIRST USE

• Fill to MAX, boil, discard the water, and rinse.

FILLING

- 1 Put the stand on a stable, level surface.
- 2 Wind excess cable beneath the stand.
- 3 Remove the lid.
- 4 Fill with at least 1 cup of water, but not

- 5 If you want only 1, 2, or 3 cups of water, fill to the 1, 2, or 3 marks inside the kettle.
- 6 Replace the lid, and press down to lock it.

SWITCHING ON

- 7 Plug the stand into the wall socket.
- 8 Put the kettle on the stand.
- 9 Move the switch to I.

SWITCHING OFF

- 10 When it boils, the kettle will switch off.
- 11 To switch off manually, move the switch to O, or simply lift the kettle off the stand.

GENERAL

- 12 Pour slowly and don't over-tilt the kettle.
- 13 Don't tilt the kettle backwards, water might get on to the control area.
- 14 If this happens, sit the kettle somewhere warm for 12 hours to dry before using it.
- 15 Don't worry about moisture on the stand. The steam used to switch the kettle off is condensed and vented under the kettle.
- 16 Don't worry about discolouration on the floor of the kettle. It's due to the bonding of the element to the kettle floor.

USING WITH INSUFFICIENT WATER

- 17 This will shorten the life of the element. A boil-dry cut-out will switch the kettle off.
- 18 To avoid cycling on and off, take it off the stand, and leave it to go completely cold.

CARE AND MAINTENANCE

- 19 Unplug the stand, and let the kettle cool.
- 20 Wipe inside and outside with a damp cloth.
- 21 Push the hook on top of the filter down, then lift the filter out of the kettle.
- 22 Brush the filter under a running tap.
- 23 From inside the kettle, fit the bottom hook

above MAX.

Download from Www.Somanuals.com. All Manuals Search And Download n the filter in the bottom of the spout.

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com