

DV361EWBE

Samsung Front Load Electric Dryer

FEATURES

- 7.3 Capacity (cu.ft / DOE)
- Powder Coat Drum
- 4 Way Venting
- Heating Element: 5300W/ 22,000 BTU/Hr
- Cycle Time (AHAM 8lbs): 42 min.
- LED display (red)
- Outer door trim: white
- Door handle: inner pocket

CONVENIENCE

- Reversible See-through Door
- Dryer Drum Light
- Child Lock
- Lint Filter Indicator
- 7 Preset Dry Cycles and 4 Options
- 4 Dry Levels
- 4 Temperature Settings
- 3 Timed Settings
- 2 Signal Level Settings



SIGNATURE FEATURES

Capacity that fits more – so you can fit more in your day

Big enough to handle a king-size comforter, our large capacity dryer allows you to do fewer loads, so you can finish your family's laundry faster.

4 Temperature settings

The DV361 comes with 4 temperature settings: High, Medium, Low, Extra Low to assure the most efficient drying results.

Peace of mind with NSF® certified sanitization cycle

Samsung's NSF certified washers eliminate 99.9% of household bacteria from laundry.

Available colors




Ranked **“Highest in Customer Satisfaction with Clothes Dryers”** by J.D. Power and Associates.* (5 Consecutive Years)

* Samsung received the highest numerical score for clothes dryers in the proprietary J.D. Power and Associates 2008-2012 Laundry Appliance Studies.™ 2012 study based on 9,339 total responses measuring 12 brands and measures opinions of consumers about their dryer obtained new in the past 24 months. Proprietary study results are based on experiences and perceptions of consumers surveyed in January-February 2012. Your experiences may vary. Visit jdpower.com.

DV361EWBE

Samsung Front Load Electric Dryer

INSTALLATION OPTIONS:




INSTALLING YOUR DRYER

1. Alcove or closet installation


Minimum clearances for closets and alcove:

- Sides - 1 in. (2.5 cm)
- Top - 17 in. (43.2 cm)
- Rear - 4 in. (10.2 cm)
- Closet Front - 2 in. (5.1 cm)

If the washer and dryer are installed together, the closet front must have at least a 72 in.² (465 cm²) unobstructed air opening. Your washer alone does not require a specific air opening.



2. With optional pedestal base or stacking kit



* Required spacing

** External exhaust elbow requires additional space.

7.3 Capacity (Cu.ft./DOE)

Powder Coat Drum

4 Way Venting

7 Preset dry cycles:

Normal, Heavy Duty, Permanent Press, Delicates, Time Dry, Air Fluff, Wrinkle Release

4 Options:

Mixed Load Bell, Wrinkle Prevent, Adjust Time, Child Lock

4 Dry levels:

More Dry, Normal Dry, Less Dry, Damp Dry

4 Temperature settings:

High, Medium, Low, Extra Low

3 Timed settings:

60 min, 40 min, 20 min

2 Signal Level settings: On/Off

Warranty

- One (1) Year Parts and Labor
- Two (2) Years Control Board

Product dimensions & weight (WxHxD)

Dimensions: 27" x 38³/₈" x 31¹/₈"
Weight: 118.9 lbs

Shipping dimensions & weight (WxHxD)

Dimensions: 29³/₈" x 41" x 33²/₈"
Weight: 127.8 lbs

Color	Model #	UPC Code
White	DV361EWBEWR	036725591141

Matching Washer		
White	WF361BVBWEWR	036725590939

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>