SANYO MASSAGE LOUNGER LIMITED WARRANTY

(USA ONLY)

OBLIGATIONS

In order to obtain warranty service, the product must be delivered to and picked up from an Authorized Sanyo Factory Service Center at the user's expense, unless specifically stated otherwise in this warranty.

If you need assistance with product operation, authorized service center referral, service assistance, problem resolution, or parts and accessories availability; you may contact us by:

- A. Visiting www.sanyoservice.com on a 24 hr/7 days a week basis or
- B. calling the customer support center at 1-800-421-5013 Weekdays 7:30 AM- 5:00 PM Pacific Time

THIS WARRANTY IS VALID ONLY ON SANYO PRODUCTS PURCHASED AND USED IN THE UNITED STATES OF AMERICA. THIS WARRANTY APPLIES ONLY TO THE ORIGINAL RETAIL USER AND DOES NOT APPLY TO PRODUCTS USED FOR ANY INDUSTRIAL, PROFESSIONAL OR COMMERCIAL PURPOSE. THE ORIGINAL DATED BILL OF SALE OR SALES SLIP MUST BE SUBMITTED TO THE AUTHORIZED SANYO SERVICE CENTER AT THE TIME WARRANTY SERVICE IS REQUESTED.

Subject to the OBLIGATIONS above and EXCLUSIONS below, SANYO FISHER COMPANY (SFC) warrants this SANYO products against defects in materials and workmanship for the periods of LABOR and PARTS specified below. SFC will repair or replace (at its option) the product and any of its parts which fail to conform to this warranty.

The warranty period commences on the date the product was first purchased at retail

LABOR	PARTS	* ROLLER MECHANISM	**IN - HOME
1 YEAR	1 YEAR	3 YEARS	1 YEAR

Not

- * Roller Mechanism consists of the mechanical parts directly behind the back rest of the massage chair, excluding belts.
- ** In-home service is defined as product service in the consumer home or offsite if further repairs are required.

EXCLUSIONS

This warranty does not cover (A) the adjustment of customer-operated controls as explained in the appropriate model's instruction manual, or (B) the repair of any product whose serial number has been altered, defaced or removed.

This warranty shall not apply to the following items: non-electrical / mechanical attachments; accessories; damage to head cover, back pad, arm covers, seat cover, foot rest cover when not caused by defects in workmanship.

This warranty shall not apply to setup, installation, removal of the product for repair or reinstallation of the product after repair. This warranty does not apply to repairs or replacements necessitated by any cause beyond the control of SFC including, but not limited to, any malfunction, defect or failure caused by or resulting from unauthorized service or parts, improper maintenance, operation contrary to furnished instructions, shipping or transit accidents, modification or repair by the user, abuse, misuse, neglect, accident, incorrect power line voltage, fire, flood or other Acts of God, or normal wear and tear.

The foregoing is in lieu of all other expressed warranties and SFC does not assume or authorize any party to assume for it any other obligation or liability.

THE DURATION OF ANY WARRANTIES WHICH MAY BE IMPLIED BY LAW (INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS) IS LIMITED TO THE TERM OF THIS WARRANTY. IN NO EVENT SHALL SFC BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM OWNERSHIP OR USE OF THIS PRODUCT, OR FOR ANY DELAY IN THE PREFORMANCE OF ITS OBLIGATIONS UNDER THIS WARRANTY DUE TO CAUSES BEYOND ITS CONTROL.

SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS AND/OR DO NOT ALLOW THE EXCLUSION OR LIMITATION OF CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATIONS AND EXCLUSIONS MAY NOT APPLY TO YOU.

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS. YOU MAY HAVE OTHER RIGHTS, WHICH VARY FROM STATE TO STATE. For your protection in the event of theft or loss of this product, please fill in the information below for your own personal records.


Model No	Serial No(Located on back or bottom side of unit)	
Date of Purchase	Purchase Price	
Where Purchased		

Please register your massage chair at www.sanyomassagechairs.com



INSTRUCTION MANUAL Massage Lounger

HEC-DR7700K HEC-DR7700C



CONTENTS	PAGE
IMPORTANT SAFETY INSTRUCTIONS ··	······ 1 ~ 4
NAME/FUNCTION OF EACH PART $\cdot\cdot$	····· 5 ~ 7
HOW TO PLACE THE MASSAGER	8
HOW TO INSTALL THE STAND	···· 9 ~ 10
HOW TO USE ······	11
PREPARATIONS PRIOR TO USE	12
ADJUSTMENT OF CHAIR ······	···· 13 ~ 15
MASSAGING ······	··· 16 ~ 24
WHOLE BODY SENSOR AUTOMATIC COURSES	···· 16 ~ 18
AUTOMATIC COURSES	··· 19 ~ 20
MANUAL COURSES	···· 21 ~ 24
ADJUSTING MASSAGE INTENSITY	25
AFTER USE ······	26
MAINTENANCE PROCEDURES	26
CONTENTS OF MASSAGING	···· 27 ~ 28
TROUBLE-SHOOTING	29
SPECIFICATIONS	30

Be sure to read this manual thoroughly in order to ensure proper use. In particular, make certain to read the section "IMPORTANT SAFETY INSTRUCTIONS". Keep this manual in a safe place so that it can be found easily.

IMPORTANT SAFETY INSTRUCTIONS

When using an electrical appliance, basic precautions should always be followed, including the

Read all instructions before using this appliance.

DANGER To reduce the risk of electric shock:

Always unplug this appliance from the electrical outlet immediately after using and before cleaning. Improper connection of the equipment-grounding conductor can result in a risk of electric shock. Check with a qualified electrician or serviceman if you are in doubt as to whether the product is properly grounded. Do not modify the plug provided with the product – if it will not fit outlet, have a proper outlet installed by a qualified electrician.

WARNING To reduce the risk of burns, fire, electric shock, or injury to persons:

Handling the cord on this product or cords associated with accessories sold with this product, will expose you to lead, a chemical known to the State of California to cause cancer, and birth defects or other reproductive harm. Wash hands after handling.

An appliance should never be left unattended when plugged in. Unplug from outlet when not in use, and before putting on or taking off parts.

Do not operate under blanket or pillow. Excessive heating can occur and cause fire, electric shock, or injury to persons.

Close supervision is necessary when this appliance is used by, on, or near children, invalids, or disabled persons.

Use this appliance only for its intended use as described in this manual. Do not use attachments not recommended by the manufacturer.

Never operate this appliance if it has a damaged cord or plug, if it is not working properly, if it has been dropped or damaged, or dropped into water. Return the appliance to a service center for examination and repair.

Do not carry this appliance by supply cord or use cord as a handle.

Keep the cord away form heated surfaces.

Never operate the appliance with the air openings blocked. Keep the air openings free of lint, hair, and the like.

Never drop or insert any object into any opening.

Do not use outdoors.

Do not operate where aerosol (spray) products are being used or where oxygen is being administered.

To disconnect, turn all controls to the off position, then remove the plug from the outlet.

This product is for Household Use Only.

Polarization Instructions

To reduce the risk of electric shock, this appliance has a polarized plug (one blade is wider than the other). This plug will fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician to install the proper outlet. Do not change the plug in any way.

Be sure to check that there is no-one (children in particular), or any pets around the massager prior to adjusting the back rest.

Otherwise, an injury may occur.

Be careful not to put your hand or foot into the space between the back rest and arm rest or into the space at the underside of the back rest or between the foot rest and the seat or into the space under the foot rest.

Otherwise, an injury may occur.

All of the following information is important. Be sure to follow the instructions carefully.


Do not wind the power cord, remote control cord or sensor controller cord around the main unit, remote control, sensor controller, or remote control stand.

Moreover, be careful not to operate the back rest with the cord hooked on some obstruction.

Otherwise, unreasonable force may be applied to the cord, possibly resulting in fire or electric shock.

Do not allow any children to use the massager, play on or around it. Also, while in use, keep children away from the massager. Lock the plug with the paddle lock provided when not in use and store key out of reach of children.

Otherwise, an injury may occur.



Be sure to check that there is no-one (children in particular), or any pets under the foot rest prior to lowering the foot rest. In addition, do not leave the foot rest in the raised position. Otherwise, an injury may occur.

Do not attempt to stand on the arm rest, foot rest, back rest, or remote control stand. Otherwise, the user may fall over, resulting in injury.

Do not use the massager on the head, the chest, the abdomen or on bones (elbow, knee, etc). In addition, do not put your hand, foot or arm between the massaging rollers.

Otherwise, the user may feel sick or an injury may occur. (When massaging the nape of the neck, put a soft towel on the neck in order to avoid strong stimulation.)

Be careful not to use the massager when the cord or the power plug is damaged or the plug socket is

Otherwise, electric shock, short circuit or fire may occur.

The following persons are requested to consult a doctor prior to use.

Otherwise, the user may feel sick or an injury may occur.

- Those who are undergoing medical treatment and particularly those who complain of indisposition
- Those who have malignant tumors
- Those who suffer from heart trouble
- Those who are in menstrual period or pregnant
- Those who require complete rest
- Those whose spine is abnormal or bent
- Those who desire to use the massager on a part of the body that was previously diseased or receiving medical treatment
- Those who are feverish (100 °F or over)
- Those who have weak bones (osteoporosis etc.)
- Those who use a medical electronic device implanted into the body (e.g. a pacemaker)
- Those who have a serious blood circulation disorder in the legs

Never attempt to dismantle the massager. Do not allow any personnel other than a qualified repair technician to dismantle or repair the massager.

Otherwise, fire, electric shock or injury may occur. Ask the sales agent if repairs are required.

Do not attempt to damage, break, modify, bend forcibly, pull, twist or bundle the cord. In addition, do not put heavy objects on the cord or jam the cord between objects. Otherwise the cord may break, resulting in fire or electric shock.

Do not use the massager at any current other than the designated voltage. Otherwise, fire or electric shock may occur.

Be sure to disconnect the power plug from the outlet prior to maintenance. Also, do not attempt to plug/unplug the power plug with wet hands. Otherwise, injury or electric shock may occur.

IMPORTANT SAFETY INSTRUCTIONS

WARNING

Be careful not to spill water over the remote control, sensor controller, seat, or foot rest. Otherwise, electric shock, short circuit or fire may occur.

Do not suddenly release your hand, while raising the foot rest.

Otherwise, an injury may occur.

Prior to use, be sure to raise the back pad in order to check that the cover cloth or the cloth of other parts is not torn. If a tear is found, however small, stop using the massager immediately, unplug the power source, and obtain service.

If the massager is used with torn cloth, it may result in injury or electric shock.

Use only under careful medical supervision if you have or there is a possibility that you have a medical condition that may possibly, in any way, be affected by massager.

If discomfort or pain is felt during use, stop using the massager and consult a doctor immediately. In addition, when the massage force is felt strongly, stop using it earlier than planned.

Otherwise, if the user continues using in such a way, an unexpected accident may occur.

For safety, check the position of the massaging rollers before leaning slowly back on the massager. Do not twist the body, but lean straight back on the massager, so that the massaging rollers are in position on either side of the spine.

Otherwise, leaning abruptly on the massager may injure the spine or result in some other injury.

After use, be sure to set the POWER switch to the [OFF] position, and the LOCK switch to the [LOCK] position.

Otherwise, it may result in accident or injury due to a child's mischief.

Do not use the massager on top of a heated carpet or other heater, or near a stove or other heat sources.

Otherwise, it may result in fire.

Do not attempt to hang from the back pad or head cover, or pull the back pad or head cover forcibly. Otherwise, the back pad or head cover may come off, possibly resulting in injury.

Aim to use the massager for up to 20 minutes each time. Limit the use of the massager on one point to 5 minutes or less.

Otherwise, the continuous use of the massager on one point for an extended period may result in adverse effects or injury.

Be careful not to fall asleep during massage.

Otherwise, an injury may occur.

Place the massager main unit on a level floor surface.

Otherwise, if it is placed at an unstable place, the main unit may fall over, possibly resulting in injury.

Do not use the massager in the bathroom, or places with high humidity.

Otherwise, electric shock may occur.

Do not place anything other than the remote control and the sensor controller respectively on the remote control stand.

Otherwise, the stand may break, resulting in injury.

Do not use the massager on bare skin.

Otherwise, an injury may occur.

Do not use for any purposes other than as a massager or as a chair.

Otherwise, an accident or injury may occur.

Avoid use by those who are unable to clearly indicate their intentions, as well as by physically disabled people.

Otherwise, an injury may occur.

Do not attempt to disconnect the power plug by pulling the cord, but always by holding the power plug and pulling it out. Also, clean the dust off the power plug periodically.

Otherwise, electric shock, short circuit or fire may occur.

Switch the power [OFF] instantly if there is a power failure, and also pull the power plug out from the outlet.

Otherwise, it may become dangerous when the power is restored.

Do not move the massager with a person on it.

Otherwise, the massager may fall over, resulting in injury.

At first, do not attempt to recline the seat deeply, lean on the back rest forcibly or massage without the back pad (until you have become accustomed to massaging).

Otherwise, if the massaging force is too strong at the outset, it may result in adverse effects or injury.

Do not use the massager with other medical instruments (e.g. a low frequency medical instrument). Otherwise, the user may feel sick or, it may cause other health problems.

If the massager becomes inoperative, disconnect the power plug immediately to prevent accidents, and ask the sales agent for inspection/repair information.

Otherwise, it may result in fire due to electric shock, current leakage, short circuit, etc.

When the equipment will not be used for an extended period, be sure to disconnect the power plug from the outlet.

Otherwise, it may result in electric shock, current leakage or fire due to damaged insulation.

WARNING: Connect this appliance to a properly grounded outlet only. See Grounding Instructions.

Grounding Instructions


This product must be grounded. If it should malfunction or breakdown, grounding provides a path of least resistance for electric current to reduce the risk of electric shock. This product is equipped with a cord having an equipment-grounding conductor and a grounding plug. The plug must be plugged into an appropriate outlet that is properly installed and grounded in accordance with all local codes and ordinances.

This product is for use on a nominal 120-volt circuit, and has a grounding plug that looks like the plug illustrated in sketch A. A temporary adapter that looks like the adapter illustrated in sketches B and C may be used to connect this plug to a 2-pole receptacle as shown in sketch B if a properly grounded outlet is not available. The temporary adapter should be used only until a properly grounded outlet (sketch A) can be installed by a qualified electrician. The green colored rigid ear, lug, or the like extending from the adapter must be connected to a permanent ground such as a properly grounded outlet box cover. Whenever the adapter is used, it must be held in place by a metal screw.

This product is for use on a nominal 120-volt circuit, and has a grounding plug that looks like the plug illustrated in sketch A. Make sure that the product is connected to an outlet having the same configuration as the plug. No adapter should be used with this product.


The maximum permissible weight of the user is 264 lbs.

Otherwise, an accident may happen or damage to the machine may result.



SAVE THESE INSTRUCTIONS

NAME/FUNCTION OF EACH PART



Remote control

* All display icons are shown here for explanation.

MANUAL SELECT button -

Used for manual massaging.

MANUAL (UPPER BODY) - MASSAGE buttons

Used to select the desired type of upper body massaging.

MANUAL (LOWER BODY) MASSAGE buttons

Used to select the desired type of lower body air massaging.

COVER -

Opened to activate manual massaging.

HOME POSITION button —

Used to return the back rest, foot rest and seat to their home positions.

ZERO-G button

Used to adjust the back rest, foot rest and seat to the two preset zero gravity positions.

INSTANT STOP button-

Used if you have felt abnormal physical sensation or want to stop the massager immediately.

UPPER BODY STRENGTH ADJUST buttons -


Adjusts the strength of upper body massaging in five stages.

LOWER BODY STRENGTH ADJUST buttons

Adjusts the strength of lower body and air course massaging in three stages. Only during the Whole Body Sensor Automatic Course, the lower body massaging can be turned off.

SOLE WARMER button

Used for switching the sole heater operation ON/OFF. (When the heater switch is "ON", the lamp is illuminated.)



WIDTH ADJUST buttons -

Adjusts the width of the massaging rollers in five stages.

SPEED ADJUST buttons -

Adjusts the speed of the massaging rollers in five stages.

AUTOMATIC COURSE buttons –

Used to select the desired type of Automatic Course.

WHOLE BODY SENSOR AUTOMATIC COURSE buttons

Used to select the desired type of Whole Body Sensor Automatic Course.

OPERATION ON/OFF button –

Used for switching the massaging operation ON/OFF.

POSITION ADJUST buttons

Used to adjust the UP/DOWN position of massaging rollers.

FOOT REST buttons-

Adjusts the angle of the foot rest.

RECLINING buttons

Adjusts the angle between the back rest and the foot rest.

The back rest and foot rest are moved in conjunction with each other.

STOP

NAME/FUNCTION OF EACH PART

PRESSURE display Positions that can be massaged. Positions where stiffness has been detected. Displays the strength of the pressure placed on the massaging rollers (the pressure from the body). Shoulder position measurement / -STIFFNESS display **Original position display** The right side of the lamp indicates the The "SHOULDER" flickers when the degree of stiffness, and the left side of figure (the shoulder position) is the lamp indicates the degree of relaxation. being measured, and the "ADJUST" The more the right side of the lamp is lights up when the measurement is illuminated, the higher the degree of over. stiffness. **REPEAT!** display Illuminates if the fingers are not -Turns on during Whole Body placed on the sensor during a Sensor Automatic Courses and measurement of stiffness in the Automatic Courses. The ring lights Whole Body Sensor Automatic up by pressing the REPEAT! button Course. when you want to repeat your desired massage during the course of WHOLE BODY SENSOR massaging. **AUTOMATIC COURSE** While the degree of stiffness is being display measured in a Whole Body Sensor Turns on during a Automatic Course, the result is Whole Body Sensor displayed with the color of the ring. Automatic Course. Green: Relax (√-flickers) Orange: Slight degree of stiffness AUTO V-does not Grip the Sensor No display: High degree of stiffness light up if the SHOULDER ADJUST AUTO ∧**/** fingers are not placed on the $\odot \odot \odot \odot$ HIGH UPPER sensor. MEMORY SET **MASSAGE OPERATION** MASSAGE ADJUST display (Remote control display) Display the adjusted level of the display Displays the operation of the strength and speed of massaging current massage technique. and the width of massaging rollers. When these displays turn on, you **SOLE WARMER display** can adjust them with each adjust Turns on when the sole heater is on. button. Sensor controller Repeat button If this button is pressed Sensor lamp during Whole Body Sensor The lamp flickers if the fingers are Automatic Courses or not placed on the sensor during REPEAT Automatic Courses, the a Whole Body Sensor Automatic current massage will be Course. repeated once. Moreover, the lamp is illuminated while stiffness is detected during **RECLINING buttons** a Whole Body Sensor Automatic Adjusts the angle between Course. the back rest and the foot rest. The back rest and foot rest are moved in conjunction The degree of perspiration and pulse with each other.

HOW TO PLACE THE MASSAGER

How to move the massager

1 Raise the back rest.

 Movement is easier when the back rest is raised to the height of your waist with the RECLINING button. (See page 14)




2 Raise the front side of the massager, and move it using the casters. PUSH PULL Caster

NOTE

- Before moving the massager, be sure to remove the power plug from the outlet.
- Be careful not to step on the power cord, remote control or sensor during movement.
- Be sure to move the massager with the assistance of another person on an easily damaged floor surface or concrete surface.

Moreover, when moving the massager like this, be sure not to move it with the foot rest extended.




To move the massager, one person should hold the foot rest and the other should hold the back rest with the back rest reclined.

Decide where to place it


1 Lay a carpet, etc. on the set-up place.

• To prevent damaging the floor and muffle the noise while massaging.



2 Ensure there is sufficient space to allow the massager to recline.

 In order not to touch the wall or other things when reclined, allow a clearance of 20" or more to the front and 24" or more to the back.



NOTE

- Place the massager on a level floor surface.
- Keep the massager at least 3 ft away from AV machines like a TV or radio. Otherwise, the program may be disturbed by noise.
- Do not keep the massager in a place with high humidity like a bathroom.
- Do not keep the massager in a place where it will be exposed to direct sunshine for an extended period, or in a place near a heater where the temperature may reach high levels.

rate are measured if the fingers are placed on the sensor during a Whole Body Sensor Automatic Course.


HOW TO INSTALL THE STAND

Installation on the right-hand side of the chair


Tools needed: Phillips (crosshead) screwdriver, flathead screwdriver (*screwdrivers are not included)

1 Remove the cover of the right-hand side of the arm rest.


Insert the flathead screwdriver into the holes under the cover and pull toward you. (4 places)



2 Secure the stand on the right-hand side of the arm rest, using the installation screws (3 screws).




3 Place the cover on the right-hand side of the arm rest.




4 Put the remote control on the remote control stand (upper part). Put the sensor controller on the sensor controller stand (lower part).

Put the remote control on the remote control stand in a tilted position as the arrow (1) shows, and then push it in the direction of arrow 2.



5 Put the cords of the remote control and the sensor controller in the hooks of the sensor controller stand.

The post holder in the lower part of the sensor controller stand has hooks on both sides. Place the sensor controller cord with the stopper in the hook closer to the arm rest. Place the remote control cord in the opposite hook.




Installation on the left-hand side of the chair

Tools needed: Phillips (crosshead) screwdriver, flathead screwdriver (* screwdrivers are not included)

1 Remove the covers on the outer sides of the arm rests.

Insert the flathead screwdriver into the holes under the cover and pull toward




2 Secure the stand on the left-hand side of the arm rest, using the installation screws (3 screws).




3 Place the covers on the outer sides of the arm rests.


Install the cover A on the left-hand side. and cover B on the right-hand side.



4 Uninstall the cord hook from the right-hand side of the arm rest,




5 Put the cords of the remote control and sensor controller in the cord hook on the back of the body.



6 Put the remote control on the remote control stand (upper part). Put the sensor controller on the sensor controller stand (lower part).

Put the remote control on the remote control stand in a tilted position as the arrow (1) shows, and then push it in the direction of arrow 2.



7 Put the cords of the remote control and the sensor controller in the hooks of the sensor controller stand.

The post holder in the lower part of the sensor controller stand has hooks on both sides. Place the sensor controller cord with the stopper in the hook closer to the arm rest. Place the remote control cord in the opposite hook.

Sensor controller

Sensor controller stand

Remote control

PREPARATIONS PRIOR TO USE

The procedure for use of the massager is explained here. See the referred pages for details.

Prior to use, make certain to read the "IMPORTANT SAFETY INSTRUCTIONS". (Page 1-4)

Turn on the power. (See page 12)

7 Massaging.

- 1) Press the OPERATION ON/OFF button.
- When the button is pressed, the lamp of the remote control illuminates and the sole warmer will turn on.
- When the foot rest is fully lowered, the foot rest will rise a little.
- When the massaging rollers are not located in the upper section, the massaging rollers will move to the upper section and stop.
- (During the movement, the characters of "ORIGIN" on the remote control flicker.)
- ② Adjust the angle of back rest and foot rest with the ZERO-G button, RECLINING button and FOOT REST UP and DOWN button. (See page 13-15)
- 3 Select a massaging course. (See page 16-24)

Type of course	Features of course	Sub-courses	Features of program
WHOLE BODY SENSOR	Measures the degree of stiffness in each part of the body when the	STIFFNESS	Firm shiatsu massage
AUTOMATIC COURSES Custom whole body	fingers are placed on the sensor, and massages automatically according to the result. * Massaging of each course is possible without placing fingers on the sensor. In this case the degree of stiffness is not detected.	RECOVERY	Tapping massage to ease muscle fatigue
massage focused on areas of detected		RELAX	Kneading massage to relax the whole body
stiffness		FINE	Massage to promote blood circulation (See page 16 to 18)
AUTOMATIC COURSES	Massages automatically by effective combination of grasping shoulder massaging, shiatsu, kneading, tapping, spine stretching, and lower body (air) massage.	NECK / SHOULDER course	Massages mainly the neck and shoulders
Easy 1 or 2-button operation		LOWER BACK course	Massages mainly the waist and lower back
		LOWER BODY course	Air massage mainly on the legs and soles of the feet
		COMFORT AIR course	When wanting to operate air massage mainly on the waist and legs (See page 19 to 20)
MANUAL COURSES Full programble upper and lower body massage	Massages with your own adjustment of massage types such as grasping shoulder massaging, shiatsu, kneading, tapping, spine stretching, and lower body (air) massage.	Multiple massages for upper body, and air massaging for waist, legs, and soles. (See page 21 to 24)	

CAUTION

 When the massaging rollers detach from the body during the Whole Body Sensor Automatic Course or the Automatic Course, the body pressure sensor will stop the operation by retracting the massaging rollers for safety. In such a case, begin the operation again from the start.

3 Turn off the power and finish the massage. (See page 26)

1 Check the cloth of the chair.


 Prior to use, be sure to raise the back pad in order to check that the cover cloth or the cloth of other parts is not torn. If a tear is found, however small, stop using the massager immediately, unplug the power source, and obtain service. If the massager is used with torn cloth, it may result in injury or electric shock.

2 Check the power cord, remote control cord and sensor controller cord.

- Check that there is neither breakage nor damage to the cords.
- Check that the cords are not caught between the back rest and the arm rest, and that they are not placed beneath the massager.

3 How to connect the power source.

- ① Connect the power plug to an outlet.
- ② Set the LOCK switch to the "OPEN" position, using a coin.
- 3 Set the POWER switch to the "ON" position.
 Lock switch



CAUTION when massaging

At first, do not attempt to select a strong method of massaging (until you are accustomed to massaging).

- Do not attempt to recline the back rest deeply, lean on the back rest forcibly or massage without the back pad.
- Do not attempt to continuously use the massager on one place for an extended period.
- Do not attempt to speed up the movement of the massaging rollers or increase the strength of massage.
 Otherwise, strong massaging at first may result in injury.
 Particularly, aged persons and those who have weak bones need to use the massager with great care.

WARNING

- The following persons are requested to consult a doctor prior to use. Otherwise, the user may feel sick or an injury may occur.
 - Those who are using self-contained medical electronic equipment that is likely to be affected by electromagnetic interference (e.g. a pacemaker)
 - Those who have malignant tumors
 - Those who suffer from heart trouble
 - Those who have lost temperature sensitivity
 - Those who are in the early-pregnancy period or in the post-delivery period
- Those who suffer from sensory disturbance caused by an advanced peripheral circulatory disturbance such as diabetes
- Those who have skin lesions
- Those who require complete rest
- Those who have a body temperature of 100 °F or more (at the fever stage)
- Example: those who are suffering from strong acute inflammation symptoms (fatigue, chill, blood pressure change, etc.), and from weakness
- Those who suffer from osteoporosis, and from acute painful conditions such as fracture of spine, sprain, pulled muscle, etc.
- Those who are forbidden by a doctor to receive massage Example: Those who suffer from thrombosis (embolism), severe aneurysm, acute varicose veins, various types of dermatitis, skin infections (including inflammation of subcutaneous tissue), etc.
- Those whose spine is abnormal or bent
- Those who desire to use the massager on a part of the body that is diseased or receiving medical treatment
- Do not use the massager on the head, the chest, the abdomen or on bones (elbow, knee, etc). In addition, do not put your hand, foot or arm between the massaging rollers. Otherwise, the user may feel sick or an injury may occur. (When massaging the nape of the neck, put a soft towel on the neck in order to avoid strong stimulation.)

CAUTION


- If discomfort or pain is felt during use, stop using the massager and consult a doctor immediately. In addition, when the massage force is felt strongly, stop using it earlier than planned. Otherwise, if the user continues using in such a way, an unexpected accident may occur.
- Aim to use the massager for up to 20 minutes each time Limit the use of the massager on one point to 5 minutes or less. Also, the total time to massage in one day should be not more than 30 minutes in total. Otherwise, the continuous use of the massager on one point for an extended period may result in adverse effects or injury.
- Do not use the massager on bare skin.
 Otherwise, an injury may occur.
- Be careful not to fall asleep during massage.
 Otherwise, an injury may occur.

ADJUSTMENT OF CHAIR

Before sitting on the massage chair

Bring all parts of the massage chair to their home position by pressing the HOME POSITION button.

- Sitting on the massage chair while the foot rest is being raised is dangerous. Be sure to lower the foot rest completely before sitting on the massage chair.
- The chair will be automatically brought to its home position by pressing the HOME POSITION button.



1 Sit on the center of massage chair.

• Sit deeply in the massage chair so that the waist touches the back rest.




NOTE

 Do not attempt to climb onto or off the seat by stepping on the foot rest. Do not attempt to place anything upon or sit on the foot rest. The user may fall over, resulting in an accident or injury.

CAUTION

 For safety, check the position of the massaging rollers before leaning slowly back on the massager. Do not twist the body, but lean straight back on the massager, so that the massaging rollers are in position on either side of the spine.




Center of the chair

2 Adjust the position of head cover.

 Adjust the attaching position with hook-and-loop fasteners.

• During the massage, adjust the head cover not to touch the shoulders.



? Press the OPERATION ON/OFF button.

- When the button is pressed, the lamp of the remote control illuminates and the sole warmer will turn on.
- When the foot rest is fully lowered, the foot rest will rise a little.
- When the massaging rollers are not located in the upper section, the massaging rollers will move to the upper section and stop. (During the movement, the characters of "ORIGIN" on the remote control flicker.)





4 Press ZERO-G button to move the back rest, foot rest, and the seat to achieve the desired reclining position.



 Reclining positions change automatically at each press of the button. (Button illuminates while reclining and flickers when in position)








- When switched from ZERO-G 1 to 2, the foot rest is raised first, and moves to the set angle.
- When switched form ZERO-G 2 to 1, the back rest is raised first, and moves to the set angle.
- Reclining can be stopped during the reclining motion by pressing either the ZERO-G button, HOME POSITION button, RECLINING button, FOOT REST button, OPERATION ON/OFF button, or STOP button.
 When the reclining motion is stopped by pressing the STOP button, press the OPERATION ON/OFF button to resume the operation.
- When the reclining motion is stopped by pressing buttons other than the STOP button, press he desired button for motion.
- When back rest angle is adjusted from the ZERO-G 2, massaging other than Air Course can be selected.

5 Adjust the angle of the back rest.

The back rest and foot rest are moved in conjunction with each other.

• Keep the RECLINING button pressed until the desired angle is achieved.



Raise the back rest, and lower the foot rest by continuously pressing the UP () button.

Recline the back rest, and raise the foot rest by continuously pressing the DOWN (→) button.



- When adjusted at ZERO-G, the seat is lowered together with the above mentioned movement. (It is not possible to adjust only the seat.)
- For the sake of safety, if the UP (▲) button is pressed with the seat raised, the foot rest may be raised briefly before going down.

NOTE

- Do not attempt to recline the back rest deeply at first (until the body is accustomed to massaging), so that the massage force may be too strong.
- Be sure to check that there is no-one or any pets around the massager prior to adjusting the back rest. It may result in an accident or injury.
- While massaging the legs, do not attempt to recline the back rest when the legs are squeezed by the air bags. Do not pull the legs out forcibly, this may result in injury to the legs.

MASSAGING (WHOLE BODY SENSOR AUTOMATIC COURSES)

6 Adjust the angle of the foot rest.

Foot rest can be adjusted independently.

- Keep the FOOT REST button pressed until the desired angle is achieved.
- When massaging the soles or calves, adjust the angle so that the massaging part of the foot rest touches the soles or calves.




• When the foot rest is suddenly released after being raised by hand, it will return forcibly to the previous position. For safety, be sure to lower the foot rest slowly using your hand.



Raise the foot rest by continuously pressing the UP (button.


Lower the foot rest by continuously pressing the DOWN (button.



Adjustment of foot rest position (length).

If the knees or the calves do not fit the foot rest, its position (length) can be adjusted.

• Keep the foot rest slide lever pulled while adjusting the foot rest. When the foot rest slide lever is released, the foot rest position is fixed. (Sliding length of foot rest: approx. 4.3")



CAUTION

- Do not attempt to adjust the foot rest slide during the operation of reclining. Otherwise, the floor may be damaged.
- Do not attempt to stand on the foot rest when the foot rest slide position and angle are not completely returned to the home positions.

Otherwise, the user may fall over, resulting in an accident or an injury, and the floor may be damaged.

8 Position is returned automatically to the home position when the HOME POSITION button is pressed.

 The foot rest is raised first, and then goes down completely.





Press the OPERATION ON/OFF button.

- When the button is pressed, the lamp of the remote control illuminates and the sole warmer will turn on.
- When the foot rest is fully lowered, the foot rest will rise a little.
- When the massaging rollers are not located in the upper section, the massaging rollers will move to the upper section and stop. (During the movement, the characters of "ORIGIN" on the remote control flicker.)




Turn the sole warmer on or off.


- Sole warmer will be turned on or off each time the SOLE WARMER button is pressed. (The button is illuminated while the sole warmer is on.)
- If you feel that the sole warmer is too hot, turn it off by pressing the SOLE WARMER button.
- * When the room temperature is low such as in winter, it takes some time to warm up or you may barely feel heat.

3 Adjust the positions of the back rest and the foot rest. (See page 13-15)

⚠ Press the desired Whole Body Sensor Automatic Course button.



- Refer to the page 27 and 28 regarding the massaging contents of Whole Body Sensor Automatic Courses.
- Change of course during massaging, or change to the Automatic Course or the Manual Course, is possible.



- Be sure to place your fingers on the sensor. The degree of stiffness cannot be measured if your fingers are not placed on the sensor. (The sensor lamp will flicker and the characters of "Grip the sensor" on the remote control will be illuminated.) In such a case, massages will be carried out according to the standard operation of the selected course.
- When the user's skin is dry, the degree of stiffness may not be measured correctly. In such a case, slightly moisten the fingers using hand cream and place the fingers on the sensor

MASSAGING (WHOLE BODY SENSOR AUTOMATIC COURSES)

6 Starts massaging automatically.

- 1) Measure the position of shoulder.
- Check if the position of shoulder is correct. If not, adjust the position using the POSITION ADJUST button. (See page 18)
- ② Start sensor massage.

Measures the degree of stiffness in each part of body with the sensor and informs of the degree of stiffness.

→ Massaging operation and the display of remote control.

(See page 18)

③ Massages according to the stiffness.

Adjusts the operation and strength of standard massaging according to the measured degree of stiffness.

→ Massaging operation and the display of remote control.

(See page 18)

7 Adjust the strength of massage. (See page 18)

Finishes the massaging automatically by timer operation.

- Massaging rollers are moved to the upper position, and stop massaging automatically. The buzzer sounds and the lamp on the remote control will turn off.
- The massaging time differs according to the detected stiffness, but the maximum is approx. 20 minutes.

NOTE

- Massage in relaxed condition as much as possible during massage. The degree of stiffness may not be measured correctly when the user is given stimulation other than sensor massage.
 Examples of this are if the user massages immediately after taking a bath or while watching TV.
- The measurement result indicates the stiffness according to the body's biological reaction (the amount of perspiration from fingers or pulse) to the sensor massage, so it may differ from the stiffness the user actually feels.

To stop the massage during massaging operation.

Press the OPERATION ON/OFF button.

 All the massaging will stop and the chair will be automatically brought to its home position.
 (The massaging rollers are moved to the upper position and remain in that position.)

Press the button for the current operation.

 The massaging that corresponds to the pressed button will stop.

(The Massaging rollers will stop at that point.)

If you have felt abnormal physical sensation or want to stop the massager immediat

Press the INSTANT STOP button.

- All the massaging will stop and the lamp of the remote control will turn off.
- When you want to restart massaging, press the OPERATION ON/OFF button. (The massaging rollers move to the upper position and remain in that position.)

After the movement, repeat the operation from the beginning of each massage.

Measurement of shoulder position

Measure the position of shoulder and match the position of massaging rollers to that of shoulder.

Massaging rollers move up and down to measure the position of shoulder.

(Sit deeply on the massage chair and raise your head slightly. The matching of the position of shoulders may not be possible if the head is leaning on the back rest.)



Massaging operation at recognized position of shoulder.


Check that massaging rollers match the position of your shoulder.

If not, when the lamp of vis flickering (a buzzer sounds), adjust the position by pressing the POSITION ADJUST button.

(Remote control display)

The massaging rollers are moved up or down by 0.4" each time the POSITION ADJUST button is pressed.

When it is difficult to adjust with POSITION ADJUST button, move your body for adjustment. The height that can be adjusted is between approx. 59" to 70.8".





Decides the position of shoulder.

Massaging operation and display of remote control

 Displays the aim of massaging positions, the type of massaging, the stiffness, body pressure and the remaining massaging time on the remote control.

Explanation with an example of STIFFNESS

SENSOR MASSAGE

Measurement of the degree of stiffness.


The sensor will display the positions of stiffness (those where stiffness has been felt) by measuring the amount of perspiration from fingers and pulse in reaction to sensor massage.

When measuring the degree of stiffness, the result is displayed by the ring around the REPEAT! (See page 7) When the measurement is over, a buzzer sounds.






Displays the position where the stiffness has been detected.





Massaging according to the degree of stiffness

Shiatsu massaging



Adjusting the strength of massage



 Each time the UPPER BODY STRENGTH ADJUST button is pressed, the strength of upper body massaging can be adjusted in five stages. (The strength is displayed by the lamp on the remote control.)



- Each time the LOWER BODY STRENGTH ADJUST button is pressed, the strength of lower body massaging (air) can be adjusted in three stages. (The strength is displayed by the lamp on the remote control.)
- * If you continue to press the "▼" button until the illumination of the lower body strength scale turns off, you can turn off the massaging of the lower body. If you press the "▲" button, the massaging will resume.

LOWER _____

NOTE

• When it is felt that the massaging on the soles or calves is too strong even when reducing the strength of lower body (air) massaging, put a towel etc. on those massaged parts.

MASSAGING (AUTOMATIC COURSES)

1 Press the OPERATION ON/OFF button.

- When the button is pressed, the lamp of the remote control illuminates and the sole warmer will turn on.
- When the foot rest is fully lowered, the foot rest will rise a little.
- When the massaging rollers are not located in the upper section, the massaging rollers will move to the upper section and stop. (During the movement, the characters of "ORIGIN" on the remote control flicker.)

7 Turn the sole warmer on or off.

- Sole warmer will be turned on or off each time the SOLE WARMER button is pressed. (The button is
- illuminated while the sole warmer is on.)
 If you feel that the sole warmer is too hot, turn it off by pressing the SOLE WARMER button.
- * When the room temperature is low such as in winter, it takes some time to warm up or you may barely feel warm.

Adjust the positions of the back rest and the foot rest. (See page 13-15)

⚠ Press the desired Automatic Course button.

NECK/SHOULDER

Massages mainly the neck and shoulders.

LOWER BACK

Massages mainly the waist and lower back.

LOWER BODY

STIFFNESS/

- WHOLE BODY SENS

Air massage mainly on the legs and soles of the feet.

COMFORT AIR COURSE

\RELAX\

FINE .

AUTOMATIC COURSE -

OPERATION

ON/OFF

Air massage mainly on the waist and legs.

- Lower Body can be operated simultaneously with Neck/Shoulder or Waist.
- Air Course cannot be operated simultaneously with any other courses.
- Refer to the page 28 regarding the massaging contents of Automatic Course.
- Change of course during massaging, or change to the Whole Body Sensor Automatic Course or the Manual Course, is possible.

5 Starts the massaging automatically.

- 1) Measure the position of shoulder.
- Check if the position of shoulder is correct. If not, adjust the position using the POSITION ADJUST button. (See page 20)
- 2 Starts the massaging of selected course.

6 Adjust the strength of massage. (See page 20)

Finishes the massaging automatically by timer operation.

• The massaging rollers are moved to the upper position and are stopped automatically approx. 15 minutes after starting the operation. The buzzer sounds and the lamp on the remote control will turn off.

To stop the massage during massaging operation.

Press the OPERATION ON/OFF button.

 All the massaging will stop and the chair will be automatically brought to its home position.
 (The massaging rollers are moved to the upper position and remain in that position.)

Press the button for the current operation.

 The massaging that corresponds to the pressed button will stop.

(The Massaging rollers will stop at that point.)

If you have felt abnormal physical sensation or want to stop the massager immediat

Press the INSTANT STOP button.

- All the massaging will stop and the lamp of the remote control will turn off.
- When you want to restart massaging, press the OPERATION ON/OFF button. (The massaging rollers move to the upper position and remain in that position.)

After the movement, repeat the operation from the beginning of each massage.

Measurement of shoulder position

Measure the position of shoulder and match the position of massaging rollers to that of shoulder.

Massaging rollers move up and down to measure the position of shoulder.

(Sit deeply on the massage chair and raise your head slightly. The matching of the position of shoulders may not be possible if the head is leaning on the back rest.)



Massaging operation at recognized position of shoulder.


Check that massaging rollers match the position of your shoulder.

If not, when the lamp of vis flickering (a buzzer sounds), adjust the position by pressing the POSITION ADJUST button.

(Remote control display)

The massaging rollers are moved up or down by 0.4" each time the POSITION ADJUST button is pressed.

When it is difficult to adjust with POSITION ADJUST button, move your body for adjustment. The height that can be adjusted is between approx. 59" to 70.8".






Decides the position of shoulder.

Massaging operation and display of remote control


 Displays the aim of massaging positions, the type of massaging, body pressure and the remaining massaging time on the remote control.

Explanation with an example of NECK/SHOULDER



The position of current massage flickers





Massaging neck/shoulder mainly





Finishes the massaging by the operation of the timer. (After the massaging rollers return to the origin, the lamp on the remote control will turn off)

Adjusting the strength of massage



 Each time the UPPER BODY STRENGTH ADJUST button is pressed, the strength of upper body massaging can be adjusted in five stages. (The strength is displayed by the lamp on the remote control.)





 Each time the LOWER BODY STRENGTH ADJUST button is pressed, the strength of lower body massaging (air) can be adjusted in three stages. (The strength is displayed by the lamp on the remote control.)




NOTE

• When it is felt that the massaging on the soles or calves is too strong even when reducing the strength of lower body (air) massaging, put a towel etc. on those massaged parts.

19

MASSAGING (MANUAL COURSES)

Massaging of upper body




1 Press the OPERATION ON/OFF button.

- When the button is pressed, the lamp of the remote control illuminates and the sole warmer will turn on.
- When the foot rest is fully lowered, the foot rest will rise a little.
- When the massaging rollers are not located in the upper section, the massaging rollers will move to the upper section and stop.
 (During the movement, the characters of "ORIGIN" on the remote control flicker.)

7 Turn the sole warmer on or off.

- Sole warmer will be turned on or off each time the SOLE WARMER button is pressed. (The button is illuminated while the sole warmer is on.)
- If you feel that the sole warmer is too hot, turn it off by pressing the SOLE WARMER button.
- * When the room temperature is low such as in winter, it takes some time to warm up or you may barely feel warm.
- 3 Adjust the positions of the back rest and the foot rest. (See page 13-15)
- 4 Open the cover of the remote control.
 - * If an excessive force is applied to the cover, it may be detached. In such a case, re-attach the cover according to the following procedure.



How to attach the cover

1) Place the hook on the underside of cover around the post on the underside of the remote control.

② Slide the hook on the upper side of cover around the post on the upper side of the remote control until you hear a clicking noise.




5 Press the MANUAL button.

MANUAL button

6 Press the desired MANUAL (UPPER BODY) MASSAGING button.

- Refer to page 23 for details of the contents of massage.
- For grasping shoulder massaging and spine stretching, shoulder position is first measured. When the position of shoulder is not correct, adjust the position of massaging rollers. (See page 18)
- During massaging operation, the operation can be changed to other manual massage, Whole Body Sensor Automatic Course or Automatic Course.
- It is possible to operate the upper body massage and lower body massage simultaneously.
- * The massage will not start without pressing MANUAL button, even if the MANUAL (UPPER BODY) MASSAGING buttons are pressed. (In such a case, the MANUAL button flickers five times.)



MANUAL (UPPER BODY)
MASSAGING buttons

7 Adjust the height, width, speed, and strength of the massaging rollers.

There are some adjustments which are not possible, depending on the type of massage chosen.
 (See page 23)

Adjusting the height of massaging rollers.

POSITION ADJUST

Press the button.

The massaging rollers will move up if the UP(▲) button is pressed continuously and move down if the DOWN(▼) button is pressed continuously.

 The approximate position of the massaging rollers is indicated by the lamp on the remote control.

Adjusting the width of the massaging rollers.



 The width of the massaging rollers will change each time the button is pressed and is indicated by the lamp on the remote control. (in five stages)

Adjusting the movement speed of massaging rollers.

Press the button.

 The speed of the massaging rollers will change each time the button is pressed, and is indicated by the lamp on the remote control. (in five stages)

Adjusting the strength of the massage.

▼ Press the button.

 The strength of the massage will change each time the button is pressed, and is indicated by the lamp on the remote control. (in five stages)

Finishes the massaging automatically by timer operation.

- The massaging rollers are moved to the upper position and are stopped automatically approx. 15 minutes after starting the operation. The buzzer sounds and the lamp on the remote control will turn off.
- If a different course button (manual) is pressed during the course of operation, the massage will be completed by operation of the timer approx. 30 minutes after starting the massage selected first.

To stop the massage during massaging operation.

Press the OPERATION ON/OFF button.

 All the massaging will stop and the chair will be automatically brought to its home position.
 (The massaging rollers are moved to the upper position and remain in that position.)

Press the button for the current operation.

 The massaging that corresponds to the pressed button will stop.

(The Massaging rollers will stop at that point.)

If you have felt abnormal physical sensation or want to stop the massager immediately

Press the INSTANT STOP button.

- All the massaging will stop and the lamp of the remote control will turn off.
- When you want to restart massaging, press the OPERATION ON/OFF button. (The massaging rollers move to the upper position and remain in that position.)

After the movement, repeat the operation from the beginning of each massage.

MASSAGING (MANUAL COURSES)

Kinds of massages and adjustments of massaging rollers

Several types of desired massage can be selected.

It is possible to adjust the movement speed, height position and width of massaging rollers and the strength of massage. (There are some adjustments that are not possible, depending on the kind of massaging. Refer to the table below.)

(Individual massages)

Kinds of massage	Operation	Adjustment of massaging rollers
GRIP (IQ)	Massaging by grasping the shoulders.	Height, speed and strength are adjustable.
SHIATSU	Shiatsu massaging.	Height, speed, width and strength are adjustable.
KNEADING	Kneading.	Height, speed and strength are adjustable.
TAPPING	Tapping.	Height, speed, width and strength are adjustable.
COMBO	Combined tapping and kneading actions.	Height, speed and strength are adjustable.
STRETCH1	Spinal stretch along the entire length of back.	Height, width and strength are adjustable.
STRETCH 2	Spinal stretch along an 8" region of back.	Height, width and strength are adjustable.
STRETCH3	Spinal stretch along a 4" region of back.	Height, width and strength are adjustable.

(Combined massages)

SHIATSU	+	STRETCH1	Massaging by spine stretching, while executing shiatsu operation.	Height, speed, width and strength are adjustable.
SHIATSU	+	STRETCH 2	Massaging by partial stretching (long), while executing shiatsu operation.	Height, speed, width and strength are adjustable.
SHIATSU	+	STRETCH 3	Massaging by partial stretching (short), while executing shiatsu operation.	Height, speed, width and strength are adjustable.
KNEADING	+	STRETCH 1	Massaging by spine stretching, while executing kneading operation.	Height, speed and strength are adjustable.
KNEADING	+	STRETCH 2	Massaging by partial stretching (long), while executing kneading operation.	Height, speed and strength are adjustable.
KNEADING	+	STRETCH 3	Massaging by partial stretching (short), while executing kneading operation.	Height, speed and strength are adjustable.
TAPPING	+	STRETCH 1	Massaging by spine stretching, while executing tapping operation.	Height, speed, width and strength are adjustable.
TAPPING	+	STRETCH 2	Massaging by partial stretching (long), while executing tapping operation.	Height, speed, width and strength are adjustable.
TAPPING	+	STRETCH 3	Massaging by partial stretching (short), while executing tapping operation.	Height, speed, width and strength are adjustable.
COMBO	+	STRETCH1	Massaging by spine stretching, while executing tapping and kneading operation.	Height, speed and strength are adjustable.
COMBO	+	STRETCH 2	Massaging by partial stretching (long), while executing tapping and kneading operation.	Height, speed and strength are adjustable.
COMBO	+	STRETCH 3	Massaging by partial stretching (short), while executing tapping and kneading operation.	Height, speed and strength are adjustable.

Massaging of lower body

- Simultaneous massaging of any part of "upper body" and "lower body (air)" is possible. Independent massaging of "upper body" and "lower body (air)" is possible.
- 1 to 5 are the same operation for massaging the upper body. When massaging the upper body, start from operation 6.

Press the OPERATION ON/OFF button.

- When the button is pressed, the lamp of the remote control illuminates and the sole warmer will turn on.
- When the foot rest is fully lowered, the foot rest will rise a little.
- When the massaging rollers are not located in the upper section, the massaging rollers will move to the upper section and stop. (During the movement, the characters of "ORIGIN" on the remote control flicker.)

7 Turn the sole warmer on or off.

• Sole warmer will be turned on or off each time the SOLE WARMER button is pressed. (The button is illuminated while the sole warmer is on.)

/4\

• If you feel that the sole warmer is too hot, turn it off by pressing the SOLE WARMER button.

GRIP SHIATSU KNEADING


STRETCH 1 STRETCH 2 STRETCH 3

- AIR MASSAGE

WIDTH SPEED

* When the room temperature is low such as in winter, it takes some time to warm up or you may barely feel warm.

Adjust the positions of the back rest and the foot rest. (See page 13-15)





6 Press the desired MANUAL (LOWER BODY) MASSAGING button.

 During massaging operation, you can change to a different manual massage, Whole Body Sensor Automatic Course, or Automatic Course.

LOWER BODY

STIFFNESS/

RECOVERY

Air massage of the waist, legs and soles of the feet.

BACK/SEAT

OPERATION

ON/OFF

--- WHOLE BODY SENSO AUTOMATIC COURSE --

Air massage of the seat and lower back

RELAX

FINE /

CALF/FOOT Air massage of the legs and soles of

the feet.

3

7 By pressing the LOWER BODY strength adjustment button, adjust the strength of massage.

• The strength of massage will change each time the button is pressed, and is indicated by the lamp on the remote control.

Finishes the massaging automatically by timer operation.

• It will stop automatically approx. 15 minutes after starting the operation. The buzzer sounds, and the display part of the remote control turns off.

To stop the massage during massaging operation.

Press the OPERATION ON/OFF button.

 All the massaging will stop and the chair will be automatically brought to its home position.

Press the button for the current operation.

 The massaging that corresponds to the pressed button will stop.

If you have felt abnormal physical sensation or want to stop the massager immediately


Press the INSTANT STOP button.

- All the massaging will stop and the lamp of the remote control will turn off
- When you want to restart massaging, press the OPERATION ON/OFF button and repeat the operation from the beginning of each massage.

ADJUSTING MASSAGE INTENSITY

When the massage is too strong


Use the massager after placing a towel, etc., on the back pad.




When the massage is too weak

Flip the back pad to the rear.


1) Take off the head cover from the back pad.



② Flip the back pad to the rear.



③ Attach the head cover to the back rest.



AFTER USE

CAUTION

- After use, be sure to set the POWER switch to the [OFF] position, and the LOCK switch to the [LOCK] position.
- When the equipment will not be used for an extended period, be sure to disconnect the power plug from the outlet.

Set the back rest and the foot rest to the starting position.

- 1) When the foot rest is extended, return the foot rest to the home position by pulling the foot rest slide lever.
- ② Bring all parts of the massage chair to their home position by pressing the HOME POSITION button.
- Be sure to check that there are no children, pets, or any obstacles around the massager.


2 Turn off the POWER.

1) When the display part of the remote control does not turn off, press the OERATION ON/OFF button.



LOCK switch

- Close the cover of remote control.
- Put the remote control and the sensor controller back on the stand.
- ② Set the POWER switch to the [OFF] position, and the LOCK switch to the [LOCK] position using a coin.



POWER switch-

MAINTENANCE PROCEDURES

WARNING

• Be sure to disconnect the power plug from the outlet prior to maintenance.



- Do not attempt to use benzene, thinner, alcohol, alkaline detergent or bleaching agent for cleaning, as this may result in deformation, discoloration or cracking.
- Do not wash the head cover or the back pad. This may cause discoloration or deformation.

HEAD COVER, BACK PAD, SEAT COVER, ARM REST

- Perform daily maintenance by wiping with a soft dry cloth. When they are badly soiled, adopt the following maintenance procedure:
- 1) Soak a soft cloth in diluted neutral kitchen detergent, and squeeze it well.

 Wipe the main unit with the damp cloth in a tapping motion.



- ② Soak a cloth in clean water, and squeeze it well. Wipe off the remaining detergent with the damp cloth.
- ③ Wipe it with a dry cloth afterwards.
- * Do not force-dry with a drier.
- * Do not make contact with vinyl products for an extended period. It may cause discoloration.

MAIN UNIT (Plastic parts and frame)

 Soak a soft cloth in diluted neutral kitchen detergent, and squeeze it well. Wipe the main unit with the damp cloth, and wipe it with a dry cloth afterwards.


REMOTE CONTROL, SENSOR CONTROLLER


- Wipe with a soft dry cloth.
- * Do not wipe with a damp cloth.


CONTENTS OF MASSAGING

* The drawing of the massage for each course is omitted in part, in order to describe the operation in a simplified manner. Also, the drawings of air massage operation for lower body are all omitted.


(WHOLE BODY SENSOR AUTOMATIC COURSE)









WHOLE BODY SENSOR AUTOMATIC COURSE



(AUTOMATIC COURSE)





TROUBLE-SHOOTING

WARNING

• If the trouble still persists even after the following proper countermeasures have been taken, stop using the massager to avoid possible accidents. Disconnect the power plug from the outlet and consult an authorized service center. Do not attempt to repair the equipment at home by yourself, as it is very dangerous.

Sound and sensation during operation

During use, the following sounds or sensation may be unavoidably generated because of its structure, but they are not problems. (They will not affect the function, etc.)

- · Rattling sound during tapping
- Noise during UP/DOWN operation of massaging rollers and clinking sound during massaging operation
- Creaking sound caused by massaging rollers and cloth during massaging operation.
- Gear meshing sound
- Wobbling foot rest
- · "Gee" sound when reclined

- · Sound of air massage
- "Pusshu" sound (Change valve sound)
- Hissing sound (Exhaust sound)
- "Buu" sound (Sound of pump operation)
- "Pako" sound (Sound when the air bag fills)
- When massaging the waist, slight sounds or shock being generated from the massaging rollers
- Bouncing movement of the massaging rollers when they move from the back to the shoulder

Type of Trouble	Check points	Countermeasure	
Operation failure	Check that the power plug is securely plugged into the outlet.	Push the power plug into the outlet securely. (See page 12)	
	Check that the POWER switch is set to the ON position.	With the LOCK switch set to unlock, turn on the POWER switch. (See page 12)	
	Make sure that no more than one button is being pressed at any one time.	Please press each button separately.	
Courses other than Air Course cannot be selected.	Check if the chair is set to the ZERO-G 2.	After adjusting the angle of back rest, select the massaging button.	
Movement of massaging rollers in upward direction, causing operation to stop	This phenomenon is caused by the operation of the timer, but is not a problem.		
The operation stops in the middle of massaging in the Whole Body Sensor Automatic Course	When the massaging rollers detach from the body, the body pressure sensor will work to stop the operation automatically.	Begin the operation again from the start. (See page 11)	
The foot rest cannot be extended.	Check if you attempt to adjust the foot rest with the foot rest slide lever pulled.	Adjust the foot rest with the foot rest slide lever pulled.	
The foot rest cannot be stored.	Check that the foot rest is not extended.	Return the foot rest by pulling the foot rest slide lever.	
You feel discomfort during the operation of reclining. (Move toward to the opposite direction temporarily, or do not move smoothly.)	This operation is conducted for safety, but is not a problem.		
The position of massaging rollers differ between right and left.	This phenomenon is caused by the adoption of the function of alternative tapping on the right and left sides, but is not a problem.		
The display of stiffness differs	Check if your fingers are placed on the sensor.	Place your fingers on the sensor. (See page 16)	
from the degree of stiffness actually felt.	The measurement result indicates the stiffness according to the body's biological reaction to the sensor massage, so it may differ from the stiffness the user actually feels.		
	Massage in relaxed condition as much as possible during massage. The degree of stiffness may not be measured correctly when the user massages immediately after taking a bath or is given stimulation other than sensor massage, like watching TV.		
The degree of stiffness cannot be measured correctly.	Check your skin for dryness.	Slightly moisten the fingers using hand cream and place the fingers on the sensor again.	

SPECIFICATIONS

Power consumption	290 W	
Power dissipation of electric heating equipment	33 W	
Rated time	30 min.	
Timer	WHOLE BODY SENSOR AUTOMATIC COURSE · · · Approx. 15 minutes (Maximum of approx. 20 minutes due to stiffness detection) AUTOMATIC COURSE · · · · · · · · · · · · · · · Approx. 15 minutes MANUAL COURSE · · · · · · · · · · · · · · · · · · Approx. 15 minutes	
Dimensions	28 $^{3/_4}$ " [width] $ imes$ 53 $^{1/_8}$ " [depth] $ imes$ 48" [height] $ imes$ When not reclined (with foot rest retracted)	
Dimensions	28 3 /4" [width] \times 72 7 / 16 " [depth] \times 29 15 / 16 " [height] $*$ When reclined (with foot rest set horizontally)	
Weight	Approx. 183 lbs.	
Accessories	Stand, Installation screws (Three)	
Exterior cloth	Synthetic leather	
Kneading frequency	(5 stages) Approx. 10 ~ 30 times/min.	
Tapping frequency	(5 stages) Approx. 300 ~ 600 times/min.	
Tapping width	(5 stages) Approx. 3 ~ 5 "	
Vertical movement speed	One up/down pass in approx. 35 sec.	
Spine stretching width	(5 stages) Approx. 3 ~ 5"	
Range of partial stretching	Partial stretching (Long): Repetition within Approx. 8" Partial stretching (Short): Repetition within Approx. 4"	
Vertical stroke length	Approx. 31"	
Height adjustment of massaging rollers No gradation or 3/8"/one press of button		
Reclining angle Approx. 120 ~ 170°		
Reclining method Back rest: Motor-driven type (Linked with foot rest) Foot rest: Motor-driven type (Foot rest only) Seat surface: Motor-driven type (Linked with back rest a		
Lower body massaging (Air pressure)	(3 stages) Approx. 23 ~ 32 kPa * There is a slight difference according to the part.	

Do not use the massager on other than the designated voltage.

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com