


# SANYO

## Cadnica




# Cell Type N-100AAS

## Specifications


Nominal Capacity		90mAh
Nominal Voltage		1.2V
Standard Charging Current		3.0mA
Charging Time		above 48Hrs.
Ambient Temperature	Charge	0°C to +80°C [+32°F to 176°F]
	Discharge	-20°C to +80°C [-4°F to 176°F]
	Storage	-30°C to +80°C [-22°F to 176°F]
Internal Impedance (Av.) (at 50% discharge)		60.0mΩ (at 1000Hz)
Weight		8g/0.28oz
Dimensions(D)×(H) (with tube)		14.5 <sup>0</sup> <sub>-0.5</sub> × 17.5 <sup>0</sup> <sub>-1</sub> mm 0.57 <sup>0</sup> <sub>-0.02</sub> × 0.69 <sup>0</sup> <sub>-0.04</sub> inch

### Typical Characteristics


#### Charge




#### Discharge (at very low rate)




#### Cell Capacity (at various discharge rate)




#### Discharge (at various temperature)



#### Discharge (at low rate)



#### Temperature (Charge & Discharge)



CD010830

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>