

# decorative Chandeliers



chandeliers



**Five Light Chandelier**  
With frosted ribbed shades  
**76-693** Textured White  
(5) 60W A19 max.  
Dimensions: Width 22", Height 18", Chain 36"



**Five Light Chandelier**  
With frosted ribbed shades  
**76-694** Old Bronze  
(5) 60W A19 max.  
Dimensions: Width 22", Height 18", Chain 36"




**Five Light Chandelier**  
With frosted ribbed shades  
**76-695** Brushed Nickel  
(5) 60W A19 max.  
Dimensions: Width 22", Height 18", Chain 36"



**Five Light Chandelier**  
With clear ribbed shades  
**76-281** Polished Brass  
(5) 60W A19 max.  
Dimensions: Width 22", Height 18", Chain 36"



**Five Light Chandelier**  
With clear ribbed shades  
**76-449** Textured White  
(5) 60W A19 max.  
Dimensions: Width 22", Height 18", Chain 36"



**Five Light Chandelier**  
With clear ribbed shades  
**76-445** Old Bronze  
(5) 60W A19 max.  
Dimensions: Width 22", Height 18", Chain 36"



**Five Light Chandelier**  
With clear ribbed shades  
**76-444** Brushed Nickel  
(5) 60W A19 max.  
Dimensions: Width 22", Height 18", Chain 36"



**Five Light Chandelier**  
**76-280** Polished Brass  
(5) 60W Type B, Cand Base max.  
Dimensions: Width 18", Height 14", Chain 36"



*Prismatic Dome  
With clear ribbed glass*

**76-282** Polished Brass

(1) 100W A19 max.

Dimensions: Width 15",  
Height 10½", Chain 36"



*Prismatic Dome  
With frosted ribbed glass*

**76-690** Old Bronze

(1) 100W A19 max.

Dimensions: Width 15",  
Height 10½", Chain 36"



*Prismatic Dome  
With frosted ribbed glass*

**76-691** Brushed Nickel

(1) 100W A19 max.

Dimensions: Width 15",  
Height 10½", Chain 36"



*Prismatic Dome  
With frosted ribbed glass*

**76-692** Textured White

(1) 100W A19 max.

Dimensions: Width 15",  
Height 10½", Chain 36"



*Prismatic Dome  
With clear ribbed glass*

**76-447** Old Bronze

(1) 100W A19 max.

Dimensions: Width 15",  
Height 10½", Chain 36"



*Prismatic Dome  
With clear ribbed glass*

**76-446** Brushed Nickel

(1) 100W A19 max.

Dimensions: Width 15",  
Height 10½", Chain 36"



*Prismatic Dome  
With clear ribbed glass*

**76-448** Textured White

(1) 100W A19 max.

Dimensions: Width 15",  
Height 10½", Chain 36"



*Prismatic Railroad  
Shade*

**76-262** 8" Polished Brass

Dimensions: 8", Height 7½", Chain 36"

**76-263** 12" Polished Brass

Dimensions: 12", Height 8", Chain 36"

**76-264** 15" Polished Brass

Dimensions: 15", Height 9½", Chain 36"

(1) 100W A19 max.



# glass Pendants



*Alabaster Glass Hanging Dome*

**60-390** Brushed Nickel

(1) 100W A19 max.

*Dimensions: Width 16", Height 11½", Chain 48"*



*Alabaster Glass Hanging Dome*

**60-391** Old Bronze

(1) 100W A19 max.

*Dimensions: Width 16", Height 11½", Chain 48"*



*Alabaster Glass Hanging Dome*

**60-392** Polished Brass

(1) 100W A19 max.

*Dimensions: Width 16", Height 11½", Chain 48"*



*Alabaster Glass Hanging Dome*

**60-393** Textured White

(1) 100W A19 max.

*Dimensions: Width 16", Height 11½", Chain 48"*



*10" Prismatic Cone Shade*

**76-254** Polished Brass

(1) 100W A19 max.

*Dimensions: Width 10", Height 7¾", Chain 36"*



*12" Prismatic Cone Shade*

**76-255** Polished Brass

(1) 100W A19 max.

*Dimensions: Width 12", Height 9", Chain 36"*



# warehouse shade *Pendants*



*Black Warehouse Shade*

**76-284**

(1) 100W A19 max.

*Dimensions: Width 16", Height 8 1/4", Cord 12"*



*White Warehouse Shade*

**76-283**

(1) 100W A19 max.

*Dimensions: Width 16", Height 8 1/4", Cord 12"*



*Green Warehouse Shade*

**76-660**

(1) 100W A19 max.

*Dimensions: Width 16", Height 8 1/4", Cord 12"*



*Brushed Nickel Warehouse Shade*

**76-661**

(1) 100W A19 max.

*Dimensions: Width 16", Height 8 1/4", Cord 12"*



*Old Bronze Warehouse Shade*

**76-662**

(1) 100W A19 max.

*Dimensions: Width 16", Height 8 1/4", Cord 12"*



*Red Warehouse Shade*


**76-663**

(1) 100W A19 max.

*Dimensions: Width 16", Height 8 1/4", Cord 12"*

# foyer

## Hall/Bedroom



### 11" Flush

**60-197** Brushed Nickel  
with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 11½",  
Height 4¼"



### 11" Semi-flush

**60-200** Brushed Nickel  
with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 11½",  
Height 12"



### 13" Flush

**60-198** Brushed Nickel  
with Alabaster Glass

(2) 60W A19 max.

Dimensions:  
Width 13¼",  
Height 5¼"



### 13" Semi-flush

**60-201** Brushed Nickel  
with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 13¼",  
Height 14"



### 15" Flush

**60-199** Brushed Nickel  
with Alabaster Glass

(3) 60W A19 max.

Dimensions:  
Width 15¼",  
Height 6"



### 15" Semi-flush

**60-202** Brushed Nickel  
with Alabaster Glass

(3) 60W A19 max.

Dimensions: Width 15¼",  
Height 15½"





**11" Semi-flush**

**60-216** Polished Brass with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 11½", Height 12"



**11" Flush**

**60-213** Polished Brass with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 11½", Height 4½"



**13" Semi-flush**

**60-217** Polished Brass with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 13¼", Height 14"



**13" Flush**

**60-214** Polished Brass with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 13¼", Height 5½"



**15" Semi-flush**

**60-218** Polished Brass with Alabaster Glass

(3) 60W A19 max.

Dimensions: Width 15¼", Height 15½"



**15" Flush**

**60-215** Polished Brass with Alabaster Glass

(3) 60W A19 max.

Dimensions: Width 15¼", Height 6"



# foyer

## Hall/Bedroom



**11" Semi-flush**  
**60-208** Old Bronze with Alabaster Glass  
(2) 60W A19 max.  
Dimensions: Width 11 $\frac{1}{2}$ ", Height 12"



**11" Flush**  
**60-205** Old Bronze with Alabaster Glass  
(2) 60W A19 max.  
Dimensions: Width 11 $\frac{1}{2}$ ", Height 4 $\frac{1}{2}$ "



**13" Semi-flush**  
**60-209** Old Bronze with Alabaster Glass  
(2) 60W A19 max.  
Dimensions: Width 13 $\frac{1}{4}$ ", Height 14"



**13" Flush**  
**60-206** Old Bronze with Alabaster Glass  
(2) 60W A19 max.  
Dimensions: Width 13 $\frac{1}{4}$ ", Height 5 $\frac{1}{2}$ "



**15" Semi-flush**  
**60-210** Old Bronze with Alabaster Glass  
(3) 60W A19 max.  
Dimensions: Width 15 $\frac{1}{4}$ ", Height 15 $\frac{1}{2}$ "



**15" Flush**  
**60-207** Old Bronze with Alabaster Glass  
(3) 60W A19 max.  
Dimensions: Width 15 $\frac{1}{4}$ ", Height 6"

foyer/hall/bedroom



**11" Flush**

**60-221** Textured White  
with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 11 $\frac{1}{4}$ ",  
Height 4 $\frac{1}{4}$ "



**11" Semi-flush**

**60-224** Textured White  
with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 11 $\frac{1}{4}$ ",  
Height 12"



**13" Flush**

**60-222** Textured White  
with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 13 $\frac{1}{4}$ ",  
Height 5 $\frac{1}{4}$ "



**13" Semi-flush**

**60-225** Textured White  
with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 13 $\frac{1}{4}$ ",  
Height 14"



**15" Flush**

**60-223** Textured White  
with Alabaster Glass

(3) 60W A19 max.

Dimensions: Width 15 $\frac{1}{4}$ ",  
Height 6"



**15" Semi-flush**

**60-226** Textured White  
with Alabaster Glass

(3) 60W A19 max.

Dimensions: Width 15 $\frac{1}{4}$ ",  
Height 15 $\frac{1}{2}$ "





# foyer Hall/Bedroom



See Pages 222 and 223  
for More Swirl Glass  
Flush Dome Fixtures



### 11" Flush

**60-229** Antique Brass  
with Clear Swirl Glass  
(2) 60W A19 max.  
Dimensions: Width 11 $\frac{1}{2}$ ",  
Height 4 $\frac{1}{2}$ "



### 11" Semi-flush

**60-232** Antique Brass  
with Clear Swirl Glass  
(2) 60W A19 max.  
Dimensions: Width 11 $\frac{1}{2}$ ",  
Height 12"



### 13" Flush

**60-230** Antique Brass  
with Clear Swirl Glass  
(2) 60W A19 max.  
Dimensions: Width 13 $\frac{1}{2}$ ",  
Height 5 $\frac{1}{2}$ "



### 13" Semi-flush

**60-233** Antique Brass  
with Clear Swirl Glass  
(2) 60W A19 max.  
Dimensions: Width 13 $\frac{1}{2}$ ",  
Height 14"



### 15" Flush

**60-231** Antique Brass  
with Clear Swirl Glass  
(3) 60W A19 max.  
Dimensions: Width 15 $\frac{1}{2}$ ",  
Height 5 $\frac{1}{2}$ "



### 15" Semi-flush

**60-234** Antique Brass  
with Clear Swirl Glass  
(3) 60W A19 max.  
Dimensions: Width 15 $\frac{1}{2}$ ",  
Height 15 $\frac{1}{2}$ "



**11" Semi-flush**

**60-240** Antique Brass  
with Frosted Swirl Glass

(2) 60W A19 max.

Dimensions: Width 11 1/2",  
Height 12"



**11" Flush**

**60-237** Antique Brass  
with Frosted Swirl Glass

(2) 60W A19 max.

Dimensions: Width 11 1/2",  
Height 4 1/2"



**13" Semi-flush**

**60-241** Antique Brass  
with Frosted Swirl Glass

(2) 60W A19 max.

Dimensions: Width 13 1/4",  
Height 14"



**13" Flush**

**60-238** Antique Brass  
with Frosted Swirl Glass

(2) 60W A19 max.

Dimensions: Width 13 1/4",  
Height 5 1/2"



**15" Semi-flush**

**60-242** Antique Brass  
with Frosted Swirl Glass

(3) 60W A19 max.

Dimensions: Width 15 1/4",  
Height 15 1/2"



**15" Flush**

**60-239** Antique Brass  
with Frosted Swirl Glass

(3) 60W A19 max.

Dimensions: Width 15 1/4",  
Height 5 1/2"



# ceiling Fixtures



**11" Flush**  
**76-243** Brushed Nickel  
 with Frosted Melon Glass  
 (2) 60W A19 max.  
 Dimensions: Width 11 $\frac{1}{2}$ ", Height 12"



**13" Flush**  
**76-244** Brushed Nickel  
 with Frosted Melon Glass  
 (2) 60W A19 max.  
 Dimensions: Width 13 $\frac{1}{4}$ ", Height 14"



**15" Flush**  
**76-245** Brushed Nickel  
 with Frosted Melon Glass  
 (3) 60W A19 max.  
 Dimensions: Width 15 $\frac{1}{4}$ ", Height 15 $\frac{1}{2}$ "



**11" Flush**  
**76-606** Old Bronze  
 with Clear Ribbed Glass  
 (2) 60W A19 max.  
 Dimensions: Width 11 $\frac{1}{2}$ ", Height 4 $\frac{1}{2}$ "



**13" Flush**  
**76-607** Old Bronze  
 with Clear Ribbed Glass  
 (2) 60W A19 max.  
 Dimensions: Width 13 $\frac{1}{4}$ ", Height 5 $\frac{1}{2}$ "



**15" Flush**  
**76-608** Old Bronze  
 with Clear Ribbed Glass  
 (3) 60W A19 max.  
 Dimensions: Width 15 $\frac{1}{4}$ ", Height 5 $\frac{1}{2}$ "



**11" Flush**  
**76-609** Brushed Nickel  
 with Clear Ribbed Glass  
 (2) 60W A19 max.  
 Dimensions: Width 11 $\frac{1}{2}$ ", Length 12"



**13" Flush**  
**76-610** Brushed Nickel  
 with Clear Ribbed Glass  
 (2) 60W A19 max.  
 Dimensions: Width 13 $\frac{1}{4}$ ", Height 14"



**15" Flush**  
**76-611** Brushed Nickel  
 with Clear Ribbed Glass  
 (3) 60W A19 max.  
 Dimensions: Width 15 $\frac{1}{4}$ ", Height 15 $\frac{1}{2}$ "

ceiling fixtures



**15" Flush**  
**76-248** Old Bronze  
with Frosted Melon Glass  
(3) 60W A19 max.  
Dimensions: Width 15 1/4", Height 6"



**13" Flush**  
**76-247** Old Bronze  
with Frosted Melon Glass  
(2) 60W A19 max.  
Dimensions: Width 13 3/8", Height 5 1/2"



**11" Flush**  
**76-246** Old Bronze  
with Frosted Melon Glass  
(2) 60W A19 max.  
Dimensions: Width 11 3/8", Height 4 1/8"

**13" Semi-flush**  
**76-433** Brushed Nickel  
with Frosted Melon Glass  
(2) 60W A19 max.  
Dimensions: Width 13",  
Height 13"



**13" Semi-flush**  
**76-434** Polished Brass  
with Frosted Melon Glass  
(2) 60W A19 max.  
Dimensions: Width 13",  
Height 13"



**13" Semi-flush**  
**76-435** Textured White  
with Frosted Melon Glass  
(2) 60W A19 max.  
Dimensions: Width 15",  
Height 13"




**15" Semi-flush  
Dome**  
**76-436** Old Bronze  
with Frosted Melon Glass  
(2) 60W A19 max  
Dimensions: Width 13",  
Height 13"





# ceiling Fixtures



11" Flush

**76-124** Polished Brass  
with Frosted Melon Glass

(2) 60W A19 max.

Dimensions: Width 11 1/4", Height 5"



13" Flush

**76-126** Polished Brass  
with Frosted Melon Glass

(2) 60W A19 max.

Dimensions: Width 13 1/4", Height 5 1/2"



15" Flush

**76-128** Polished Brass  
with Frosted Melon Glass

(3) 60W A19 max.

Dimensions: Width 15", Height 6"



11" Flush

**76-125** Textured White  
with Frosted Melon Glass

(2) 60W A19 max.

Dimensions: Width 11 1/4", Height 5"



13" Flush

**76-127** Textured White  
with Frosted Melon Glass

(2) 60W A19 max.

Dimensions: Width 13 1/4", Height 5 1/2"



15" Flush

**76-129** Textured White  
with Frosted Melon Glass

(3) 60W A19 max.

Dimensions: Width 15", Height 6"



11" Flush

**76-130** Polished Brass  
with Frosted Ribbed Glass

(2) 60W A19 max.

Dimensions: Width 11 1/4", Height 5"



13" Flush

**76-132** Polished Brass  
with Frosted Ribbed Glass

(2) 60W A19 max.

Dimensions: Width 13 1/4", Height 5 1/2"



15" Flush

**76-134** Polished Brass  
with Frosted Ribbed Glass

(3) 60W A19 max.

Dimensions: Width 15", Height 6"

ceiling fixtures



**15" Flush**  
**76-135** Textured White  
with Frosted Ribbed Glass  
(3) 60W A19 max.  
Dimensions: Width 15", Length 6"



**13" Flush**  
**76-133** Textured White  
with Frosted Ribbed Glass  
(2) 60W A19 max.  
Dimensions: Width 13 1/4", Height 5 1/2"



**11" Flush**  
**76-131** Textured White  
with Frosted Ribbed Glass  
(2) 60W A19 max.  
Dimensions: Width 11 1/4", Height 5"



**15" Flush**  
**76-093** Polished Brass  
with Clear Ribbed Glass  
(3) 60W A19 max.  
Dimensions: Width 15", Height 6"



**13" Flush**  
**76-092** Polished Brass  
with Clear Ribbed Glass  
(2) 60W A19 max.  
Dimensions: Width 13 1/4", Height 5 1/2"



**11" Flush**  
**76-091** Polished Brass  
with Clear Ribbed Glass  
(2) 60W A19 max.  
Dimensions: Width 11 1/4", Height 5"



**15" Flush**  
**76-193** Textured White  
with Clear Ribbed Glass  
(3) 60W A19 max.  
Dimensions: Width 15", Height 6"



**13" Flush**  
**76-192** Textured White  
with Clear Ribbed Glass  
(2) 60W A19 max.  
Dimensions: Width 13 1/4", Height 5 1/2"



**11" Flush**  
**76-191** Textured White  
with Clear Ribbed Glass  
(2) 60W A19 max.  
Dimensions: Width 11 1/4", Height 5"



# ceiling Fixtures



**11" Flush**  
**76-194** Textured White  
 with Ribbed Ice Glass  
 (2) 60W A19 max.  
 Dimensions: Width 11¼", Height 5"



**13" Flush**  
**76-195** Textured White  
 with Ribbed Ice Glass  
 (2) 60W A19 max.  
 Dimensions: Width 13¼", Height 5½"



**15" Flush**  
**76-190** Textured White  
 with Ribbed Ice Glass  
 (3) 60W A19 max.  
 Dimensions: Width 15", Height 6"



**11" Flush**  
**76-094** Polished Brass  
 with Ribbed Ice Glass  
 (2) 60W A19 max.  
 Dimensions: Width 11¼", Height 5"



**13" Flush**  
**76-095** Polished Brass  
 with Ribbed Ice Glass  
 (2) 60W A19 max.  
 Dimensions: Width 13¼", Height 5½"



**15" Flush**  
**76-189** Polished Brass  
 with Ribbed Ice Glass  
 (3) 60W A19 max.  
 Dimensions: Width 15", Height 6"



**11" Flush**  
**76-027** Textured White  
 with Clear Ribbed Swirl Glass  
 (2) 60W A19 max.  
 Dimensions: Width 11¼", Height 5"



**13" Flush**  
**76-028** Textured White  
 with Clear Ribbed Swirl Glass  
 (2) 60W A19 max.  
 Dimensions: Width 13¼", Height 5½"



**15" Flush**  
**76-029** Textured White  
 with Clear Ribbed Swirl Glass  
 (3) 60W A19 max.  
 Dimensions: Width 15", Height 6"

ceiling fixtures



See Pages 216 and 217  
for More Swirl Glass  
Flush Dome Fixtures



**15" Flush**  
**76-026** Polished Brass  
with Clear Ribbed Swirl Glass  
(3) 60W A19 max.  
Dimensions: Width 15", Height 6"



**13" Flush**  
**76-025** Polished Brass  
with Clear Ribbed Swirl Glass  
(2) 60W A19 max.  
Dimensions: Width 13 1/4", Height 5 1/2"



**11" Flush**  
**76-024** Polished Brass  
with Clear Ribbed Swirl Glass  
(2) 60W A19 max.  
Dimensions: Width 11 1/4", Height 5"



**15" Flush**  
**76-197** Textured White  
with Frosted Ribbed Swirl Glass  
(3) 60W A19 max.  
Dimensions: Width 15", Height 6"



**13" Flush**  
**76-218** Textured White  
with Frosted Ribbed Swirl Glass  
(2) 60W A19 max.  
Dimensions: Width 13 1/4", Height 5 1/2"



**11" Flush**  
**76-196** Textured White  
with Frosted Ribbed Swirl Glass  
(2) 60W A19 max.  
Dimensions: Width 11 1/4", Height 5"



**15" Flush**  
**76-097** Polished Brass  
with Frosted Ribbed Swirl Glass  
(3) 60W A19 max.  
Dimensions: Width 15", Height 6"




**13" Flush**  
**76-214** Polished Brass  
with Frosted Ribbed Swirl Glass  
(2) 60W A19 max.  
Dimensions: Width 13 1/4", Height 5 1/2"



**11" Flush**  
**76-096** Polished Brass  
with Frosted Ribbed Swirl Glass  
(2) 60W A19 max.  
Dimensions: Width 11 1/4", Height 5"

# ceiling Fixtures



15" Flush

**76-215** Polished Brass with  
Clear & Frosted Glass

(3) 60W A19 max.

Dimensions: Width 15", Height 6"



15" Flush

**76-216** Textured White with  
Clear & Frosted Glass

(3) 60W A19 max.

Dimensions: Width 15", Height 6"



13" Flush

**76-099** Polished Brass with  
Clear & Frosted Glass

(2) 60W A19 max.

Dimensions: Width 13 1/4", Height 5 1/2"



13" Flush

**76-199** Textured White with  
Clear & Frosted Glass

(2) 60W A19 max.

Dimensions: Width 13 1/4", Height 5 1/2"



11" Flush

**76-098** Polished Brass with  
Clear & Frosted Glass

(2) 60W A19 max.

Dimensions: Width 11 1/4", Height 5"



11" Flush

**76-198** Textured White with  
Clear & Frosted Glass

(2) 60W A19 max.

Dimensions: Width 11 1/4", Height 5"



### Small White Mushroom

**76-600** Old Bronze

(1) 60W A19 max.

Dimensions: Width 7½",  
Height 5"



### Small White Mushroom

**76-601** Brushed Nickel

(1) 60W A19 max.

Dimensions: Width 7½",  
Height 5"



### Small White Mushroom

**77-060** White

(1) 60W A19 max.

Dimensions: Width 7½",  
Height 5"



### Small White Mushroom

**77-345** Polished Chrome

(1) 60W A19 max.

Dimensions: Width 7½",  
Height 5"



### Small White Mushroom

**77-059** Polished Brass

(1) 60W A19 max.

Dimensions: Width 7½",  
Height 5"



### Small White Mushroom

**77-921** Antique Brass

(1) 60W A19 max.

Dimensions: Width 7½",  
Height 5"



### Small Clear Ribbed Mushroom

**76-250** Polished Brass

(1) 60W A19 max.

Dimensions: Width 7½",  
Height 5"



### Small Clear Ribbed Mushroom

**76-251** White

(1) 60W A19 max.

Dimensions: Width 7½",  
Height 5"



# ceiling Fixtures



**Small Alabaster Mushroom**

**76-670** Old Bronze

(1) 60W A19 max.

Dimensions: Width 7½",  
Height 5"



**Small Alabaster Mushroom**

**76-671** Brushed Nickel

(1) 60W A19 max.

Dimensions: Width 7½",  
Height 5"



**Small Alabaster Mushroom**

**76-672** Polished Brass

(1) 60W A19 max.

Dimensions: Width 7½",  
Height 5"



**Small Alabaster Mushroom**

**76-612** Textured White

(1) 60W A19 max.

Dimensions: Width 7½",  
Height 5"



**Medium Alabaster Mushroom**

**76-673** Old Bronze

(2) 60W A19 max.

Dimensions: Width 9½",  
Height 6"



**Medium Alabaster Mushroom**

**76-674** Brushed Nickel

(2) 60W A19 max.

Dimensions: Width 9½",  
Height 6"



**Medium Alabaster Mushroom**

**76-675** Polished Brass

(2) 60W A19 max.

Dimensions: Width 9½",  
Height 6"



**Medium Alabaster Mushroom**

**76-613** Textured White

(2) 60W A19 max.

Dimensions: Width 9½",  
Height 6"

ceiling fixtures





**Medium White  
Mushroom**

**76-602** Old Bronze

(2) 60W A19 max.

Dimensions: Width 9½",  
Height 6"



**Medium White  
Mushroom**

**76-603** Brushed Nickel

(2) 60W A19 max.

Dimensions: Width 9½",  
Height 6"



**Medium White  
Mushroom**

**77-061** Polished Brass

(2) 60W A19 max.

Dimensions: Width 9½",  
Height 6"



**Medium White  
Mushroom**

**77-062** White

(2) 60W A19 max.

Dimensions: Width 9½",  
Height 6"



**Medium White  
Mushroom**

**77-346** Polished Chrome

(2) 60W A19 max.

Dimensions: Width 9½",  
Height 6"



**Medium White  
Mushroom**

**77-924** Antique Brass

(2) 60W A19 max.

Dimensions: Width 9½",  
Height 6"



**Medium Clear  
Ribbed Mushroom**

**76-252** Polished Brass

(2) 60W A19 max.

Dimensions: Width 9½",  
Height 6"



**Medium Clear  
Ribbed Mushroom**

**76-253** White

(2) 60W A19 max.

Dimensions: Width 9½",  
Height 6"





# ceiling Fixtures



**Large White Mushroom**  
**76-604 Old Bronze**  
 (2) 60W A19 max.  
 Dimensions: Width 12",  
 Height 6"



**Large White Mushroom**  
**76-605 Brushed Nickel**  
 (2) 60W A19 max.  
 Dimensions: Width 12",  
 Height 6"



**Large White Mushroom**  
**77-347 Polished Chrome**  
 (2) 60W A19 max.  
 Dimensions: Width 12",  
 Height 6"



**Large White Mushroom**  
**77-987 White**  
 (2) 60W A19 max.  
 Dimensions: Width 12",  
 Height 6"



**Large White Mushroom**  
**77-986 Polished Brass**  
 (2) 60W A19 max.  
 Dimensions: Width 12",  
 Height 6"



**Large White Mushroom**  
**77-988 Antique Brass**  
 (2) 60W A19 max.  
 Dimensions: Width 12",  
 Height 6"



**Large Alabaster Mushroom**  
**76-676 Old Bronze**  
 (2) 60W A19 max.  
 Dimensions: Width 12",  
 Height 6"



**Large Alabaster Mushroom**  
**76-677 Brushed Nickel**  
 (2) 60W A19 max.  
 Dimensions: Width 12",  
 Height 6"



**Large Alabaster Mushroom**  
**76-678 Polished Brass**  
 (2) 60W A19 max.  
 Dimensions: Width 12",  
 Height 6"



**Large Alabaster Mushroom**  
**76-614 Textured White**  
 (2) 60W A19 max.  
 Dimensions: Width 12",  
 Height 6"

ceiling fixtures



**6" White Ball**

**60-245** Brushed Nickel

(1) 60W A19 max.

Dimensions: Width 6", Height 7¼"



**6" Alabaster Ball**

**60-255** Polished Brass

(1) 60W A19 max.

Dimensions: Width 6", Height 7¼"



**6" White Ball**

**60-247** Old Bronze

(1) 60W A19 max.

Dimensions: Width 6", Height 7¼"



**6" Alabaster Ball**

**60-257** Brushed Nickel

(1) 60W A19 max.

Dimensions: Width 6", Height 7¼"



**6" White Ball**

**77-108** Polished Brass

(1) 60W A19 max.

Dimensions: Width 6", Height 7¼"



**6" Alabaster Ball**

**60-259** Old Bronze

(1) 60W A19 max.

Dimensions: Width 6", Height 7¼"



**6" White Ball**

**77-110** Polished Chrome

(1) 60W A19 max.

Dimensions: Width 6", Height 7¼"



**6" Clear Ribbed Ball**

**76-256** Polished Brass

(1) 60W A19 max.

Dimensions: Width 6", Height 7¼"



**6" White Ball**

**77-947** White

(1) 60W A19 max.

Dimensions: Width 6", Height 7¼"



**6" Clear Ribbed Ball**

**76-257** White

(1) 60W A19 max.

Dimensions: Width 6", Height 7¼"



# ceiling Fixtures



**8" White Ball**  
**77-109 Polished Brass**  
 (1) 60W A19 max.  
 Dimensions: Width 8", Height 9 1/4"



**8" White Ball**  
**77-111 Polished Chrome**  
 (1) 60W A19 max.  
 Dimensions: Width 8", Height 9 1/4"



**8" White Ball**  
**77-948 White**  
 (1) 60W A19 max.  
 Dimensions: Width 8", Height 9 1/4"



**8" White Ball**  
**60-246 Brushed Nickel**  
 (1) 60W A19 max.  
 Dimensions: Width 8", Height 9 1/4"



**8" White Ball**  
**60-248 Old Bronze**  
 (1) 60W A19 max.  
 Dimensions: Width 8", Height 9 1/4"



**8" White Ball with Pull Chain Switch**  
**60-295 Polished Brass**  
 (1) 60W A19 max.  
 Dimensions: Width 8", Height 9 1/4"



**8" Clear Ribbed Ball**  
**76-258 Polished Brass**  
 (1) 60W A19 max.  
 Dimensions: Width 8", Height 9 1/4"



**8" Clear Ribbed Ball**  
**76-259 White**  
 (1) 60W A19 max.  
 Dimensions: Width 8", Height 9 1/4"

ceiling fixtures



**8" Alabaster Ball**  
**60-256 Polished Brass**  
 (1) 60W Type A19 max.  
 Dimensions:  
 Width 8", Height 9 1/4"



**8" Alabaster Ball**  
**60-258 Brushed Nickel**  
 (1) 60W Type A19 max.  
 Dimensions:  
 Width 8", Height 9 1/4"



**8" Alabaster Ball**  
**60-260 Old Bronze**  
 (1) 60W Type A19 max.  
 Dimensions:  
 Width 8", Height 9 1/4"

## energy efficient Ceiling Fixtures

**8" White Ball Energy Saver**  
**60-430 White**  
 (1) 13W Quad/G24q-1 Base max. -Included  
 Dimensions: Width 8", Height 9 1/4"



**8" White Ball Energy Saver**  
**60-431 Polished Brass**  
 (1) 13W Quad/G24q-1 Base max. -Included  
 Dimensions: Width 8", Height 9 1/4"




**8" White Ball Energy Saver**  
**60-432 Brushed Nickel**  
 (1) 13W Quad/G24q-1 Base max. -Included  
 Dimensions: Width 8", Height 9 1/4"



**8" White Ball Energy Saver**  
**60-433 Old Bronze**  
 (1) 13W Quad/G24q-1 Base max. -Included  
 Dimensions: Width 8", Height 9 1/4"



# ceiling Fixtures



*Small Crystal/  
White Drum*

**77-097** White

(1) 60W A19 max.

Dimensions: Width 6", Height 5"



*Small Crystal/  
White Drum*

**77-100** Polished Chrome

(1) 60W A19 max.

Dimensions: Width 6", Height 5"



*Medium Crystal/  
White Drum*

**77-098** White

(2) 60W A19 max.

Dimensions: Width 8", Height 6"



*Medium Crystal/  
White Drum*

**77-101** Polished Chrome

(2) 60W A19 max.

Dimensions: Width 8", Height 6"



*Large Crystal/  
White Drum*

**77-099** White

(2) 60W A19 max.

Dimensions: Width 8", Height 6"



*Large Crystal/  
White Drum*

**77-102** Polished Chrome

(2) 60W A19 max.

Dimensions: Width 10", Height 7"



*Small Frosted  
Grape Mushroom*

**77-123** Polished Brass

(1) 60W A19 max.

Dimensions: Width 6", Height 5"



### Small White Drum

**77-342** Polished Chrome

(1) 60W A19 max.

Dimensions: Width 6", Height 5"



### Clear Pineapple Glass

**77-125** Polished Brass

(1) 60W A19 max.

Dimensions: Width 5½", Height 7"



### Medium White Drum

**77-343** Polished Chrome

(2) 60W A19 max.

Dimensions: Width 8", Height 6"



### Clear Hobnail Squat Ball

**77-124** Polished Brass

(1) 60W A19 max.

Dimensions: Width 5½", Height 5"



### Large White Drum

**77-344** Polished Chrome

(2) 60W A19 max.

Dimensions: Width 10", Height 7"



### Clear Bottom Squat Ball

**77-122** Polished Brass


(1) 60W A19 max.

Dimensions: Width 5½", Height 5"





# ceiling Fixtures



ceiling fixtures



*Round Grape Design*  
**76-268** White Holder  
 (2) 60W A19 max.  
 Dimensions: Width 12", Height 4 1/4"



*Round Sunburst Design*  
**76-269** White Holder  
 (2) 60W A19 max.  
 Dimensions: Width 12", Height 4 1/4"



*White Round*  
**77-823** White Holder  
 (2) 60W A19 max.  
 Dimensions: Width 12", Height 4 1/4"



*Square Wheat Design/  
 Ruffled Edge*  
**76-270** White Holder  
 (2) 60W A19 max.  
 Dimensions: Width 11 1/4", Height 4 1/4"



*Square Floral Design*  
**77-126** White Holder  
 (2) 60W A19 max.  
 Dimensions: Width 11 1/4", Height 4 1/4"



*Square Floral Design  
 With Pull Chain Switch*  
**76-392** White Holder  
 (2) 60W A19 max.  
 Dimensions: Width 11 1/4", Height 4 1/4"



*White Square*  
**77-824** White Holder  
 (2) 60W A19 max.  
 Dimensions: Width 11 1/4", Height 4 1/4"



### 1 Light R20 Step Cylinder

**76-401** Polished Brass

(1) 50W R20 / 50W PAR20 Halogen

Dimensions: Height 9", Canopy 5"



### 1 Light R20 Step Cylinder

**76-400** White

(1) 50W R20 / 50W PAR20 Halogen

Dimensions: Height 9", Canopy 5"



### 1 Light R30 Step Cylinder

**76-406** White

(1) 75W BR30 / 50W PAR30/Longneck Halogen

Dimensions: Height 9", Canopy 5"



### 1 Light R30 Step Cylinder

**76-407** Polished Brass

(1) 75W BR30 / 50W PAR30/Longneck Halogen

Dimensions: Height 9", Canopy 5"



### 2 Light R20 Step Cylinder

**76-402** White

(2) 50W R20 / 50W PAR30 Halogen

Dimensions: Height 9", Canopy 9X5 1/2", Width 14"



### 2 Light R20 Step Cylinder

**76-403** Polished Brass

(2) 50W R20 / 50W PAR30 Halogen

Dimensions: Height 9", Canopy 9X5 1/2", Width 14"



### 2 Light R30 Step Cylinder

**76-409** Polished Brass

(2) 75W BR30 / 50W PAR30/Longneck Halogen

Dimensions: Height 9", Canopy 9X5 1/2", Width 14"



### 2 Light R30 Step Cylinder

**76-408** White

(2) 75W BR30 / 50W PAR30/Longneck Halogen

Dimensions: Height 9", Canopy 9X5 1/2", Width 14"



# ceiling Fixtures



ceiling fixtures



**3 Light R20 Step Cylinder**  
**76-405 Polished Brass**  
 (3) 50W R20 / 50W PAR20 Halogen  
 Dimensions: Height 8", Canopy 10", Width 16"



**3 Light R20 Step Cylinder**  
**76-404 White**  
 (3) 50W R20 / 50W PAR20 Halogen  
 Dimensions: Height 8", Canopy 10", Width 16"



**3 Light R30 Step Cylinder**  
**76-410 White**  
 (3) 50W BR30 / 50W PAR20 Halogen  
 Dimensions: Height 8", Canopy 10", Width 16"



**3 Light R30 Step Cylinder**  
**76-411 Polished Brass**  
 (3) 75W BR30 / 50W PAR30 Halogen  
 Dimensions: Height 9", Canopy 10", Width 18"



**1 Light R20 Straight Cylinder**  
**76-413 Polished Brass**  
 (1) 50W R20 / 50W PAR20 Halogen  
 Dimensions: Height 8 1/2", Canopy 5"



**1 Light R20 Straight Cylinder**  
**76-412 White**  
 (1) 50W R20 / 50W PAR20 Halogen  
 Dimensions: Height 8 1/2", Canopy 5"



**1 Light R30 Straight Cylinder**  
**76-418 White**  
 (1) 75W BR30 / 50W PAR30 Halogen  
 Dimensions: Height 9", Canopy 5"



**1 Light R30 Straight Cylinder**  
**76-419 Polished Brass**  
 (1) 75W BR30 / 50W PAR30 Halogen  
 Dimensions: Height 9", Canopy 5"



**2 Light R20  
Straight Cylinder**

**76-415 Polished Brass**

(2) 50W R20 / 50W  
PAR20 Halogen

Dimensions: Height 8½",  
Canopy 9X5½", Width 14"



**2 Light R20  
Straight Cylinder**

**76-414 White**

(2) 50W R20 / 50W  
PAR20 Halogen

Dimensions: Height 8½",  
Canopy 9X5½", Width 14"



**2 Light R30  
Straight Cylinder**

**76-420 White**

(2) 75W BR30 / 50W  
PAR30 Halogen

Dimensions: Height 10",  
Canopy 9X5½", Width 14"



**2 Light R30  
Straight Cylinder**

**76-421 Polished Brass**

(2) 75W BR30 / 50W  
PAR30 Halogen

Dimensions: Height 10",  
Canopy 9X5½", Width 14"



**3 Light R20  
Straight Cylinder**

**76-417 Polished Brass**

(3) 50W R20 / 50W  
PAR20 Halogen

Dimensions: Height 8½",  
Canopy 10", Width 14"



**3 Light R20  
Straight Cylinder**

**76-416 White**

(3) 75W BR30 / 50W  
PAR30 Halogen

Dimensions: Height 8½",  
Canopy 10", Width 14"



**3 Light R30  
Straight Cylinder**

**76-422 White**

(3) 75W BR30 / 50W  
PAR30 Halogen

Dimensions: Height 10",  
Canopy 10", Width 18"



**3 Light R30  
Straight Cylinder**

**76-423 Polished Brass**

(3) 75W BR30 / 50W  
PAR30 Halogen

Dimensions: Height 10",  
Canopy 10", Width 18"





# energy efficient Ceiling Fixtures

energy efficient ceiling fixtures



15" Flush Dome  
Energy Saver



60-445 White with  
Frosted Melon Glass

(2) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 15", Length 6"



15" Flush Dome  
Energy Saver



60-442 Polished Brass  
with Frosted Melon Glass

(2) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 15", Length 6"



13" Flush Dome  
Energy Saver



60-444 White with  
Frosted Melon Glass

(2) 13W Quad/G24q-1 Base max. -Included

Dimensions: Width 13", Height 5 1/2"



13" Flush Dome  
Energy Saver



60-441 Polished Brass  
with Frosted Melon Glass

(2) 13W Quad/G24q-1 Base max. -Included

Dimensions: Width 13", Height 5 1/2"



11" Flush Dome  
Energy Saver



60-443 White with  
Frosted Melon Glass

(1) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 11", Height 5 1/4"



11" Flush Dome  
Energy Saver



60-440 Polished Brass  
with Frosted Melon Glass

(1) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 11", Height 5 1/4"



# energy efficient Ceiling Fixtures



energy efficient ceiling fixtures



15" Flush  
Energy Saver

60-451 Old Bronze with  
Frosted Melon Glass



(2) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 15", Height 6"



15" Flush  
Energy Saver

60-448 Brushed Nickel with  
Frosted Melon Glass



(2) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 15", Length 6"



13" Flush  
Energy Saver

60-450 Old Bronze with  
Frosted Melon Glass



(2) 13W Quad/G24q-1 Base max. -Included

Dimensions: Width 13", Height 5 1/2"



13" Flush  
Energy Saver

60-447 Brushed Nickel with  
Frosted Melon Glass



(2) 13W Quad/G24q-1 Base max. -Included

Dimensions: Width 13", Height 5 1/2"



11" Flush  
Energy Saver

60-449 Old Bronze with  
Frosted Melon Glass



(1) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 11", Height 5 1/4"



11" Flush  
Energy Saver

60-446 Brushed Nickel with  
Frosted Melon Glass



(1) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 11", Height 5 1/4"





# energy efficient Ceiling Fixtures

energy efficient ceiling fixtures

## Medium White Mushroom Energy Saver



**60-401** Polished Brass

(1) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 10", Height 5"



## Large White Mushroom Energy Saver



**60-402** Polished Brass

(2) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 12", Height 6 1/2"



## Medium White Mushroom Energy Saver



**60-403** White

(1) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 10", Height 5"



## Large White Mushroom Energy Saver



**60-404** White

(2) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 12", Height 6 1/2"



## Medium White Mushroom Energy Saver



**60-405** Brushed Nickel

(1) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 10", Height 5"



## Large White Mushroom Energy Saver



**60-406** Brushed Nickel

(2) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 12", Height 6 1/2"



## Medium White Mushroom Energy Saver



**60-407** Old Bronze

(1) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 10", Height 5"



## Large White Mushroom Energy Saver



**60-408** Old Bronze

(2) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 12", Height 6 1/2"



# energy efficient Ceiling Fixtures



energy efficient ceiling fixtures




Medium Alabaster  
Mushroom  
Energy Saver

**60-415** Old Bronze

(1) 18W Quad/G24q-2  
Base max. -Included

Dimensions: Width 10",  
Height 5"



Large Alabaster  
Mushroom  
Energy Saver

**60-416** Old Bronze

(2) 18W Quad/G24q-2  
Base max. -Included

Dimensions: Width 12",  
Height 6 1/2"



Medium Alabaster  
Mushroom  
Energy Saver

**60-413** Brushed Nickel

(1) 18W Quad/G24q-2  
Base max. -Included

Dimensions: Width 10",  
Height 5"



Large Alabaster  
Mushroom  
Energy Saver

**60-414** Brushed Nickel

(2) 18W Quad/G24q-2 Base  
max. -Included

Dimensions: Width 12",  
Height 6 1/2"



Medium Alabaster  
Mushroom  
Energy Saver

**60-411** White

(1) 18W Quad/G24q-2  
Base max. -Included

Dimensions: Width 10",  
Height 5"



Large Alabaster  
Mushroom  
Energy Saver

**60-412** White

(2) 18W Quad/G24q-2  
Base max. -Included

Dimensions: Width 12",  
Height 6 1/2"



Medium Alabaster  
Mushroom  
Energy Saver

**60-409** Polished Brass

(1) 18W Quad/G24q-2  
Base max. -Included

Dimensions: Width 10",  
Height 5"



Large Alabaster  
Mushroom  
Energy Saver

**60-410** Polished Brass

(2) 18W Quad/G24q-2  
Base max. -Included

Dimensions: Width 12",  
Height 6 1/2"



**8" Alabaster Ball**  
**60-256 Polished Brass**  
 (1) 60W Type A19 max.  
 Dimensions:  
 Width 8", Height 9 1/4"



**8" Alabaster Ball**  
**60-258 Brushed Nickel**  
 (1) 60W Type A19 max.  
 Dimensions:  
 Width 8", Height 9 1/4"



**8" Alabaster Ball**  
**60-260 Old Bronze**  
 (1) 60W Type A19 max.  
 Dimensions:  
 Width 8", Height 9 1/4"

## energy efficient Ceiling Fixtures

**8" White Ball Energy Saver**  
**60-430 White**  
 (1) 13W Quad/G24q-1 Base max. -Included  
 Dimensions: Width 8", Height 9 1/4"



**8" White Ball Energy Saver**  
**60-431 Polished Brass**  
 (1) 13W Quad/G24q-1 Base max. -Included  
 Dimensions: Width 8", Height 9 1/4"



**8" White Ball Energy Saver**  
**60-432 Brushed Nickel**  
 (1) 13W Quad/G24q-1 Base max. -Included  
 Dimensions: Width 8", Height 9 1/4"



**8" White Ball Energy Saver**  
**60-433 Old Bronze**  
 (1) 13W Quad/G24q-1 Base max. -Included  
 Dimensions: Width 8", Height 9 1/4"



# vanity & Wall Fixtures



## Ballerina Two Light 18" Vanity

**60-320** Brushed nickel

(2) 100W A19 max.

Dimensions: Width 18", Height 7 1/4", Extension 8 1/2"



## Ballerina Three Light 24" Vanity

**60-321** Brushed nickel

(3) 100W A19 max.

Dimensions: Width 24", Height 7 1/4", Extension 8 1/2"



## Ballerina Four Light 30" Vanity

**60-322** Brushed nickel

(4) 100W A19 max.

Dimensions: Width 30", Height 7 1/4", Extension 8 1/2"



## Ballerina Five Light 36" Vanity

**60-323** Brushed nickel

(5) 100W A19 max.

Dimensions: Width 36", Height 7 1/4", Extension 8 1/2"



## Ballerina Seven Light 48" Vanity

**60-291** Brushed nickel

(7) 100W A19 max.

Dimensions: Width 48", Height 7 1/4", Extension 8 1/2"



## Ballerina Two Light 18" Vanity

**60-324** Old Bronze

(2) 100W A19 max.

Dimensions: Width 18", Height 7 1/4", Extension 8 1/2"



## Ballerina Three Light 24" Vanity

**60-325** Old Bronze

(3) 100W A19 max.

Dimensions: Width 24", Height 7 1/4", Extension 8 1/2"



## Ballerina Four Light 30" Vanity

**60-326** Old Bronze

(4) 100W A19 max.

Dimensions: Width 30", Height 7 1/4", Extension 8 1/2"



## Ballerina Five Light 36" Vanity

**60-327** Old Bronze

(5) 100W A19 max.

Dimensions: Width 36", Height 7 1/4", Extension 8 1/2"



## Ballerina Seven Light 48" Vanity


**60-292** Old Bronze

(7) 100W A19 max.

Dimensions: Width 48", Height 7 1/4", Extension 8 1/2"



vanity & wall fixtures



# vanity & Wall Fixtures



*Ballerina Two Light 18" Vanity*

**60-332** Textured White

(2) 100W A19 max.

Dimensions: Width 18", Height 7<sup>5</sup>/<sub>8</sub>", Extension 8<sup>1</sup>/<sub>2</sub>"



*Ballerina Three Light 24" Vanity*

**60-333** Textured White

(2) 100W A19 max.

Dimensions: Width 24", Height 7<sup>5</sup>/<sub>8</sub>", Extension 8<sup>1</sup>/<sub>2</sub>"



*Ballerina Four Light 30" Vanity*

**60-334** Textured White

(4) 100W A19 max.

Dimensions: Width 30", Height 7<sup>5</sup>/<sub>8</sub>", Extension 8<sup>1</sup>/<sub>2</sub>"



*Ballerina Five Light 36" Vanity*

**60-335** Textured White

(5) 100W A19 max.

Dimensions: Width 36", Height 7<sup>5</sup>/<sub>8</sub>", Extension 8<sup>1</sup>/<sub>2</sub>"



*Ballerina Seven Light 48" Vanity*

**60-294** Textured White

(7) 100W A19 max.

Dimensions: Width 48", Height 7<sup>5</sup>/<sub>8</sub>", Extension 8<sup>1</sup>/<sub>2</sub>"



*Ballerina Two Light 18" Vanity*

**60-316** Polished Chrome

(2) 100W A19 max.

Dimensions: Width 18", Height 7<sup>5</sup>/<sub>8</sub>", Extension 8<sup>1</sup>/<sub>2</sub>"



*Ballerina Three Light 24" Vanity*

**60-317** Polished Chrome

(3) 100W A19 max.

Dimensions: Width 24", Height 7<sup>5</sup>/<sub>8</sub>", Extension 8<sup>1</sup>/<sub>2</sub>"



*Ballerina Four Light 30" Vanity*

**60-318** Polished Chrome

(4) 100W A19 max.

Dimensions: Width 30", Height 7<sup>5</sup>/<sub>8</sub>", Extension 8<sup>1</sup>/<sub>2</sub>"



*Ballerina Five Light 36" Vanity*

**60-319** Polished Chrome

(5) 100W A19 max.

Dimensions: Width 36", Height 7<sup>5</sup>/<sub>8</sub>", Extension 8<sup>1</sup>/<sub>2</sub>"



*Ballerina Seven Light 48" Vanity*

**60-290** Polished Chrome

(7) 100W A19 max.

Dimensions: Width 48", Height 7<sup>5</sup>/<sub>8</sub>", Extension 8<sup>1</sup>/<sub>2</sub>"



# vanity & Wall Fixtures



## Ballerina Two Light 18" Vanity

**60-328** Polished Brass

(2) 100W A19 max.

Dimensions: Width 18", Height 7 $\frac{1}{2}$ ", Extension 8 $\frac{1}{2}$ "



## Ballerina Three Light 24" Vanity

**60-329** Polished Brass

(3) 100W A19 max.

Dimensions: Width 24", Height 7 $\frac{1}{2}$ ", Extension 8 $\frac{1}{2}$ "




## Ballerina Four Light 30" Vanity

**60-330** Polished Brass

(4) 100W A19 max.

Dimensions: Width 30", Height 7 $\frac{1}{2}$ ", Extension 8 $\frac{1}{2}$ "



## Ballerina Five Light 36" Vanity

**60-331** Polished Brass

(5) 100W A19 max.

Dimensions: Width 36", Height 7 $\frac{1}{2}$ ", Extension 8 $\frac{1}{2}$ "



## Ballerina Seven Light 48" Vanity

**60-293** Polished Brass

(7) 100W A19 max.

Dimensions: Width 48", Height 7 $\frac{1}{2}$ ", Extension 8 $\frac{1}{2}$ "



## 18" Three Light Vanity Strip

**60-304** Old Bronze

(3) 100W Type G / Med. base max.

Dimensions: Width 18", Height 4 $\frac{1}{4}$ ",  
Extension 2" (less lamp)



## 24" Four Light Vanity Strip

**60-305** Old Bronze

(4) 100W Type G / Med. base max.

Dimensions: Width 24", Height 4 $\frac{1}{4}$ ",  
Extension 2" (less lamp)



## 36" Six Light Vanity Strip

**60-306** Old Bronze

(6) 100W Type G / Med. base max.

Dimensions: Width 36", Height 4 $\frac{1}{4}$ ",  
Extension 2" (less lamp)



## 48" Eight Light Vanity Strip

**60-307** Old Bronze

(8) 100W Type G / Med. base max.

Dimensions: Width 48", Height 4 $\frac{1}{4}$ ",  
Extension 2" (less lamp)







### 18" Three Light Vanity Strip

**60-300** Brushed Nickel

(3) 100W Type G / Med. base max.

*Dimensions:* Width 18", Height 4 1/4",  
Extension 2" (less lamp)



### 24" Four Light Vanity Strip

**60-301** Brushed Nickel

(4) 100W Type G / Med. base max.

*Dimensions:* Width 24", Height 4 1/4",  
Extension 2" (less lamp)



### 36" Six Light Vanity Strip

**60-302** Brushed Nickel

(6) 100W Type G / Med. base max.

*Dimensions:* Width 36", Height 4 1/4",  
Extension 2" (less lamp)



### 48" Eight Light Vanity Strip

**60-303** Brushed Nickel

(8) 100W Type G / Med. base max.

*Dimensions:* Width 48", Height 4 1/4",  
Extension 2" (less lamp)



### 18" Three Light Vanity Strip

**60-296** Polished Chrome

(3) 100W Type G / Med. base max.

*Dimensions:* Width 18", Height 4 1/4",  
Extension 2" (less lamp)



### 24" Four Light Vanity Strip

**60-297** Polished Chrome

(4) 100W Type G / Med. base max.

*Dimensions:* Width 24", Height 4 1/4",  
Extension 2" (less lamp)



### 36" Six Light Vanity Strip

**60-298** Polished Chrome

(6) 100W Type G / Med. base max.

*Dimensions:* Width 36", Height 4 1/4",  
Extension 2" (less lamp)



### 48" Eight Light Vanity Strip

**60-299** Polished Chrome

(8) 100W Type G / Med. base max.

*Dimensions:* Width 48", Height 4 1/4",  
Extension 2" (less lamp)

# vanity & Wall Fixtures



## 18" Three Light Vanity Strip

**60-308** Polished Brass

(3) 100W Type G / Med. base max.

Dimensions: Width 18", Height 4 1/4",  
Extension 2" (less lamp)



## 24" Four Light Vanity Strip

**60-309** Polished Brass

(4) 100W Type G / Med. base max.

Dimensions: Width 24", Height 4 1/4",  
Extension 2" (less lamp)



## 36" Six Light Vanity Strip

**60-310** Polished Brass

(6) 100W Type G / Med. base max.

Dimensions: Width 36", Height 4 1/4",  
Extension 2" (less lamp)



## 48" Eight Light Vanity Strip

**60-311** Polished Brass

(8) 100W Type G / Med. base max.

Dimensions: Width 48", Height 4 1/4",  
Extension 2" (less lamp)



## 18" Three Light Vanity Strip

**60-312** Textured White

(3) 100W Type G / Med. base max.

Dimensions: Width 18", Height 4 1/4",  
Extension 2" (less lamp)



## 24" Four Light Vanity Strip

**60-313** Textured White

(4) 100W Type G / Med. base max.

Dimensions: Width 24", Height 4 1/4",  
Extension 2" (less lamp)



## 36" Six Light Vanity Strip

**60-314** Textured White

(6) 100W Type G / Med. base max.

Dimensions: Width 36", Height 4 1/4",  
Extension 2" (less lamp)



## 48" Eight Light Vanity Strip

**60-315** Textured White

(8) 100W Type G / Med. base max.

Dimensions: Width 48", Height 4 1/4",  
Extension 2" (less lamp)



vanity & wall fixtures



# vanity & Wall Fixtures

vanity & wall fixtures



### 18" Three Light Vanity Strip

**77-192** Polished Chrome

(3) 100W Type G / Med. base max.

Dimensions: Width 18", Height 4 1/4",  
Extension 2" (less lamp)



### 24" Four Light Vanity Strip

**77-193** Polished Chrome

(4) 100W Type G / Med. base max.

Dimensions: Width 24", Height 4 1/4",  
Extension 2" (less lamp)



### 36" Six Light Vanity Strip

**77-194** Polished Chrome

(6) 100W Type G / Med. base max.

Dimensions: Width 36", Height 4 1/4",  
Extension 2" (less lamp)



### 48" Eight Light Vanity Strip

**77-195** Polished Chrome

(8) 100W Type G / Med. base max.

Dimensions: Width 48", Height 4 1/4",  
Extension 2" (less lamp)



### 18" Three Light Vanity Strip

**77-188** Polished Brass

(3) 100W Type G / Med. base max.

Dimensions: Width 18", Height 4 1/4",  
Extension 2" (less lamp)



### 24" Four Light Vanity Strip

**77-189** Polished Brass

(4) 100W Type G / Med. base max.

Dimensions: Width 24", Height 4 1/4",  
Extension 2" (less lamp)



### 36" Six Light Vanity Strip

**77-190** Polished Brass

(6) 100W Type G / Med. base max.

Dimensions: Width 36", Height 4 1/4",  
Extension 2" (less lamp)




### 48" Eight Light Vanity Strip

**77-191** Polished Brass

(8) 100W Type G / Med. base max.

Dimensions: Width 48", Height 4 1/4",  
Extension 2" (less lamp)

# vanity & Wall Fixtures



**14" White "U" Channel Glass**  
**77-990** White / With Convenience Outlet  
**77-087** White / Without Convenience Outlet  
(2) 60W A19 max.  
Dimensions: Width 14", Height 4 1/4", Extension 4 1/4"



**24" White "U" Channel Glass**  
**77-991** White / With Convenience Outlet  
**77-088** White / Without Convenience Outlet  
(4) 60W A19 max.  
Dimensions: Width 24", Height 4 1/4", Extension 4 1/4"



**14" Diamond "U" Channel Glass**  
**76-276** White / Without Convenience Outlet  
(2) 60W A19 max.  
Dimensions: Width 14", Height 4 1/4", Extension 4 1/4"



**24" Diamond "U" Channel Glass**  
**76-277** White / Without Convenience Outlet  
(4) 60W A19 max.  
Dimensions: Width 24", Height 4 1/4", Extension 4 1/4"

vanity & wall fixtures



*7" Diamond "U" Channel Glass*  
**76-273** White / With Bottom Turn Knob Switch  
(1) 60W A19 max.  
*Dimensions: Width 4½", Height 7½", Extension 4¼"*



*7" White "U" Channel Glass*  
**77-989** White / With Bottom Turn Knob Switch  
**77-086** White/Without Switch  
(1) 60W A19 max.  
*Dimensions: Width 4½", Height 7½", Extension 4¼"*



*Hooded Grape Shade*  
**77-120** Polished Brass / With Bottom Turn Knob Switch  
(1) 60W A19 max.  
*Dimensions: Width 4½", Height 8", Extension 5"*



*Crystal Bottom Bath Shade*  
**77-121** Chrome / With Convenience Outlet  
(1) 60W A19 max.  
*Dimensions: Width 4½", Height 4¼", Extension 6¼"*



*Frosted Grape Shade*  
**77-118** Polished Brass / With Bottom Turn Knob Switch  
(1) 60W A19 max.  
*Dimensions: Width 4½", Height 7¾", Extension 4¼"*



# poly Lanterns



*Coach Wall Lantern  
with Brass Trimmed Acrylic Panels*

**77-896** Black  
**77-897** White  
(1) 60W A19 max.

*Dimensions: Height 17", Extension 8",  
Diameter 7¼", Top to Outlet 12"*



*Hex Dome Wall Lantern  
with Clear Acrylic Panels*

**77-804** Black  
**77-805** White  
(1) 60W A19 max.

*Dimensions: Height 17½", Extension 8",  
Diameter 8", Top to Outlet 12"*



*Mansard Wall Lantern  
with Textured Acrylic Panels*

**77-852** Black  
**77-853** White  
(1) 60W A19 max.

*Dimensions: Height 17½", Extension 8",  
Diameter 8", Top to Outlet 12"*



*Swirl Dome Wall Lantern  
with Clear Acrylic Panels*

**77-854** Black  
**77-855** White  
(1) 60W A19 max.

*Dimensions: Height 17½", Extension 8½",  
Diameter 8", Top to Outlet 12"*



*Coach Post Lantern  
with Brass Trimmed Acrylic Panels*

**77-898** Black  
**77-899** White  
(1) 60W A19 max.

*Dimensions: Height 12½",  
Extension 8", Diameter 7¼"*



*Hex Dome Post Lantern  
with Clear Acrylic Panels*

**77-806** Black  
**77-807** White  
(1) 60W A19 max.

*Dimensions: Height 13½", Diameter 8"*

poly lanterns



**Oval Cage**  
with Poly Body and Lens

**77-857** Black

**77-858** White

(1)75W A19 max.

Dimensions: Height 10", Width 5",  
Extension 4"



**Round Cage**  
with Poly Body and Lens

**77-859** Black

**77-861** White

(1)75W A19 max.

Dimensions: Height 10", Extension 4"



**Round Cage**  
**Energy Saver**

with Poly Body and Lens

 **77-892** Black

 **77-893** White

(2) 9W Twin/G23 base max. Included

Dimensions: Height 10", Extension 4"



**Oval Cage**  
**Energy Saver**

with Poly Body and Lens

 **77-894** Black

 **77-895** White

(1) 9W Twin/G23 base max. Included

Dimensions: Height 10", Width 5", Extension 4"

# industrial style Surface Mounts



*Large Old Bronze*  
**76-627** (1) 200W A Type max.  
Dimensions: Height 11", Diameter 5½"



*Large Metallic Silver*  
**76-626** (1) 200W A Type max.  
Dimensions: Height 11", Diameter 5½"



*Large White*  
**76-618** (1) 200W A Type max.  
Dimensions: Height 11", Diameter 5½"



*Small Old Bronze*  
**76-625** (1) 100W A Type max.  
Dimensions: Height 9½", Diameter 4¼"



*Small Metallic Silver*  
**76-624** (1) 100W A Type max.  
Dimensions: Height 9½", Diameter 4¼"



*Small White*  
**76-616** (1) 100W A Type max.  
Dimensions: Height 9½", Diameter 4¼"

## FEATURES

### CEILING MOUNTED FIXTURES

- Die-Cast Aluminum
- Frosted Glass Globe with Gasket
- Die Cast Junction Box Supplied
- Suitable for Residential Use Without Junction Box



# industrial style Wall Mounts

industrial style wall mounts



Large White

76-617 (1) 300W A Type max.

Dimensions: Height 11", Diameter 5 1/2"



Large Metallic Silver

76-622 (1) 300W A Type max.

Dimensions: Height 11", Diameter 5 1/2"



Large Old Bronze

76-623 (1) 300W A Type max.

Dimensions: Height 11", Diameter 5 1/2"



Small White

76-615 (1) 150W A Type max.

Dimensions: Height 9 1/2", Diameter 4 1/4"



Small Metallic Silver

76-620 (1) 150W A Type max.

Dimensions: Height 9 1/2", Diameter 4 1/4"



Small Old Bronze

76-621 (1) 150W A Type max.

Dimensions: Height 9 1/2", Diameter 4 1/4"



76-651

76-650

76-652

Die-Cast Junction Box  
(Can be added to wall fixture)

## FEATURES

WALL MOUNTED FIXTURES

- Die-Cast Aluminum
- Frosted Glass Globe with Gasket
- Die Cast Junction Box Available For Surface Mount Installations
- Suitable for Residential Use Without Junction Box

# carport Flush Mounts



**Small Poly Frame  
Black**  
Frosted Acrylic Panels  
**77-863**  
(1) 60W A19 max.  
Dimensions: Width 8¼",  
Height 4½"



**Small Poly Frame  
White**  
Frosted Acrylic Panels  
**77-835**  
(1) 60W A19 max.  
Dimensions: Width 8¼",  
Height 4½"



**Large Poly Frame  
White**  
Frosted Acrylic Panels  
**77-879**  
(2) 60W A19 max.  
Dimensions: Width 10¼",  
Height 5½"



**Large Poly Frame  
Black**  
Frosted Acrylic Panels  
**77-891**  
(2) 60W A19 max.  
Dimensions: Width 10¼",  
Height 5½"



**Metal Frame  
Black**  
Textured Frosted Glass  
**60-473**  
(2) 60W A19 max.  
Dimensions: Width 9¼",  
Height 5"



**Metal Frame  
White**  
Textured Frosted Glass  
**60-470**  
(2) 60W A19 max.  
Dimensions: Width 9¼",  
Height 5"



**Metal Frame  
Polished Brass Finish**  
Textured Frosted Glass  
**60-471**  
(2) 60W A19 max.  
Dimensions: Width 9¼",  
Height 5"



**Metal Frame  
Old Bronze**  
Textured Frosted Glass  
**60-472**  
(2) 60W A19 max.  
Dimensions: Width 9¼",  
Height 5"

carport flush mounts





# utility Fixtures

## UTILITY LIGHTING

WALL & CEILING MOUNTED FIXTURES

- Die-Cast Aluminum
- White Glass with Gasket
- U.L. Wet Location Listed
- Suitable for Residential Use



Wall Mount with  
White Glass Cylinder

**77-137** Black  
(1) 100W A19 max.  
Dimensions: Height 8",  
Diameter 4 1/4", Extension 6"



Wall Mount with  
White Glass Cylinder

**77-136** Satin Aluminum  
(1) 100W A19 max.  
Dimensions: Height 8",  
Diameter 4 1/4", Extension 6"



Wall Mount with  
White Glass Cylinder

**77-138** Bronzotic  
(1) 100W A19 max.  
Dimensions: Height 8",  
Diameter 4 1/4", Extension 6"



Wall Mount with  
White Glass Cylinder

**77-530** White  
(1) 100W A19 max.  
Dimensions: Height 8",  
Diameter 4 1/4", Extension 6"



Ceiling Mount with  
White Glass Globe

**77-157** Black  
(1) 60W A19 max.  
Dimensions: Height 7 1/4",  
Diameter 6"



Ceiling Mount with  
White Glass Globe

**77-152** Satin Aluminum  
(1) 60W A19 max.  
Dimensions: Height 7 1/4",  
Diameter 6"



Ceiling Mount with  
White Glass Globe

**77-153** Bronzotic  
(1) 60W A19 max.  
Dimensions: Height 7 1/4",  
Diameter 6"



Ceiling Mount with  
White Glass Globe

**77-532** White  
(1) 60W A19 max.  
Dimensions: Height 7 1/4",  
Diameter 6"



Wall Mount with  
White Glass Globe

**77-140** Black  
(1) 100W A19 max.  
Dimensions: Height 7 1/4",  
Diameter 6", Extension 7"



Wall Mount with  
White Glass Globe

**77-139** Satin Aluminum  
(1) 100W A19 max.  
Dimensions: Height 7 1/4",  
Diameter 6", Extension 7"



Wall Mount with  
White Glass Globe

**77-141** Bronzotic  
(1) 100W A19 max.  
Dimensions: Height 7 1/4",  
Diameter 6", Extension 7"



Wall Mount with  
White Glass Globe

**77-531** White  
(1) 100W A19 max.  
Dimensions: Height 7 1/4",  
Diameter 6", Extension 7"



Ceiling Mount with  
White Glass Cylinder

**77-154** Black  
(1) 60W A19 max.  
Dimensions: Height 8",  
Diameter 4 1/4"



Ceiling Mount with  
White Glass Cylinder

**77-155** Satin Aluminum  
(1) 60W A19 max.  
Dimensions: Height 8",  
Diameter 4 1/4"



Ceiling Mount with  
White Glass Cylinder

**77-156** Bronzotic  
(1) 60W A19 max.  
Dimensions: Height 8",  
Diameter 4 1/4"



Ceiling Mount with  
White Glass Cylinder

**77-533** White  
(1) 60W A19 max.  
Dimensions: Height 8",  
Diameter 4 1/4"

utility fixtures

# porch Wall Fixtures



porch wall fixtures



**White Globe**  
**77-993** Polished Brass Finish  
(1) 60W A19 max.  
Dimensions: Diameter 5½",  
Height 8½", Extension 6"



**Clear Mason Jar**  
**77-996** Polished Brass Finish  
(1) 60W A19 max.  
Dimensions: Diameter 5½",  
Height 8½", Extension 6"



**White Globe**  
**77-992** Black  
(1) 60W A19 max.  
Dimensions: Diameter 5½",  
Height 8½", Extension 6"



**Clear Mason Jar**  
**77-119** Black  
(1) 60W A19 max.  
Dimensions: Diameter 5½",  
Height 8½", Extension 6"



**White Globe**  
**77-994** Antique Brass Finish  
(1) 60W A19 max.  
Dimensions: Diameter 5½",  
Height 8½", Extension 6"



**Clear Mason Jar**  
**77-995** Antique Brass Finish  
(1) 60W A19 max.  
Dimensions: Diameter 5½",  
Height 8½", Extension 6"



*Frosted Mason Jar*

**76-702** Gloss White

(1) 60W A19 max.

*Dimensions: Diameter 5½",  
Height 8½", Extension 6"*



*White Globe*

**76-704** Gloss White

(1) 60W A19 max.

*Dimensions: Diameter 5½",  
Height 8½", Extension 6"*



*Frosted Mason Jar*

**76-700** Old Bronze

(1) 60W A19 max.

*Dimensions: Diameter 5½",  
Height 8½", Extension 6"*



*White Globe*

**76-703** Old Bronze

(1) 60W A19 max.

*Dimensions: Diameter 5½",  
Height 8½", Extension 6"*



*Frosted Mason Jar*

**76-701** Brushed Nickel

(1) 60W A19 max.

*Dimensions: Diameter 5½",  
Height 8½", Extension 6"*



*White Globe*

**76-705** Brushed Nickel

(1) 60W A19 max.

*Dimensions: Diameter 5½",  
Height 8½", Extension 6"*



# porch Wall Fixtures



porch wall fixtures



**Clear Mason Jar with Photoelectric Sensor**

**77-856 Black**  
 (1) 60W A19 max.  
 Dimensions: Diameter 4½",  
 Height 6", Extension 6"



**Clear Mason Jar with Photoelectric Sensor**

**77-862 White**  
 (1) 60W A19 max.  
 Dimensions: Diameter 4½",  
 Height 6", Extension 6"



**Lexan Globe with Photoelectric Sensor Energy Saver**

**77-750 Black**  
 Requires (1) 13W Quad tube  
 GX23-2 Base max.  
 Dimensions: Diameter 6",  
 Height 8", Extension 7¼"



**Lexan Globe with Photoelectric Sensor Energy Saver**

**77-751 White**  
 Requires (1) 13W Quad tube  
 GX23-2 Base max.  
 Dimensions: Diameter 6",  
 Height 8", Extension 7¼"



**Lexan Cylinder with Photoelectric Sensor Energy Saver**

**77-748 Black**  
 Requires (1) 13W Quad tube  
 GX23-2 Base max.  
 Dimensions: Diameter 4",  
 Height 8", Extension 6"



**Lexan Cylinder with Photoelectric Sensor Energy Saver**

**77-749 White**  
 Requires (1) 13W Quad tube  
 GX23-2 Base max.  
 Dimensions: Diameter 4",  
 Height 8", Extension 6"



**Lexan Globe Energy Saver**

**77-728 Black**  
 Requires (1) 13W Quad tube  
 GX23-2 Base max.  
 Dimensions: Diameter 6",  
 Height 8", Extension 7¼"



**Lexan Globe Energy Saver**

**77-729 White**  
 Requires (1) 13W Quad tube  
 GX23-2 Base max.  
 Dimensions: Diameter 6",  
 Height 8", Extension 7¼"



**Lexan Cylinder Energy Saver**

**77-726 Black**  
 Requires (1) 13W Quad tube  
 GX23-2 Base max.  
 Dimensions: Diameter 4",  
 Height 8", Extension 6"



**Lexan Cylinder Energy Saver**

**77-727 White**  
 Requires (1) 13W Quad tube  
 GX23-2 Base max.  
 Dimensions: Diameter 4",  
 Height 8", Extension 6"



# exterior Floodlights

exterior flood lights

## One Light PAR Floodlight

**77-702** Gray

(1) 150W PAR38 max.

Dimensions: Width 4½",  
Extension 8"



## One Light PAR Floodlight

**77-494** Bronze

(1) 150W PAR38 max.

Dimensions: Width 4½",  
Extension 8"



## One Light PAR Floodlight

**77-487** White

(1) 150W PAR38 max.

Dimensions: Width 4½",  
Extension 8"



## One Light PAR Floodlight

**77-700** Black

(1) 150W PAR38 max.

Dimensions: Width 4½",  
Extension 8"



**HEAVY DUTY  
CAST ALUMINUM**

### FEATURES

- Contemporary styling
- Heavy duty cast aluminum construction
  - Adjustable swivels
  - Weather proof gasket



# exterior Floodlights



Two Light PAR Floodlight

**77-495** Bronze

(2) 150W PAR38 max.

Dimensions: Width 15", Extension 8"



Two Light PAR Floodlight

**77-703** Gray

(2) 150W PAR38 max.

Dimensions: Width 15", Extension 8"



Two Light PAR Floodlight

**77-701** Black

(2) 150W PAR38 max.

Dimensions: Width 15", Extension 8"



Two Light PAR Floodlight

**77-488** White

(2) 150W PAR38 max.

Dimensions: Width 15", Extension 8"

**HEAVY DUTY  
CAST ALUMINUM**

## FEATURES

- Contemporary styling
- Heavy duty cast aluminum construction
  - Adjustable swivels
  - Weather proof gasket



# exterior Floodlights

exterior flood lights



*Twin Floodlight with Motion Sensor*

**76-502** White    **76-503** Black

(2) 150W PAR38 max.

Dimensions: Width 10", Extension 9 1/2"



*Twin Floodlight with Motion Sensor*

**76-530** White    **76-531** Black

(2) 150W PAR38 max.

Dimensions: Width 14", Extension 9 1/2"

*One Light PAR Floodlight Holder*

**76-520** White

**76-521** Black

(1) 150W PAR38 max.

Dimensions: Width 4 1/2",  
Extension 5"



*Two Light PAR Floodlight Holder*

**76-522** White

**76-523** Black

(2) 150W PAR38 max.

Dimensions:  
Width 10",  
Extension 5"



*One Light "Quick Mount" Adjustable Par Holder*

**76-682** White

(2) 150W PAR38 max.

Dimensions:  
Width 14", Extension 9 1/2"



*One Light "Quick Mount" Adjustable Par Holder*

**76-683** Bronze

(2) 150W PAR38 max.

Dimensions:  
Width 14", Extension 9 1/2"



*Two Light "Quick Mount" Adjustable Par Holder*

**76-684** White

(2) 150W PAR38 max.

Dimensions:  
Width 14", Extension 9 1/2"



*Two Light "Quick Mount" Adjustable Par Holder*

**76-685** Bronze

(2) 150W PAR38 max.

Dimensions:  
Width 14", Extension 9 1/2"



## SENSOR FEATURES

- 110° x 15M Sensor range
- 5 sec. to 18 min. delay control
- Adjustable daylight control
- Manual override feature

*Add On Motion Sensor*

*Fits 1/2" Threaded Knockouts*

**76-500** White

**76-501** Black



# exterior Floodlights



exterior flood lights



*Mini Halogen Floodlight*

**76-510** White

**76-511** Black

(1) 150W Type J 78mm Halogen bulb - Included

Dimensions: Width 5", Height 3 1/4", Extension 8"



*Twin Mini Halogen Floodlight*

**76-512** White

**76-513** Black

(2) 150W Type J 78mm Halogen bulb - Included

Dimensions: Width 15", Height 3 1/4", Extension 8"



*Mini Halogen Floodlight  
with Motion Sensor*

**76-504** White

**76-505** Black

(1) 150W Type J 78mm Halogen bulb - Included

Dimensions: Width 5", Height 6", Extension 8"



*Twin Mini Halogen Floodlight  
with Motion Sensor*

**76-506** White

**76-507** Black

(2) 150W Type J 78mm Halogen bulb - Included

Dimensions: Width 15", Height 7", Extension 8"

## FEATURES

- Contemporary styling
- Heavy duty cast aluminum construction
  - Adjustable swivels
  - Weather proof gasket

## SENSOR FEATURES

- 110° x 15M Sensor range
  - 5 sec. to 18 min. delay control
- Manual override feature



*Large Halogen FloodLight*

**76-515** Black

(1) 300W Type J 118mm Halogen bulb - Included  
Dimensions: Width 7¼" Height 10", Extension 10"



*Large Halogen FloodLight*

**76-514** White

(1) 300W Type J 118mm Halogen bulb - Included  
Dimensions: Width 7¼" Height 10", Extension 10"



*Large Halogen FloodLight  
with Motion Sensor*

**76-509** Black

(1) 300W Type J 118mm Halogen bulb - Included  
Dimensions: Width 7¼" Height 12", Extension 10"



*Large Halogen FloodLight  
with Motion Sensor*

**76-508** White

(1) 300W Type J 118mm Halogen bulb - Included  
Dimensions: Width 7¼" Height 12", Extension 10"

### FEATURES

- Contemporary styling
- Heavy duty cast aluminum construction
  - Adjustable swivels
  - Weather proof gasket

### SENSOR FEATURES

- 110° x 15M Sensor range
  - 5 sec. to 18 min. delay control
- Manual override feature



# landscape Floods



*PAR16 Floodlight*

**76-645** Dark Bronze

(1) 60W PAR16 max.

*Dimensions: Diameter 2 1/8", Length 5 1/2"*



*PAR20 Floodlight*

**76-646** Dark Bronze

(1) 75W PAR20 max.

*Dimensions: Diameter 2 3/8", Length 6 1/4"*



*PAR30 Floodlight*

**76-647** Dark Bronze

(1) 75W PAR30 (Longneck) max.

*Dimensions: Diameter 4 1/4", Length 11 1/2"*



*PAR38 Floodlight*

**76-648** Dark Bronze

(1) 150W PAR38 max.


*Dimensions: Diameter 5 1/8", Length 12 1/2"*

## Landscape Floods

Incandescent Flood Lights

- Die-cast aluminum
- With hood and weatherproof gasket
  - Stainless Steel Screws
- For uplighting trees, foliage, statues...





**PAR16 Floodlight**

**76-655** Antique Verdi

(1) 60W PAR16 max.

Dimensions:  
Diameter 2 1/4",  
Length 5 1/2"



**PAR30 Floodlight**

**76-657** Antique Verdi

(1) 75W PAR30  
(Longneck) max.

Dimensions:  
Diameter 4 1/4",  
Length 11 1/2"



**PAR20 Floodlight**

**76-656** Antique Verdi

(1) 75W PAR20 max.

Dimensions:  
Diameter 2 3/4",  
Length 6 1/4"



**PAR38 Floodlight**

**76-658** Antique Verdi

(1) 150W PAR38 max.

Dimensions:  
Diameter 5 1/2",  
Length 12 1/2"



**Mounting Plates**

Die Cast

**76-665** 1 Light / Dark Bronze



**Mounting Plates**

Die Cast

**76-667** 1 Light / Antique Verdi



**Mounting Plates**

Die Cast

**76-666** 2 Light / Dark Bronze



**Mounting Plates**

Die Cast

**76-668** 2 Light / Antique Verdi




**Landscape Floodlight  
Mounting Plates**

- Convert Any Landscape Floodlight into a Wall Mounted Security Floodlight
- U.L. Listed for Dual Applications



Hardware and gasket included with mounting plates.

# pathway Lighting



## Two Louver Small Hood

**76-632** Old Bronze

(1) 75W A19 max.

Dimensions: Height 7 1/8",  
Diameter 6 1/8"



## Two Louver Small Hood

**77-323** Green

(1) 75W A19 max.

Dimensions: Height 7 1/8",  
Diameter 6 1/8"



## Two Louver Large Hood

**76-635** Old Bronze

(1) 75W A19 max.

Dimensions: Height 7 1/8",  
Diameter 9 3/8"



## Two Louver Large Hood

**76-634** Green

(1) 75W A19 max.

Dimensions: Height 7 1/8",  
Diameter 9 3/8"



## Three Louver Small Hood

**76-633** Old Bronze

(1) 100W A19 max.

Dimensions: Height 8 3/8",  
Diameter 6 1/8"



## Three Louver Small Hood

**77-324** Green

(1) 100W A19 max.

Dimensions: Height 8 3/8",  
Diameter 6 1/8"



## Three Louver Large Hood

**76-637** Old Bronze

(1) 100W A19 max.

Dimensions: Height 8 3/8",  
Diameter 9 3/8"



## Three Louver Large Hood

**76-636** Green

(1) 100W A19 max.

Dimensions: Height 8 3/8",  
Diameter 9 3/8"



All Pathway Lighting Fixtures Supplied  
with 1/2" Couplings for Use with  
Mounting Posts on the Following Page.



# mounting Posts

**PVC Mounting Post**

- 2" & 3" Wide cap • 1/2" Female thread
- 18" High • Ground wire attached
- Stabilizer bar included
- Cast aluminum cap included



**2" Diameter PVC Mounting Post**  
**76-638**  
 Green Finish  
 Dimensions: Height 18", Diameter 2"



**2" Diameter PVC Mounting Post**  
**76-639**  
 Old Bronze Finish  
 Dimensions: Height 18", Diameter 2"



**3" Diameter PVC Mounting Post**  
**76-641**  
 Dark Bronze  
 Dimensions: Height 18", Diameter 3"



**2" Diameter PVC Mounting Post**  
**76-640**  
 Dark Bronze Finish  
 Dimensions: Height 18", Diameter 2"



**2" Diameter PVC Mounting Post**  
**76-644**  
 Verdi Finish  
 Dimensions: Height 18", Diameter 2"



**3" Diameter PVC Mounting Post**  
**76-664**  
 Verdi Finish  
 Dimensions: Height 18", Diameter 3"



**12" X 1/2" Steel Mounting Post**  
 Threaded on Both Ends  
**90-1278**  
 Green Finish



**12" X 1/2" Steel Mounting Post**  
 Threaded on Both Ends  
**90-1279**  
 Old Bronze Finish



mounting posts



# Lock Globes

twist lock globes

### White Acrylic Globe

	Dia.	Fitter
50-784	10"	4"
50-785	12"	5 1/4"
50-786	14"	5 1/4"
50-787	16"	5 1/4"



### White Acrylic Cube

	Dia.	Fitter
50-796	10"	5 1/4"



### Smoke Acrylic Globe

	Dia.	Fitter
50-780	10"	4"
50-781	12"	5 1/4"
50-782	14"	5 1/4"
50-783	16"	5 1/4"



### Smoke Acrylic Cube

	Dia.	Fitter
50-797	10"	5 1/4"



### Clear Stripe Acrylic Globe

	Dia.	Fitter
50-788	10"	4"
50-789	12"	5 1/4"
50-790	14"	5 1/4"
50-791	16"	5 1/4"



### Clear Acrylic Cube

	Dia.	Fitter
50-798	10"	5 1/4"



*Shown: 50-781 Globe with 77-969 Holder*





### White Acrylic Elliptical

50-800      Dia.      Fitter  
                 16"x10"   5 1/4"



### Smoke Acrylic Elliptical

50-799      Dia.      Fitter  
                 16"x10"   5 1/4"



### Clear Stripe Acrylic Elliptical

50-801      Dia.      Fitter  
                 16"x10"   5 1/4"



### Clear Acrylic Elliptical

50-802      Dia.      Fitter  
                 16"x10"   5 1/4"



### White Acrylic Pear

50-794      Dia.      Fitter  
                 12"      5 1/4"



### Smoke Acrylic Pear

50-792      Dia.      Fitter  
                 12"      5 1/4"



Choose a globe and holder to create a complete fixture. Globe and holders sold separately. All acrylic globes have 1/4 turn twist lock notched holders for easy relamping. Holders are available in compact fluorescent and incandescent versions to fit all standard 3" posts and pier mount bases.



Shown:  
50-801 Globe with  
SF77-998 Holder

Also Shown:  
50-726 Clear  
Prismatic Cylinder



# twist lock Globes



## Clear Acrylic Pear

50-793    Dia. 12"    Fitter 5 1/4"




## Clear Stripe Acrylic Pear

50-795    Dia. 12"    Fitter 5 1/4"



# twist lock Holders




Incandescent



4" Holders	5 1/4" Holders
77-692 Black	77-968 Black
77-693 White	77-969 White

Incandescent Max. Wattages:  
10" Globes-60 watt max.  
12" to 14"-100 watt max.  
16"-150 watt max.



Compact Fluorescent



4" Holders	5 1/4" Holders
77-949 Black	77-998 Black
77-967 White	77-999 White

All compact fluorescent holders accommodate  
13W Twin Tube GX23-2 base max.

twist lock globes

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>