

Night Light bulbs



Brass Base

Candelabra Base



7C7

*Candelabra Base
(120 Volt)*

S3691 7 Watt Clear

S3692 7 Watt White

*Packing: Bulk
2000/Master, 25/Box*

Shown Actual Size



4C7

Candelabra Base (120 Volt)

S3680 4 Watt Clear

S3681 4 Watt White

*Packing: Bulk
2000/Master, 50/Box*

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst.Ctn./ Inner Pack
4	C7	Cand.	S3680	4C7	Clear	120V	3000	16	C-7A	2 1/8"	Bulk	2000/50
4	C7	Cand.	S3681	4C7/W	White	120V	3000	8	C-7A	2 1/8"	Bulk	2000/50
7	C7	Cand.	S3691	7C7	Clear	120V	3000	35	C-7A	2 1/8"	Bulk	2000/25
7	C7	Cand.	S3692	7C7/W	White	120V	3000	20	C-7A	2 1/8"	Bulk	2000/25

general service lamps

2500 Hours



7 1/2 S11

Medium Base
2500 Hrs. Average Life
(120 Volt)

- S3606** 7 1/2 Watt Clear
- S3607** 7 1/2 Watt Glossy White
- S3608** 7 1/2 Watt Ceramic Blue
- S3609** 7 1/2 Watt Ceramic Green
- S3610** 7 1/2 Watt Ceramic Orange
- S3611** 7 1/2 Watt Ceramic Red

Packing: Individually Boxed
1000/Master, 25/Inner



11 S14

Medium Base
2500 Hrs. Average Life
(130 Volt)

- S3965** 11 Watt Clear
- S3960** 11 Watt Ceramic Yellow
- S3961** 11 Watt Ceramic Red
- S3962** 11 Watt Ceramic Green
- S3963** 11 Watt Ceramic Blue
- S3964** 11 Watt Ceramic Orange
- S3966** 11 Watt Frosted

Packing: 4 Pack Sleeve, 120/Master



Shown Actual Size

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn./ Inner Pack
7 1/2	S11	Med.	S3606	7 1/2 S11	Clear	120V	2500	40	C-7A	2 1/4"	Sleeve	1000/25
7 1/2	S11	Med.	S3607	7 1/2 S11/W	White	120V	2500	25	C-7A	2 1/4"	Sleeve	1000/25
7 1/2	S11	Med.	S3608	7 1/2 S11/B	Blue	120V	2500	n/a	C-7A	2 1/4"	Sleeve	1000/25
7 1/2	S11	Med.	S3609	7 1/2 S11/G	Green	120V	2500	n/a	C-7A	2 1/4"	Sleeve	1000/25
7 1/2	S11	Med.	S3610	7 1/2 S11/O	Orange	120V	2500	n/a	C-7A	2 1/4"	Sleeve	1000/25
7 1/2	S11	Med.	S3611	7 1/2 S11/R	Red	120V	2500	n/a	C-7A	2 1/4"	Sleeve	1000/25
11	S14	Med.	S3965	11 S14	Clear	130V	2500	80	CC-9	3 1/2"	Sleeve	120/4
11	S14	Med.	S3966	11 S14/F	Frost.	130V	2500	65	CC-9	3 1/2"	Sleeve	120/4
11	S14	Med.	S3963	11 S14/B	Blue	130V	2500	n/a	CC-9	3 1/2"	Sleeve	120/4
11	S14	Med.	S3962	11 S14/G	Green	130V	2500	n/a	CC-9	3 1/2"	Sleeve	120/4
11	S14	Med.	S3964	11 S14/O	Orange	130V	2500	n/a	CC-9	3 1/2"	Sleeve	120/4
11	S14	Med.	S3961	11 S14/R	Red	130V	2500	n/a	CC-9	3 1/2"	Sleeve	120/4
11	S14	Med.	S3960	11 S14/Y	Yellow	130V	2500	n/a	CC-9	3 1/2"	Sleeve	120/4

general service lamps

T10 Tubular *Brass Base*



Bulbs

120 Volt / 1000 Hours

Medium Base

general service lamps



Clear

*Medium Base
(120 Volt)*

- S3250** 25 Watt
- S3252** 40 Watt
- S3896** 60 Watt

*Packing: Individually Boxed
500/Master, 25/Inner*



Frosted

*Medium Base
(120 Volt)*

- S3251** 25 Watt
- S3253** 40 Watt
- S3899** 60 Watt

*Packing: Individually Boxed
500/Master, 25/Inner*

Shown Actual Size

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn./ Inner Pack
25	T10	Med.	S3250	25T10	Clear	120V	1000	210	C-5V	5 3/16"	Box	500/25
25	T10	Med.	S3251	25T10/F	Frosted	120V	1000	200	C-5V	5 3/16"	Box	500/25
40	T10	Med.	S3252	40T10	Clear	120V	1000	300	C-5V	5 3/16"	Box	500/25
40	T10	Med.	S3253	40T10/F	Frosted	120V	1000	290	C-5V	5 3/16"	Box	500/25
60	T10	Med.	S3896	60T10	Clear	120V	1000	490	C-5V	5 3/16"	Box	500/25
60	T10	Med.	S3899	60T10/F	Frosted	120V	1000	480	C-5V	5 3/16"	Box	500/25

1500 Hours / 130 Volt

D.C. Bayonet Base

Shown Actual Size



Clear



Frosted

*D.C. Bayonet Base
(130 Volt)*

S3297 20 Watt
S3248 25 Watt

*Packing: Individually Boxed
500/Master, 25/Inner*

*D.C. Bayonet Base
(130 Volt)*

S3298 20 Watt
S3249 25 Watt

*Packing: Individually Boxed
500/Master, 25/Inner*

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn./ Inner Pack
20	T6 ¹ / ₂	DC BAY	S3297	20T6 ¹ / ₂ DC	Clear	130V	1500	150	C-8	5 3/8"	Box	500/25
20	T6 ¹ / ₂	DC BAY	S3298	20T6 ¹ / ₂ DC/F	Frosted	130V	1500	140	C-8	5 3/8"	Box	500/25
25	T6 ¹ / ₂	DC BAY	S3248	25T6 ¹ / ₂ DC	Clear	130V	1500	180	C-8	5 3/8"	Box	500/25
25	T6 ¹ / ₂	DC BAY	S3249	25T6 ¹ / ₂ DC/F	Frosted	130V	1500	170	C-8	5 3/8"	Box	500/25



T6¹/₂ Tubular *Brass Base*



Bulbs

130 Volt / 1500 Hours

Intermediate Base

Shown Actual Size



Clear



Frosted

*Intermediate Base
(130 Volt)*

- S3280** 20 Watt Clear
- S3222** 25 Watt Clear
- S3224** 40 Watt Clear

*Packing: Individually Boxed
500/Master, 25/Inner*

*Intermediate Base
(130 Volt)*

- S3281** 20 Watt Frosted
- S3223** 25 Watt Frosted
- S3225** 40 Watt Frosted

*Packing: Individually Boxed
500/Master, 25/Inner*

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn./ Inner Pack
20	T61/2	Int.	S3280	20T61/2N	Clear	130V	1500	150	C-8	5 3/8"	Box	500/25
20	T61/2	Int.	S3281	20T61/2N/IF	Frosted	130V	1500	140	C-8	5 3/8"	Box	500/25
25	T61/2	Int.	S3222	25T61/2N	Clear	130V	1500	180	C-8	5 3/8"	Box	500/25
25	T61/2	Int.	S3223	25T61/2N/IF	Frosted	130V	1500	170	C-8	5 3/8"	Box	500/25
40	T61/2	Int.	S3224	40T61/2N	Clear	130V	1500	350	C-8	5 3/8"	Box	500/25
40	T61/2	Int.	S3225	40T61/2N/IF	Frosted	130V	1500	340	C-8	5 3/8"	Box	500/25

general service lamps



Shown Actual Size



Intermediate Base
115-125 Volt

S3621 10 Watt
Dom. Code #10S11N

S3628 15 Watt
Dom. Code #15S11N

S3630 25 Watt
Dom. Code #25S11N

S3629 40 Watt
Dom. Code #40S11N

Packing: Individually Boxed
600/Master, 10/Inner



S3624 24 Watt/15CP
SC Bayonet Base/6-8V
Dom. Code #1133

Packing: Individually Boxed
600/Master, 10/Inner



S3623 12 Watt/15CP
SC Bayonet Base/12-16V
Dom. Code #93

Packing: Individually Boxed
600/Master, 10/Inner



S1383 20 Watt/20 CP
S.C. Bayonet Base 13 Volt

Packing: Individually Boxed
600/Master, 10/Inner



S3622 10 Watt
Intermediate Base/115-125V
Dom. Code #10S11N/F

Packing: Individually Boxed
600/Master, 10/Inner

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn./ Inner Pack
12	S8	S.C.BAY.	S3623	12S8/93	Clear	12-16V	200	190	C-6	2 "	Box	600/10
10	S11	Int.	S3621	10S11/N	Clear	115/125V	1500	80	C-7A	2 3/8"	Box	600/10
10	S11	Int.	S3622	10S11N/F	Frosted	115/125V	1500	80	CC-2V	2 3/8"	Box	600/10
15	S11	Int.	S3628	15S11/N	Clear	115/125V	1500	100	C-7A	2 3/8"	Box	600/10
25	S11	Int.	S3630	25S11/N	Clear	115/125V	1500	210	CC-2V	2 3/8"	Box	600/10
40	S11	Int.	S3629	40S11/N	Clear	115/125V	1500	370	CC-2V	2 3/8"	Box	600/10
24	RP11	S.C.BAY.	S3624	24RP11/1133	Clear	6/8V	300	400	C-6	2 1/4"	Box	600/10
20	R-11 1/2	S.C.BAY.	S1383	20R111/2/1383	Frosted	13V	600	200	C-6	2 1/2"	Box	600/10
20	R-11 1/2	S.C.BAY.	S1383/TF	20R111/2/1383	Shtr Prof	13V	600	200	C-6	2 1/2"	Box	600/10

Bulbs *Shown Actual Size*

2500 Hours



Indicator Bulb
S3911 15 Watt
 Int. Base/130 Volt
 Dom. Code #15T7/N



Appliance Bulb
S3905 15 Watt
 Cand. Base/130 Volt
 Dom. Code #15T7C



Appliance Bulb
S3908 25 Watt
 Int. Base/130 Volt
 Dom. Code #25T8N



Indicator Bulb
S3907 25 Watt
 Cand. Base/130 Volt
 Dom. Code #25T8C



Indicator Bulb
S3906 15 Watt
 D.C. Bay. Base/130 Volt
 Dom. Code #15T7/DC



Indicator Bulb
S3909 25 Watt
 D.C. Bay. Base/130 Volt
 Dom. Code #25T8DC



Microwave Bulb
S3917 40 Watt
 Int. Base/130 Volt
 Dom. Code #40T8N
 Packing: 1/Card
 120/Master, 12/Inner

Packing: 10 Pack Sleeve
 120/Master, 10/Inner

Appliance • Indicator • Switchboard • Night Light

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn./ Inner Pack
15	T7	Int.	S3911	15T7/N	Clear	130V	2500	95	C-5A	2 1/4"	Sleeve	120/10
15	T7	Cand.	S3905	15T7	Clear	130V	2500	95	C-5A	2 1/4"	Sleeve	120/10
15	T7	DC Bayonet	S3906	15T7/DC	Clear	130V	2500	95	C-5A	2 1/4"	Sleeve	120/10
25	T8	Cand.	S3907	25T8	Clear	130V	2500	190	C-5A	2 5/8"	Sleeve	120/10
25	T8	Int.	S3908	25T8/N	Clear	130V	2500	190	C-5A	2 5/8"	Sleeve	120/10
25	T8	DC Bayonet	S3909	25T8/DC	Clear	130V	2500	190	C-5A	2 5/8"	Sleeve	120/10
40	T8	Int.	S3917	40T8N	Clear	130V	2500	370	CC-2V	2 5/8"	1/Card	120/12

general service lamps

2500 Hours

Shown Actual Size



Appliance Bulb
S3901 6 Watt
 D.C. Bay. Base
 130 Volt
 Dom. Code #6S6DC



Indicator Bulb
S3900 6 Watt
 Cand. Base
 130 Volt
 Dom. Code #6S6

- Appliance
- Indicator
- Switchboard
- Night Light
- Picture Light



Appliance Bulb
S3904 10 Watt
 D.C. Bay. Base
 130 Volt
 Dom. Code #10C7DC



Night Light
S3902 7 Watt
 Cand. Base/130 Volt
 Dom. Code #7C7
S3903 10 Watt
 Cand. Base/130 Volt
 Dom. Code #10C7



Switchboard Bulb
S3910 15 Watt
 Cand. Base/130 Volt
 Dom. Code #15T6
S3912 15 Watt
 Cand. Base/145 Volt
 Dom. Code #15T6
S3315 15 Watt
 Cand. Base/120 Volt
 Dom. Code #15T6/F

Packing: 10 Pack Sleeve
 120/Master, 10/Inner

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst.Ctn./ Inner Pack
6	S6	Cand.	S3900	6S6	Clear	130V	2500	30	C-7A	1 7/8"	Sleeve	120/10
6	S6	DC Bayonet	S3901	6S6/DC	Clear	130V	2500	30	C-7A	1 7/8"	Sleeve	120/10
7	C7	Cand.	S3902	7C7	Clear	130V	2500	35	C-7A	1 7/8"	Sleeve	120/10
10	C7	Cand.	S3903	10C7	Clear	130V	2500	60	C-7A	2 1/8"	Sleeve	120/10
10	C7	DC Bayonet	S3904	10C7/DC	Clear	130V	2500	60	C-7A	2 1/8"	Sleeve	120/10
15	T6	Cand.	S3910	15T6	Clear	130V	2500	95	C-5A	3 1/16"	Sleeve	120/10
15	T6	Cand.	S3912	15T6	Clear	145V	2500	95	C-5A	3 1/16"	Sleeve	120/10
15	T6	Cand.	S3315	15T6/F	Frost	120V	2500	95	C-5A	4"	Sleeve	500/25

general service lamps

Fan *Bulbs*

130 Volt / 2500 Hours



Frosted

Medium Base
S3815 25 Watt
S3811 40 Watt
S3871 60 Watt

Packing: Individually Boxed
 500 Master, 25/Inner



Clear

Medium Base
S3814 25Watt
S3810 40 Watt
S3870 60 Watt

Packing: Individually Boxed
 500 Master, 25/Inner

Shown Actual Size

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn./ Inner Pack
25	A15	Med.	S3814	25A15	Clear	130V	2500	130	C-9	3 1/2"	Box	500/25
25	A15	Med.	S3815	25A15/F	Frosted	130V	2500	120	C-9	3 1/2"	Box	500/25
40	A15	Med.	S3810	40A15	Clear	130V	2500	290	C-9	3 1/2"	Box	500/25
40	A15	Med.	S3811	40A15/F	Frosted	130V	2500	280	C-9	3 1/2"	Box	500/25
60	A15	Med.	S3870	60A15	Clear	130V	2500	580	C-9	3 1/2"	Box	500/25
60	A15	Med.	S3871	60A15/F	Frosted	130V	2500	530	C-9	3 1/2"	Box	500/25

general service lamps

2500 Hours / 130 Volts

Medium Base



Clear

Medium Base

S3948 15 Watt

Packing: Boxed, 2 Pack
120 Master, 60 2-Packs
Sold Per Lamp



Frosted

Medium Base

S3949 15 Watt

Packing: Boxed, 2 Pack
120 Master, 60 2-Packs
Sold Per Lamp



general service lamps

Shown Actual Size

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn.
15	A15	Med.	S3948	15A15	Clear	130V	2500	100	C-9	3 1/2"	Box/2	120
15	A15	Med.	S3949	15A15/F	Frosted	130V	2500	100	C-9	3 1/2"	Box/2	120

A19 Household Brass Base



Lamps 2 Pack

120 Volt / 1500 Hours

Medium Base



Clear



Frosted



Not Shown
Actual Size

Medium Base

- S6040** 25 Watt
- S6041** 40 Watt
- S6042** 60 Watt
- S6043** 75 Watt
- S6044** 100 Watt

Packing: Boxed, 2 Pack
120 Master, 60 2-Packs
Sold Per Lamp

Medium Base

- S6050** 25 Watt
- S6051** 40 Watt
- S6052** 60 Watt
- S6053** 75 Watt
- S6054** 100 Watt

Packing: Boxed, 2 Pack
120 Master, 60 2-Packs
Sold Per Lamp

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack Type	Mst.Ctn.
25	A19	Med.	S6040	25A19	Clear	120V	1500	185	C-9	4 1/8"	Box/2	120
25	A19	Med.	S6050	25A19/F	Frosted	120V	1500	185	C-9	4 1/8"	Box/2	120
40	A19	Med.	S6041	40A19	Clear	120V	1500	340	C-9	4 1/8"	Box/2	120
40	A19	Med.	S6051	40A19/F	Frosted	120V	1500	340	C-9	4 1/8"	Box/2	120
60	A19	Med.	S6042	60A19	Clear	120V	1500	610	C-9	4 1/8"	Box/2	120
60	A19	Med.	S6052	60A19/F	Frosted	120V	1500	610	C-9	4 1/8"	Box/2	120
75	A19	Med.	S6043	75A19	Clear	120V	1500	800	C-9	4 1/8"	Box/2	120
75	A19	Med.	S6053	75A19/F	Frosted	120V	1500	800	C-9	4 1/8"	Box/2	120
100	A19	Med.	S6044	100A19	Clear	120V	1500	1150	C-9	4 1/8"	Box/2	120
100	A19	Med.	S6054	100A19/F	Frosted	120V	1500	1150	C-9	4 1/8"	Box/2	120

general service lamps

A19 Household Lamps 2 Pack

2500 Hours / 130 Volt

Medium Base

Not Shown
Actual Size



Frosted



Clear



Medium Base

- S3950** 25 Watt
- S3951** 40 Watt
- S3952** 60 Watt
- S3953** 75 Watt
- S3954** 100 Watt

Packing: Boxed, 2 Pack
120 Master, 60 2-Packs
Sold Per Lamp

Medium Base

- S3940** 25 Watt
- S3941** 40 Watt
- S3942** 60 Watt
- S3943** 75 Watt
- S3944** 100 Watt

Packing: Boxed, 2 Pack
120 Master, 60 2-Packs
Sold Per Lamp

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack Type	Mst.Ctn.
25	A19	Med.	S3940	25A19	Clear	130V	2500	185	CC-6	4 1/8"	Box/2	120
25	A19	Med.	S3950	25A19/F	Frosted	130V	2500	185	CC-6	4 1/8"	Box/2	120
40	A19	Med.	S3941	40A19	Clear	130V	2500	320	C-9	4 1/8"	Box/2	120
40	A19	Med.	S3951	40A19/F	Frosted	130V	2500	320	C-9	4 1/8"	Box/2	120
60	A19	Med.	S3942	60A19	Clear	130V	2500	580	C-9	4 1/8"	Box/2	120
60	A19	Med.	S3952	60A19/F	Frosted	130V	2500	580	C-9	4 1/8"	Box/2	120
75	A19	Med.	S3943	75A19	Clear	130V	2500	760	C-9	4 1/8"	Box/2	120
75	A19	Med.	S3953	75A19/F	Frosted	130V	2500	760	C-9	4 1/8"	Box/2	120
100	A19	Med.	S3944	100A19	Clear	130V	2500	1100	C-9	4 1/8"	Box/2	120
100	A19	Med.	S3954	100A19/F	Frosted	130V	2500	1100	C-9	4 1/8"	Box/2	120

130 VOLT BULB SPECIFICATIONS ON 120 VOLT LINE

23	A19	Med.	S3940	25A19	Clear	130V	5000	140	CC-6	4 1/8"	Box/2	120
23	A19	Med.	S3950	25A19/F	Frosted	130V	5000	140	CC-6	4 1/8"	Box/2	120
36	A19	Med.	S3941	40A19	Clear	130V	5000	235	C-9	4 1/8"	Box/2	120
36	A19	Med.	S3951	40A19/F	Frosted	130V	5000	235	C-9	4 1/8"	Box/2	120
53	A19	Med.	S3942	60A19	Clear	130V	5000	445	C-9	4 1/8"	Box/2	120
53	A19	Med.	S3952	60A19/F	Frosted	130V	5000	445	C-9	4 1/8"	Box/2	120
66	A19	Med.	S3943	75A19	Clear	130V	5000	570	C-9	4 1/8"	Box/2	120
66	A19	Med.	S3953	75A19/F	Frosted	130V	5000	570	C-9	4 1/8"	Box/2	120
90	A19	Med.	S3944	100A19	Clear	130V	5000	810	C-9	4 1/8"	Box/2	120
90	A19	Med.	S3954	100A19/F	Frosted	130V	5000	810	C-9	4 1/8"	Box/2	120

general service lamps

A19 Household Brass Base



Lamps 4 Pack

120 Volt / 1500 Hours

Medium Base



Not Shown
Actual Size



Soft White

Medium Base

S1810 40 Watt

S1811 60 Watt

S1812 75 Watt

S1813 100 Watt

Packing: Boxed, Pack

48 Master, 12 4-Packs

Sold Per Lamp



Frosted

Medium Base

S1711 40 Watt

S1712 60 Watt

S1713 75 Watt

S1714 100 Watt

Packing: Boxed, 4 Pack

48 Master, 12 4-Packs

Sold Per Lamp

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn.
40	A19	Med.	S1711	40A19/F	Frosted	120V	1500	340	C-9	4 1/8"	Box/4	48
40	A19	Med.	S1810	40A19/W	White	120V	1500	280	C-9	4 1/8"	Box/4	48
60	A19	Med.	S1712	60A19/F	Frosted	120V	1500	610	C-9	4 1/8"	Box/4	48
60	A19	Med.	S1811	60A19/W	White	120V	1500	500	C-9	4 1/8"	Box/4	48
75	A19	Med.	S1713	75A19/F	Frosted	120V	1500	800	C-9	4 1/8"	Box/4	48
75	A19	Med.	S1812	75A19/W	White	120V	1500	650	C-9	4 1/8"	Box/4	48
100	A19	Med.	S1714	100A19/F	Frosted	120V	1500	1150	C-9	4 1/8"	Box/4	48
100	A19	Med.	S1813	100A19/W	White	120V	1500	950	C-9	4 1/8"	Box/4	48

general service lamps

Not Shown Actual Size

Medium Base **Lamps**



**Long Life
Commercial Service**

Frosted **S3934** 75 Watt A21
 Medium Base **S3935** 100 Watt A21
 S3936 100 Watt A23

Packing: Individually Sleeved
 120 Master, 6/Inner

Long Neck A Lamps

- 130 Volt Frosted
- 12,500 Hrs. Avg. Life (when burned at 120v).
- Resists Power Surges.



**Left Hand
Thread A19**

Frosted **S6010** 100 Watt
 Medium Base

Packing: Individually Sleeved
 120 Master, 6/Inner

- Left-hand thread to prevent theft.
- Uses: construction, work sites, hotels, restaurants, etc.

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn./ Inner Pack
100	A19	Med.	S6010	100A19/LHT/F	Frosted	120V	2000	1200	C-9	4 1/8"	Sleeve	120/6
75	A21	Med.	S3934	75A21/IF/130V	Frosted	130V	5000	680	C-9	5 5/16"	Sleeve	120/6
100	A21	Med.	S3935	100A21/IF/130V	Frosted	130V	5000	1030	C-9	5 5/16"	Sleeve	120/6
100	A23	Med.	S3936	100A23/IF/130V	Frosted	130V	5000	1030	C-9	6 1/16"	Sleeve	120/6

130 Volt Bulb Specifications Operated On a 120 Volt Line

66	A21	Med.	S3934	75A21/IF/130V	Frosted	130V	12,500	515	C-9	5 5/16"	Sleeve	120/6
88	A21	Med.	S3935	100A21/IF/130V	Frosted	130V	12,500	780	C-9	5 5/16"	Sleeve	120/6
88	A23	Med.	S3936	100A23/IF/130V	Frosted	130V	12,500	780	C-9	6 1/16"	Sleeve	120/6

general service lamps

A19 Household Lamps 3 Pack



130 Volt



Sold Per Pack
Full Cases Only

Not Shown Actual Size

Soft White

Medium Base

- S3991** 40 Watt
- S3992** 60 Watt
- S3993** 75 Watt
- S3994** 100 Watt

Packing: Boxed, 3 Pack
120 Master, 40 3-Packs

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn.
40	A19	Med.	S3991	40A19/W	White	130V	1250	288	C-9	4 1/8"	Box/3	40
60	A19	Med.	S3992	60A19/W	White	130V	1250	576	C-9	4 1/8"	Box/3	40
75	A19	Med.	S3993	75A19/W	White	130V	1250	747	C-9	4 1/8"	Box/3	40
100	A19	Med.	S3994	100A19/W	White	130V	1250	1107	C-9	4 1/8"	Box/3	40

general service lamps

A19 Household Lamps 4 Pack

130 Volt



Clear

Soft White

Sold Per Pack
Full Cases Only

Medium Base
S4020 40 Watt
S4021 60 Watt
S4022 75 Watt
S4023 100 Watt

Packing: Boxed, 4 Pack
120 Master, 30 4-Packs

Medium Base
S4010 40 Watt
S4011 60 Watt
S4012 75 Watt
S4013 100 Watt

Packing: Boxed, 4 Pack
120 Master, 30 4-Packs

Not Shown
Actual Size

Watts	Bulb Type	Base	Salco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst.Ctn.
40	A19	Med.	S4020	40A19	Clear	130V	1000	320	C-9	4 1/8"	Box/4	30
40	A19	Med.	S4010	40A19/W	White	130V	1000	288	C-9	4 1/8"	Box/4	30
60	A19	Med.	S4021	60A19	Clear	130V	1000	640	C-9	4 1/8"	Box/4	30
60	A19	Med.	S4011	60A19/W	White	130V	1000	576	C-9	4 1/8"	Box/4	30
75	A19	Med.	S4022	75A19	Clear	130V	1000	830	C-9	4 1/8"	Box/4	30
75	A19	Med.	S4012	75A19/W	White	130V	1000	747	C-9	4 1/8"	Box/4	30
100	A19	Med.	S4023	100A19	Clear	130V	1000	1230	C-9	4 1/8"	Box/4	30
100	A19	Med.	S4013	100A19/W	White	130V	1000	1107	C-9	4 1/8"	Box/4	30

130 VOLT BULB SPECIFICATIONS ON 120 VOLT LINE

36	A19	Med.	S4020	40A19	Clear	130V	3000	230	C-9	4 1/8"	Box/4	30
36	A19	Med.	S4010	40A19/W	White	130V	3000	207	C-9	4 1/8"	Box/4	30
53	A19	Med.	S4021	60A19	Clear	130V	3000	460	C-9	4 1/8"	Box/4	30
53	A19	Med.	S4011	60A19/W	White	130V	3000	414	C-9	4 1/8"	Box/4	30
66	A19	Med.	S4022	75A19	Clear	130V	3000	598	C-9	4 1/8"	Box/4	30
66	A19	Med.	S4012	75A19/W	White	130V	3000	538	C-9	4 1/8"	Box/4	30
90	A19	Med.	S4023	100A19	Clear	130V	3000	885	C-9	4 1/8"	Box/4	30
90	A19	Med.	S4013	100A19/W	White	130V	3000	797	C-9	4 1/8"	Box/4	30

general service lamps

A19 Specialty Brass Base



Lamps

Medium Base

Not Shown Actual Size



Incandescent Black Light

Medium Base
120 Volt /480 Hrs. Avg. Life

S3920 75 Watt

Packing: Individually Boxed
96 Master, 6/Inner

Bug Light

Medium Base
130 Volt /2000 Hrs. Avg. Life

S3859 40 Watt Yellow

S3938 60 Watt Yellow

S3939 100 Watt Yellow

Packing: Boxed, 2 Pack
24 Master, 12 2-Packs
Sold Per Lamp

Silver Crown

Medium Base
130 Volt /1500 Hrs. Avg. Life

S3955 60A19/SL

S3956 100A19/SL

Packing: Individually Boxed
24 Master

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn./ Inner Pack
40	A19	Med.	S3859	40A/Y	Bug	130V	2000	-	C-9	4 1/8"	Box/2	24
60	A19	Med.	S3938	60A/Y	Bug	130V	2000	-	C-9	4 1/8"	Box/2	24
100	A19	Med.	S3939	100A/Y	Bug	130V	2000	-	C-9	4 1/8"	Box/2	24
75	A19	Med.	S3920	75A/BL	Black Light	120V	480	-	C-9	4 1/8"	Box	96/6
60	A19	Med.	S3955	60A/SL	Silver	130V	1500	580	C-9	4 1/8"	Box	24
100	A19	Med.	S3956	100A/SL	Silver	130V	1500	960	C-9	4 1/8"	Box	24

general service lamps



A19 Safety Coated



Shatterproof *Lamps* Brass Base 130 Volt

Medium Base



- Rubber coating contains glass particles should bulb break.
- Heavy duty shatter proof bulb.
- Long life.
- Resists power surges – 130V.
- Five support filament to withstand vibration and impact.
- Uses: Workshops, garages, construction areas, bathrooms, or any hazardous environments



Frosted

Medium Base

S3927 60 Watt

S3928 75 Watt

S3929 100 Watt

Packing: Boxed, 2 Pack
12 Master, 12 2-Packs
Sold Per Pack

Not Shown Actual Size

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst.Ctn.
60	A19	Med.	S3927	60A19/RS/TF	Frosted	130V	5000	520	C-9	4 1/8"	2/Pks	12
75	A19	Med.	S3928	75A19/RS/TF	Frosted	130V	5000	680	C-9	4 1/8"	2/Pks	12
100	A19	Med.	S3929	100A19/RS/TF	Frosted	130V	5000	960	C-9	4 1/8"	2/Pks	12
130 Volt Bulb Specifications Operated On a 120 Volt Line												
53	A19	Med.	S3927	60A19/RS/TF	Frosted	130V	12,500	395	C-9	4 1/8"	2/Pks	12
66	A19	Med.	S3928	75A19/RS/TF	Frosted	130V	12,500	515	C-9	4 1/8"	2/Pks	12
88	A19	Med.	S3929	100A19/RS/TF	Frosted	130V	12,500	730	C-9	4 1/8"	2/Pks	12

general service lamps



Safety Coated

Medium Base
A21 130 Volt
S3972 75 Watt
S3973 100 Watt
Packing: Boxed, 2 Pack,
24 Master, 12 2-Packs
Sold Per Pack



Rough Service

Medium Base
A19 130 Volt
S3969 50 Watt
S3970 75 Watt
S3971 100 watt
Packing: Boxed, 2 Pack,
24 Master, 12 2-Packs
Sold Per Pack

Not Shown Actual Size

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn.
50	A19	Med.	S3969	50A/RS	Frost	130V	2500	320	C-9	4 1/8"	Box/2	24
75	A19	Med.	S3970	75A/RS	Frost	130V	2500	620	C-9	4 1/8"	Box/2	24
100	A19	Med.	S3971	100A/RS	Frost	130V	2500	880	C-9	4 1/8"	Box/2	24
75	A21	Med.	S3972	75A21/TF	Frost	130V	2500	620	C-9	5 5/16"	Box/2	24
100	A21	Med.	S3973	100A21/TF	Frost	130V	2500	880	C-9	5 5/16"	Box/2	24

general service lamps

1000 Hours

A19 Transparent

Medium Base



general service lamps

25W
Medium Base 130 Volt

S6080 Transparent Red
S6081 Transparent Green
S6082 Transparent Blue
S6083 Transparent Yellow
 Packing: Individually Sleeved
 24/Master, 12 Inner

Not Shown Actual Size

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn./ Inner Pack
25	A19	Med.	S6080	25A/TR	Red	130V	1000	n/a	C-9	4 1/8"	Sleeve	24/12
25	A19	Med.	S6081	25A/TG	Green	130V	1000	n/a	C-9	4 1/8"	Sleeve	24/12
25	A19	Med.	S6082	25A/TB	Blue	130V	1000	n/a	C-9	4 1/8"	Sleeve	24/12
25	A19	Med.	S6083	25A/TY	Yellow	130V	1000	n/a	C-9	4 1/8"	Sleeve	24/12

Party *Bulbs* Brass Base



A19 Ceramic

1000 Hours

Medium Base

Not Shown Actual Size



25W
Medium Base
130 Volt

- S6090** Ceramic Red
- S6091** Ceramic Green
- S6092** Ceramic Blue
- S6093** Ceramic Yellow

Packing: Individually Sleeved
24/Master, 12 Inner

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn./ Inner Pack
25	A19	Med.	S6090	25A/R	Red	130V	1000	n/a	C-9	4 1/8"	Sleeve	24/12
25	A19	Med.	S6091	25A/G	Green	130V	1000	n/a	C-9	4 1/8"	Sleeve	24/12
25	A19	Med.	S6092	25A/B	Blue	130V	1000	n/a	C-9	4 1/8"	Sleeve	24/12
25	A19	Med.	S6093	25A/Y	Yellow	130V	1000	n/a	C-9	4 1/8"	Sleeve	24/12

specialty lamps

1000 Hours

Medium Base

Not Shown Actual Size



specialty lamps

40W
Medium Base
130 Volt

S4980 Ceramic Red
S4981 Ceramic Blue
S4982 Ceramic Green
S4983 Ceramic Yellow
Packing: Individually Boxed
24/Master, 12/Inner

60W
Medium Base
130 Volt

S4984 Ceramic Red
S4985 Ceramic Blue
S4986 Ceramic Green
S4987 Ceramic Yellow
Packing: Individually Boxed
24/Master, 12/Inner

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn./ Inner Pack
40	A19	Med.	S4980	40A/R	Cer. Red	130V	1000	n/a	C-9	4 1/8"	Sleeve	24/12
40	A19	Med.	S4981	40A/B	Cer. Blue	130V	1000	n/a	C-9	4 1/8"	Sleeve	24/12
40	A19	Med.	S4982	40A/G	Cer. Green	130V	1000	n/a	C-9	4 1/8"	Sleeve	24/12
40	A19	Med.	S4983	40A/Y	Cer. Yellow	130V	1000	n/a	C-9	4 1/8"	Sleeve	24/12
60	A19	Med.	S4984	60A/R	Cer. Red	130V	1000	n/a	C-9	4 1/8"	Sleeve	24/12
60	A19	Med.	S4985	60A/B	Cer. Blue	130V	1000	n/a	C-9	4 1/8"	Sleeve	24/12
60	A19	Med.	S4986	60A/G	Cer. Green	130V	1000	n/a	C-9	4 1/8"	Sleeve	24/12
60	A19	Med.	S4987	60A/Y	Cer. Yellow	130V	1000	n/a	C-9	4 1/8"	Sleeve	24/12



3-Way



Household Lamps

Not Shown Actual Size



3 Way/Med.

Soft White
 Medium Base
 120 Volt
S1820 30/70/100 Watt
S1821 50/100/150 Watt
S1823 50/200/250 Watt
 Packing: Individually Sleeved
 36/Master, 12/Inner



3 Way/Mogul

Soft White
 Mogul Base
 120 Volt
S1822 100/300 Watt
 Packing: Individually Sleeved
 12/Master

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn./ Inner Pack
30								250	CC-2V	5 1/16"	Sleeve	36/12
70	A21	Med. Brass	S1820	30/70/100A21/W	White	120V	2500	700	C-9			
100								950				
50								520	CC-2V	5 1/16"	Sleeve	36/12
100	A21	Med. Brass	S1821	50/100/150A21/W	White	120V	2500	1050	C-9			
150								1570				
50								640	CC-8	5 1/16"	Sleeve	12
200	A21	Med. Alum.	S1823	50/200/250A21/W	White	120V	1200	3300	CC-8			
250								3940				
100								1385	CC-8			
200	PS25	Mog. Alum.	S1822	100/200/300PS25/W	White	120V	1200	3540	CC-8	6 3/4"	Sleeve	12
300								4925				

general service lamps

3-Way Household Lamps

Medium Base



BRILLIANT
WHITE
LIGHT

EXTRA
LONG
LIFE!

HALOGEN

Dual halogen capsules create 3 light levels

3-Way Halogen Reading Light

Not Shown Actual Size



**REDUCED SIZE
A19 3 WAY**

A19 3-Way

Soft White/4000 Hours
Medium Base
120 Volt
S4505 30/70/100 Watt
S4506 50/100/150 Watt
Packing: Individually Sleeved
36/Master, 12/Inner

Soft White
Medium Base
120 Volt
S1824 30/70/100 Watt
Packing: Individually Sleeved
36/Master, 12/Inner

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Flament	M.O.L.	Pack. Type	Mst.Ctn./ Inner Pack
30								250	CC-8			
70	A19	Med. Brass	S1824	30/70/100A19/W	White	120V	2500	700	CC-8	4 1/8"	Sleeve	36/12
100								950				
30								295	CC-8			
70	A21	Med. Alum.	S4505	30/70/100A21/HAL/W	White	120V	4000	785	CC-8	5 1/16"	Sleeve	36/12
100								1080				
50								385	CC-8			
100	A21	Med. Alum.	S4506	50/100/150A21/HAL/W	White	120V	4000	1400	CC-8	5 1/16"	Sleeve	36/12
150								1985				

general service lamps

A21 Household Brass Base



Lamps

2500 HOURS/130 Volt

Medium Base

Not Shown Actual Size



Clear

Medium Base
130 Volt
S3981 150 Watt
Packing:
Individually Boxed
24/Master



Frosted

Medium Base
130 Volt
S3980 150 Watt
Packing:
Individually Boxed
24/Master

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn./ Inner Pack
150	A21	Med.	S3981	150A21	Clear	130V	2500	1750	C-9	5 1/16"	Box	24
150	A21	Med.	S3980	150A21/F	Frosted	130V	2500	1750	C-9	5 1/16"	Box	24
130 VOLT BULB SPECIFICATIONS ON 120 VOLT LINE												
134	A21	Med.	S3981	150A21	Clear	130V	6000	1350	C-9	5 1/16"	Box	24
134	A21	Med.	S3980	150A21/F	Frosted	130V	6000	1350	C-9	5 1/16"	Box	24

general service lamps

2500 Hours / 130 Volt


Lamps

Not Shown Actual Size

Medium Base



Frosted



Clear

Medium Base
130 Volt
S3982 200 Watt
Packing:
Individually Boxed
24/Master

Medium Base
130 Volt
S3983 200 Watt
Packing:
Individually Boxed
24/Master

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn./ Inner Pack
200	A23	Med.	S3983	200A23	Clear	130V	2500	2500	C-9	6 1/16"	Box	24
200	A23	Med.	S3982	200A23/F	Frosted	130V	2500	2500	C-9	6 1/16"	Box	24
130 VOLT BULB SPECIFICATIONS ON 120 VOLT LINE												
179	A23	Med.	S3983	200A23	Clear	130V	6000	1750	C-9	6 1/16"	Box	24
179	A23	Med.	S3982	200A23/F	Frosted	130V	6000	1750	C-9	6 1/16"	Box	24

general service lamps

Service **Lamps**

2500 Hours/130 Volt

Not Shown Actual Size



Clear

Medium Base
300M 130 Volt
S4959 300 Watt
Packing:
Individually Boxed
24/Master



Frosted

Medium Base
300M/IF 130 Volt
S4960 300 Watt
Packing:
Individually Boxed
24/Master

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn.
300	PS25	Med.	S4959	300M	Clear	130V	2500	3600	C-9	6 ¹⁵ / ₁₆ "	Box	24
300	PS25	Med.	S4960	300M/IF	Frosted	130V	2500	3600	C-9	6 ¹⁵ / ₁₆ "	Box	24

130 VOLT BULB SPECIFICATIONS ON 120 VOLT LINE

264	PS25	Med.	S4959	300M	Clear	130V	5000	2640	C-9	6 ¹⁵ / ₁₆ "	Box	24
264	PS25	Med.	S4960	300M/IF	Frosted	130V	5000	2640	C-9	6 ¹⁵ / ₁₆ "	Box	24

general service lamps

2500 Hours/130 Volt

Service **Lamps**

Not Shown Actual Size



Clear

Mogul Base
300 130 Volt
S4961 300 Watt
Packing:
Individually Boxed
12/Master



Frosted

Mogul Base
300IF 130 Volt
S4962 300 Watt
Packing:
Individually Boxed
12/Master

general service lamps

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst. Ctn.
300	PS35	Mog.	S4961	300	Clear	130V	2500	3600	C-9	93/8"	Box	12
300	PS35	Mog.	S4962	300/IF	Frosted	130V	2500	3600	C-9	93/8"	Box	12

130 VOLT BULB SPECIFICATIONS ON 120 VOLT LINE

264	PS35	Mog.	S4961	300	Clear	130V	5000	2640	C-9	93/8"	Box	12
264	PS35	Mog.	S4962	300/IF	Frosted	130V	5000	2640	C-9	93/8"	Box	12

A19 Energy Saver



Lamps Aluminum Base

Medium Base

Not Shown Actual Size



Energy Saver
130 Volt

Frosted
Medium Base

- S4990** 40A/34
- S4991** 60A/52
- S4992** 75A/67
- S4993** 100A/90

Packing: Boxed, 4 Pack,
48/Master, 12 4-Packs



Energy Saver
120 Volt

Frosted
Medium Base

- S4460** 40A/34
- S4461** 60A/52
- S4462** 75A/67
- S4463** 100A/90

Packing: Boxed, 4 Pack,
48/Master, 12 4-Packs

Watts	Bulb Type	Base	Satco Order No.	Lamp Code	Finish	Volts	Avg. Rated Hours	Lumens	Filament	M.O.L.	Pack. Type	Mst.Ctn.
34	A19	Med.	S4990	40A/34	Frosted	130V	1500	375	CC-8	4 7/16"	Box/4	48
34	A19	Med.	S4460	40A/34	Frosted	120V	1500	385	CC-8	4 7/16"	Box/4	48
52	A19	Med.	S4991	60A/52	Frosted	130V	1000	740	CC-8	4 7/16"	Box/4	48
52	A19	Med.	S4461	60A/52	Frosted	120V	1000	745	CC-8	4 7/16"	Box/4	48
67	A19	Med.	S4992	75A/67	Frosted	130V	750	1065	CC-8	4 7/16"	Box/4	48
67	A19	Med.	S4462	75A/67	Frosted	120V	750	1040	CC-8	4 7/16"	Box/4	48
90	A19	Med.	S4993	100A/90	Frosted	130V	750	1550	CC-8	4 7/16"	Box/4	48
90	A19	Med.	S4463	100A/90	Frosted	120V	750	1520	CC-8	4 7/16"	Box/4	48
130 VOLT BULB SPECIFICATIONS ON 120 VOLT LINE												
26	A19	Med.	S4990	40A/34	Frosted	130V	3750	285	CC-8	4 7/16"	Box/4	48
46	A19	Med.	S4991	60A/52	Frosted	130V	3750	550	CC-8	4 7/16"	Box/4	48
59	A19	Med.	S4992	75A/67	Frosted	130V	1875	770	CC-8	4 7/16"	Box/4	48
79	A19	Med.	S4993	100A/90	Frosted	130V	1875	1125	CC-8	4 7/16"	Box/4	48

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>