SYLVANIA LIMITED WARRANTY

FUNAI CORP, will repair this SYLVANIA product, free of charge in the USA in the event of defect in materials or workman-

DURATION: PARTS:

FUNAI CORP. will provide parts to replace defective parts without charge for one (1) year from the date of original retail purchase. Two (2) years for Picture Tube. Certain parts are excluded LABOR:

from this warranty. FUNAI CORP. will provide the labor without charge for a period of ninety (90) days from the date of original retail purchase

LIMITS AND EXCLUSIONS:

THIS WARRANTY IS EXTENDED ONLY TO THE ORIGINAL RETAIL PURCHASER. A PURCHASE RECEIPT OR OTHER PROOF OF ORIGINAL RETAIL PURCHASE WILL BE REQUIRED TOGETHER WITH THE PRODUCT TO OBTAIN SERVICE UNDER THIS WARRANTY. This warranty shall not be extended to any other person or transferee.

This warranty is void and of no effect if any serial numbers on the product are altered, replaced, defaced, missing or if service was attempted by an unauthorized service center. This SYLVANIA Limited warranty does not apply to any the product not purchased and used in the United States.

the product not purchased and used in the United States. This warranty only covers failures due to defects in material or workmanship which occurs during normal use. It does not cover damage which occurs in shipment, or failures which are caused by repairs, alterations or product not sup-plied by FUNAI CORP, or damage which results from accident, misuse, abuse, mishandling, misapplication, alter-ation, faulty installation, improper maintenance, commercial use such as hotel, rental or office use of this product or damage which results from fire, flood, lightning or other acts of God.

THIS WARRANTY DOES NOT COVER PACKING MATERIALS, ANY ACCESSORIES (EXCEPT REMOTE CONTROL), ANY COSMETIC PARTS, COMPLETE ASSEMBLY PARTS, DEMO OR FLOOR MODELS.

CONTROL), ANY COSMETIC PARTS, COMPLETE ASSEMBLY PARTS, DEMO OR FLOOR MODELS. FUNAI CORP. AND ITS REPRESENTATIVES OR AGENTS SHALL IN NO EVENT BE LIABLE FOR ANY GENERAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR OCCASIONED BY THE USE OF OR THE INABILITY TO USE THIS PRODUCT. THIS WARRANTY IS MADE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, AND OF ALL OTHER LIABILITIES ON THE PART OF FUNAI, ALL OTHER WARRANTIES INCLUDING THE WARRANTY OF MERCHANTABILITY, AND FIT-NESS FOR A PARTICULAR PURPOSE, ARE HEREBY DISCLAIMED BY FUNAI AND ITS REPRESENTA-TIVES IN THE UNITED STATES. ALL WARRANTY INSPECTIONS AND REPAIRS MUST BE PERFORMED BY FUNAI AUTHORIZED SER-VICE CENTER. THIS WARRANTY IS VALID WHEN THE UNIT IS CARRIED-IN TO FUNAI AUTHORIZED SERVICE FACILITY.

SERVICE FACILITY

THE PRODUCT MUST BE ACCOMPANIED BY A COPY OF THE ORIGINAL RETAIL PURCHASE RECEIPT. IF NO PROOF OF PURCHASE IS ATTACHED, THE WARRANTY WILL NOT BE HONORED AND REPAIRS COSTS WILL BE CHARGED.

IMPORTANT: THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE TO STATE, IF, AT ANY TIME DURING THE WARRANTY PERIOD, YOU ARE UNABLE TO OBTAIN SATISFACTION WITH THE REPAIR OF THIS PRODUCT, PLEASE CONTACT FUNAI CORP.

ATTENTION:

FUNAI CORP. RESERVES THE RIGHT TO MODIFY ANY DESIGN OF THIS PRODUCT

To locate your nearest SYLVANIA Authorized Service Center or general service procedure, please call 1-800-968-3429 or write to the following:

FUNAI CORPORATION, INC. SERVICE CENTER 19900 Van Ness Avenue, Torrance, CA 90501 Tel :1-800-968-3429 http://www.funai-corp.com

Head Office: 100 North Street, Teterboro, NJ 07608

PLEASE DO NOT SHIP YOUR UNIT TO THE TETERBORO ADDRESS.

0EMN02357

Printed in Thailand L2702UC

ANTENNA/CABLE CONNECTIONS

SST4274 **FEATURES** Tinted, Bright Black Matrix Picture Tube 181 Channel Selection- All VHF/UHF channels plus up to 125 cable channels. • PLL Frequency Synthesized Tuning- The latest PLL frequency synthesized electronic tuning system provides free and easy channel selection, and lets you tune directly to any channel using the channel number buttons (0~9 and +100-key) on the remote control. **On-Screen Function Display**

Full-Function Remote Control

Owner's

Manual

- Sleep Timer
- Closed Caption Decoder- You may view specially labeled (cc) TV programs, movies, news, prerecorded tapes, etc. with either a dialogue caption or text display added to the program.

27 INCH

SYLVANIA

COLOR TELEVISION

- Auto Shut Off Function- If there is no air signal input from the antenna terminal and no user operation for 15 minutes, the TV will turn itself off automatically.
- V-CHIP- Enables parents to prevent their children from watching inappropriate material on TV. • Front / Rear AV Input


PRECAUTIONS

- Place your TV in a room with adequate ventilation.
- Keep your TV set away from sources of direct heat, such as heat registers or direct sunlight.
- Do not place your TV on soft surfaces, such as rugs or blankets.
- Leave enough room for air to circulate around the bottom, top and back of the set.

The serial number of this product may be found on the back of the TV. No others have the same serial number as yours. You should record the number and other vital information here and retain this book as a permanent record of your purchase to aid identification in case of theft.

Date of Purchase	Dealer Phone No.	
Dealer Purchase from	Model No.	
Dealer Address	Serial No.	

IF YOU NEED ADDITIONAL ASSISTANCE FOR SET-UP OR OPERATING AFTER READING OWNER'S MANUAL, PLEASE CALL TOLL FREE 1-800-968-3429, OR VISIT OUR WEB SITE AT http://www.funai-corp.com



CLOSED CAPTION

This TV can receive C1 and C2 Caption and Text.

CAPTION MODE

- 1) Closed Caption Characters can be displayed on the TV screen only when the received broadcast signal contains Caption Signals.
- 2) Paint-on mode: Displays input characters on the screen immediately.
- Pop-on mode: Once characters are stored in memory, they are displayed all at once. Roll-up mode: Displays the characters continuously by scrolling (max. 4 lines)
- Note: If CAPTION C1 or C2 is selected but a Closed Caption signal is not included, characters will not be displayed.

TEXT MODE

- 1) Displays the text on the screen by scrolling (max. 7 lines)
- 2) If the received broadcast signal does not contain caption or text signals, no change will occur.

Notes:

- 1) When your TV receives a special effects playback signal (i.e., Search, Slow, Still) from a VCR's video output channel (CH3 or CH4), your TV may not display the correct caption or text.
- 2) Captions and texts may not match the TV voice exactly.
- 3) Interference may cause the closed caption system not to function properly.
- 4) The caption or text characters will not be displayed while the menu display or functions display is shown.

5) If you see this screen:



If your TV displays a black box on the screen, this means that your TV is set to TEXT mode. To clear screen, select CAPTION C1, C2 or CAPTION [OFF].

WARNING:

TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO NOT EXPOSE THIS APPLI-ANCE TO RAIN OR MOISTURE.



The important note is located on the rear of the cabinet.

IMPORTANT SAFEGUARDS

- Read instructions-All the safety and operating instruc-tions should be read before the appliance is operated. Retain Instructions-The safety and operating instruc-
- 2.
- tions should be retained for future reference 3.
- Heed Warnings-All warnings on the appliance and in the operating instructions should be adhered to. Follow Instructions-All operating and use instructions
- 4. should be followed.
- Cleaning-Unplug TV from the wall outlet before clean-ing. Do not use liquid cleaners or aerosol cleaners. Use a damp cloth for cleaning.
- **EXCEPTION:** A product that is meant for uninterrupted service and, that for some specific reason, such as the possibility of the loss of an authorization code for a CATV converter, is not intended to be unplugged by exclude the reference to unplugging the appliance in the cleaning description otherwise required in item 5. Attachments-Do not use attachments not recommended
- by the TV manufacturer as they may cause hazards. Water and Moisture-Do not use this TV near water, for example, near a bath tub, wash bowl, kitchen sink, or laundry tub, in a wet basement, or near a swimming pool, and the like.
- Accessories-Do not place this TV on an unstable cart. stand, tripod, bracket, or table. The TV may fall, caus ing serious injury to someone, and serious damage to the appliance. Use only with a cart, stand, tripod, bracket, or table recommended by the manufacturer, or old with the TV

Any mounting of the appliance should follow the manufacturer's instructions and should

use a mounting accessory recom-mended by the manufacturer. An appliance and cart combination should be moved with care. Quick stops, excessive force, and uneven surfaces may cause the appliance and cart combination to overturn. back or bottom are provided for ventilation and to ensure reliable operation of the TV and to protect it from overheating, these openings must not be blocd or covered. The openings should never be blocked by placing the TV on a bed, sofa, rug, or other similar sur-face. This TV should never be placed near or over a radiator or heat register. This TV should not be placed in a built-in installation such as a bookcase or rack

renverser.

un meuble à roulettes, déplacez


faces irrégulières risquent de déstabiliser l'ensemble et de le

les deux ensembles avec précau-tion. Un arrêt brusque, l'utilisation d'une force excessive et des sur-

unless proper ventilation is provided or the manufacunless proper ventilation is provided or the manufac-turer's instructions have been adhered to . 10. Power Sources-This TV should be operated only from the type of power source indicated on the marking label. If you are not sure of the type of power supply to your home, consult your appliance dealer or local power company. For TVs intended to operate from bat-tery nower, or other sources, refer to the operating

Ventilation-Slots and openings in the cabinet and the

tery power, or other sources, refer to the operating instructions instructions. 6. Grounding or Polarization-This TV is equipped with a polarized alternating-current line plug(a plug having one blade wider than the other). This plug will fit into the power outlet only one way. This is a safety feature. If you are unable to insert the plug fully into the outlet, try reversing the plug. If the plug should still fail to fit, contact your electrician to replace your obsolete outlet. Do not defeat the safety purpose of the polarized plug. 11.




- 12. Power-Cord Protection-Power-supply cords should be routed so that they are not likely to be walked on or pinched by items placed upon or against them, paying particular attention to cords at plugs, convenier receptacles, and the point where they exit from the appliance. 13. Outdoor Antenna grounding-If an outside antenna or
- cable system is connected to the TV, be sure the antenna or cable system is grounded so as to provide some protection against voltage surges and built-up static charges. Article 810 of the National Electrical Code, ANSI/NFPA No. 70, provides information with respect to proper grounding of the mast and supporting struc-ture, grounding of the lead-in wire to an antenna dis-charge unit, size of grounding conductors, location of antenna-discharge unit, connection to grounding elec-trodes, and requirements for the grounding electrode. Fig. A)
- 14. Lightning-For added protection for this TV receiver during a lightning storm, or when it is left unattended and unused for long periods of time, unplug it from the wall outlet and disconnect the antenna or cable system. This will prevent damage to the TV due to lightning and power-line surges.
- 15 Power Lines-An outside antenna system should not be located in the vicinity of overhead power lines or other electric light of power circuits, or where it can fall into such power lines or circuits. When installing an outside antenna system, extreme care should be taken to keep from touching such power lines or circuits as contact with them might be fatal.
- with them might be fatal.
 16. Overloading-Do not overload wall outlets and extension cords as this can result in a risk of fire or electric shock.
 17. Object and Liquid Entry-Never push objects of any kind into this TV through openings as they may touch the short of the short
- dangerous voltage points or short out parts that could result in a fire or electric shock. Never spill liquid of any kind on the TV.


- Servicing-Do not attempt to service this TV yourself as opening or removing covers may expose you to dan-gerous voltage or other hazards. Refer all servicing to
- qualified service personnel.19. Damage Requiring Service-Unplug this TV from the wall outlet and refer servicing to qualified service personnel under the following conditions:
- a. When the power supply cord or plug is damaged or frayed. b. If liquid has been spilled, or objects have fallen into
- the TV. c. If the TV has been exposed to rain or water.
- d. If the TV does not operate normally by following the operating instructions. Adjust only those controls that are covered by the operating instructions, as improper adjustment of other controls may result in damage and will often require extensive work by a qualified techni-cian to restore the TV to its normal operation. e. If the TV has been dropped or damaged in any way. f. When the TV exhibits a distinct change in perfor-
- When the Tv exhibits a distinct change in periods mance-this indicates a need for service.
 Replacement Parts-When replacement parts are required, be sure the service technician uses replace-ment parts specified by the manufacturer that have the the trebulated of the service technical service. same characteristics as the original part. Unauthorized substitutions may result in fire, electric shock, injury to persons or other hazards.
- Safety Check-Upon completion of any service or repairs to this TV, ask the service technician to perform routine safety checks to determine that the TV is in proper operating condition.
- 22. Heat-This TV product should be situated away from heat sources such as radiators, heat registers, stoves, or other products (including amplifiers) that produce heat.

OPERATING CONTROLS AND FUNCTIONS

- FRONT PANEL -



- REMOTE CONTROL -



- 1. VIDEO (IN) jack- Connect to the video output jack of a video camera or VCR. NOTE: The AUDIO and VIDEO jacks on the front panel are given priority over those on the rear panel. Suppose that the connections are already made with the rear-panel jacks and additionally with the front-panel jacks. In this case too, the input via the front ones is automatically selected.
- AUDIO L (IN) jack- Connect to the left channel audio output jack of a video camera or VCR.

- NOTE: The rear-panel AUDIO L (IN) jack is for mono input. The sound is heard from both speakers. Use this jack for monaural audio equipment to be hooked up.
- AUDIO R (IN) jack- Connect to the right 3. channel audio output jack of a video camera or VCR.
- 4. HEADPHONE jack- To connect headphone (not supplied) for personal listening.
- MENU button- Press to display the menu on the TV screen
- VOLUME (VOL) ▲/▼ buttons- Press to control the volume level. Press to determine the setting mode from the
- menu on the TV screen. (only the VOL \blacktriangle button) Press to select or adjust from a particular
- menu. (for example: Language Selection, Channel Presetting, Closed Caption Selection, Picture Adjustment, V-CHIP Set Up) **CHANNEL** (CH) $\blacktriangle/ \triangledown$ buttons- Press to
- select memorized channel. NOTE: You MUST PRESET channels BEFORE using CHANNEL \blacktriangle/ ∇ buttons. (See CHANNEL PRESETTING) Press to select the setting mode from the menu on the TV screen.
- Press to select item you want to adjust in the picture control mode.
- POWER button- Press to turn the TV ON and OFE Infrared Sensor Window- Receives the 9. infrared control signals from the remote

control unit.

- 10.MUTE button- Press the MUTE button to turn off the sound portion of the TV pregram. (Volume level display turns LIGHT RED from LIGHT BLUE.) Press the MUTE button again or press the VOL(ume) \blacktriangle or \blacksquare button to restore sound.
- 11.CHANNEL RETURN button- Press this button to go back to the previously viewed channel. For example, pressing the CHAN-NEL RETURN button once will change channel display from CH 3 (present channel) to CH 10 (previously viewed channel), and pressing it a second time will return from CH 10 to CH 3.
- 12.DISPLAY button- Press to display the channel number on the screen. If you press it again, the channel number will disappear.
- 13.SLEEP button- Press the SLEEP button to display the sleep timer and start the function. The shut off time can be determined by the number of times you press the but-
- ton. (0, 10, 20, 30,..90, 0 minutes) 14.GAME button- Press to set the Game mode and external input mode at the same time. Press the GAME button again to exit this mode
- 15.CHANNEL NUMBER buttons- Press two digits to directly access the desired channel. Remember to press a "0" before a single digit channel.

+100 button- Press to select cable channels higher than 99.

16.ANT(enna). IN jack- Connect to an antenna, cable system, or satellite system.

8


16

∼∆ ⊽ ⊽

- 17.AC cord- Connect to a standard AC outlet (120V/60Hz).
 - NOTE: Unwrap the AC cord completely from the backcover before plugging the cord into an AC outlet.


INSTALLING THE BATTERIES

- Slide the battery compartment cover back 1) on the remote unit.
- 2) Insert 2 "AA" penlight batteries into battery compartment in the direction as indicated by the polarity (+/-) markings. Batteries installed with incorrect polarity may damage the remote unit.



EXTERNAL INPUT MODE

When using an external input signal (VCR or camcorder), connect the player's audio/video output cables to the AUDIO IN/ VIDEO IN jacks of your TV. Then press the GAME but-ton. For details, see "USING THE GAME BUTTON" in PICTURE ADJUSTMENT section.



ொ

П

Ż

2

₽

Q

- REAR PANEL -

17

Download from Www.Somanuals.com. All Manuals Search And Download.

AMEUBLES- Cet appareil ne doit être placé que sur un meuble (avec ou sans roulettes) recommandé par le fabricant. Si vous l'installez sur

TES ROULETTES

THIS SYMBOL INDICATES THAT DAN-

GEROUS VOLTAGE CONSTITUTING A

THERE ARE IMPORTANT OPERATING AND MAINTENANCE INSTRUCTIONS

IN THE LITERATURE ACCOMPANYING


RISK OF ELECTRIC SHOCK IS PRE-SENT WITHIN THIS UNIT.

THIS SYMBOL INDICATES THAT

THE APPLIANCE.

PREPARATION FOR USE

LANGUAGE SELECTION



- press the POWER button without unplugging the power cord.
- 2) Press the POWER button to turn on the TV.
- 3) Press the MENU button so that the menu display appears on the TV screen.
- 4) Press the CH(annel) \blacktriangle or \blacktriangledown button to point to "[ENG]".
- 5) Select "ENG(lish)", "ESP(añol)" or "FRA(nçais)" by using the VOL(ume) \blacktriangle or \blacktriangledown button.
- 6) Press the MENU button to exit the menu.

CHANNEL PRESETTING

- NOTE: You MUST PRESET channels BEFORE using CHANNEL ▲ or ▼ button.
- To preset a channel or to change a preset channel, follow the procedure below.
- 1) Press the POWER button to turn on the TV.
- 2) Press the MENU button so that the menu display appears
- on the TV screen. 3) Press the CH(annel) \blacktriangle or \triangledown button to point to "CHANNEL SET". Then, press the VOL(ume) \blacktriangle button.
- 4) Press the CH(annel) \blacktriangle or \blacktriangledown button to point to "AUTO PRESET CH". Then, press the VOL(ume) \blacktriangle button.
- The tuner scans and memorizes all active channels in your area. • The TV distinguishes between standard TV channels and cable (CATV) channels.
- When AUTO PRESET CH action is completed, the lowest memorized channel reappears on the screen.
- When you press the CH(annel) \blacktriangle or \triangledown button after selecting AUTO PRESET CH, the tuner will stop at the memorized channels only.
- The TV may recognize TV channels to be CATV channels by receiving conditions. In this case, try AUTO PRESET CH action again in the fine receiving conditions.
- When AUTO PRESET CH is activated where there is no TV signal input, "NO TV SIGNALS" will appear on the display after the completion of the channel scanning.

[ADD/DELETE FUNCTION]

- 1) Press the MENU button so that the menu display appears on the TV screen.
- 2) Press the CH(annel) \blacktriangle or \blacktriangledown button to point to "CHANNEL SET". Then, press the VOL(ume) \blacktriangle button.
- PICTURE CHANNEL SET [ENG] / ESP / FRA V-CHIP SET UP CAPTION [OFF] TV SOUND [MAIN]

PICTURE CHANNEL SET

CAPTION (OFF TV SOUND [MAIN]

PICTURE

•

CHANNEL SET [ENG] / ESP / FRA V-CHIP SET UP CAPTION [OFF]

TV SOUND [MAIN]

ADD/DELETE AUTO PRESET CH

[ENG] / ESP / FRA V-CHIP SET UP

- 3) Press the VOL(ume) ▲ button so that "ADD/DELETE" is selected.
- 4) Use the CH(annel) \blacktriangle or \triangledown button to select the channel you wish to put into memory or to erase from memory.
- Note: The display will return to the normal screen automatically in about 10 seconds. Perform "ADD/DELETE" function while this display appears on the screen.
- Press the VOL(ume) \blacktriangle or \triangledown button to light up the channel number
- in LIGHT BLUE if you wish to add the channel into memory. Press the VOL(ume) \blacktriangle or \checkmark button to light up the channel number
- in LIGHT RED if you wish to erase the channel from memory. 5) Press the MENU button to exit the menu.

MTS (Multi-Channel Television Sound) System

You can listen to a program in MTS stereo by following the steps below.


Menu Selection Type of broadcast	MAIN	MONO	SAP	To show the status, press the DISPLAY button on the remote control.
Regular	-None-	-None-	-None-	SAP: Second Audio Program, which
Stereo broadcast	STEREO	MONO	STEREO	means your program, can also be received in a second language or
SAP	MAIN	MAIN	SAP	sometimes a radio station.

button on the remote control.
SAP: Second Audio Program, which
means your program, can also be received in a second language or
received in a second language or
sometimes a radio station.

[To Select STEREO, MONO or SAP in Stereo broadcast]

1) Press the MENU button so that the menu display appears on the TV screen.

- 2) Press the CH(annel) \blacktriangle or \blacktriangledown button to point to "TV SOUND".
- 3) Press the VOL(ume) ▲ or ▼ button to select your desired stereo mode. ([MAIN], [MONO] or [SAP].)



RESUME FUNCTION

If the power fails or is disconnected while the TV is powered on, the TV will turn on automatically when the power resumes.

OPERATIONS


WATCHING A TV PROGRAM

- 1) Press the POWER button to turn on the TV.
- 2) Select the desired channel with the CH(annel) \blacktriangle or \triangledown button.
- 3) Adjust the volume to the desired listening level using the VOL(ume) \blacktriangle or \checkmark button.
- 4) Adjust picture controls for a natural looking image. (See "PICTURE ADJUSTMENT".)

SETTING THE SLEEP TIMER


The sleep timer function allows you to have the power automa after a set time period.1) Press the POWER button to turn on the TV and press the S on the remote control .	5	
 You may change the sleep time by pressing the SLEEP but remote control repeatedly. The timer can be set up to 90 	ton on the	SLEEP 10
minutes, 10 minutes each time the SLEEP button is pushed. (The timer display counts up and sleep timer will be displayed on the screen when you press the SLEEP button on remote control.) Note: When you disconnect the unit from the AC outlet, or sleep time will be lost.	ly until "SLEE	EP button repeated- EP 0" is displayed.
CLOSED CAPTION SELECTION		
5 1 5 7 1 7	e MENU button appears on the T	so that the menu IV screen.

with either a dialogue caption or text display added to the program.



- to "CAPTION". Press the VOL(ume) \blacktriangle or \checkmark button to
- select the mode you wish. 4) When done, press the MENU button to exit

the menu.



PICTURE ADJUSTMENT

- 1) Press the MENU button so that the menu display appears on the TV screen.
- 2) Press the VOL(ume) ▲ button so that "PICTURE" is selected.
- 3) Select the feature you wish to adjust with the CH(annel) \blacktriangle or \blacktriangledown button and adjust it with the VOL(ume) \blacktriangle or \blacktriangledown button.


GAME MODE

- Set to the most suitable position for TV
- GAME. [+] : ON [-] : OFF
- BRIGHT
- Adjust until the darkest parts of the picture are as bright as you prefer.
- [+] : increase brightness [-] : decrease brightness
- CONTRAST Adjust to increase or decrease contrast.
- [+] : increase contrast [-] : decrease contrast COLOR
- Adjust to be brilliant or pale color.
- [+] : be brilliant color [-] : be pale color TINT
- Adjust to obtain natural skin tones.
- [+] : greenish tone [-] : reddish tone SHARPNESS
- Adjust to detail in the picture.
- [+]:increase sharpness [-]:decrease sharpness
- Notes:
 "+" is achieved by pressing the VOL(ume)
 ▲ button and "-" by pressing the VOL(ume)
 VOL(ume)
 ▶ button.

- In the above steps, the picture adjustment display will disappear from the TV screen automatically after about 10 seconds if you do not press any buttons. Press the MENU and VOL(ume) \blacktriangle button so that "PIC-TURE" is selected. Then, press the CH(annel) \bigstar or \forall button repeatedly until the display returns to the account
 - the display returns to the screen.
- If you adjust any picture control after you set the Game mode to [ON], the Game mode is set to [OFF] automatically.
- **[USING THE GAME BUTTON]**

You may also set the Game mode and external input mode at the same time by pressing the GAME button on the remote control. "GAME" appears on the TV screen. • To exit the Game mode and external input

- mode, press the GAME button on the remote control again.
- To cancel the Game mode only, adjust the picture control. The GAME mode will be set to [OFF] automatically as explained in the previous section. In this case, "VIDEO" (external input mode) instead of "GAME" appears on the TV screen. If you press the GAME button when the TV
- is off, the TV turns on and will be in the Game mode and external input mode automatically.



ADD/DELETE AUTO PRESET CH

OPERATIONS (Continued)

V-CHIP SET UP

V-CHIP enables parents to prevent their children from watching inappropriate material on TV V-CHIP reads the ratings for programming (except for news and sports programs, unedited movies on premium cable channels, and Emergency Broadcast System signals), then denies access to programming if the program's rating meets or exceeds the limitations you select. In this case, "PRO-TECTED PROGRAM by ..." message appears on the TV screen.

- To block certain ratings, follow the steps below. Programming may be rated by the Motion Picture Association of America (MPAA) or according to the Television Parental Guidelines. In order to block any inappropriate programming, set your limits in both places (MPAA RATING and TV RATING).
- You cannot access the menu when the "PROTECTED PROGRAM by ..." message appears. In this case, change to an unblocked channel, then press the MENU button.

PICTURE

PICTURE CHANNEL SET [ENG] / ESP / FRA V-CHIP SET UP CAPTION [OFF] TV SOUND [MAIN]

TV RATING MPAA RATING

[VIEW]

[VIEW] [VIEW] [VIEW]

[VIEW] [VIEW]

►G

PG PG-13

NC-17

- [MPAA RATING SET UP] 1) Press the MENU button so that the menu display appears on the TV screen.
- 2) Press the CH(annel) \blacktriangle or \triangledown button to point to "V-CHIP SET UP". Then, press the VOL(ume) \blacktriangle button.
- 3) Press the CH(annel) \blacktriangle or \checkmark button to point to "MPAA RATING". Then, press the VOL(ume) \blacktriangle button.
- 4) Press the CH(annel) \blacktriangle or \blacktriangledown button to point to your desired item. Then, press the VOL(ume) ▲ button to select [BLOCK] or [VIEW].

1	() (_ '	
<selection< th=""><th>> <rating category="" explanations=""></rating></th><th></th><th></th></selection<>	> <rating category="" explanations=""></rating>		
• G:	General Audience		
• PG:	Parental Guidance suggested		
• PG-13:	Unsuitable for children under 13		
• R:	Restricted; under 17 requires accompanying		
	parent or adult guardian		
• NC-17:	No one under 17 admitted		
• X:	Mature audience only		

- When you select the rating category and turn it to [BLOCK], the higher rating will turn [BLOCK] automatically. Also, the lower rating will turn [VIEW] automatically.
- When you turn "G" to [BLOCK] or [VIEW], the all ratings will turn to [BLOCK] or [VIEW] automatically.
- When you turn "X" to [VIEW], the all ratings will turn to [VIEW] automatically.

5) Press the MENU button to exit the menu.

[TV RATING SET UP]

- Press the MENU button so that the menu display appears on the TV screen.
- Press the CH(annel) \blacktriangle or \triangledown button to point to "V-CHIP SET UP". 2) Then, press the VOL(ume) \blacktriangle button.
- 3) Press the CH(annel) \blacktriangle or \blacktriangledown button to point to "TV RATING". Then, press the VOL(ume) \blacktriangle button.
- 4) Press the CH(annel) \blacktriangle or \blacktriangledown button to point to your desired item. Then, press the VOL(ume) ▲ button to select [BLOCK] or [VIEW].

<rating category="" explanations=""></rating>
Appropriate for all children
Appropriate for children seven and older
General Audience
Parental Guidance suggested
Unsuitable for children under 1
Mature audience only

- When you select the rating category and turn it to [BLOCK], the higher
- rating will turn [BLOCK] automatically. Also, the lower rating will turn [VIEW] automatically. When you turn "TV-Y" to [BLOCK] or [VIEW], then all ratings will turn to [BLOCK] or
- [VIEW] automatically.
- When you turn "TV-MA" to [VIEW], then all ratings will turn to [VIEW] automatically.

When you select TV-Y7, TV-PG, TV-14, or TV-MA and you press the VOL(ume) ▲ button, the sub-ratings will appear on the TV screen.

If you select the rating category (example: TV-PG) and turn it to [BLOCK] or [VIEW], the subratings (example: V for Violence) will turn [BLOCK] or [VIEW] automatically.

You can set the sub-ratings to [BLOCK] or [VIEW] individually when the rating category is set to [BLOCK]. To set the sub-ratings individually, follow the steps below.

- When you select [TV-Y7]: Press the CH(annel) \blacktriangle or \checkmark button to select "FV" (Fantasy Violence). Then, press the VOL(ume) \blacktriangle button to select [BLOCK] or [VIEW].
- When you select [TV-PG], [TV-14] or [TV-MA]: Press the CH(annel) \blacktriangle or \blacktriangledown button to select "D"(Suggestive Dialog), 'L"(Coarse Language), "S"(Sexual Situation), or "V"(Violence) Then, press the VOL(ume) \blacktriangle button to select [BLOCK] or [VIEW].
- Note: When you select [TV-MA], "D" does not appear on the TV screen. The sub-ratings which set to [BLOCK] appear next to the rating category in the TV RATING menu.

5) Press the MENU button to exit the menu.

TV-Y7	[BLOCK]
FV	[BLOCK]
TV-PG	[BLOCK]
D	[BLOCK]
L	[BLOCK]
S	[BLOCK]
V	[BLOCK]
•TV-Y TV-Y7 (TV-G TV-PG (DLS TV-14 (DLS TV-MA (LS	V)[BLOCK]

PICTURE

TV BATING MPAA RATING

►TV-Y

TV-Y7 (TV-G

TV-PG TV-14 TV-MA

PICTURE CHANNEL SET [ENG] / ESP / FRA V-CHIP SET UP CAPTION [OFF] TV SOUND [MAIN]

[VIEW]

)[VIEW]

)[VIEW])[VIEW])[VIEW]

MAINTENANCE

CABINET CLEANING

- Wipe the front panel and other exterior surfaces of the TV with a soft cloth immersed in lukewarm water and wrung dry.
- Never use a solvent or alcohol. Do not spray insecticide liquid near the TV. Such chemicals may cause damage and discoloration to the exposed surfaces.

SUPPLIED ACCESSORIES

Remote control unit (NE121UD)

Owner's Manual
(0EMN02357)



Batteries ("AA" x 2) SPECIFICATIONS

GENERAL SE	PECIFICATIONS	ELECTRICAL	SPECIFICATIONS
Television system:	NTSC-M TV Standard	Sound output:	1W, 8 ohm x2
Closed Caption		OTHER SPEC	IFICATIONS
System: Channel coverage	§15.119/FCC	Remote control:	Digital encoded
VHF:	2 ~ 13	Omenations	infrared light system
UHF:	14 ~ 69	Operating	5°C to 40°C
CATV:	2 ~ 13, A ~ W,	temperature:	$(41^{\circ}F \sim 104^{\circ}F)$
	$W+1 \sim W+84$,	Power requirements:	AC120V, 60Hz
T ' O /	A-5 ~ A-1, 5A	Power consumption	11C120 V, 00112
Tuning System	181 channel	(Maximum):	110W
	frequency synthesized tuning system	Picture tube:	27"
Channel access:	Direct access keyboard,	Dimensions:	H: 22-1/16" (560mm)
Chamiler access.	programmable		W: 26" (660mm)
	scan and up/down		D: 19-11/16" (500mm)
Terminals	••••••••••••••••••••••	Weight:	77.2 lbs. (35kg)
Antenna input:	VHF/UHF/CATV		
-	75 ohm unbalanced	Designs and specifi	actions are subject to
	(F-type)		cations are subject to ice and without our
Video input:	RCA connector x 2	legal obligation.	ice and without our
	(1 x Front / 1 x Rear)		ancy between languages
Audio input:	RCA connector x 4	the default languag	
	$\frac{1}{2} \times Front / 2 (L/R) \times Rear$	une aviaant mingung	,
Headphone: Stereo Sound Syster	1/8" stereo (3.5mm)		
Stereo Sound Syster	11		

TROUBLESHOOTING GUIDE

Sometimes a performance problem can be easily solved by checking seemingly apparent but often overlooked possibilities. Before arranging for service, check these items. It could save you time and money.

										-						
WITIONA QUICK SERVICE CHECK LIST		Remote Control Doesn't Work	Bars On Screen	Picture Distorted	Picture Rolls Vertically	No Color	Poor Reception on Some Channels	Weak Picture	Lines or Streaks in Picture	Ghosts in picture	Picture Blurred	Sound OK, Picture Poor	Picture OK, Sound Poor	No Picture or Sound	Different color marks on screen	
POSSIBLE REMEDY			l M	B	Ë	Ē	Ž	Pc	M	E	5	Ē	š	Ε	ž	ā
Try a new channel, if OK, then possible station trouble	e.				X	X	X	X	X	X	X	X	X	×	×	X
Is TV plugged in?											· ·					
Power at outlet?			×												×	
Is TV's POWER button on?															X	
Is antenna connected to terminal on the back of the set	t?						X	X	×		X		X		×	
If outside antenna is being used, check for broken wire	e.			X	X	X	X	X	×	X	X	X	X		X	
Check for local interference.				X		X		×		X	X		×	×		
Turn off with POWER button and then turn it on after	about a minute.														X	
Adjust COLOR control.							X									
Adjust CONTRAST & BRIGHT control.									X				X			
Check batteries in Remote Control.			X													
Move the TV away from the nearby appliances which h Turn off using the POWER button, then turn it on again 2		er.														×
Closed Caption Problem					Pos	ssib	le R	em	edy							
My TV is showing captions that are misspelled.	You are watching a live broadcast and spelling errors made by the closed captioning production company may pass through uncorrected. A prerecorded program will not show any misspelled words because of the normal time available for editing the captions.					rect-										
My TV will not show the text in its entirety or there is a delay of what is being said.	Captions that are delayed a few seconds behind the actual dialogue are common for live broadcasts. Most captioning production compa- nies can display a dialogue to a maximum of 220 words per minute. If a dialogue exceeds that rate, selective editing is used to insure that the captions remain up-to-date with the current TV screen dialogue.															
My captions are scrambled with white boxes on the TV screen.	Interference caused by building, power lines, thunderstorms, etc. may cause scrambled or incomplete captions to appear.				с.											
My program guide listed a TV show as being closed captioned but none of the captions were displayed.	Broadcasters may at times use a time compression process to the actual program so that additional advertising time can be given. Since the decoder cannot read the compressed information, caption will be lost.															
My prerecorded videotape does not show any captions. The tape box mentions it being closed captioned.	The videotape was either an illegal copying or the tape duplicating company accidentally left out the captioning signals during the copying process.				ing											
My TV screen shows a black box on certain channels.	You are in the [OFF].	TE	XT	mc	ode.	Sel	ect	CA	PTI	ION	m	ode	or (CAF	TIC	N

As an ENERGY STAR[®] Partner, our company has determined that this product meets

the ENERGY STAR® guidelines for energy efficiency. ENERGY STAR® is a U.S. registered mark. 2 speakers Download from Www.Somanuals.com. All Manuals Search And Download.

PICTURE TUBE CLEANING

Wipe the picture tube of the TV with a soft cloth. Before cleaning the picture tube, disconnect the power cord.

CTDIC	SDF	

Sound output:	1W, 8 ohm x2
OTHER SPE	CIFICATIONS
Remote control:	Digital encoded

Designs and specifications are subject to
change without notice and without our
egal obligation.
If there is a discrepancy between languages,

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com